

भारत सरकार, गृह मंत्रालय

GOVERNMENT OF INDIA, MINISTRY OF HOME AFFAIRS





कार्यालय विशेष महानिदेशक, दक्षिण अंचलमुख्यालय



पोस्ट— केश्वगीरी, हैदराबाद, तेलगाना—पिन—500005 P. O:KESHOGIRI, HYDERABAD, TELANGANA PIN—500005

नियंत्रण कक्ष/Control Rooms 4024443324



Web.Site: www.crpf.nic.in/http://eprocure.gov.in/eprocure/app(cppp)

Tender Enquiry No. B.V-4/2024-25-SZ-Works (GC AVD) Major Work T/015 Dated, the 23/09/2024

NOTICE INVITING E-TENDER

The Commandant (Engineer), South Zone HQr, CRPF, Hyderabad (Telangana) for and on behalf of the President of India invites online tenders from Registered Contractors of 'CPWD /MES/NBCC/BRO/Other Central Govt. Departments/State PWD' or Equivalent applicable for the region' in appropriate class as per the amount of Tender under Two Bid system (Technical and Financial Bid) on the prescribed form as per the details given below:-

S1. No.	Name of Work	Place of Work	Amount of NIT	ll .	Date & Time of opening of
				(Mandatory)	
I	II	III	IV	V	VI
1	Barrier free built environment and access to person with disability for Hospital and Men's club at GC, CRPF, Avadi, Chennai-65.	GC, CRPF, AVADI, CHENNAI- 600065	Rs. 14,95,499/-	Rs. 30,000/- *(No exemption of EMD)	On 22-10-2024 at 11:00 Hrs.

Note:-

- (i) All relevant details are available on CRPF website https://crpf.gov.in/index-hi.htm as well as on E-Procurement web site https://eprocure.gov.in/eprocure/app (CPP Portal). The same may be downloaded by the bidders.
- (ii) Tenderers are requested to watch the CRPF/CPPP website regularly for any change in tender enquiry/technical specification/ terms & condition.
- (iii) Date & Time of availability of tender on CPP Portal: With effect from **14-10-2024 at 00:00 Hrs.** onwards.

Yours Sincerely Sd/- 23/09/2024 (Lt. Col. Vinit Kumar Tiwary)

Commandant (Engineer)

Contract Cell, SZ HQr [For and on behalf of the President of India]



भारत सरकार, गृह मंत्रालय GOVERNMENT OF INDIA, MINISTRY OF HOME AFFAIRS केन्द्रीय रिजर्व पुलिस बल CENTRAL RESERVE POLICE FORCE कार्यालय विशेष महानिदेशक, दक्षिण अंचलमुख्यालय 0/0 THE SPL. DIRECTOR GENERAL, SOUTH ZONE HQR



पोस्ट— केश्वगीरी, हैदराबाद, तेलगाना—पिन—500005 P. O:KESHOGIRI, HYDERABAD, TELANGANA PIN-500005

नियंत्रण कक्ष/Control Room91 4024443324

Web.	Site	:www.cr	nf.nic.ii	ı /httɪ	n://en	rocure.	ov.in/e	eprocure/	ann((cnnn)	١
* * CD	DILL	• ** ** ** .	P1.111C.11	1 / 11 6 6	J • / / C	or ocur co	O 1 . 1 1 1 / C	procurc	uppi	CPPP	,

Tender Eng	uiry No. B.V-4/2024-25-SZ-Works (GC AVD) Major Work T/015	Dated, the 23/09/2024
Subject: -	Invitation of e-Tender.	
Dear Sir,		

On behalf of the President of India, I invite you to tender online bids for "Barrier free built environment and access to person with disability for Hospital and Men's club at GC, CRPF, Avadi, Chennai-65" Pin-600065.

- 2. If you are in a position to quote rate for "Barrier free built environment and access to person with disability for Hospital and Men's club at GC, CRPF, Avadi, Chennai-65" Pin-600065 in accordance with the requirements stated in the attached schedule to tender, all documents attached herewith should be fully filled in, signed and sealed by the respective firm and submitted through e-Procurement site https://eprocure.gov.in/eprocure/app failing which your tender will be liable to be ignored, and will not be considered.
- 3. This tender is not transferable.

Thanking you.

Yours Sincerely Sd/- 23/09/2024 (Lt. Col. Vinit Kumar Tiwary)

Commandant (Engineer)

Contract Cell, SZ HQr [For and on behalf of the President of India]

SCHEDULE OF TENDER

e-Tender Enquiry No. & Date	B.V-4/2024-25-SZ-Works (GC AVD) Major Work T/015 Dated 23/09/2024
Name of work	"Barrier free built environment and access to person with disability for Hospital and Men's club at GC, CRPF, Avadi, Chennai-65" Pin-600065
Place of work	At GC, CRPF, Avadi, Chennai" Pin-600065.
Work schedule/Schedule of Quantity	Details as per Annexure-'I' of the Tender enquiry
Amount of NIT/Estimated Cost	Rs. 14,95,499/- only
E.M.D. (In INR) @2% Fixed	Rs. 30,000/- only [Note: - EMD, in favor of DIGP, GC, CRPF, Avadi, Payable at-SBI, HVF, Avadi (Code No. 4675) and should be valid at least for 90 days from the date of opening of tender. If thereafter validity of the E.M.D. requires extension, the participated firm will be bound to extend the validity suitably. There is no exemption in EMD and it should be furnished by the bidder mandatorily. If the bidder fails to submit the EMD as specified then his tender will be liable to be rejected summarily]
Date & Time of Publishing of Tender	On 14-10-2024 at 09:00 Hrs.
Start date & time of submission online/ offline documents	W.E.F. 14-10-2024 a t 10:00 Hrs Onwards.
Last date & time of submission online/offline documents	Till 21-10-2024 at 10:00 Hrs
Date & time of opening of tender	On 22-10-2024 at 11:00 Hrs
Validity of offer	The tender shall remain open for acceptance till 180 days from the date of opening of bid and the accepted rates shall remain valid during the period of execution including the extended period, if any.
Time allowed for completion of work	90 Days which will be reckoned from the date of issue of work Order or the date of handing over of the site, whichever is later.

- 02. Tenderers are advised to go through the **Earnest Money Deposit (EMD)** and **Two Bid system clause** of this Tender Enquiry before filling the tender. In case date of opening of tender happens to be a closed holiday, the tender will be opened on next working day at the stipulated time.
- 03. All relevant details, including specification, terms & condition etc are available on **E-Procurement web site** https://eprocure.gov.in/eprocure/app (CPPP). The same may be downloaded by the bidders. Details can also be seen at CRPF website http://crpf.nic.in/tender notices.htm. For any changes in Tender Enquiry/specifications etc, tenders are requested to visit CRPF/CPPP web sites regularly.
- O4. Scan copy of all Tender documents duly sealed and singed by firm, Earnest Money have to be uploaded through online on or before the schedule date and time prescribed in tender enquiry. Only original copy of **Earnest Money Deposit**, **Tender Acceptance Letter (Appendix -'C')** and *Integrity Pact (Appendix -'A')* to be submitted by the firm to **DIGP, GC, CRPF, Avadi** on or before fixed due date and time for opening of tender by post or by hand. In case the firm fails to submit the original copy of above documents on or before the due date and time for opening of tender quotation will be ignored.
- 05. The tenderer may survey the site and decide the quantum materials: It is important that each page of the tender acceptance letter which is written undertaking that all the terms and condition of the tender are understood and accepted should be signed and submitted online through e-procurement site https://eprocure.gov.in/eprocure/app.

Sd/- 23/09/2024
(Lt. Col. Vinit Kumar Tiwary)

Commandant (Engineer)

Contract Cell, SZ HQr
[For and on behalf of the President of India]

IMPORTANT INSTRUCTIONS AND GUIDELINES

- 1. The intending Bidders must read all the terms and condition carefully and submit their tender through online (eprocurement web site in CPP Portal) before due date & time i.e. before 21-10-2024 upto 10:00 Hrs if they consider themselves eligible and are in possession of all the required documents. Bidders are also advised to go through the Earnest Money, Payment terms and other clauses, terms and conditions of this tender enquiry carefully before participating in bidding process. The Bids (Technical Bids only) against tender enquiry will be opened on the given date & time i.e. on 22-10-2024 at 11:00 Hrs. in the CONTRACT CELL, SOUTH ZONE HQR, CRPF, HYDERABAD (TELANGANA) PIN 500005. However date of opening of financial bids will be intimated to the eligible Bidders only after technical bid evaluation.
- 2. Bidders are requested to submit their bid/tender documents online through e-procurement website in CPP Portal duly filled and completed in all respect as per norms. Only original copy of EMD & Tender Acceptance letter are required to be sent/submitted in a sealed envelope superscripted with **full address** of the **firm**, tender enquiry/notice **number & date**, name of work, date and time of opening etc by registered post/speed post duly stamped or by courier/by hand to the **DIGP**, **GC**, **CRPF**, **Avadi**, **Chennai 600065** so as to reach on or before the scheduled time and date as mentioned in the schedule to the tender enquiry. Department is not responsible for any postal delay. In case date of opening of tender happens to be a closed holiday, the tender will be opened on next working day at the stipulated time. Late/Delay/Non-submission of original documents manually in a sealed envelope to **DIGP**, **GC**, **CRPF**, **Avadi**, **Chennai 600065** would result in rejection of bid during online bid opening.
- 3. All Tender documents attached with this invitation to tender including specifications are sacrosanct for considering any offer as complete offer. It is therefore important that **Tender Acceptance Letter** (As per **Appendix-'C'** of Tender Enquiry) which is a "**Written Undertaking**" that all the terms and conditions of the tender are understood and accepted, should be ink signed and submitted along with all documents as required with the bid.
- 4. **Name** and **status** of the person signing the tender documents should clearly be mentioned in the tender documents.
- 5. While opening the tenders, the technical bid will be opened first instance and evaluated by the competent committee or authority. If the firm fails to full fill at the conditions specified in the tender notice and fails to attach the documents as asked above, the tender will be rejected immediately. At the second stage, financial bids of technical qualified firms will be opened for further evaluation and ranking before awarding the contract. Award of contract will be awarded overall **L-1 firm.**
- 6. The works required to be executed on credit basis and no interest will be payable on the delayed payment. The payment will be made direct to the Firm/ Contractor bank account through ECS on recoupment of bill. Payment in advance or immediately cannot be made. GST number of the firm should be clearly shown / quoted in the tender.
- 7. Intending Bidder is eligible to submit the bid provided he has definite proof from the appropriate authority, which shall be to the satisfaction of the competent authority of having satisfactorily completed similar works/services of magnitude specified.
- 8. The contractor submitting the tenders against the subject tender enquiry are informed that all relevant details with reference to the tender enquiry stipulations are clearly responded to. In case any of the tender enquiry stipulation are not clearly stated to or replied to by any of the contractor, **no** repeat **no** clarifications will be sought from the concerned firm and its offer will be rejected out rightly.
- 9. The Contractor shall comply with the orders issued by the **Commandant (Engineer), South Zone HQr, CRPF at HYDERABAD (TELANGANA)** from time to time during the contractual period. If he fails to do so, his failure will be a breach of contract and the **Commandant (Engineer), South Zone, CRPF** in his discretion without prejudice to any other right or remedy available in law can cancel the contract. The contractor shall be liable for any pecuniary liability arising on account of any violation by him.
- 10. Agreement shall be drawn/work order will be issued to the successful Bidder. Bidders shall quote their rates as per terms and conditions which will form part of the agreement/contract.
- 11. The rates quoted by the Contractor should be **inclusive** of all taxes.
- 12. Intending bidders are advised to inspect and examine the site and its surrounding and satisfy themselves before submitting their bids as to the nature of the ground and sub soil (so far as is practicable), the form and nature of the site, the means of access to the site, the accommodation they may require and in general shall themselves obtain all necessary information as to risks, contingencies and other circumstances which may influence or affect their bid. A bidder shall be deemed to have full knowledge of the site whether he inspects it or not and no extra charges consequent on any misunderstanding or otherwise specifically provided for in the contract documents. Submission of a bid by a bidder implies that he has read this notice with terms & conditions mentioned there in, all other contract documents and has made himself aware of the scope and specifications of the work to be done and of conditions and rates at which stores, tools and plant etc will be issued to him by the government and location conditions and other factors having a bearing on the execution of the work.
- 13. The bid for the work shall remain open for acceptance for a period of **180 days** from the date of opening of the bid and rate of accepted bid shall remain valid during the proposed contractual period including extension period if any. If any bidder withdraws his bid before the said period or issue of letter of acceptance whichever is earlier or makes any notifications in the terms and conditions of the bid which are not acceptable to the department, then the government



shall, without prejudice to any other right or remedy, is at liberty to forfeit the said earnest money (bid security) as aforesaid. Further the bidder shall not be allowed to participate in the re-bidding process of the work.

- 14. The officer inviting bid or his duly authorized assistant will open bid in the presence of intending contractors who may be present at the time of opening and will enter the amounts of the several bids in a comparative statement in a suitable form, in the event of a bid being accepted, a receipt for the earnest money forwarded therewith shall there upon be given to the contractor who shall thereupon for the purpose of identification sign copies of the specification and other documents. In the event of a bid being rejected, the earnest money forwarded which such unaccepted bid shall thereupon be returned to the contractors remitting the same, without any interest.
- 15. If there is any clarification, this may be obtained through the site, or during the pre-bid meeting, if any. Bidder should take into account the **corrigendum** published from time to time before submitting the online bids.
- 16. The officer inviting bids shall have the right of rejecting all or any of the bids and will not be bound to accept the lowest or any other bid.
- 17. The competent authority on behalf of the President of India does not bind itself to accept the lowest or any other bid and reserves to itself the authority to reject any or all the bids received without the assigning of any reason. All bids in which any of the prescribed conditions are not fulfilled or any condition including that of conditional rebate is put forth by the bidder shall be summarily rejected.
- 18. The competent authority on behalf of President of India reserves to himself the right or accepting the whole or any part of the bid and the bidder shall be bound to perform/provide the same at the rate quoted by him/accepted by the department.
- 19. Canvassing whether by bidders directly or indirectly in connection with bids is strictly prohibited and the bids submitted by the contractors who resort to canvassing will be liable to rejection.
- 20. All the Standard Conditions of the Contract shall be binding on the parties as per Indian Contract Act and prevailing Rules. The Contractor shall comply with all the applicable Acts, Rules, Regulations and Law (s) for entering into Contract and the User/CLIENT will not in any way be liable or responsible for any default / irregularities / penalties on the Contractor's part.
- 21. The Contractor or his authorized representative should visit the site as per requirement and meet Estate officer with prior appointment for any clarifications and to receive instructions, etc. at the site.
- 22. The contractor shall promptly and timely obtain all such consents, permissions, approvals, licenses etc., as may be necessary or required, in accordance with this Tender. The Contractor should obtain approvals, if any, necessary for the work from the Statutory Bodies on behalf of the USER/CLIENT. The Contractor shall assist the User/CLIENT fully in respect of any liaison with the Municipal or any other Authority for necessary approval / permission with regard to the maintenance works. The fees and other statutory charges, if any, will be reimbursed to the Contractor based on the original receipts produced to the User/CLIENT.
- 23. The Competent Authority has the right to accept or reject/cancel/scrap the tender as whole or part of it and no claims what so ever will be entertained on this account. The competent authority has also reserves the right to increase/decrease/alter the place of work/ quantity of work etc. and no claims what so ever will also be entertained.
- 24. If the Bidder want to mention any specific condition, it should be mentioned on the covering/forwarding letter in firm's letter head only which will be placed on the first page of the bid. Such condition mentioned in any other document shall not be given any consideration.

Sd/- 23/09/2024
(Lt. Col. Vinit Kumar Tiwary)

Commandant (Engineer)

Contract Cell, SZ HQr
[For and on behalf of the President of India]

Signature of Bidder (with seal)

GENERAL CONDITIONS OF THE CONTRACT

		GENERAL CONDITIONS OF THE CONTRACT
1	Terms of price	1.1 Price should be quoted only as per price bid format/B.O.Q provided along with tender documents at e-procurement site http://eprocure.gov.in/eprocure/app. The price bid in
		B.O.Q format/template should not be modified/replaced by the bidder and the same should be
		uploaded after filling the relevant columns, else the bidder is liable to be rejected for the tender. Bidders are allowed to enter the bidder name and values only. No price bid is required to be
		submitted with offline bid documents under technical bid.
		1.2 The lowest bidder will be decided on overall rate of entire work. Rates quoted by the bidder must be inclusive of all applicable taxes and other charges.
		1.3 The E.P.F & E.S.I contributions on the part of employer in respect of the contract shall be
		paid by the contractor to concerned department well in time. These contributions on the part of
		the employer, paid by the contractor, shall be reimbursed by this department on actual basis only on production of receipt of the concerned department, at the time of claim of bill. It is
		required to produce documentary evidences to the concerned authority, violation of which even
	<u> </u>	can end with termination of contract.
2	Payment terms	2.1 Works/Services category wise as per schedule to tender are to be provided as RA/Final Bill produced by the contractor and verified by competent authority of the department will be
		provided on credit basis and E.C.S payment will only be made through PAO/RPAO for
		further drawl action after satisfactorily completion of work as per specification, on production of
		bill in triplicate, bank mandate form, cancelled cheque. No interest will be payable on delayed payment, if any.
		2.2 Income Tax, GST-TDS, Labor Cess, Water Charges and other taxes as applicable will be
		deducted from the bill of contractor by CRPF/PAO/RPAO as per norms. 2.3 While making payment TDS under section 194 (C) of I/Tax Rule 1961 and CGST & SGST
		Act'2017 if any applicable will be deducted from the bill amount before release of payment.
		2.4 No payment will be made for the contract till producing registration and payment for
		labours in EPFO & ESIC. Payment cannot be made in advance or immediately.
		2.6 Any discrepancy in settlement of bills may be brought to the notice of User/CLIENT within a
		period of one month after the settlement of the Bills. User/CLIENT will not entertain any
		claim regarding any dispute in settlement of the bills after stipulated time. 2.7 RA Bill – Contractor is free to claim RA Bill as pert for the work executed. However, the
		frequency of RA Bill will not be less than 15 days.
3 4	Tender fees Earnest	3.1 Rs. 00.00 (Nil) 4.1 All the contractors are required to deposit Earnest Money/Bid Security Deposit (E.M.D.) as
4	Money	specified in invitation/schedule to tender along with their bid if applicable failing which their
	Deposit	offers will be summarily rejected.
		4.2 The E.M.D. shall be deposited by the bidders to DIGP , GC , CRPF , Avadi , Chennai 600065 through any of the following alternative forms:
		a) Crossed bank draft/banker cheque drawn in favour of the "DIGP, GC, CRPF,
		Avadi" [Payable At- SBI, HVF, Avadi. (Code No. 4675)]. Personal Cheque will not be entertained and will result in rejection of bid.
		b) Fixed deposit receipt drawn in favour of the "DIGP, GC, CRPF, Avadi" [Payable
		At- SBI,HVF, Avadi. (Code No. 4675)].
		c) An irrecoverable bank guarantee of any nationalized/ scheduled bank or reputed commercial bank in the attached format as Appendix- 'B' .
		4.3 The E.M.D. money shall remain valid for a period of 90 days from the date of tender opening
		and be deposited to the department. If the validity of the tender is extended, the validity of the
		BG/or any other alternate documents submitted in lieu of E.M.D. will also be suitably extended by the Bidder, failing which their tender after the expiry of the aforesaid period shall not be
		considered by the purchaser.
		4.4 No interest shall be payable on the earnest money deposited by the Bidder. 4.5 The E.M.D. is liable to be forfeited if the Bidder withdraws or amends/impairs or derogates
		from the tender in any respect within the period of validity of his tender.
		4.6 The E.M.D. of the successful Bidder shall be returned after depositing of Performance
		Guarantee (P.G.) . 4.7 If the successful Bidder fails to furnish the Performance Guarantee (P.G.) as required in the
		contract within the stipulated period, the E.M.D. shall be treated as Performance Guarantee
		(P.G.) for all practical purposes. 4.8 E.M.D. of all the unsuccessful bidders will be returned as early as possible after the expiry
		of bid's validity, but not later than 30 days after placement of contract. Bidders are advised to
		send a pre receipt challan along with their bids so that refund of earnest money can be done in
		time. 4.9 Any tender, where the Bidder is required to deposit E.M.D. in terms of conditions mentioned
		in preceding paras, not accompanied with E.M.D. in any one of the approved forms acceptable
		to the competent authority, shall be summarily rejected. (As per GOI O/O AS & DC, MSME vide OM F.NO. 21(8)/2011-MA dated 09/11/2016 and also by CPWD vide OM NO.
		DG/MAN/Misc./12 dated 25/07/2017, there is No exemption of EMD for work contracts).
	•	



e Guaranty

- Performanc 5.1 The successful contractor shall have to deposit a Performance Guarantee (P.G.) equivalent to 3% (Three Percentage) of the contract value of the work within 07 (Seven) days from the date of commencement of contract or issue work order whichever is earlier for due performance, failure on the part of the firm to deposit the Performance Guarantee within stipulated time empowers the competent authority to cancel the contract.
 - 5.2 The Performance Guarantee submitted by the supplier will remain valid at least for **60 days** beyond the date of completion of all contractual obligations of the contractor including warranty obligations.
 - 5.3 The Performance Guarantee shall be deposited to DIGP, GC, CRPF, Avadi, Chennai 600065 in any of the following alternative forms:
 - a) A crossed bank draft drawn in favour of the "DIGP, GC, CRPF, Avadi" [Payable At-SBI,HVF, Avadi. (Code No. 4675).
 - b) Fixed deposit receipt drawn in favour of the "DIGP, GC, CRPF, Avadi" [Payable At-SBI,HVF, Avadi. (Code No. 4675).
 - An irrecoverable bank guarantee of any nationalized/ scheduled bank or reputed commercial bank in the attached format as at Appendix-'B'
 - 5.4 In case the contractor fails to deposit the Performance Guarantee within the stipulated period including extended period if any, the Earnest Money Deposited (E.M.D.) by the contractor along with his bid shall be forfeited automatically without any notice to the contractor. The earnest money deposited along with bid shall be returned after receiving the aforesaid performance guarantee.
 - 5.5 If the contractor fails to provide required services as per schedule from the contract commencement date and places requests for extension of time, he shall submit an undertaking on Non judicial stamp paper of Rs. 10/- only duly attested by the Notary Public stating that the Performance Guarantee has already been extended for sixty days beyond the guarantee/warranty period of the contract.
 - 5.6 In case a Fixed Deposit Receipt (F.D.R.) of any Bank is furnished by the contractor to the Government as part of the performance guarantee and the Bank is unable to make payment against the said fixed deposit receipt, the loss caused thereby shall fall on the contractor and the contractor shall forthwith on demand furnish additional security to the Government to make good the deficit
 - 5.7 The Performance Guarantee shall be withheld or forfeited in full or part in case the work order is not executed/complied satisfactorily within the stipulated period or requisite standard within the guarantee period is not undertaken to the best satisfaction of the user/department.
 - 5.8 Performance Guarantee will be returned to the bidder only after end of all contractual obligations.

Recovery of Security Deposit/ Retention Money

- 6.1 The person/persons whose tender(s) may be accepted (hereinafter called the contractor), shall permit Government at the time of making any payment to him for work done under the contract to deduct a sum at the rate of 2.5% of the gross amount of each running bill (periodic/interim payment) and final bill till the sum deducted will amount to 2.5% of the tendered value of the work as Security Deposit/Retention Money in addition to Performance Security. The earnest money instead of being released may form part of the security deposit.
- 6.2 Such deductions will be made and held by Government by way of Security Deposit unless he/they has/have deposited the amount of Security at the rate mentioned above in cash or in the form of Government Securities or fixed deposit receipts.
- 6.3 In case a fixed deposit receipt of any Bank is furnished by the contractor to the Government as part of the security deposit and the Bank is unable to make payment against the said fixed deposit receipt, the loss caused thereby shall fall on the contractor and the contractor shall forthwith on demand furnish additional security to the Government to make good the deficit.
- 6.4 All compensations or the other sums of money payable by the contractor under the terms of this contract may be deducted from, or paid by the sale of a sufficient part of his security deposit or from the interest arising there from, or from any sums which may be due to or may become due to the contractor by Government on any account whatsoever and in the event of his Security Deposit being reduced by reason of any such deductions or sale as aforesaid, the contractor shall within 10 days make good in cash or fixed deposit receipt tendered by the State Bank of India or by Scheduled Banks or Government Securities (if deposited for more than 12 months) endorsed in favour of the Estate Officer at concerned location, any sum or sums which may have been deducted from, or raised by sale of his security deposit or any part thereof.

System of bidding

- 7.1 All bidders are required to submit their offer in two bid system i.e. Technical Bid and Financial Bid separately.
- 7.2 In Technical Bid, the bid documents as per below mentioned details are required to be submitted only on CPPP in http://eprocure.gov.in/eprocure/app. Certain documents which are also mentioned below are required to be submitted in original manually and to be submitted at DIGP, GC, CRPF, Avadi, Chennai 600065 in a sealed envelope through by hand/registered post/parcel etc.
- 7.3 The composite bid i.e. rate indicating in the Technical Bid "OPENLY" shall be ignored and bid will be rejected summarily.
- 7.4 Price should be quoted only as per Price Bid (Financial Bid) format/B.O.Q. provided along with tender documents at e-procurement site http://eprocure.gov.in/eprocure/app. No price bid is required to be submitted with offline bid documents under technical bid.



Method of submission of bid.

First Cover (Technical bid) :-

8.1 The submission of technical bid will be entertained only online in e-procurement website. The Tender Enquiries duly filled in all aspects and having completed all applicable formalities along with **scanned copies** of required documents as per below mentioned details may be submitted online through CPP Portal as well as original as required and mentioned below be sent in sealed envelope duly superscripted with tender enquiry number, **Name of Work** and **date of opening** by registered post/speed post duly stamped or by courier/by hand to the **DIGP**, **GC**, **CRPF**, **Avadi**, **Chennai 600065** so as to reach on or before the scheduled time and date as mentioned in the schedule to the tender enquiry. **Department is not responsible for any postal delay**.

8.2 Details of documents required to be furnished/submitted by all the bidders in technical bid for participating in the bidding process are as under:-

(a) Documents (Legible scanned copy, duly signed) required to be submitted **online** in CPPP under Technical Bid:

- 1. All pages of the tender documents duly completed & signed in all respect by the authorized signatory of the firm/contractor under the **seal**.
- 2. Scanned Copy of EMD.
- 3. Copy of valid registration of the firm as a registered "Contractor" with 'CPWD/MES/NBCC/BRO/Other Central Govt. Departments/ State PWD or Equivalent of applicable for the region where the work is to be executed in respective categories as per the nature of work and class as per the tender amount.

[Note: - The enlistment of the contractors should be valid on the last date of submission of tenders. In case only the last date of opening of tender is extended, the enlistment of contractor should be valid on the original date of opening of tenders. A copy of Registration Certificate as a "Contractor" issued by competent authority of 'CPWD/MES/NBCC/BRO/ Other Central Govt. Departments/ State PWD or Equivalent is mandatory to be uploaded with the tender documents by the Bidder (s). In case validity of enlistment/registration/trade license expired and the concerned firm has applied for renewal to the concerned department or ministry, the relevant documents of such renewal application along with undertaking of the firm should be essentially submitted with their bid.]

- **4.** Basic Information about the Bidder/Firm/Contractor (As per **Appendix-'F'** of Tender Documents.)
- **5.** Copy of valid **PAN** Card.
- 6. Copies of Charted Accountant certified Annual Turnovers for the Assessment Year of 2021-22, 2022-23, 2023-24) [Bidder should have annual average turnover during the last three years, ending 31st March of the previous financial year, should be at least 30% of the estimated cost. [Note: Any false and/or inadequate information may result in rejection of the tender]
- 7. Banker's Certificate/ Solvency certificate from the authorized bank in India (The contractor must have a solvency at least 25% of Estimated Cost put to tender (ECT) duly certified by the Banker. Please note that the solvency certificate should not be more than o6 months old prior to the date of submission of tender or should have validity as on last date of submission of tender [Note: Format of solvency certificate is given in Annexure-II for the purpose of guidance]
- **8.** Copy of registration certificate of **GST**.
- 9. The contractor should possession of **labour license** under the contract labour (Regulation and abolition) act, 1970 & 1971 from regional labour commission (Central) of area concerned.
- 10. Past Performance/Experience for similar nature of works in Central / State Govt during the last 07 Financial Years (Copies of Completion Certificates mentioning amount and date of Completion of Work) in the following order:
 - i) One similar completed work each costing not less than the amount equal to 80% of the estimated cost put to tender.

or

ii) **Two** similar completed works each costing not less than the amount equal to **60%** of the estimated cost put to tender.

or

iii) **Three** similar completed works each costing not less than the amount equal to **40**% of the estimated cost put to tender.

- 11. Bank Remittance Particulars (viz copy of Bank Passbook/Cancelled Cheque etc.).
- 12. Copy of registration certificate of EPF and ESIC.
- 13. Complete Postal address of contractor/Firm along with copy of valid I/Card viz Voter I/D Card, Aadhar Card etc.
- **14.** Partnership Agreement of the firm (if the firm is a partnership firm) along with Specific Information as asked for as per **Appendix-'D'**. (If no papers submitted with the bid it will be assumed that the firm is a Single Proprietary and will held responsible if found false in later stage)
- 15. Information regarding any litigation or arbitration resulting from contracts executed by the bidder in the last five years or currently under execution as provided.

Bidder has to submit on-line scanned copy of an information regarding litigation, arbitration, black listing, debarring etc. This document must be up loaded on line duly signed by the bidder.

- 16. Bidder has to submit on-line scanned copy of an affidavit stating that the near relations defined as first blood relations, and their spouses (if any), of the bidder of the following departmental officers are working as Divisional Accountant, Junior Engineer, Assistant Engineer, Executive Engineer, Superintending Engineer, Chief Engineer, Director-cum-Chief Engineer or Engineer in Chief in CPWD, MES, BRO & PWD, RAILWAY, CRPF. This document must be up loaded on line duly signed by the bidder.
- 17. Any other relevant documents which the firms wish to submit as a part of offer.
- b) Documents required to be submitted original manually (Offline) in Sealed Envelope superscripted with Tender ID, name of work etc by Registered Post or to be submitted at DIGP, GC, CRPF, Avadi, Chennai 600065 duly sealed under Technical Bid:

Contract Cell, SZ Page 9 of 34 1. Original Earnest Money Deposit (As per schedule to Tender). Tender Acceptance Letter: - The firm should mandatorily submit the Tender Acceptance Letter (As per Appendix-'C') on Firm/Contractor letter head duly ink signed which should be clearly readable. The contractor may also upload a copy if he wishes so. **Integrity Pact** (On firms letter head) Note: - No other documents other than original EMD, original Tender Acceptance Letter and Integrity Pact (On firms letter head) needs to be submitted offline. (If the bidder fails to submit the original EMD as well as original Tender Acceptance Letter and Integrity Pact (On firms letter head) in offline as specified then his tender will be liable to be rejected summarily). 8.3 On due date & time, the Technical Bid will be opened and evaluated by the appropriate committee. Bids which will be accepted in technical bid evaluation stage will be considered for opening of Financial Bid. No financial bid will be opened in respect of bids which are technically Second Cover (Financial/Price Bid) :-8.4 Details of documents required to be furnished/submitted by all the bidders in **Financial Bid** for participating in the bidding process are as under :i. Details of rates, taxes, duties and discounts, if any, be quoted by the bidder in the BOQ which is an MS Excel Sheet and should be downloaded from the e-procurement site http https://eprocure.gov.in/eprocure/app. ii. Rates must be clearly written in figures as well as in words. iii. Name of bidder must be written in the appropriate filed of BOQ by each bidder. iv. The Financial Bid will only be accepted through online in BOQ format and offline price bid will not be accepted. Prices should be quoted for each work as per enclosed BOQ format provided along with the tender document at e-Procurement site https://eprocure.gov.in/eprocure/app. 8.6 Quoted rates should be workable, reasonable and should include incidental and all overheads and profits. The Tenderer will furnish Rate Analysis for scrutiny of the rates by User/CLIENT. Labour Laws 9.1 The contractor shall comply with the provisions of the Contract Labour (Regulation and Abolition) Act, 1970, and the Contract Labour (Regulation and Abolition) Central Rules, 1971. to be complied by 9.2 The contractor shall also obtain a valid license under the said Act before the commencement of the the work, and continue to have a valid license until its completion. Contractor 9.3 The contractor shall also comply with provisions of the Inter-State Migrant Workmen (Regulation of Employment and Conditions of Service) Act, 1979. 9.4 The contractor shall also abide by the provisions of the Child Labour and Adolescent Labour (Prohibition and Regulation) Act, 1986. 9.5 The contractor shall also comply with the provisions of the building and other Construction Workers (Regulation of Employment & Conditions of Service) Act, 1996 and the building and other Construction Workers Welfare Cess Act, 1996. Any failure to fulfill these requirements shall attract the penal provisions of this contract arising out of the resultant non-execution of the work. 9.6 No Running Account Bill shall be paid for the work till the applicable labour licenses, registration with EPFO, ESIC and BOCW Welfare Board, whatever applicable are submitted by the contractor to the Engineer-in-Charge. 10 Time and 10.1 The time allowed for execution of the Works as specified in the NIT or the extended time in Extension for Delay contractor. 10.2 Delays due to reasons beyond the control of both parties:-If the work(s) be delayed by:-(i) Force majeure, or (ii) Abnormally bad weather, or (iii) Serious loss or damage by fire, or (iv) Civil commotion, local commotion of workmen, strike or lockout, affecting any of the

accordance with these conditions shall be the essence of the Contract. The execution of the work shall commence from the date of issue of Work Order or the date of handing over of the site, as notified by the Engineer-in-Charge, whichever is later. If the Contractor commits default in commencing the execution of the work as aforesaid and such default continues even after 10 days after a notice in writing has been given by the Engineer in charge, the performance guarantee shall be forfeited by the Engineer in Charge and shall be absolutely at the disposal of the Government without prejudice to any other right or remedy available in law. The contract shall stand determined when such decision regarding the forfeiture of the performance guarantee is communicated to the

- trades employed on the work, or
- Delay on the part of other contractors or tradesmen engaged by Engineer-in-Charge in executing work not forming part of the Contract, or
- (vi) Any other cause like above which, in the reasoned opinion of the Engineer-in-Charge is beyond the control of both parties

then upon the happening of any such event causing delay, the Contractor shall immediately give notice thereof in writing to the Authority. The said authorities, on receipt of such notice, considering the factual ground situation, give a fair and reasonable 'justified extension of time' and reschedule the mile stones for completion of work.

10.3 The contractor shall have no claim of damages against the delays listed in this sub clause i.e.

11 Minimum **Wages Act** and EPFO & **ESIC**

11.1 The contractor shall comply with the provisions of Minimum Wages Act, 1948 and Contract Labour (Regulation and abolition) Act, 1970 amended from time to time and rule framed there under and other labour laws affecting contract labour that may be brought into force time to time. The contractor should also pay wages to his engaged labours against the contract as per existing notification of Ministry of Labour & Employment, G.O.I. including revision which takes place during the contractual period. Probable inflation of minimum wages during contractual period should be considered and taken into account while submitting bid. At the time of claim of bill it is required to produce documentary evidences (i.e. bank statement of employees) to the concerned authority, violation of which even can end with termination of



Page 10 of 34

11.2 The contractor shall have registration with EPFO and ESIC. The E.P.F & E.S.I contributions on the part of employer in respect of the contract shall be paid by the contractor to concerned department well in time. These contributions on the part of the employer, paid by the contractor shall be reimbursed by this department on actual basis and on producing receipt of the concerned department as per the applicable EPF & ESIC

12 Termination of agreement

12.1 If the services of the contractor are not found to be satisfactory, the contractor will be given a notice, with a notice period of 6 days, to improve his work. If the contractor fails to improve his work within the Notice period, User/CLIENT shall have the discretion to terminate the contract either in part or in whole, on any day after the expiry of the said notice period. Also the contract may be terminated if:-

- the contractor commits a breach of any terms and conditions of this agreement and/or
- b) the contractor is adjudged an insolvent or a compromise is entered by him with his creditors or if distress or execution or other process is levied upon or receiver is appointed for any part of the assets or property of contractor and/or
- for any reason whatsoever, the contractor becomes disentitled in law to perform his obligations under this agreement and/or
- there is any variation in the ownership/partnership or management of the contractor or his business without the prior approval in writing of the User/CLIENT to such variation.
- In case of fraud committed by the contractor, the client holds the right to terminate the contract and also forfeit the PG/EMD.
- In the event of termination of this agreement for any reason whatsoever, the contractor/or persons employed by him or his agents shall not be entitled for any sum or sums whatsoever from the User/CLIENT by way of compensation, damages or otherwise.

13 **Terminatio** n of contract on death of contractor

13.1 Without prejudice to any of the right or remedies under this contract, if the contractor dies, the Commandant (Engineer) SZ with the recommendation of competent authority, shall have the option of terminating the contract without compensation to the contractor. If the contractor is an individual or proprietary concern and individual or the proprietor dies or if the contractor is a partnership concern and one of the partner dies then unless, the Commandant (Engineer) SZ with the recommendation of competent authority, is satisfied that the legal representative of the individual for the proprietary concern or the surviving partners are capable of carrying out and completing contract, the Commandant (Engineer) SZ with the recommendation of competent authority, is entitled to cancel the contract for the uncompleted part without being in any way liable for any compensation payment to the estate of deceased contractor or to the surviving partners of the contractor's firm on account of the cancellation of contract. The decision of the Commandant (Engineer) SZ with the recommendation of competent authority, in such assessment shall be final and binding on the parties. In the event of such cancellation the Commandant (Engineer) SZ with the recommendation of competent authority, shall not hold the estate of deceased contractor and/or the surviving partners of the contractor's firm liable for any damages for non-completion of contract.

14 Escalation of Cost

14.1 Claims regarding escalation in cost of material & labour in any circumstance will not be entertained. The intending bidders before participating in the Tender must ensure the same.

15 Contractor Liable for Damages, defects during defect liability Period

15.1) If the contractor or his working people or servants shall break, deface, injure or destroy any part of building in which they may be working, or any building, road, road kerb, fence, enclosure, water pipe, cables, drains, electric or telephone post or wires, trees, grass or grassland, or cultivated ground contiguous to the premises on which the work or any part is being executed, or if any damage shall happen to the work while in progress, from any cause whatever or if any defect, shrinkage or other faults appear in the work within Liability Period i.e. 12 Months (other than road work, water proofing treatment and Anti Termite Treatment work, Performa attached as "Appendix E") after a certificate final or otherwise of its completion shall have been given by the Engineer-in-Charge as aforesaid arising out of defect or improper materials or workmanship the contractor shall upon receipt of a notice in writing on that behalf make the same good at his own expense or in default the Engineer-in-Charge cause the same to be made good by other workmen and deduct the expense from any sums that may be due or at any time thereafter may become due to the contractor, or from his security deposit or the proceeds of sale thereof or of a sufficient portion thereof.

15.2) The security deposit of the contractor shall not be refunded before the expiry of Defect Liability Period i.e. 12 Months (other than road work, water proofing treatment and Anti Termite Treatment work, Performa attached as "Appendix E") after the issue of the certificate final or otherwise, of completion of work, or till the final bill has been prepared and passed whichever is later. 15.3) Provided that in the case of road work, if in the opinion of the Engineer-in-Charge, half of the security deposit is sufficient, to meet all liabilities of the contractor under this contract, half of the security deposit will be refundable after six months and the remaining half after twelve months of the issue of the said certificate of completion or till the final bill has been prepared and passed whichever is later.

15.4) In case of Maintenance and Operation works of E&M services, the security deposit deducted from contractors shall be refunded within one month from the date of final payment or within one month from the date of completion of the maintenance contract whichever is earlier.

15.5) GUARANTEE FOR WATER PROOFING TREATMENT: Five years guarantee in prescribed proforma attached must be given by the contractor for the water proofing treatment. In addition 10% (ten percent) of the cost of these items would be retained as guarantee to watch the performance of the work executed. However, half of this amount (withheld) would be released after two monsoon season after the completion of the work if the performance of the water proofing work done is satisfactory. If any defect is noticed during the guarantee period it should be rectified by the contractor within seven days and, if not attended to, the same shall be got done by other agency at the risk and cost of the contractor. In any case the guaranteeing firms during the guarantee period should inspect and examine the treatment once in every year and make good any defect observed. However, the security deposit can be released in full, if a call receipt of a Bank Guarantee from scheduled Bank/Fixed Deposit receipt of Scheduled Bank/Demand Draft of scheduled Bank issued / drawn in favor "DIGP, GC, CRPF, Avadi" [Payable At- SBI, HVF, Avadi. (Code No. 4675] for 5 (Five) year is produced and deposited with the department.

Compensati on for Delay

16.1 If the firm fails to complete the work within prescribed completion period the User/Client may recover from the Contractor liquidated damages including administrative expenses etc. A sum equivalent to 2% of the price of work which contractor fails to execute within prescribed completion period fixed for each month

Page 11 of 34



or part of month. Delay so claimed shall not exceed 10% of the total contract.

17 Other terms & condition

17.1 The contractor/firm shall employ the required workmen [Skilled/Un-Skilled] as per terms and conditions of the tender enquiry. Immediately after award of contract, the contractor/firm should intimate name of workmen to whom the firm has employed for the tendered work along with complete details in firm's letter head and supporting papers of technical capabilities of the workmen where ever applicable against the contract. The workmen so engaged against the contract should maintain discipline inside of the campus.

17.2 All works, complaints / instructions given by the respective authorities covered under the **Annual Maintenance Contract** are to be attended on the same day. In case of delay in attending the work in time, User/CLIENT will be at liberty to get the work done through any other agency and the cost therefore shall be recovered from the Contractor at the discretion of User/CLIENT.

17.3. Personnel employed for operation of STP/Water treatment plant/ESS should have experience of Operation, maintenance & services of respective services and equipment and all personal records should be maintained by the contractor.

17.4 The workmen engaged by the contractor/agency shall be at their own risk and in case of any untoward, incident, mishap the contractor/agency will be liable for such risks and the department will not be held responsible in any way for such mishap and untoward incidents.

17.5 Technical manpower should be provided by successful bidder to execute the specialized work.

17.6 User/CLIENT shall not be responsible for the release of benefits, such as salary, leave, Provident Fund, ESI, Pensioner benefits or allowances to the staff employed by the contractor. User/Client will not be held responsible for any Accident/injury / carrying out default work and any statutory levied by the govt./ state government. etc. Excess payment due to any changes in the Minimum Wages Act or in any other labour legislation/provisions or other statutory obligations during the validity period of the contract shall be the responsibility of the contractor.

17.7 The contractor will be responsible and ensure timely payment to its personnel deployed in the premises and compliance of all statutory provisions relating to minimum wages, Provident Fund and Employees State Insurance, etc. in respect of the persons deployed by them in User/CLIENT and under intimation/in the presence of User/CLIENT officer. The Contractor shall be responsible to fulfill all the obligations in connection with the workers employed by it for the purpose of the Contract and all the Statutory and other liabilities if any including minimum wages of Central/ State Govt. (whichever is higher shall be applicable), leave, salary, uniform, identity cards, ex-gratia, ESI, Provident Fund, Workman Compensation, if any, etc. (as applicable) in connection therewith shall be on the Contractor account and payable by the concerned Contractor. The contractor shall liaise with Labor Deptt. of State Govt. / Central Govt. and comply with all necessary regulations/instructions in this regard.

17.8 The Contractor shall be fully responsible and shall indemnify User/CLIENT with suitable Insurance cover in the event of any damage to men or material, injury / damage or death as the case may be, caused directly or indirectly due to the negligence of the Contractor or his agents and / or his employees or workmen. The decision of User/CLIENT in this regard shall be final and binding.

17.9 The contractor's personnel shall not claim any benefit/ compensation /absorption /regularization of services under the provision of the Industrial Disputes Act, 1947 or Contract Labour (Regulation & Abolition) Act, 1970.

17.10 In case of any default or failure on Contractor's part to comply with all / any one of the Terms / Conditions, User/CLIENT reserves the right to take necessary steps to remedy the situation including, interalia, the deduction of appropriate amount/s from dues otherwise payable to Contractor and/or by taking recourse to appropriate recovery proceedings. The contractor shall keep User/CLIENT indemnified against all claims whatsoever in respect of the manpower deployed by it in User/CLIENT. In case any employee of the contractor so deployed enters in dispute of any nature whatsoever, it will be the primary responsibility of the contractor to contest the same. In case User/CLIENT or its employee is made party and is supposed to contest the case, User/CLIENT will be reimbursed for the actual expenses incurred towards Counsel Fee and other expenses which shall be paid in advance by the contractor to User/CLIENT or any person authorized by User/CLIENT, on demand. Further, the contractor will ensure that no financial or any other liability comes to User/CLIENT or its employee in this respect of any nature whatsoever and shall keep User/CLIENT or any employee of User/CLIENT indemnified in this respect.

17.11 For any dispute, the decision of User/CLIENT shall be final and binding upon the contractor. However, any dispute or difference whatsoever arising on any matter concerning this contract between the parties out of or relating to the services, meaning, scope, operation or effect of this contract or the validity or the breach thereof shall be settled through court of law.

17.12 On site storage space will be provided to the Contractor subject to availability. However, the Contractor may erect temporary sheds for storage purposes at his cost with the permission of the User/CLIENT. User/CLIENT will not be responsible for Contractor's materials. The Contractor may be required to vacate the storage space and sheds as per exigency without any extra cost to User/CLIENT. If any statutory charges are required to be paid for erection of sheds, the same should be borne by the Contractor.

17.13 The Contractor shall provide all necessary Tools & Plants materials or any other equipment, materials, labour, etc. and no payment in this regard will be made by User/CLIENT. The Contractor shall supply, fix and maintain all the scaffoldings, jhulla, safety belt, extra labour to hold ladders/jhoolas, T&P, etc., at his cost during the execution of any work and remove them as soon as the work is completed, without causing any damage to User/CLIENT's property.

17.14 The Contractor shall not directly or indirectly transfer, assign or sublet the Contract or any part of it, without written permission of User/CLIENT. But he can engage various licensed agencies/agencies for carrying out different works.

17.15 It is the contractor's responsibility to coordinate with other service providers No other charges for such works shall be payable.

Sd/- 23/09/2024
(Lt. Col. Vinit Kumar Tiwary)

Commandant (Engineer)

Contract Cell, SZ HQr

[For and on behalf of the President of India]

[......]
Signature of Bidder
(with seal)

SPECIAL TERMS & CONDITIONS OF THE CONTRACT

- 1. If a bidder / tenderer quotes NIL charges / consideration, the bid shall be treated as unresponsive and will not be considered.
- 2. Temporary I-card may be issued by the Estate Officer to skilled labour /operators/ Supervisor. So that frequent movement can be done for the sake of speedy resolution of complaints. However labour camp will not be permitted in the CRPF premises CRPF is not responsible for any type of arrangement of labour camp. Contractor is solely responsible for the accommodation & timely wages to their staff.
- 3. User/CLIENT does not bind itself to accept abnormally low bids. The rates quoted by the tenderer/bidder should be able to demonstrate the capability of the tenderer/bidder to deliver the contract at the offered price. Abnormally low bids/rates will be subject to analysis by User/CLIENT. If required, User/CLIENT may call written clarification from bidder, including detailed price analysis of the bid price in relation to scope, schedule, allocation of risks and responsibilities and any other requirements of the bid document and tenderer/bidder shall have to furnish Rate Analysis for the scrutiny of rates by User/CLIENT within stipulated time. User/CLIENT reserves the right to reject the bid if bid is found to be abnormally low to deliver/perform the contract.
- 4. The manpower deployed by the contractor should be polite, cordial, positive, efficient and their personal records should be maintained by the contractor while handling the assigned work so that their actions promote goodwill and enhance the image of User/CLIENT. Necessary grooming should be done by the contractor before posting the staff at site. He shall also comply with the provisions of all labour legislations. Receipt of any complaint in this regard shall be viewed seriously.
- 5. The Contractor should not employ any person who is prohibited by Law from being employed for fulfilling obligations under this Contract. Any indecent behavior / suspicious activities of the staff employed shall be viewed seriously and a suitable penalty shall be imposed on contractor. The contractor is also required to submit the list of workers with photo ID, educational qualification, address proof, etc. before deputing the workers. An attendance register shall be maintained at site indicating number of persons deployed for the inspection by User/CLIENT officials/representative.
- 6. Any act of indiscipline / misconduct / theft / pilferage on the part of any employee engaged by the Contractor resulting in any loss to User/CLIENT in kind or cash will be viewed seriously and User/CLIENT will have the right to take legal action along with levy damages or fine and / or even terminate the Contract forthwith, if necessary.
- 7. The appointed contractor is required to generate End of the Day (EoD) reports on status of works, labour deployed, etc. to the concerned officer of the Client.
- 8. Contractor shall follow the prescribed formats/procedures for official documentation like registers, etc. as stipulated by User/CLIENT from time to time.
- 9. In case of emergency work, no extra payment for working in odd hour will be made.
- 10. The property will be handed over to the Contractor on 'as is where is' basis and the contractor shall ensure proper service to a reasonably satisfactory level.
- 11. User/CLIENT reserves to change scope of work during the contract period.
- 12. The successive bidders are responsible for replacing/repairing the stores while got defective during the warranty/guarantee/liability period.
- 13. The purchaser reserves the right to place order on the next higher successful firm if the firms quoting lower rates do not fulfill the requirements of Tender Enquiry due to their limited bank solvency/capacity.
- 14. Reject / Cancel / Scrap : The competent authority has got the right to accept or reject / cancel / scrap the tender as whole or part of it and no claims what so ever will be entertained on this account. The competent authority also reserves the right to increase / decrease / alter the scope of work / quantity of work etc and no claims what so ever will be entertained.
- 15. The contractor should possession of labour license under the contract labour (Regulation and abolition) act, 1970 & 1971 from regional labour commission (Central) of area concerned.
- 16. While the tenderer and the purchaser shall make every effort to resolve any issue amicably through direct informal negotiation, in the event of any disagreement or dispute arising between them under or in connection with the contract shall be settled under court of law within its jurisdiction at state under. The resultant contract will be interpreted as per the prevailing Indian laws and various directions of the Govt. of India. In case of dispute as to the mode of measurement not covered by the contract to be adopted for any item of work, mode of measurement as per latest India specification shall be followed.
- 17. The contractor shall not be permitted to tender for works in the CRPF in which his near relative of CRPF is involved. If so, he shall also intimate the names of persons who are working with him in any capacity or are subsequently employed by him and who are nearrelatives to any CRPF officer/ personnel.
- 18. Department will not be responsible for any kind of incident involving the labour during or after the work. The contractor must ensure the workers against all contingencies and be responsible for their safety.
- 19. This Notice Inviting Tender and Integrity Agreement shall forma part of the contract document.
- 20. The L1 bidder will have to submit a copy of this Tender duly signed on each page along with other relevant documents if required during award of work.



- 21. FINAL INSPECTION: After completion of work as per specification the whole work will be subject to a final inspection to ensure that job has been completed as per requirement. If any defects noticed in the work are attributable to Contractor, these shall be attended by the contractor at his own cost, as and when they are brought to his notice by the DIGP, GC, CRPF, Avadi, Chennai /Work committee/Officer Commanding of Building / Engineer in charge. The DIGP, GC, CRPF, Avadi, Chennai and its representative shall have the right to have these defects rectified at the risk and cost of the contractor if he fails to attend to these defects immediately.
- 22. No part of the CONTRACT nor any share or interest therein shall in any manner or degree be transferred, assigned or sublet by the CONTRACTOR directly or indirectly to any person, firm or corporation whatsoever without the consent in writing of the **Commandant(Engr.)**, **SZ Zone**, **CRPF**, **Hyderabad**, **Telangana**.

1. ADDITIONAL SPECIFICATION FOR CIVIL WORKS:

- a). All materials required to be used on works shall be got approved from the **DIG-cum-Estate Officer, GC CRPF Avadi/ Officer Commanding of Building in advance**. In case of doubt on any material, **DIG GC CRPF Avadi** wears the right to get the material test from Govt. approved labs/NABL.
- b). The quoted rate should be inclusive of all taxes, levies, works contract taxes, duties etc.
- c). All items to be used in this work should be branded and ISI. In this case, **LIST OF APPROVED**MAKES as mentioned in NIT or CPWD approved list of material for similar work may be followed.

Sd/- 23/09/2024 (Lt. Col. Vinit Kumar Tiwary) Commandant (Engineer)

Contract Cell, SZ HQr
[For and on behalf of the President of India]

[......]

Signature of Bidder
(with seal)

Page 14 of 34



	LIST OF APPROVED MAKES FOR CIVIL WORKS				
S/N	Item	Approved Make			
1	Ordinary Portland cement	ACC, GRASIM, Ambuja, Birla (Vikram) Ultra-tech.			
2	Reinforcement Bars	Tata steel, SAIL, RINL, Secondary producer RATHI and BARNALA make.			
3	Synthetic Enamel Paints	Burger (Luxol gold), Asian (Apcolite), ICI Dulux (Gloss), Nerolac.			
4	Cement Paint, paint, distemper, primer	ICI India Ltd., Berger paint ltd., Good Loss Nerolac Paint, Asian Paint Ltd.,			
'	comone i ame, pame, and ompor, primer	Jenson and Necholson India Ltd., Shalimar Paint Ltd., Snowcem India Ltd.			
5	Admixture for concrete	Cico, Sika, Pidilite, Asian, FOSROC & MBT			
6	Epoxy Paint	Nerolac or equivalent			
7	Terrazo tiles (precast)	NITCO, GEM, MODERN, HINDUSTAN, JONSON, ORIENT, KAJARIA.			
8	Chequred tiles	NITCO, GEM, MODERN, HINDUSTAN, JONSON, ORIENT, KAJARIA.			
9	Water proofing compound	CICO, By structural water proofing Co. FOSROC BY Fosroc Ltd., IMPERMO			
9	water probling compound	by Snocem India, Cheseal by Overseas water proofing compound, PIDILITE			
10	Paving Tiles/Paver Block	Nitco Prefab, Ultra KK, TERRAFIRMA, UNISTONE.			
11	CC kerb stone	Nitco Prefab, K.K. Manhole, TERRAFIRMA, UNISTONE.			
12	White cement	Birla White, J.K. White or equivalent			
13	Structural Steel	SAIL, TATA, RINL, ISCO, SRMB			
14	Mild Steel Tubes	TATA, SAIL, ISCO, SRMB			
15	Welding Electrodes	ESAB, Advani-orlikon, Weld Alloy			
16	RMC	RMC, ACC, BIRLA, L&T and other manufacturer of RMC subjected to			
		approval of Engineer-in-Charge. The contractor shall submit the RMC plant			
		list for approval. Contractor own plant of RMC with minimum capacity of 30			
	m m n 14 m / m n	cum per hour.			
17	TMT Fe 415/500	TISCON, ISCON, RINL, SAIL, SRMB / SAI			
18	Stainless Steel	Prism Engineers, JINDAL OR EQUIVALENT.			
_	OF APPROVED MAKES FOR ALUMINIU				
1	Aluminum	Indal / Hindalco / Jindal, Alom or equivalent.			
2	Masking Tapes	Suncontrol/ Wonder Polymer			
3	Stainless Steel Screws for fabrication	Kundan/ Puja/ Atulor equivalent.			
	and fixing of windows				
4	Proposed Treatment on MS Brackets	Galvanised brackets as per IS: 4759-1996, 610 gms/ sqm (Microns) 80-90			
5	Stainless Steel Bolts/ Washers and	Kundan/ Puja/ Atulor equivalent.			
	Nuts				
6	Stainless Steel Pressure Plate Screws	Kundan/ Puja/ Atulor equivalent.			
7	Stainless Steel Friction Stay	Earl Behari, Anandor equivalent.			
8	EPDM Gaskets	Roop/ Anandor equivalent.			
9	6mm thick clear Float Glass	Modi, St. Gobain, Gujrat Guardian Ltd, Float Glass of India.			
10	Weather silicon make and Grade	Dow Corning / Wacker/ GE or equivalent.			
11	PVC Continuous fillet for periphery	Roop/ Anand/ Forex Plastic or equivalent.			
	packing of Glazing / Curtain wall	<u>F</u> /			
12	Powder coating material pure polyester	Berger/ GoollessNerolac or equivalent.			
13	Laminated reflective Glass	Glaverbek (Belgium) St. Gobain or equivalent.			
LIST	OF APPROVED MAKES OF MATERIALS	S FOR SANITARY INSTALLATION AND WATER SUPPLY, DRAINAGE			
1	Sanitary wares	Parryware, Hindustan Sanitary ware, CERA, Nevcer, Seabird, Johnson			
1	ballitary wares	CERA, Prayag, Jaynam or equivalent			
2	Bevelled edge mirror with PVC	Atul, Jolly, Modi Guard or equivalent.			
3	GI Pipes/ M.S. Pipes	Tata, GST, Jindal, Prayag, Hissaror equivalent.			
4	Brass /CP Brass fittings	Esco, kingston, Gem, Techno, Parko, Marc, Jaquar, Prayag, Jaynam or			
"	Diago Of Diago Intiligo	equivalent.			
5	Stainless Steel sink	AMC, Neelkanth, Kingston, made of salem stainless steel or equivalent.			
	Camicoo Otooi omin	1 1			
6	Automatic Flushing Cistern	Parryware, Hindustan Sanitary ware, CERA, Neycer, Seabird, Johnson			
	Tatomatic Frasining Cibicili	CERA, Utech – Toshi, Prayag.			
7	Surgeon Mixers	Vijay, Jaquar			
8	GI Fittings	Unik, , KS, RM, Tata, GST, Jindal Hissar or equivalent.			
9		omm, , mo, mi, , and, dor, omidar modal of equivalent.			
	Plastic WC seat cover	Commander, Diplomat, Bestolite, Century, Parryware, Hindustan Sanitary			
	Plastic WC seat cover	Commander, Diplomat, Bestolite, Century, Parryware, Hindustan Sanitary ware, CERA, Neycer, Seabird, Johnson CERA.			
10	Plastic WC seat cover Flush Valves	Commander, Diplomat, Bestolite, Century, Parryware, Hindustan Sanitary ware, CERA, Neycer, Seabird, Johnson CERA. Jaquar, AKOI or equivalent.			
10 11	Plastic WC seat cover Flush Valves C.P. Accessories	Commander, Diplomat, Bestolite, Century, Parryware, Hindustan Sanitary ware, CERA, Neycer, Seabird, Johnson CERA. Jaquar, AKOI or equivalent. Esco, ESS ESS, Dripless Delta, Lotis, AKOI or equivalent.			
10	Plastic WC seat cover Flush Valves C.P. Accessories Gunmetal Valves (Fullway Check and	Commander, Diplomat, Bestolite, Century, Parryware, Hindustan Sanitary ware, CERA, Neycer, Seabird, Johnson CERA. Jaquar, AKOI or equivalent.			
10 11 12	Plastic WC seat cover Flush Valves C.P. Accessories Gunmetal Valves (Fullway Check and Globe Valves)	Commander, Diplomat, Bestolite, Century, Parryware, Hindustan Sanitary ware, CERA, Neycer, Seabird, Johnson CERA. Jaquar, AKOI or equivalent. Esco, ESS ESS, Dripless Delta, Lotis, AKOI or equivalent. Leader, Sant, Jaynam, Zoloto or equivalent.			
10 11 12 13	Plastic WC seat cover Flush Valves C.P. Accessories Gunmetal Valves (Fullway Check and Globe Valves) Stoneware pipes & Gully trap	Commander, Diplomat, Bestolite, Century, Parryware, Hindustan Sanitary ware, CERA, Neycer, Seabird, Johnson CERA. Jaquar, AKOI or equivalent. Esco, ESS ESS, Dripless Delta, Lotis, AKOI or equivalent. Leader, Sant, Jaynam, Zoloto or equivalent. Perfect, Burn, Parry or equivalent.			
10 11 12 13 14	Plastic WC seat cover Flush Valves C.P. Accessories Gunmetal Valves (Fullway Check and Globe Valves) Stoneware pipes & Gully trap C.I. Double flanged sluice valves	Commander, Diplomat, Bestolite, Century, Parryware, Hindustan Sanitary ware, CERA, Neycer, Seabird, Johnson CERA. Jaquar, AKOI or equivalent. Esco, ESS ESS, Dripless Delta, Lotis, AKOI or equivalent. Leader, Sant, Jaynam, Zoloto or equivalent. Perfect, Burn, Parry or equivalent. Kirloskar, IVC, Burn or equivalent.			
10 11 12 13 14 15	Plastic WC seat cover Flush Valves C.P. Accessories Gunmetal Valves (Fullway Check and Globe Valves) Stoneware pipes & Gully trap C.I. Double flanged sluice valves C.I. Doubled flanged non return valves	Commander, Diplomat, Bestolite, Century, Parryware, Hindustan Sanitary ware, CERA, Neycer, Seabird, Johnson CERA. Jaquar, AKOI or equivalent. Esco, ESS ESS, Dripless Delta, Lotis, AKOI or equivalent. Leader, Sant, Jaynam, Zoloto or equivalent. Perfect, Burn, Parry or equivalent. Kirloskar, IVC, Burn or equivalent. Kirloskaror equivalent.			
10 11 12 13 14 15 16	Plastic WC seat cover Flush Valves C.P. Accessories Gunmetal Valves (Fullway Check and Globe Valves) Stoneware pipes & Gully trap C.I. Double flanged sluice valves C.I. Doubled flanged non return valves C.I. Manholes	Commander, Diplomat, Bestolite, Century, Parryware, Hindustan Sanitary ware, CERA, Neycer, Seabird, Johnson CERA. Jaquar, AKOI or equivalent. Esco, ESS ESS, Dripless Delta, Lotis, AKOI or equivalent. Leader, Sant, Jaynam, Zoloto or equivalent. Perfect, Burn, Parry or equivalent. Kirloskar, IVC, Burn or equivalent. Kirloskaror equivalent. B.C., R.I.F., NECO or equivalent.			
10 11 12 13 14 15 16 17	Plastic WC seat cover Flush Valves C.P. Accessories Gunmetal Valves (Fullway Check and Globe Valves) Stoneware pipes & Gully trap C.I. Double flanged sluice valves C.I. Doubled flanged non return valves C.I. Manholes Ball Valves	Commander, Diplomat, Bestolite, Century, Parryware, Hindustan Sanitary ware, CERA, Neycer, Seabird, Johnson CERA. Jaquar, AKOI or equivalent. Esco, ESS ESS, Dripless Delta, Lotis, AKOI or equivalent. Leader, Sant, Jaynam, Zoloto or equivalent. Perfect, Burn, Parry or equivalent. Kirloskar, IVC, Burn or equivalent. Kirloskaror equivalent. B.C., R.I.F., NECO or equivalent. Zoloto, IBP, ARCO or equivalent.			
10 11 12 13 14 15 16 17 18	Plastic WC seat cover Flush Valves C.P. Accessories Gunmetal Valves (Fullway Check and Globe Valves) Stoneware pipes & Gully trap C.I. Double flanged sluice valves C.I. Doubled flanged non return valves C.I. Manholes Ball Valves Butterfly Valve	Commander, Diplomat, Bestolite, Century, Parryware, Hindustan Sanitary ware, CERA, Neycer, Seabird, Johnson CERA. Jaquar, AKOI or equivalent. Esco, ESS ESS, Dripless Delta, Lotis, AKOI or equivalent. Leader, Sant, Jaynam, Zoloto or equivalent. Perfect, Burn, Parry or equivalent. Kirloskar, IVC, Burn or equivalent. Kirloskaror equivalent. B.C., R.I.F., NECO or equivalent. Zoloto, IBP, ARCO or equivalent. AUDCO or equivalent.			
10 11 12 13 14 15 16 17 18	Plastic WC seat cover Flush Valves C.P. Accessories Gunmetal Valves (Fullway Check and Globe Valves) Stoneware pipes & Gully trap C.I. Double flanged sluice valves C.I. Doubled flanged non return valves C.I. Manholes Ball Valves Butterfly Valve Water Tank	Commander, Diplomat, Bestolite, Century, Parryware, Hindustan Sanitary ware, CERA, Neycer, Seabird, Johnson CERA. Jaquar, AKOI or equivalent. Esco, ESS ESS, Dripless Delta, Lotis, AKOI or equivalent. Leader, Sant, Jaynam, Zoloto or equivalent. Perfect, Burn, Parry or equivalent. Kirloskar, IVC, Burn or equivalent. Kirloskaror equivalent. B.C., R.I.F., NECO or equivalent. Zoloto, IBP, ARCO or equivalent. AUDCO or equivalent. Sintex, Polycon, Electroplast, Star, Lotus or equivalent.			
10 11 12 13 14 15 16 17 18 19 20	Plastic WC seat cover Flush Valves C.P. Accessories Gunmetal Valves (Fullway Check and Globe Valves) Stoneware pipes & Gully trap C.I. Double flanged sluice valves C.I. Doubled flanged non return valves C.I. Manholes Ball Valves Butterfly Valve Water Tank Water pumps	Commander, Diplomat, Bestolite, Century, Parryware, Hindustan Sanitary ware, CERA, Neycer, Seabird, Johnson CERA. Jaquar, AKOI or equivalent. Esco, ESS ESS, Dripless Delta, Lotis, AKOI or equivalent. Leader, Sant, Jaynam, Zoloto or equivalent. Perfect, Burn, Parry or equivalent. Kirloskar, IVC, Burn or equivalent. Kirloskaror equivalent. B.C., R.I.F., NECO or equivalent. Zoloto, IBP, ARCO or equivalent. AUDCO or equivalent. Sintex, Polycon, Electroplast, Star, Lotus or equivalent. Kirloskar, KSB, Harrison or equivalent.			
10 11 12 13 14 15 16 17 18 19 20 21	Plastic WC seat cover Flush Valves C.P. Accessories Gunmetal Valves (Fullway Check and Globe Valves) Stoneware pipes & Gully trap C.I. Double flanged sluice valves C.I. Doubled flanged non return valves C.I. Manholes Ball Valves Butterfly Valve Water Tank Water pumps Float Volves	Commander, Diplomat, Bestolite, Century, Parryware, Hindustan Sanitary ware, CERA, Neycer, Seabird, Johnson CERA. Jaquar, AKOI or equivalent. Esco, ESS ESS, Dripless Delta, Lotis, AKOI or equivalent. Leader, Sant, Jaynam, Zoloto or equivalent. Perfect, Burn, Parry or equivalent. Kirloskar, IVC, Burn or equivalent. Kirloskaror equivalent. B.C., R.I.F., NECO or equivalent. Zoloto, IBP, ARCO or equivalent. AUDCO or equivalent. Sintex, Polycon, Electroplast, Star, Lotus or equivalent. Kirloskar, KSB, Harrison or equivalent. IVC, leader or equivalent or equivalent.			
10 11 12 13 14 15 16 17 18 19 20	Plastic WC seat cover Flush Valves C.P. Accessories Gunmetal Valves (Fullway Check and Globe Valves) Stoneware pipes & Gully trap C.I. Double flanged sluice valves C.I. Doubled flanged non return valves C.I. Manholes Ball Valves Butterfly Valve Water Tank Water pumps Float Volves RCC pipes	Commander, Diplomat, Bestolite, Century, Parryware, Hindustan Sanitary ware, CERA, Neycer, Seabird, Johnson CERA. Jaquar, AKOI or equivalent. Esco, ESS ESS, Dripless Delta, Lotis, AKOI or equivalent. Leader, Sant, Jaynam, Zoloto or equivalent. Perfect, Burn, Parry or equivalent. Kirloskar, IVC, Burn or equivalent. Kirloskaror equivalent. B.C., R.I.F., NECO or equivalent. Zoloto, IBP, ARCO or equivalent. AUDCO or equivalent. Sintex, Polycon, Electroplast, Star, Lotus or equivalent. Kirloskar, KSB, Harrison or equivalent. IVC, leader or equivalent or equivalent. IHP or equivalent			
10 11 12 13 14 15 16 17 18 19 20 21	Plastic WC seat cover Flush Valves C.P. Accessories Gunmetal Valves (Fullway Check and Globe Valves) Stoneware pipes & Gully trap C.I. Double flanged sluice valves C.I. Doubled flanged non return valves C.I. Manholes Ball Valves Butterfly Valve Water Tank Water pumps Float Volves RCC pipes Centrifugal cast iron pipes 150mm/	Commander, Diplomat, Bestolite, Century, Parryware, Hindustan Sanitary ware, CERA, Neycer, Seabird, Johnson CERA. Jaquar, AKOI or equivalent. Esco, ESS ESS, Dripless Delta, Lotis, AKOI or equivalent. Leader, Sant, Jaynam, Zoloto or equivalent. Perfect, Burn, Parry or equivalent. Kirloskar, IVC, Burn or equivalent. Kirloskaror equivalent. B.C., R.I.F., NECO or equivalent. Zoloto, IBP, ARCO or equivalent. AUDCO or equivalent. Sintex, Polycon, Electroplast, Star, Lotus or equivalent. Kirloskar, KSB, Harrison or equivalent. IVC, leader or equivalent or equivalent.			
10 11 12 13 14 15 16 17 18 19 20 21 22	Plastic WC seat cover Flush Valves C.P. Accessories Gunmetal Valves (Fullway Check and Globe Valves) Stoneware pipes & Gully trap C.I. Double flanged sluice valves C.I. Doubled flanged non return valves C.I. Manholes Ball Valves Butterfly Valve Water Tank Water pumps Float Volves RCC pipes	Commander, Diplomat, Bestolite, Century, Parryware, Hindustan Sanitary ware, CERA, Neycer, Seabird, Johnson CERA. Jaquar, AKOI or equivalent. Esco, ESS ESS, Dripless Delta, Lotis, AKOI or equivalent. Leader, Sant, Jaynam, Zoloto or equivalent. Perfect, Burn, Parry or equivalent. Kirloskar, IVC, Burn or equivalent. Kirloskaror equivalent. B.C., R.I.F., NECO or equivalent. Zoloto, IBP, ARCO or equivalent. AUDCO or equivalent. Sintex, Polycon, Electroplast, Star, Lotus or equivalent. Kirloskar, KSB, Harrison or equivalent. IVC, leader or equivalent or equivalent. IHP or equivalent			



SCHEDULES (A TO F)

SCHEDULE -"A"

Name of work: - Barrier free built environment and access to person with disability for Hospital and Men's club at GC, CRPF, Avadi, Chennai-65

Schedule of quantities: - As per BOQ:-

SCHEDULE - "B":-

Schedule of materials to be issued to the contractor.

S.No.	Description of item.	Quantity.	Rate in figures & words at which the material will issue be charged to the contractor	Place of
(1)	(2)	(3)	(4)	(5)
SCHE	DULE - "C" :-			
	DULE - "C":- and plants to be hired to the co	ntractor		

Note :-ALL THE TOOLS & PLANTS REQUIRED FOR CARRYING OUT THE SUBJECT WORK SHOULD BE OWNED/REGISTERED/LEASED EITHER IN THE NAME OF THE SOLE PROPRIETOR OF THE FIRM OR THE NAME OF FIRM i.e HOT MIX PLANT, ROAD ROLLER, JCB etc.

Further the contractor shall also meet the minimum requirement of tools & plants such as Vibratory rollers, Pneumatic wheeled roller, Fully automatic concrete batching plant, Concrete paver finisher ,Continues type hot mix plant, Paver finisher (Hydraulically controlled sensors operated electrically for the pave finisher (Hydraulically controlled), Bull dozers, Road rollers, Drilling machines, Concrete mobile weigh batchers, Transit mixers One bag capacity concrete mixer(diesel), Vibrators (needle and plate type), Trucks/tippers, Total stations, Concrete cube testing machine(Hydraulically operated), Fully automatic concrete batching plant whichever applicable

SCHEDULE - "D":-

Extra schedule for specific requirements/ documents for the work, if any

NIL

SCHEDULE- "E":-

Reference to General Conditions of

Contract:-

General Conditions of Contract for CPWD Works 2023 with upto-date amendments.

1.1 Name of Work:

Barrier free built environment and access to person with disability for Hospital and Men's club at GC, CRPF, Avadi, Chennai-65.

1.2 Estimated Cost of work: -

Rs. 14,95,499/- only

1.3 Earnest Money: -

Rs. 30,000/- (The EMD will be returned post receipt of Performance Guarantee)

1.4 Performance Guarantee

3% of tendered value (It shall be valid up to the stipulated date of completion Plus 60 days beyond that)

1.5 Security Deposit **SCHEDULE- "F":**

2.5 %

General Rules & Directions:-

Officer Inviting Tender: -

Commandant (Engr.) South Zone, CRPF, Hyderabad.

Maximum percentage for quantity of items of work to be executed beyond which rates are to be determined in accordance with Clauses 12.2 & 12.3

See below

Definitions:-

2(v)

Engineer-In-Charge

AC/DC (Bldg)/ AC Engr.

	Contract C	ell, SZ			Page 16 of 34	
	2(viii)	Accepting Authority	Commanda	nt (Engr.) SZ, CRPF, Hyderabad.	
	2(x)	Percentage on cost of Materials and labour to Cover all overheads and Profits	15%			
	2(xi)	Standard Schedule of Rates	DSR			
	2(xii)	Department	CRPF			
	9(ii)	Standard CPWD contract Form CPWD form 8 & General Conditions of	f Contract for	CPWD V	Vorks-2023 with upto-date correction slips.	
Clause- (i)	Time allowed Performance (Time & Pro	I for submission of guarantee Programme Chart gress) and from the date tter of acceptance.		07 days		
(ii)		lowable extension eriod as provided in (i) above		Nil.		
Clause-	1A:- Recove	ry of Security Deposit of GCC :-		Applicat	ble	
Clause-	2:- Authorit	y for fixing compensation under clause 2.		Commandant (Engr.) SZ, CRPF, Hyderabad		
Clause-	2A:- Whe	ether Clause 2A shall be applicable		No		
Clause-	3 :- Applicab	ole				
	3A:- Applical 4 :- Applical					
Clause-	5:- Applical	ble				
Time all	lowed for exec	eution of work			90 days	
Authori	ity to decide					
	ii) Re	tension of time scheduling of mile stones ofting of date of start in case of delay in hand	ing over of sit	e	Commandant (Engr.) Commandant (Engr.) Commandant (Engr.)	
Clause-	6 :- Con	nputerized Measurement Book			No	
Clause-	7A :- Who	ether Clause 7A shall be applicable			Applicable	
Clause	8:- Con	npletion Certificate and Completion Plans			Applicable	
Clause-	8A :- Con	npletion Plans to be Submitted by the Contra	ctor		Applicable.	
Clause-	9 :- Payı	ment of Final Bill			Applicable.	
Clause	9A :- Payı	ment of Contractor's Bills to Banks			Applicable.	
Clause-	10A:- Mat	erials to be provided by the Contractor			Applicable	
Clause-	10-B					

Clause-10-B

(i) Secured Advance on Materials

(ii) Whether Mobilization advance will be paid

No

Clause-10C:-

Payment on Account of Increase in Prices/ Wages due to Statutory Order(s)

Not applicable.

Clause-10 CA:-

Payment due to variation in prices of materials after receipt of tender Not applicable.

Clause-10-CC:-

Payment due to Increase / Decrease in Prices/ Wages (excluding materials covered under clause 10 CA) after Receipt of Tender for Works

Not applicable

Page 17 of 34

The contractor shall treat all materials obtained during dismantling of a structure, excavation of the site for a work, etc. as Government's property and such materials shall be disposed off to the best advantage of Government according to the instructions in writing issued by the Engineer-in-Charge.

Clause-11:- Work to be Executed in Accordance with Specifications, Drawings, Orders etc.

The contractor shall execute the whole and every part of the work in the most substantial and workmanlike manner both as regards materials and otherwise in every respect in strict accordance with the specifications. The contractor shall also conform exactly, fully and faithfully to the design, drawings and instructions in writing in respect of the work signed by the Engineer-in-Charge and the contractor shall be furnished free of charge one copy of the contract documents together with specifications, designs, drawings and instructions as are not included in the standard specifications of Central Public Works Department specified in Schedule 'F' or in any Bureau of Indian Standard or any other, published standard or code or, Schedule of Rates or any other printed publication referred to elsewhere in the contract. The contractor shall comply with the provisions of the contract and with the care and diligence execute and maintain the works and provide all labour and materials, tools and plants including for measurements and supervision of all works, structural plans and other things of temporary or permanent nature required for such execution and maintenance in so far as the necessity for providing these, is specified or is reasonably inferred from the contract. The Contractor shall take full responsibility for adequacy, suitability and safety of all the works and methods of construction.

Clause-12:-

Authority to decide deviation

Commandant (Engr.)

Clause-16:-Competent Authority for

deciding reduced rates.

Commandant (Engr.)

Clause17: Contractor Liable for Damages, defects during defect liability period

If the contractor or his working people or servants shall break, deface, injure or destroy any part of building in which they may be working, or any building, road, road kerb, fence, enclosure, water pipe, cables, drains, electric or telephone post or wires, trees, grass or grassland, or cultivated ground contiguous to the premises on which the work or any part is being executed, or if any damage shall happen to the work while in progress, from any cause whatever or if any defect, shrinkage or other faults appear in the work within twelve months (six months in the case of work costing Rs. Ten lacs and below except road work) after a certificate final or otherwise of its completion shall have been given by the Engineer in- Charge as aforesaid arising out of defect or improper materials or workmanship the contractor shall upon receipt of a notice in writing on that behalf make the same good at his own expense or in default the Engineer-in-Charge cause the same to be made good by other workmen and deduct the expense from any sums that may be due or at any time thereafter may become due to the contractor, or from his security deposit or the proceeds of sale thereof or of a sufficient portion thereof. The security deposit of the contractor shall not be refunded before the expiry of twelve months (six months in the case of work costing Rs. Ten lacs and below except road work) after the issue of the certificate final or otherwise, of completion of work, or till the final bill has been prepared and passed whichever is later. Provided that in the case of road work, if in the opinion of the Engineer-in-Charge, half of the security deposit is sufficient, to meet all liabilities of the contractor under this contract, half of the security deposit will be refundable after six months and the remaining half after twelve months of the issue of the said certificate of completion or till the final bill has been prepared and passed whichever is later.

In case of Maintenance and Operation works of E&M services, the security deposit deducted from contractors shall be refunded within one month from the date of final payment or within one month from the date of completion of the maintenance contract whichever is earlier.

Clause-18:-**Tools & Plants etc.**

The contractor shall provide at his own cost all materials machinery, tools & plants as specified in schedule F. In addition to this, appliances, implements, other plants, ladders, cordage, tackle, scaffolding and temporary works required for the proper execution of the work, whether original, altered or substituted and whether included in the specifications or other documents forming part of the contract or referred to in these conditions or not, or in-Charge as to any matter as to which under these conditions he is entitled to be satisfied, or which he is entitled to require together with carriage therefore to and from the work. The contractor shall also supply without charge the requisite number of persons with the means and materials, examination at any time and from time to time of the work or materials. Failing his so doing, the same may be provided by the Engineer-in-Charge at the expense of the contractor and the expenses may be deducted, from any money due to the contractor, under this contract or otherwise and/or from his security deposit or the proceeds of sale thereof, or of a sufficient portions thereof.

Clause-19:-Labour Laws to be complied Applicable.

by the contractor

Clause-19A:-No labour below the age of fourteen Applicable.

years shall be employed on the work.

Applicable.

Clause-19C:-Clause -19D:-

Applicable.

Clause -19K:- Employment of skilled/semi skilled workers

The contractor shall, at all stages of work, deploy skilled/semi skilled tradesmen who are qualified and possess certificate in particular trade from CPWD Training Institute/Industrial Training Institute/ National Institute of construction Management and Research (NICMAR)/ National Academy of Construction, CIDC or any similar reputed and recognized Institute managed/ certified by State/Central Government. The number of such qualified tradesmen. The contractor shall submit number of man days required in respect of each trade, its scheduling and the list of qualified tradesmen along with requisite certificate from recognized Institute to Engineer in charge for approval. Notwithstanding such approval, if the tradesmen are found to have inadequate skill to execute the work of respective trade, the contractor shall substitute such tradesmen within two days of written notice from Engineer in- Charge. Failure on the part of contractor to obtain approval of Engineer-in-Charge or failure to deploy qualified tradesmen will attract a compensation to be paid by contractor at the rate specified in schedule 'F' per such tradesman per day. Decision of Engineer in Charge as to whether particular tradesman possesses requisite skill and amount of compensation in case of default shall be final and binding. Provided always, that the provisions of this clause, shall not be applicable for works with estimated cost put to tender being less than Rs. 5 crores. For work costing more than Rs. 10 Crores, and uptoRs. 50 Crores, the contractor shall arrange on site training as per National Skill Development Corporation (NSDC) norms for at least 20% of the unskilled workers engaged in the project in coordination with the CPWD Regional Training Institute& National Skill Development Corporation (NSDC) for certification at the level of skilled/semi skilled tradesmen. For works costing more than Rs. 50 Crores, the contractor shall arrange on site training as per National Skill Development Corporation (NSDC) norms for at least 30% of the unskilled worker engaged in the project in co-ordination with the CPWD Regional Training Institute & National Skill Development Corporation (NSDC) for certification at the level of skilled/semi skilled tradesmen. The cost of such training as stated above shall be born by the Government. The necessary space and workers shall be provided by the contractor and no claim what so ever shall be entertained.

Clause-19L:- Contribution of EPF & ESI Applicable.

Clause-20:- Minimum wages act to Applicable.

be complied with.

Clause 21:- Work not to be sublet. Action in case of in solvency

The contract shall not be assigned or sublet without the written approval of the Engineer-in Charge. And if the contractor shall assign or sublet his contract, or attempt to do so, or become insolvent or commence any insolvency proceedings or make any composition with his creditors or attempt to do so, or if any bribe, gratuity, gift, loan, perquisite, reward or advantage pecuniary or otherwise, shall either directly or indirectly, be given, promised or offered by the contractor, or any of his servants or agent to any public officer or person in the employ of Government in any way relating to his office or employment, or if any such officer or person shall become in any way directly or indirectly interested in the contract, the Engineer-in-Charge on behalf of the President of India shall have power to adopt the course specified in Clause 3 hereof in the interest of Government and in the event of such course being adopted, the consequences specified in the said Clause 3 shall ensue.

Clause 25 Settlement of Dispute by Conciliation and Arbitration

(i)	Conciliator	
(ii)	Arbitrator Appointing Authority	
(iii)	Place of Arbitration	

Clause 28 Action where no Specifications are specified

In the case of any class of work for which there is no such specifications as referred to in Clause 11, such work shall be carried out in accordance with the Bureau of Indian Standards Specifications. In case there are no such specifications in Bureau of Indian Standards, the work shall be carried out as per manufacturers' specifications, if not available then as per state/ District Specifications. In case there are no such specifications as required above, the work shall be carried out in all respects in accordance with the instructions and requirements of the Engineer-in-Charge.

Clause 30 Water for Works

The contractor(s) shall make his/their own arrangements for water required for the work and nothing extra will be paid for the same. This will be subject to the following conditions.

- (i) That the water used by the contractor(s) shall be fit for construction purposes to the satisfaction of the Engineer-in-Charge.
- (ii) The Engineer-in-Charge shall make alternative arrangements for supply of water at the risk and cost of contractor(s) if the arrangements made by the contractor(s) for procurement of water are in the opinion of the Engineer-in-Charge, unsatisfactory.

Clause 31 Hire of Plant & Machinery

The contractor should be the owner of all the machinery and plants being used in the SUBJECT WORK FOR WHICH TENDER HAS BEEN CALLED FOR

Clause 32,33,34& 35 Applicable

Clause-32 Requirement of technical representative(s) and recovery rate

Sl.	Minimum	Discipline	Designation	Minimum	Nos.	Rate at which recovery shall be made		
No.	qualification of technical representative		(Principal technical / technical	experience		from the contractor in the event of no fulfilling provision of Clause 32		
	representative		representative)			Figure	Words	
1.	Graduate /	Civil	Site Engineer	02 or 05				
	diploma			years				
	Engineer			respectively				

Contract Cell, SZ Page 19 of 34

Assistant Engineers retired from Govt. Services who are holding Diploma will be treated at par with Graduate Engineers.

Clause 37:- No engineer of gazetted rank or other gazetted officer employed in engineering or administrative duties in an engineering department of the Government of India shall work as a contractor or employee of a contractor for a period of one year after his retirement from government service without the previous permission of Government of India in writing. This contract is liable to be cancelled if either the contractor or any of his employees is found at any time to be such a person who had not obtained the permission of Government of India as aforesaid, before submission of the tender or engagement in the contractor's service, as the case may be.

Sd/- 23/09/2024

(Lt. Col. Vinit Kumar Tiwary)

Commandant (Engineer)

Contract Cell, SZ HQr

[For and on behalf of the President of India]

1.08

SQM



	SCHEDULE OF QUANTITY	•	
	er Enquiry No. :- B.V-4/2024-25-SZ-Works (GC AVD) Major Work T/01	5	
	tion of Work: - GC, CRPF, Avadi, Chennai- 600065.		
	e of Work: - Barrier free built environment and access to person w	ith disab	ility for
	ital and Men's club at GC, CRPF, Avadi, Chennai-65.		
S/N.	Item / Description	Qty.	Unit
	Earth work in excavation by mechanical means (Hydraulic excavator) / manual means in		
1	foundation trenches or drains (not exceeding 1.5 m in width or 10 sqm on plan), including	9.37	SQM
_	dressing of sides and ramming of bottoms, lift upto 1.5 m, including getting out the excavated	3.37] 34
	soil and disposal of surplus excavated soil as directed, within a lead of 50 m. All kinds of soil.		
	Excavating trenches of required width for pipes, cables, etc including excavation for sockets, and dressing of sides, ramming of bottoms, depth upto 1.5 m, including getting out the		
	excavated soil, and then returning the soil as required, in layers not exceeding 20 cm in depth,		
2	including	60	METER
_ ~	consolidating each deposited layer by ramming, watering, etc. and disposing of surplus	00	IVILILIX
	excavated soil as directed, within a lead of 50 m: All kinds of soil: Pipes, cables etc. exceeding		
	80 mm dia. But not exceeding 300 mm dia		
	Filling available excavated earth(excluding rock) in trenches, plinth, sides of foundations etc. in		
3	layers not exceeding 20cm in depth, consolidating each deposited layer by ramming and	15	CUM
	watering, lead up to 50 m and lift upto 1.5 m.		
4	Supplying and filling in plinth with sand under floors, including watering, ramming,	4.93	CUM
	consolidating and dressing complete.	4.55	COIVI
	Providing and laying in position cement concrete of specified grade excluding the cost of		
5	centering and shuttering - All work up to plinth level : 1:3:6 (1 Cement : 3 coarse sand (zone-III)	6.69	CUM
	derived from natural sources: 6 graded stone aggregate 20 mm nominal size derived from		
	natural sources) 1:5:10 (1 cement : 5 coarse sand (zone-III) derived from natural sources : 10 graded stone		
6	aggregate 40 mm nominal size derived from natural sources)	1.56	CUM
	Making plinth protection 50mm thick of cement concrete 1:3:6 (1 cement : 3 coarse sand (zone-		
	III) derived from natural sources: 6 graded stone aggregate 20 mm nominal size derived from		
7	natural sources) over 75mm thick bed of dry brick ballast 40 mm nominal size, well rammed and	13.73	SQM
-	consolidated and grouted with fine sand, including necessary excavation, levelling & dressing &		52
	finishing the top smooth.		
	Providing and laying in position specified grade of reinforced cement concrete, excluding the		
8	cost of centering, shuttering, finishing and reinforcement - All work up to plinth level: 1:1.5:3	5.55	CUM
8	(1 cement : 1.5 coarse sand (zone-III) derived from natural sources : 3 graded stone aggregate 20	3.33	COIVI
	mm nominal size derived from natural sources)		
	Reinforced cement concrete work in beams, suspended floors, roofs having slope up to 15°		
	landings, balconies, shelves, chajjas, lintels, bands, plain window sills, staircases and spiral stair	2.56	CLIN 4
9	cases above plinth level up to floor five level, excluding the cost of centering, shuttering, finishing and reinforcement with 1:1.5:3 (1 cement : 1.5 coarse sand(zone-III) derived from	2.56	CUM
	natural sources: 3 graded stone aggregate 20 mm nominal size derived from natural ources).		
	Centering and shuttering including strutting, propping etc. and removal		
10	of form for Suspended floors, roofs, landings, balconies and access platform	21.6	SQM
	Centering and shuttering including strutting, propping etc. and removal		
11	of form for Lintels, beams, plinth beams, girders, bressumers and cantilevers	5.43	SQM
	Steel reinforcement for R.C.C. work including straightening, cutting, bending, placing in		
12	position and binding all omplete upto plinth level: Thermo-Mechanically Treated bars of grade	191.29	KG.
	Fe-500D or more.		
	Steel reinforcement for R.C.C. work including straightening, cutting, bending, placing in		
13	position and binding all complete above plinth level: Thermo-Mechanically Treated bars of	139.91	KG.
	grade Fe-500D or more.		
	Brick work with common burnt clay machine moulded perforated F.P.S.		
14	(non modular) bricks of class designation 12.5 conforming IS: 2222 in exposed brick work	11.3	CUM
	including making horizontal and vertical grooves 10mm wide 12 mm deep complete in cement mortar 1:6 (1 cement : 6 coarse sand) : From ground level upto plinth level		
	Brick work with clay flyash F.P.S. (non modular) brick of class designation 7.5 in superstructure		
15	above plinth level up to floor five level in : Cement mortar 1:4 (1 cement : 4 coarse sand)	10.86	CUM
	Half brick masonry with non modular fly ash bricks of class designation 10, conformingio IS		
16	:12894, in super structure above plinth and upto floor V level : Cement mortar 1 : 4 (1 cement :	8.49	SQM
13	4 coarse sand)	5.75	Jaivi
	Providing and fixing M.S. grills of required pattern in frames of windows etc. with M.S. flats,		
17	square or round bars etc. including priming coat with approved steel primer all complete: Fixed	21.96	KG.
	to steel windows by welding		
1 Q	Providing and fixing factory made uPVC white colour fixed glazed windows/ventilators	1 02	MOS

Providing and fixing factory made uPVC white colour fixed glazed windows/ ventilators

18

3			
	comprising of uPVC multi-chambered frame and mullion (where ever required) extruded profiles duly reinforced with 1.60 ± 0.2 mm thick galvanized mild steel section made from roll forming process of required length (shape & size according to uPVC profile), , uPVC extruded glazing beads of appropriate dimension, EPDM gasket, G.I fasteners 100×8 mm size for fixing frame to finished wall, plastic packers, plastic caps and necessary stainless steel screws etc. Profile of frame shall be mitred cut and fusion welded at all corners, mullion (if required) shall be also fusion welded including drilling of holes for fixing hardware's and drainage of water etc. After fixing frame the gap between frame and adjacent finished wall shall be filled with weather proof silicon sealant over backer rod of required size and of approved quality, all complete as per approved drawing & direction of Engineer-in-Charge. (Single / double glass panes and silicon sealant shall be paid separately). Variation in profile dimension in higher side shall be accepted but no extra payment on this account shall be made. Note: For uPVC frame, sash and mullion extruded profiles minus 5% tolerance in dimension i.e. in depth & width of profile shall be acceptable. Fixed window / ventilator made of (small series) frame 47 x 50 mm & mullion 47 x 68 mm both having wall thickness of 1.9 ± 0.2 mm and single glazing bead of appropriate dimension. (Area upto 0.75 sqm.)		
19	Providing and fixing factory made uPVC white colour sliding glazed door comprising of uPVC multi-chambered frame with in-built roller track and sash extruded profiles duly reinforced with 1.60 ± 0.2 mm thick galvanized mild steel section made from roll forming process of required length (shape & size according to uPVC profile), appropriate dimension uPVC extruded glazing beads, uPVC extruded interlock and uPVC extruded Inline sash adaptor (if required), EPDM gasket, wool pile, zinc alloy (white powder coated) handle with key on one side of extreme panels along with zinc plated mild steel multi point locking having transmission gear with keeps, zinc alloy (white powder coated) cresent lock (if required), stainless steel (SS 304 grade) body with adjustable double nylon rollers (weight bearing capacity to be 120 kg), G.I fasteners 100×8 mm size for fixing frame to finished wall and necessary stainless steel screws etc. Profile of frame & sash shall be mitred cut and fusion welded at all corners, including drilling of holes for fixing hardware's and drainage of water etc. After fixing frame the gap between frame and adjacent finished wall shall be filled with weather proof silicon sealent over backer rod of required size and of approved quality, all complete as per approved drawing & direction of Engineer-in-Charge. (Single / double glass panes, wire mesh and silicon sealent shall be paid separately). Variation in profile dimension in higher side shall be accepted but no extra payment on this account shall be made. Two track two panels sliding door made of (big series) frame 67×50 mm & sash 46×82 mm both having wall thickness of 2.3 ± 0.2 mm and single glazing bead / double glazing bead of appropriate dimension. (Area of door above 2.00 sqm upto 5.00 sqm)	6.93	SQM
20	Providing and fixing stainless steel (Grade 304) railing made of Hollow tubes, channels, plates etc., including welding, grinding, buffing, polishing and making curvature (wherever required) and fitting the same with necessary stainless steel nuts and bolts complete, i/c fixing the railing with necessary accessories & stainless steel dash fasteners, stainless steel bolts etc., of required size, on the top of the floor or the side of waist slab with suitable arrangement as per approval of Engineer-incharge, (for payment purpose only weight of stainless steel members shall be considered excluding fixing accessories such as nuts, bolts, fasteners etc.).	487.6	KG.
21	Providing and fixing 12 mm thick prelaminated particle board flat pressed three layer or graded wood particle board conforming to IS: 12823 Grade l Type ll, in panelling fixed in aluminum doors, windows shutters and partition frames with C.P. brass / stainless steel screws etc. complete as per architectural drawings and directions of engineerin- charge. Pre-laminated particle board with decorative lamination on both sides	8.01	SQM
22	Chequerred precast cement concrete tiles 22 mm thick in footpath & courtyard, jointed with neat cement slurry mixed with pigment to match the shade of tiles, including rubbing and cleaning etc. complete, on 20 mm thick bed of cement mortar 1:4 (1 cement: 4 coarse sand). Medium shade pigment using 50% white cement 50% Grey cement	52.5	SQM
23	Providing and laying rectified Glazed Ceramic floor tiles of size 300x300 mm or more (thickness to be specified by the manufacturer), of 1st quality conforming to IS: 15622, of approved make, in colours White, Ivory, Grey, Fume Red Brown, laid on 20 mm thick cement mortar 1:4 (1 Cement: 4 Coarse sand), jointing with grey cement slurry @ 3.3 kg/ sqm including grouting the joints with white cement and matching pigments etc., complete	14.4	SQM
24	Providing and fixing Ist quality ceramic glazed wall tiles conforming to IS: 15622 (thickness to be specified by the anufacturer), of approved make, in all colours, shades except burgundy, bottle green, black of any size as approved by Engineer-in-Charge, in skirting, risers of steps and dados, over 12 mm thick bed of cement mortar 1:3 (1 cement : 3 coarse sand) and jointing with grey cement slurry @ 3.3kg per sqm, including pointing in white cement mixed with pigment of matching shade complete.	42.84	SQM
25	Providing and fixing unplasticised -PVC pipe clips of approved design to unplasticised - PVC rain water pipes by means of 50x50x50 mm hard wood plugs, screwed with M.S. screws of required length, including cutting brick work and fixing in cement mortar 1:4 (1 cement : 4 coarse sand) and making good the wall etc. complete : 75 mm	6.8	METER

Contract Cell, SZ

San San Maria		_	
26	Providing and fixing unplasticised -PVC pipe clips of approved design to unplasticised - PVC rain water pipes by means of 50x50x50 mm hard wood plugs, screwed with M.S. screws of required length, including cutting brick work and fixing in cement mortar 1:4 (1 cement : 4 coarse sand) and making good the wall etc. complete : 110 mm	6	METER
27	12 mm cement plaster: 1:4 (1 cement : 4 fine sand)	100.64	SQM
28	Distempering with 1st quality acrylic distemper (ready mixed) having VOC content less than 50 gms/litre, of approved manufacturer, of required shade and colour complete, as per manufacturer's specification: Two or more coats on new work	38.66	SQM
29	Finishing walls with Premium Acrylic Smooth exterior paint with Silicone additives of required shade: New work (Two or more coats applied @ 1.43 ltr/10 sqm over and including priming coat of exterior primer applied @ 2.20 kg/10 sqm)	61.98	SQM
30	Providing and fixing white vitreous china pedestal type water closet (European type W.C. pan) with seat and lid, 10 litre low level white P.V.C. flushing cistern, including flush pipe, with manually controlled device (handle lever), conforming to IS: 7231, with all fittings and fixtures complete, including cutting and making good the walls and floors wherever required: W.C. pan with ISI marked white solid plastic seat and lid	2	EACH
31	Providing and fixing wash basin with C.I. brackets, 15 mm C.P. brass pillar taps, 32 mm C.P. brass waste of standard pattern, including painting of fittings and brackets, cutting and making good the walls wherever require: White Vitreous China Wash basin size 630x450 mm with a single 15 mm C.P. brass pillar tap	2	EACH
32	Providing and fixing P.V.C. waste pipe for sink or wash basin including P.V.C. waste fittings complete: Flexible pipe: 32 mm dia	2	EACH
33	Providing and fixing 600x450 mm beveled edge mirror of superior glass (of approved quality) complete with 6 mm thick hard board ground fixed to wooden cleats with C.P. brass screws and washers complete	2	EACH
34	Providing and fixing toilet paper holder: C.P. brass	2	EACH
35	Providing and fixing PTMT towel rail complete with brackets fixed to wooden cleats with CP brass screws with concealed fittings arrangement of approved quality and colour: 450 mm long towel rail with total length of 495 mm, 78 mm wide and effective height of 88 mm, weighing not less than 170 gms	2	EACH
36	Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply, including all CPVC plain & brass threaded fittings, including fixing the pipe with clamps at 1.00 m spacing. This includes jointing of pipes & fittings with one step CPVC solvent cement and testing of joints complete as per direction of Engineer in Charge: 25 mm nominal dia Pipes	10	METER
37	Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply, including all CPVC plain & brass threaded fittings, i/c fixing the pipe with clamps at 1.00 m spacing. This includes jointing of pipes & fittings with one step CPVC solvent cement and the cost of cutting chases and making good the same including testing of joints complete as per direction of Engineer in Charge. 20 mm nominal dia Pipes	16	METER
38	Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply, including all CPVC plain & brass threaded fittings, i/c fixing the pipe with clamps at 1.00 m spacing. This includes jointing of pipes & fittings with one step CPVC solvent cement and the cost of cutting chases and making good the same including testing of joints complete as per direction of Engineer in Charge. 25 mm nominal dia Pipes	11	METER
39	Providing and fixing uplasticised PVC connection pipe with brass unions : 30 cm length : 15 mm nominal bore	4	EACH
40	Providing and fixing C.P. brass long nose bib cock of approved quality conforming to IS standards and weighing not less than 810 gms. 15 mm nominal bore	4	EACH
41	Providing and fixing C.P. brass angle valve for basin mixer and geyser points of approved quality conforming to IS:8931:15mm nominal bore	4	EACH
42	Providing and fixing PTMT grating of approved quality and colour. Rectangular type with openable circular lid: 150 mm nominal size square 100 mm diameter of the inner hinged round grating	4	EACH
43	Providing and fixing PTMT extension nipple for water tank pipe, fittings of approved quality and colour. 25mm nominal bore, weighing not less than 62 gms	2	EACH
44	Providing and laying non-pressure NP2 class (light duty) R.C.C. pipes with collars jointed with stiff mixture of cement mortar in the proportion of 1:2 (1 cement : 2 fine sand) including testing of joints etc. complete : 100 mm dia. R.C.C. pipe	55	METER
45	Providing and laying cement concrete 1:5:10 (1 cement : 5 coarse sand : 10 graded stone aggregate 40 mm nominal size) up to haunches of S.W. pipes including bed concrete as per standard design : 100 mm diameter S.W. pipe	60	METER
46	Constructing brick masonry manhole in cement mortar 1:4 (1 cement : 4 coarse sand) with R.C.C. top slab with 1:1.5:3 mix (1 cement : 1.5 coarse sand (zone-III) : 3 graded stone aggregate 20 mm nominal size), foundation concrete 1:4:8 mix (1 cement : 4 coarse sand (zone-III) : 8 graded stone aggregate 40 mm nominal size), inside plastering 12 mm thick with cement mortar 1:3 (1 cement : 3 coarse sand) finished with floating coat of ne at cement and making	2	EACH



Inside size 90x80 cm and 45 cm deep including C.I. cover with frame (light duty) 455x610 mm internal dimensions, total weight of cover and frame to be not less than 38 kg (weight of cover 23 kg and weight of frame 15 kg): With common burnt clay F.P.S. (non modular) bricks of class designation 7.5 Providing and fixing square-mouth S.W. gully trap class SP-1 complete with C.I. grating brick masonry chamber with water tight C.I. cover with frame of 300 x300 mm size (inside) the weight of cover to be not less than 4.50 kg and frame to be not less than 2.70 kg as per standard design: 100x100 mm size P type: With common burnt clay F.P.S. (non modular) bricks of class designation 7.5 Providing and fixing on wall face consealed work, unplasticised rigid PVC sewer line pipes conforming to IS 13592 Type B including jointing with solvent cement adesive complete all as derection of Engineer In-charge (Supreme or equivalent make whenever pipe fixed in consealed work the same shall be safe guarded by laying allround pcc 1:5:10 as per design and pcc 1:5:10 shall be paid for seperately: 75mm dia pipe Providing and fixing on wall face consealed work, unplasticised rigid PVC sewer line pipes conforming to IS 13592 Type B including jointing with solvent cement adesive complete all as derection of Engineer In-charge (Supreme or equivalent make whenever pipe fixed in consealed work the same shall be safe guarded by laying allround pcc 1:5:10 as per design and pcc 1:5:10 shall be paid for seperately: 100 mm dia pipe	2	EACH
23 kg and weight of frame 15 kg): With common burnt clay F.P.S. (non modular) bricks of class designation 7.5 Providing and fixing square-mouth S.W. gully trap class SP-1 complete with C.I. grating brick masonry chamber with water tight C.I. cover with frame of 300 x300 mm size (inside) the weight of cover to be not less than 4.50 kg and frame to be not less than 2.70 kg as per standard design: 100x100 mm size P type: With common burnt clay F.P.S. (non modular) bricks of class designation 7.5 Providing and fixing on wall face consealed work, unplasticised rigid PVC sewer line pipes conforming to IS 13592 Type B including jointing with solvent cement adesive complete all as derection of Engineer In-charge (Supreme or equivalent make whenever pipe fixed in consealed work the same shall be safe guarded by laying allround pcc 1:5:10 as per design and pcc 1:5:10 shall be paid for seperately: 75mm dia pipe Providing and fixing on wall face consealed work, unplasticised rigid PVC sewer line pipes conforming to IS 13592 Type B including jointing with solvent cement adesive complete all as derection of Engineer In-charge (Supreme or equivalent make whenever pipe fixed in consealed work the same shall be safe guarded by laying allround pcc 1:5:10 as per design and pcc 1:5:10	2	EACH
Providing and fixing square-mouth S.W. gully trap class SP-1 complete with C.I. grating brick masonry chamber with water tight C.I. cover with frame of 300 x300 mm size (inside) the weight of cover to be not less than 4.50 kg and frame to be not less than 2.70 kg as per standard design: 100x100 mm size P type: With common burnt clay F.P.S. (non modular) bricks of class designation 7.5 Providing and fixing on wall face consealed work, unplasticised rigid PVC sewer line pipes conforming to IS 13592 Type B including jointing with solvent cement adesive complete all as derection of Engineer In-charge (Supreme or equivalent make whenever pipe fixed in consealed work the same shall be safe guarded by laying allround pcc 1:5:10 as per design and pcc 1:5:10 shall be paid for seperately: 75mm dia pipe Providing and fixing on wall face consealed work, unplasticised rigid PVC sewer line pipes conforming to IS 13592 Type B including jointing with solvent cement adesive complete all as derection of Engineer In-charge (Supreme or equivalent make whenever pipe fixed in consealed work the same shall be safe guarded by laying allround pcc 1:5:10 as per design and pcc 1:5:10	2	EACH
masonry chamber with water tight C.I. cover with frame of 300 x300 mm size (inside) the weight of cover to be not less than 4.50 kg and frame to be not less than 2.70 kg as per standard design: 100x100 mm size P type: With common burnt clay F.P.S. (non modular) bricks of class designation 7.5 Providing and fixing on wall face consealed work, unplasticised rigid PVC sewer line pipes conforming to IS 13592 Type B including jointing with solvent cement adesive complete all as derection of Engineer In-charge (Supreme or equivalent make whenever pipe fixed in consealed work the same shall be safe guarded by laying allround pcc 1:5:10 as per design and pcc 1:5:10 shall be paid for seperately: 75mm dia pipe Providing and fixing on wall face consealed work, unplasticised rigid PVC sewer line pipes conforming to IS 13592 Type B including jointing with solvent cement adesive complete all as derection of Engineer In-charge (Supreme or equivalent make whenever pipe fixed in consealed work the same shall be safe guarded by laying allround pcc 1:5:10 as per design and pcc 1:5:10	2	EACH
 weight of cover to be not less than 4.50 kg and frame to be not less than 2.70 kg as per standard design: 100x100 mm size P type: With common burnt clay F.P.S. (non modular) bricks of class designation 7.5 Providing and fixing on wall face consealed work, unplasticised rigid PVC sewer line pipes conforming to IS 13592 Type B including jointing with solvent cement adesive complete all as derection of Engineer In-charge (Supreme or equivalent make whenever pipe fixed in consealed work the same shall be safe guarded by laying allround pcc 1:5:10 as per design and pcc 1:5:10 shall be paid for seperately: 75mm dia pipe Providing and fixing on wall face consealed work, unplasticised rigid PVC sewer line pipes conforming to IS 13592 Type B including jointing with solvent cement adesive complete all as derection of Engineer In-charge (Supreme or equivalent make whenever pipe fixed in consealed work the same shall be safe guarded by laying allround pcc 1:5:10 as per design and pcc 1:5:10 	2	EACH
design: 100x100 mm size P type: With common burnt clay F.P.S. (non modular) bricks of class designation 7.5 Providing and fixing on wall face consealed work, unplasticised rigid PVC sewer line pipes conforming to IS 13592 Type B including jointing with solvent cement adesive complete all as derection of Engineer In-charge (Supreme or equivalent make whenever pipe fixed in consealed work the same shall be safe guarded by laying allround pcc 1:5:10 as per design and pcc 1:5:10 shall be paid for seperately: 75mm dia pipe Providing and fixing on wall face consealed work, unplasticised rigid PVC sewer line pipes conforming to IS 13592 Type B including jointing with solvent cement adesive complete all as derection of Engineer In-charge (Supreme or equivalent make whenever pipe fixed in consealed work the same shall be safe guarded by laying allround pcc 1:5:10 as per design and pcc 1:5:10		
Providing and fixing on wall face consealed work, unplasticised rigid PVC sewer line pipes conforming to IS 13592 Type B including jointing with solvent cement adesive complete all as derection of Engineer In-charge (Supreme or equivalent make whenever pipe fixed in consealed work the same shall be safe guarded by laying allround pcc 1:5:10 as per design and pcc 1:5:10 shall be paid for seperately: 75mm dia pipe Providing and fixing on wall face consealed work, unplasticised rigid PVC sewer line pipes conforming to IS 13592 Type B including jointing with solvent cement adesive complete all as derection of Engineer In-charge (Supreme or equivalent make whenever pipe fixed in consealed work the same shall be safe guarded by laying allround pcc 1:5:10 as per design and pcc 1:5:10		
conforming to IS 13592 Type B including jointing with solvent cement adesive complete all as derection of Engineer In-charge (Supreme or equivalent make whenever pipe fixed in consealed work the same shall be safe guarded by laying allround pcc 1:5:10 as per design and pcc 1:5:10 shall be paid for seperately: 75mm dia pipe Providing and fixing on wall face consealed work, unplasticised rigid PVC sewer line pipes conforming to IS 13592 Type B including jointing with solvent cement adesive complete all as derection of Engineer In-charge (Supreme or equivalent make whenever pipe fixed in consealed work the same shall be safe guarded by laying allround pcc 1:5:10 as per design and pcc 1:5:10		
derection of Engineer In-charge (Supreme or equivalent make whenever pipe fixed in consealed work the same shall be safe guarded by laying allround pcc 1:5:10 as per design and pcc 1:5:10 shall be paid for seperately: 75mm dia pipe Providing and fixing on wall face consealed work, unplasticised rigid PVC sewer line pipes conforming to IS 13592 Type B including jointing with solvent cement adesive complete all as derection of Engineer In-charge (Supreme or equivalent make whenever pipe fixed in consealed work the same shall be safe guarded by laying allround pcc 1:5:10 as per design and pcc 1:5:10		
shall be paid for seperately: 75mm dia pipe Providing and fixing on wall face consealed work, unplasticised rigid PVC sewer line pipes conforming to IS 13592 Type B including jointing with solvent cement adesive complete all as derection of Engineer In-charge (Supreme or equivalent make whenever pipe fixed in consealed work the same shall be safe guarded by laying allround pcc 1:5:10 as per design and pcc 1:5:10	18	EACH
Providing and fixing on wall face consealed work, unplasticised rigid PVC sewer line pipes conforming to IS 13592 Type B including jointing with solvent cement adesive complete all as derection of Engineer In-charge (Supreme or equivalent make whenever pipe fixed in consealed work the same shall be safe guarded by laying allround pcc 1:5:10 as per design and pcc 1:5:10		
conforming to IS 13592 Type B including jointing with solvent cement adesive complete all as derection of Engineer In-charge (Supreme or equivalent make whenever pipe fixed in consealed work the same shall be safe guarded by laying allround pcc 1:5:10 as per design and pcc 1:5:10		
derection of Engineer In-charge (Supreme or equivalent make whenever pipe fixed in consealed work the same shall be safe guarded by laying allround pcc 1:5:10 as per design and pcc 1:5:10		
	12	EACH
chall be noted for concretely: 100 mm die mine		
shall be paid for seperately: 100 mm dia pipe Providing and fixing C.P brass Helth faucet including 1.50 mtr lenth connection pipe with CP		
brass brackets and fixing with CP brass screws (Jaquar or equivalent)	2	EACH
Providing and fixing on wall face unplasticised Rigid PVC SWR fitting conforming to IS:		
51 13592 TypeB, including jointing with solvent cement adhesive complete all as derected by the	2	EACH
Engineer- in - charge: 110 mm Bend plan Providing and fixing on wall face unplasticised Rigid PVC SWR fitting conforming to IS:		
52 13592 TypeB, including jointing with solvent cement adhesive complete all as derected by the	2	EACH
Engineer- in - charge : 110 mm Bend with door		
Providing and fixing on wall face unplasticised Rigid PVC SWR fitting conforming to IS:	2	FACU
53 13592 TypeB, including jointing with solvent cement adhesive complete all as derected by the Engineer- in - charge: 110mm double Y with door	2	EACH
Providing and fixing on wall face unplasticised Rigid PVC SWR fitting conforming to IS:		
54 13592 TypeB, including jointing with solvent cement adhesive complete all as derected by the	2	EACH
Engineer- in - charge 90 mm plan Bend Providing and fixing on wall face unplasticised Rigid PVC SWR fitting conforming to IS:		
55 13592 TypeB, including jointing with solvent cement adhesive complete all as derected by the	2	EACH
Engineer- in - charge 90 mm bend with door		
Providing and fixing on wall face unplasticised Rigid PVC SWR fitting conforming to IS: 13592 TypeB, including jointing with solvent cement adhesive complete all as derected by the	2	EACH
56 13592 TypeB, including jointing with solvent cement adhesive complete all as derected by the Engineer- in - charge 90 mm tee with door	2	EACH
Providing and fixing on wall face unplasticised Rigid PVC SWR fitting conforming to IS:		
57 13592 TypeB, including jointing with solvent cement adhesive complete all as derected by the	2	EACH
Engineer- in - charge 90 mm double Y Providing and fixing on wall face unplasticised Rigid PVC SWR fitting conforming to IS:		
58 13592 TypeB, including jointing with solvent cement adhesive complete all as derected by the	2	EACH
Engineer- in - charge 90mm plane tee		
Providing and fixing on wall face unplasticised Rigid PVC SWR fitting conforming to IS: 13592 TypeB, including jointing with solvent cement adhesive complete all as derected by the	2	EACH
Engineer- in - charge 110 mm cowl	۷	EACH
Providing and fixing on wall face unplasticised Rigid PVC SWR fitting conforming to IS:		
60 13592 TypeB, including jointing with solvent cement adhesive complete all as derected by the	2	EACH
Engineer- in - charge 90mm cowl Providing and fixing on wall face unplasticised Rigid PVC SWR fitting conforming to IS:		
61 13592 TypeB, including jointing with solvent cement adhesive complete all as derected by the	2	EACH
Engineer- in - charge: 75x110mm NAHANI TRAP WITH JALI		
Providing and fixing CPVC Union in CPVC pipe line including cutting and pasting the pipe etc.	4	EACH
complete all as derected by the Engineer- in - charge : 25mm CPVC Union brass threaded Providing and fixing CPVC Union in CPVC pipe line including cutting and pasting the pipe etc.		
complete all as derected by the Engineer- in - charge : 20mm CPVC Union brass threaded	4	EACH
Providing and fixing CPVC ball valves in CPVC pipe line including cutting and pasting the pipe	4	EACH
etc. complete all as derected by the Engineer- in - charge : 25 mm CPVC ball valves Providing and fixing CPVC ball valves in CPVC pipe line including cutting and pasting the pipe	<u>-</u>	
etc. complete all as derected by the Engineer- in - charge : 20 mm CPVC ball valves	4	EACH



stract Cell, SZ Page 24 of 34

i) The lowest bidder will be decided on overall rate of entire work instead of item (category) wise. Rates quoted by the bidder must be inclusive of applicable G.S.T (Goods and Services Tax) and all other charges if any but exclusive of EPF & ESI Contributions on the part of Employer as applicable with F.O.R (Site of work) at O/O **The GC CRPF Avadi.**

ii) The E.P.F & E.S.I contributions on the part of employer in respect of the contract shall be paid by the contractor to concerned department well in time. These contributions on the part of the employer paid by the contractor shall reimbursable by this department on actual basis and on production of receipt of the concerned department.

Sd/- 23/09/2024 (Lt. Col. Vinit Kumar Tiwary)

Commandant (Engineer)

Contract Cell, SZ HQr [For and on behalf of the President of India]

Signature of Bidder (with seal)

Appendix-'A'

INTEGRITY PACT

To,

Sub:

Commandant (Engineer) Contract Cell, SZ HQr, CRPF, Hyderabad (Telangana), Pin no- 500005.

Dear Sir,

Submission of Tender for the work of

I/We acknowledge that CRPF is committed to follow the principles thereof as enumerated in the Integrity Agreement enclosed with the tender/bid document.

I/We agree that the Notice Inviting Tender (NIT) is an invitation to offer made on the condition that I/We will sign the enclosed integrity Agreement, which is an integral part of tender documents, failing which I/We will stand disqualified from the tendering process. I/We acknowledge that THE MAKING OF THE BID SHALL BE REGARDED AS AN UNCONDITIONAL AND ABSOLUTE ACCEPTANCE of this condition of the NIT.

I/We confirm acceptance and compliance with the Integrity Agreement in letter and spirit and further agree that execution of the said Integrity Agreement shall be separate and distinct from the main contract, which will come into existence when tender/bid is finally accepted by CRPF. I/We acknowledge and accept the duration of the Integrity Agreement, which shall be in the line with Article 1 of the enclosed Integrity Agreement.

I/We acknowledge that in the event of my/our failure to sign and accept the Integrity Agreement, while submitting the tender/bid, CRPF shall have unqualified, absolute and unfettered right to disqualify the tenderer/bidder and reject the tender/bid is accordance with terms and conditions of the tender/bid.

Yours faithfully

(Duly authorized signatory of the Bidder)



To be signed by the bidder and same signatory competent / authorized to sign the relevant contract on behalf of

INTEGRITY AGREEMENT

This Integrity Agreement is made at..... on this day of 2024

BETWEEN

President of India represented through Comdt. Engr. SZ Zone, Hyderabad, (Name of Division) (Hereinafter referred as the (Address of Division)

"Principal/Owner", which expression shall unless repugnant to the meaning or context thereof include its success or sand permitted assigns)

AND

(Name and Address of the Individual/ firm/ Company) through......(Hereinafter referred to as the (Details of duly authorized signatory) "Bidder/Contractor" and which expression shall unless repugnant to the meaning or context hereof include its successors and permitted assigns)

Preamble

WHEREAS the Principal/Owner has floated the Tender (NIT No. (here in after referred to

as "Tender/ Bid") and intends to award, under laid down organizational procedure, contract for

(Name of work):- Barrier free built environment and access to person with disability for Hospital and Men's club at GC, CRPF, Avadi, Chennai-65.

Hereinafter referred to as the "Contract".

ANDWHEREAS the Principal/ Owner values full compliance with all relevant laws of the land, rules, regulations, economic use of resources and of fairness/ transparency in its relation with its Bidder(s) and Contractor(s).

ANDWHEREAS to meet the purpose aforesaid both the parties have agreed to enter into this Integrity Agreement (hereinafter referred t-o as "Integrity Pact" or "Pact"), the terms and conditions of which shall also be read as integral part and parcel of the Tender/ Bid documents and Contract between the parties.

NOW, Therefore, in consideration of mutual covenants contained in this Pact, the parties here by agree as follows and this Pact witnesses as under:

Article1: Commitment of the Principal/Owner

The Principal/Owner commits itself to take all measures necessary to prevent corruption and to observe the following principles:

No employee of the Principal/Owner, personally or through any of his/ her family members, will in connection with the Tender or the execution of the Contract, demand, take a promise for or accept, for self or third person, any material or immaterial benefit which the person is not legally entitled to.

The Principal/Owner will, during the Tender process, treat all Bidder(s) with equity and reason. The Principal/Owner will, in particular, before and during the Tender process, provide to all Bidder(s) the same information and will not provide to any Bidder(s) confidential/ additional information through which the Bidder(s) could obtain an advantage in relation to the Tender processor the Contract execution.

The Principal/Owner shall endeavour to exclude from the Tender process any person, whose conduct in the past has been of biased nature.

If the Principal/Owner obtains information on the conduct of any of its employees which is a criminal offence under the Indian Penal code (IPC)/ Prevention of Corruption Act,1988 (PC Act) or is in violation of the principles here in mentioned or if there be a substantive suspicion in this regard, the Principal/Owner will inform the Chief Vigilance Officer and in addition can also initiate disciplinary actions as per its internal laid down policies and procedures.

Article2: Commitment of the Bidder(s)/ Contractor(s)

It is required that each Bidder/ Contractor (including their respective officers, employees and agents) adhere to the high esthetical standards, and report to the Government/ Department all suspected acts of fraud or corruption or Coercion or Collusion of which it has knowledge or becomes aware, during the tendering process and throughout the negotiation or award of a contract.

The Bidder(s)/ Contractor(s) commit himself to take all measures necessary to prevent corruption. He commits himself to observe the following principles during his participation in the Tender process and during the Contract execution:

The Bidder(s)/ Contractor(s) will not, directly or through any other person or firm, offer, promise or give to any of the Principal/ Owner's employees involved in the Tender process or execution of the Contract or to any third person any material or other benefit which he/she is not legally entitled to, in order to obtain in exchange any advantage of any kind whatsoever during the Tender process or during the execution of the Contract.

The Bidder(s)/ Contractor(s) will not enter with other Bidder(s) into any undisclosed agreement or understanding, whether formal or informal. This applies in particular to prices, specifications, certifications, subsidiary contracts, submission or non-submission of bids or any other actions to restrict competitive or to cartelize in the bidding process. Competitiveness or to cartelize in the bidding process.



The Bidder(s)/ Contractor(s) will not commit any offence under the relevant IPC/PC Act. Further the Bidder(s)/ Contract(s) will not use improperly, (for the purpose of competition or personal gain), or pass on to others, any information or documents provided by the Principal/ Owner as part of the business relationship, regarding plans, technical proposals and business details, including information contained or transmitted electronically.

The Bidder(s)/ Contractor(s) of foreign origin shall disclose the names and addresses of agents/ representatives in India, if any. Similarly, Bidder(s)/ Contractor(s) of Indian Nationality shall disclose names and addresses of foreign agents/ representatives, if any. Either the Indian agent on behalf of the foreign principal or the foreign principal directly could bid in a tender but not both. Further, in cases where an agent participates in a tender on behalf of one manufacturer, he shall not be allowed to quote on behalf of another manufacturer along with the first manufacturer in a subsequent/ parallel tender for the same item.

The Bidder(s)/ Contractor(s) will, when presenting his bid, disclose any and all payments he has made, is committed to or intends to make to agents, brokers or any other intermediaries in connection with the award of the Contract.

The Bidder(s)/ Contractor(s) will not instigate third persons to commit offences outlined above or be an accessory to such offences.

The Bidder(s)/ Contractor(s) will not, directly or through any other person or firm indulge in fraudulent practice means a willful misrepresentation or omission of facts or submission of fake/ forged documents in order to induce public official to act in reliance thereof, with the purpose of obtaining unjust advantage by or causing damage to justified interest of others and/ or to influence the procurement process to the detriment of the Government interests.

The Bidder(s)/ Contractor(s) will not, directly or through any other person or firm use Coercive Practices (means the act of obtaining something, compelling an action or influencing a decision through intimidation, threat or the use of force directly or indirectly, where potential or actual injury may be fall upon a person his/ her reputation or property to influence their participation in the tendering process).

Article 3: Consequences of Breach

Without prejudice to any rights that may be available to the Principal/ Owner under law or the Contractor its established policies and laid down procedures, the Principal/ Owner shall have the following rights in case of breach of this Integrity Pact by the Bidder(s)/ Contractor(s) and the Bidder/ Contractor accepts and undertakes to respect and uphold the Principal/ Owner's absolute right:

If the Bidder(s)/ Contractor(s), either before award or during execution of Contract has committed a transgression through a violation of Article 2 above or in any other form, such as to put his reliability or credibility in question, the Principal/ Owner after giving14 days' notice to the contractor shall have powers to disqualify the Bidder(s)/ Contractor(s) from the Tender process or terminate/ determine the Contract, if already executed or exclude the Bidder/ Contractor from future contract award processes. The imposition and duration of the exclusion will be determined by the severity of transgression and determined by the Principal/ Owner. Such exclusion may be forever or for a limited period as decided by the Principal/Owner.

2. Forfeiture of EMD/ Performance Guarantee/ Security Deposit: If the Principal/ Owner has disqualified the Bidder(s) from the Tender process prior to the award of the Contractor terminated/ determined the Contractor has accrued the right to terminate/ determine the Contract according to Article3(1), the Principal/ Owner apart from exercising any legal rights that may have accrued to the Principal/ Owner, may in its considered opinion forfeit the entire amount of Earnest Money Deposit, Performance Guarantee and Security Deposit of the Bidder/ Contractor.

Criminal Liability: If the Principal/Owner obtains knowledge of conduct of a Bidder or Contractor, or of an employee or a representative or an associate of a Bidder or Contractor which constitutes corruption within the meaning of IPC Act, or if the Principal/Owner has substantive suspicion in this regard, the Principal/Owner will inform the same to law enforcing agencies for further investigation.

Article 4: Previous Transgression

The Bidder declares that no previous transgressions occurred in the last 5 years with any other Company in any country confirming to the anticorruption approach or with Central Government or State Government or any other Central/State Public Sector Enterprises in India that could justify his exclusion from the Tender process.

If the Bidder makes incorrect statement on this subject, he can be disqualified from the Tender process or action can be taken for banning of business dealings/ holiday listing of the Bidder/Contractor as deemed fit by the Principal/ Owner.

If the Bidder/Contractor can prove that he has resorted / recouped the damage caused by him and has installed a suitable corruption prevention system, the Principal/Owner may, at its own discretion, revoke the exclusion prematurely.

Article 5: Equal Treatment of all Bidders/Contractors/Subcontractors

The Bidder(s)/Contractor(s) undertake(s) to demand from all sub-contractors a commitment in conformity with this Integrity Pact. The Bidder/Contractor shall be responsible for any violation(s) of the principles laid down in this agreement/Pact by any of its Subcontractors/sub-vendors.

The Principal/Owner will enter into Pacts on identical terms as this one with all Bidders and Contractors.

The Principal/Owner will disqualify Bidders, who do not submit, the duly Signed Pact between the Principal/Owner and the bidder, along with the Tender or violate its provisions at any stage of the Tender process, from the Tender process.

Article 6-Duration of the Pact

This Pact begins when both the parties have legally signed it. It expires for the Contractor/Vendor 30 Days after the completion of work under the contract or till the continuation of defect liability period, whichever is more and for all other bidders, till the Contract has been awarded

If any claim is made/lodged during the time, the same shall be binding and continue to be valid despite the lapse of this Pacts as specified above, unless it is discharged/determined by the Competent Authority, CRPF.

Article 7-Other Provisions

Contract Cell, SZ Page 28 of 34

This Pact is subject to Indian Law, place of performance and Jurisdiction is the Headquarters of the Division of the Principal/Owner, who has floated the Tender.

Changes and supplements need to be made in writing. Side agreements have not been made.

If the Contractor is a partnership or a consortium, this Pact must be signed by all the partners or by one or more partner holding power of attorney signed by all partners and consortium members. In case of a Company, the Pact must be signed by a representative duly authorized by board resolution.

Should one or several provisions of this Pact turnout to be in valid; the remainder of this Pact remains valid. In this case, the parties will strive to come to an agreement to their original intensions.

It is agreed term and condition that any dispute or difference arising between the parties with regard to the terms of this Integrity Agreement / Pact, any action taken by the Owner/Principal in accordance with this Integrity Agreement/ Pact or interpretation thereof shall not be subject to arbitration.

Article 8-LEGAL AND PRIOR RIGHTS

All rights and remedies of the parties hereto shall be in addition to all the other legal rights and remedies belonging to such parties under the Contract and/or law and the same shall be deemed to be cumulative and not alternative to such legal rights and remedies aforesaid. For the sake of brevity, both the Parties agree that this Integrity Pact will have precedence over the Tender/Contract documents with regard any of the provisions covered under this Integrity Pact.

IN WITNESS WHEREOF the parties have signed and executed this Integrity Pact at the place and date first above mentioned in the presence of following witnesses:

(For and	on behalf of Principal/ Owner)			
Place: (For and on behalf of Bidder/ Contractor)				
Dated:				
WITNES	SES:			
1	(signature, name and address)			
2				
(signatu	re, name and address)			

Appendix-'B'

FORM OF BANK GUARANTEE FOR EARNEST MONEY DEPOSIT / PERFORMANCE **GUARANTEE / SECURITY DEPOSIT**

(Guarantee offered by Bank to CRPF in connection with the execution of contracts) {ON NON-JUDICIAL STAMP PAPER OF MINIMUM RS. 100 DULY NOTARIZED}

То	The Presider	nt of Indi	a,						
irrevocal	nent") has ole Bank Gua T MONEY	invite arantee DEPOSI	ed bids for Rs. T from	under at M/S	E	Enquiry pees	noaccordance w	. da The	e President of India (hereinafter called "The ated2024 for the work of Government has further agreed to accept
M/S Contract Rs GUARAI	nent") has e cor") for	entered ex (Rupe	into an kecution	agreement of	the The Gove	work ernment	(name and a of . has further a or	addres agreed	President of India (hereinafter called "The Date/20 with sof the contractor) (hereinafter called "the
2. hereby (Rupees. 3. due and required as regar restricte 4. Governm pending absolute there un 5. fullest lit said agrethe power said agrethe for any	We,	to contract time by the C shall no ct of omisever which the contract time by the C shall no ct of omisever which the contract time by the C shall no ct of omisever which the contract time by the C shall no ct of omisever which the contract time by the C shall no ct of the time by the C shall no c	pay Larantee v s due or li and paya sceeding R Larantee v s due or li and paya sceeding R Larantee v seeding R Larantee v seeding R Larantee v seeding R Larantee v seeding R sceeding R s	without any kely to be dible by the less	Governmonly) of the demur, mediate any mediate any mediate and contract and co	ent a on demar (indica erely on a e said Co er this ((Rupees (indica dispute efore any this Ban efor make and control of a eason of a ent or any s would, (indica Bank as rantee thinge in the (indica against (indica against only)	n amount and by the Gove the the name of demand from ontractor. Any Guarantee. Ho cate the nam or disputes in Court or Tribuk Guarantee ing such paymen ame of the robligation he mame of the robligation he make to forbear or any such variate indulgence by but for this protect the name of a principal dee Government to constitution at the name of the same	more men of the bounds, re und or to penforce to may he of the bottom at may he of the bottom at may he of the bottom at may he of the of the on der the colaim.	bank) (herein after referred to as "the Bank"), to exceeding Rs
Name a	aturend address :aturend address:		 				Authorized S Name Designation Staff code no		ry :::::::::::::::::::::::::::::::

^{*}Date to be worked out on the basis of validity period of 90 days where only financial bids are invited and 180 days for two/three bid system from the date of submission of tender.

**In paragraph 1, strike out the portion not applicable. Bank Guarantee will be made either for earnest money or for performance

guarantee/security deposit/mobilization advance/Refund of mile stone withheld amount, as the case may be.

Appendix-'C'

TENDER ACCEPTANCE LETTER

(To be given on Company Letter Head)

Firm letter No	Date :/20
To Commandant (Engineer) Contract Cell, SZ HQr, CRPF, Hyderabad (Telangana), Pin no- 500005	
Subject :- Acceptance of Terms & Conditions of	Tender.
Tender Enquiry No :	
Name of Tender / Work & location :	
Dear Sir,	
I/We have downloaded/obtained the tender documenthe web site(s) namely :- E-Procurement web site http://your.advertisement, given in the above mentioned website(s	://eprocure.gov.in/eprocure/app (CPPP) as per
2. I/We hereby certify that I / we have read the entifrom Page No. 01 to including all documents like, Imposof Contract, Special Condition of the Contract, Scope of Weetc. which form part of the contract agreement and also tale and I/we shall abide hereby by the terms/conditions/claus	ortant Instruction & Guidelines, General Condition ork/Schedule of Quantity, Annexure(s), Schedule(s) ken into account the above while quoting the rates
3. The corrigendum(s) issued from time to time by yo taken into consideration, while submitting this acceptance	
4. I/We hereby unconditionally accept all the tender from our/my side in in its totality/entirety.	conditions/above points without any reservation
5. In case any provisions of this tender are found viewithout prejudice to any other right or remedy be at liberty the full security deposit absolutely.	
Place : Date ://20	Yours Sincerely
	Signature of the Contractor (with Official Seal)



Appendix-'D'

DECLARATION BY THE CONTRACTOR

 $\overline{\{\text{AFFIDAVIT ON A NON JUDICIAL STAMP PAPER OF RS. 100/-DULY NOTARIZED}\}}$

M/S	I,				2010	sole proprietor/partner/authorized signatory of proprietorship/partnership firm/public/private limited
company	7,	having	its	principal	place	of business/registered office
at as under	· :-					(Full Address) do hereby solemnly affirm and declare
	That I am	the sole p	roprietor of M/S	S		
					Or	
	That ours	is partners	ship firm having	g partners as under	r (Full Name	of partners) :-
		a)				
		b)				
	·	c)				
	·	d)				
	,	,			Or	
	That aver		ata limitad/nu	blic limited comm		prated in terms of the provisions of the Companies
Act,195		ies Act,20		one nunted comp	any incorpe	orated in terms of the provisions of the Companies
			(Delete	which is not appl	icable while	typing affidavit)
Private I	Limited/P oartners/ di Resolution	ublic Limite frectors sho	ed Company, Ce uld sign the affic	rtificate of incorpo davit or the person	oration and authorized b	Memorandum & Articles of association to be enclosed, if Memorandum & Articles of association to be submitted. By all the partners or one of the Directors duly authorized the partners/or Board Resolution in case of Company is
	ted/deliste	d or debar				M/S is not rivate/Public Ltd. or Government Company/Government
04.	I know tha	it to swear a	a false affidavit is	s a crime under the	law and with	such knowledge only I have swear this Affidavit.
				3)	(Signature of	the Proprietor / Managing Partner/Director) (with official seal)
affidavi	"Verified t are true	atand correc	t and no part o	on f this is false and	nothing mo	that the contents of paras 1 to 4 of this terial has been concealed or falsely stated therein."
DEPONE	NT – 1					
DEPONE	NT – 2					
()				
(Signatu	re & Seal	of Notary)				

Appendix-'E'



2.

GUARANTEE TO BE EXECUTED BY CONTRACTORS FOR REMOVAL OF DEFECTS AFTER COMPLETION IN RESPECT OF WATER PROOFING WORKS AND ATT

COMPLETION IN RESPECT OF WATER PROOFING WORKS AND ATT
The Agreement made this
WHEREAS this agreement is supplementary to a contract (hereinafter called the Contract) dated and made between the GUARANTOR of the one part and the Government of the other part, whereby the Contractor, inter alia, undertook to ender the buildings and structures in the said contract recited completely water and leak-proof.
AND WHEREAS GUARANTOR agreed to give a guarantee to the effect that the said structures will remain water and leak- proof for five years from the date of giving of water proofing treatment.
NOW THE GUARANTOR hereby guarantees that water proofing treatment given by him will render the structures completely eak-proof and the minimum life of such water proofing treatment shall be five years to be reckoned from the date after the maintenance period prescribed in the contract.
Provided that the guarantor will not be responsible for leakage caused by earthquake or structural defects or misuse of roof or alteration and for such purpose:
a) Misuse of roof shall mean any operation which will damage proofing treatment, like chopping of firewood and things of the same nature which might cause damage to the roof;
b) Alteration shall mean construction of an additional storey or a part of the roof or construction adjoining to existing roof whereby proofing treatment is removed in parts;
(c) The decision of the Engineer-in-Charge with regard to cause of leakage shall be final.
During this period of guarantee the guarantor shall make good all defects and in case of any defect being found, render the puilding water-proof to the satisfaction of the Engineer-in-Charge at his cost, and shall commence the work for such rectification within seven days from the date of issue of the notice from the Engineer-in-Charge calling upon him to rectify the defects, failing which the work shall be got done by the Department by some other contractor at the GUARANTOR'S cost and risk. The decision of the Engineer-in-Charge as to the cost, payable by the Guarantor shall be final and binding.
That if GUARANTOR fails to execute the water proofing or commits breach thereunder then the GUARANTOR will indemnify the Principal and his successors against all loss, damage, cost, expense or otherwise which may be incurred by him by reason of any default on the part of the GUARANTOR in performance and observance of this supplementary agreement. As to the amount of loss and/or damage and/or cost incurred by the Government the decision of the Engineer-in-Charge will be final and binding on the parties.
N WITNESS WHEREOF these presents have been executed by the Obligor
Signed, sealed and delivered by OBLIGOR in the presence of—
1.
2.
Signed for and on behalf of THE PRESIDENT OF INDIA by in the presence of—
l.



Appendix-'F'

BASIC INFORMATION ABOUT THE BIDDER/FIRM/CONTRACTOR

S/N		Parti	culars		answer/details by the dder/Contractor
1	Name of the Firm			M/S	,
2	Complete postal a	ddress of	Area/Village/Location	•	
	the firm with	h their	Post		
	registered office		P.S.		
		[Tehsil		
			District		
		_	State		
			Pin		
		<u> </u>	Contact/Mobile No.		
			E-Mail I.D. of firm		
3		Ltd. / Ltd.	r Sole Proprietorship / or Cooperative Body etc).		
4			rm of the Proprietor/	(a)	
	Partners/ Directo	rs.		(b)	
				(c)	
5			erson signing the bid		
	documents (In blo				
6		•	on No. with date of issue :-		
	the firm is	i) Registrat	ion issued by (Authority) :-		
	registered for ii	ii) Registrai	tion valid up to (Date) :-		
	the tendered it		tion Class :-		
	work along with violation following details) Nature of	works (Road/Building etc.)		
	Details of Permaner		No. (PAN)		
8	Details of GST No.	•			
/			count No. :-		
			ode of the branch :-		
		ii) Bank N			
	i:	v) Branck -	Name & Address of Bank		
			er branch is NEFT/		
		RTGS mabled (Y	es / No) ·		
10	Whether any Civi	il Suit/Litie	gation arisen in the contracts		
			rs/being executed. If yes, please		
			ect, employer, nature of work		
	contract value, wo	rk order a	nd date and brief		
	details of litigation.				

Note :- <u>Bidder may please note that if the answer so furnished are not clear and/or are evasive, the tender will liable to be ignored.</u>

[] Signature
of th	e Contractor(with	Official Seal)

Branch Manager

(with bank seal)



Annexure-II

FORMAT OF SOLVENCY CERTIFICATE

_						_
г	_	-	-		at	- 1
_	()	г	ш	1	41	_

Reference No	Date
To(Name of Firm)(Address))
This is to state that to the best of our knowns./M/s	spectable and can be treated as). It shed without any risk and soever more particularly either
Place:	
Date:	Branch Manager (with bank seal)
OR Format 2	
Reference No	Date
To(Name of Firm(Address)	ı)
This is to certify that as Shri/Smt./Ms, is solvent up to Hermitian	Rs (Rupees id for the period from without any guarantee or

Place:

Date:

^{*}For the purpose of guidance.