

भारत सरकार, गृह मंत्रालय GOVERNMENT OF INDIA, MINISTRY OF HOME AFFAIRS केन्द्रीय रिजर्व पुलिस बल

CENTRAL RESERVE POLICE FORCE

कार्यालय विशेष महानिदेशक, मध्य जोन मुख्यालय





NIT No.: - B.V(GC Durgapur) Spl. Repair/2024-25-CZ-C/Cell(NIT-10)

Dated 01-11-2024

NOTICE INVITING E-TENDER

The Commandant (Engineer), Central Zone HQr, CRPF, Kolkata (W.B.) for and on behalf of the President of India invites online tenders from Registered Contractors of 'CPWD/MES/NBCC/BRO/Respective State PWD' in appropriate class as per the amount of Tender under Two Bid system (Technical and Financial Bid) on the prescribed form as per the details given below:-

S1. No.	Name of Work	Place of Work	Amount of NIT	Amount of EMD (Mandatory)	Date & Time of opening of tender
I	II	III	IV	V	VI
1	(i) Repair of Type- IV (20 Nos Quarters) (ii) Repair of Type-V (04 Nos Qtr) (iii) Repair of Type-III (14 Nos Qtr) (iv) Special Repair of Type-I (78 Nos Qtr)	CRPF, Durgapur, Distt- West Burdwan (West Bengal) Pin-713214	Rs. 33,44,317/- only	Rs. 66,886/- only *(No exemption of EMD)	On 11-11-2024 at 1200 Hrs.

Note:-

- (i) All relevant details are available on CRPF website https://crpf.gov.in/index-hi.htm as well as on E-Procurement web site https://eprocure.gov.in/eprocure/app (CPP Portal). The same may be downloaded by the bidders.
- (ii) Tenderers are requested to watch the CRPF/CPPP website regularly for any change in tender enquiry/technical specification/ terms & condition.
- (iii) Date & Time of availability of tender on CPP Portal :- With effect from **02-11-2024** at **0930** Hrs. onwards.

Yours Sincerely

SD/- 01-11-2024

(Lt. Col. Anand Kumar)

Commandant (Engineer)

Contract Cell, CZ HQr

[For and on behalf of the President of India]





भारत सरकार, गृह मंत्रालय GOVERNMENT OF INDIA, MINISTRY OF HOME AFFAIRS केन्द्रीय रिजर्व पुलिस बल

CENTRAL RESERVE POLICE FORCE

कार्यालय विशेष महानिदेशक, मध्य जोन मुख्यालय

O/O THE SPL. DIRECTOR GENERAL, CENTRAL ZONE HQR एच.सी. ब्लॉक, सेक्टर—तीन, साल्ट लेक, कोलकाता (प०बं०) पिन—700106

H.C. BLOCK, SECTOR-III, SALT LAKE, KOLKATA (W.B.) PIN-700106 नियंत्रण कक्ष / Control Room- 033 29520129



Tender Enquir	y No. :- B.V(GC Durgapur) Spl. Repair/2024-25-CZ-C/Cell(NIT-10)	Dated 01-11-2024
Cubicot .	Invitation of a Tandon	

Subject:- <u>Invitation of e-Tender.</u>

Dear Sir,

On behalf of the President of India, I invite you to tender online bids for "(i) Repair of Type-IV (20 Nos Quarters) (ii) Repair of Type-V (04 Nos Qtr) (iii) Repair of Type-III (14 Nos Qtr) (iv) Special Repair of Type-I (78 Nos Qtr)" at GC CRPF, Durgapur, Distt-West Burdwan (West Bengal) Pin-713214.

- 2. If you are in a position to quote rate for "(i) Repair of Type-IV (20 Nos Quarters) (ii) Repair of Type-V (04 Nos Qtr) (iii) Repair of Type-III (14 Nos Qtr) (iv) Special Repair of Type-I (78 Nos Qtr)" at GC CRPF, Durgapur, Distt-West Burdwan (West Bengal) Pin-713214 in accordance with the requirements stated in the attached schedule to tender, all documents attached herewith should be fully filled in, signed and sealed by the respective firm and submitted through e-Procurement site https://eprocure.gov.in/eprocure/app failing which your tender will be liable to be ignored, and will not be considered.
- 3. This tender is not transferable.

Thanking you.

Yours Sincerely
SD/- 01-11-2024
(Lt. Col. Anand Kumar)

Commandant (Engineer)
Contract Cell, CZ HOr

[For and on behalf of the President of India]



:: SCHEDULE OF TENDER ::

e-Tender Enquiry No. & Date	::	B.V(GC Durgapur) C/Cell(NIT-10) Dated	01-11-20	
Name of work	::	(i) Repair of Type-IV (20 Nos Quarters) (ii) Repair of Type-V (04 Nos Qtr) (iii) Repair of Type-III (14 Nos Qtr) (iv) Special Repair of Type-I (78 Nos Qtr)		
Place of work		GC CRPF, Durgapur, Distt-West Burdwan (West Bengal) Pin-713214		
Work schedule/Schedule of Quantity	::	Details as per Annexure	- 'I' of the To	ender enquiry
Amount of NIT/Estimated Cost	::	Rs. 33,44,317 /- only		
E.M.D. (In INR) @2% Fixed	::	Rs.66,886/- (Sixty Six Thousand Eight Hundred Eighty Six) only [Note: - EMD, in favor of DIG, GC Durgapur, Payable at SBI, Main Branch Durgapur Steel Plant Main Gate (Code:0074) and should be valid at least for 120 days: from the date of opening of tender. If thereafter validity of the E.M.D. requires extension, the participated firm will be bound to extend the validity suitably. There is no exemption in EMD and it should be paid by the bidder mandatorily. If the bidder fails to submit the EMD as specified then his tender will be liable to be rejected summarily]		Durgapur, Payable at- teel Plant Main Gate at least for 120 days If thereafter validity of participated firm will be y. There is no exemption to bidder mandatorily. If to as specified then his
Date & Time of Publishing of Tender	::	On 02-11-2024 at 0930	Hrs.	
Start date & time of submission online/ offline documents	::	W.E.F. 02-11-2024 on 1	. 000 Hrs. O	nwards.
Last date & time of submission online/offline documents	::	Till 09-11-2024		pto 1200 Hrs. Jpto 1700 Hrs.
Date & time of opening of tender	::	On 11-11-2024 at 1200	Hrs.	
Validity of offer		The tender shall remair from the date of openi shall remain valid durin the extended period, if a	ng of bid a g the period	and the accepted rates
Time allowed for completion of work	::	180 Days.		

- 02. Tenderers are advised to go through the **Earnest Money Deposit (EMD)** and **Two Bid system clause** of this Tender Enquiry before filling the tender. In case date of opening of tender happens to be a closed holiday, the tender will be opened on next working day at the stipulated time.
- 03. All relevant details, including specification, terms & condition etc are available on **E-Procurement** web site https://eprocure.gov.in/eprocure/app (CPPP). The same may be downloaded by the bidders. Details can also be seen at CRPF website http://crpf.nic.in/tender_notices.htm. For any changes in Tender Enquiry/specifications etc, tenders are requested to visit CRPF/CPPP web sites regularly.
- O4. Scan copy of all Tender documents duly sealed and singed by firm, Earnest Money have to be uploaded through online on or before the schedule date and time prescribed in tender enquiry. Only original copy of Earnest Money Deposit and Tender Acceptance Letter (Attached as per Appendix -'C') to be submitted by the firm to CONTRACT CELL, CENTRAL ZONE HQR, CRPF, H.C. BLOCK, SECTOR-III, SALT LAKE, KOLKATA (W.B.) PIN-700106 on or before fixed due date and time for opening of tender by post or by hand. In case the firm fails to submit the original copy of above documents on or before the due date and time for opening of tender quotation will be ignored.
- 05. The tenderer may survey the site and decide the quantum materials: It is important that each page of the tender acceptance letter which is written undertaking that all the terms and condition of the tender are understood and accepted should be signed and submitted online through e-procurement site https://eprocure.gov.in/eprocure/app.

SD/- <mark>01-11-2024</mark>

(Lt. Col. Anand Kumar)

Commandant (Engineer)

Contract Cell, CZ HQr
[For and on behalf of the President of India]



:: IMPORTANT INSTRUCTIONS AND GUIDELINES ::

- 1. The intending Bidders must read all the terms and condition carefully and submit their tender through online (e-procurement web site in CPP Portal) before due date & time i.e. before 09-11-2024 Online upto 1200 Hrs and Offline upto 1700 Hrs if they consider themselves eligible and are in possession of all the required documents. Bidders are also advised to go through the Earnest Money, Payment terms and other clauses, terms and conditions of this tender enquiry carefully before participating in bidding process. The Bids (Technical Bids only) against tender enquiry will be opened on the given date & time i.e. on 11-11-2024 at 1200 Hrs. in the Contract Cell, CZ HQr, CRPF, H.C. Block, Sector-III, Salt lake, Kolkata-106 (W.B.). However date of opening of financial bids will be intimated to the eligible Bidders only after technical bid evaluation.
- 2. Bidders are requested to submit their bid/tender documents online through e-procurement website in CPP Portal duly filled and completed in all respect as per norms and original which are required to be submitted manually in tender box of **Contract Cell, CZ HQr, CRPF, H.C. Block, Sector-III, Salt lake, Kolkata-106 (W.B.).** duly sealed well before date of opening as specified in the tender enquiry to avoid last minute rush. In case date of opening of tender happens to be a closed holiday, the tender will be opened on next working day at the stipulated time. Late/Delay/Non submission of original documents manually in a sealed envelope in the tender box of **Contract Cell, CZ HQr** CRPF would result in rejection of bid during online bid opening. Department is not responsible for any postal delay.
- 3. All Tender documents attached with this invitation to tender including specifications are sacrosanct for considering any offer as complete offer. It is therefore important that **Tender Acceptance Letter** (As per **Appendix-'C'** of Tender Enquiry) which is a "**Written Undertaking**" that all the terms and conditions of the tender are understood and accepted, should be signed and submitted along with all documents as required with the bid.
- 4. The tender enquiries duly filled in all aspects and having completed all applicable formalities may be submitted online through CPP Portal as well as original as required manually (already mentioned in schedule to tender) be sent in a sealed envelope superscripted with **full address** of the **firm**, tender enquiry/notice **number & date**, name of **work**, **date** and **time** of opening etc by registered post/speed post duly stamped or by courier/by hand to the Contract Cell, CZ HQr, CRPF, H.C. Block, Sector-III, Salt lake, Kolkata-106 (W.B.) so as to reach on or before the scheduled time and date as mentioned in the schedule to the tender enquiry. Department is not responsible for any postal delay.
- 5. **Name** and **status** of the person signing the tender documents should clearly be mentioned in the tender documents.
- 6. While opening the tenders, the technical bid will be opened first instance and evaluated by the competent committee or authority. If the firm fails to fulfill at the conditions specified in the tender notice and fails to attach the documents as asked above, the tender will be rejected immediately. At the second stage, financial bids of technical qualified firms will be opened for further evaluation and ranking before awarding the contract. Award of contract will be awarded overall **L-1 firm.**
- 7. The works required to be executed on credit basis and no interest will be payable on the delayed payment. The payment will be made direct to the Firm/ Contractor bank account through ECS on recoupment of bill. Payment in advance or immediately cannot be made. The rates will remain open for **120 days**. GST/TIN number of the firm should be clearly shown / quoted in the tender.
- 8. Intending Bidder is eligible to submit the bid provided he has definite proof from the appropriate authority, which shall be to the satisfaction of the competent authority of having satisfactorily completed similar works/services of magnitude specified.
- 9. The contractor submitting the tenders against the subject tender enquiry are informed that all relevant details with reference to the tender enquiry stipulations are clearly responded to. In case any of the tender enquiry stipulation are not clearly stated to or replied to by any of the contractor, **no** repeat **no** clarifications will be sought from the concerned firm and its offer will be rejected out rightly.
- 10. The Contractor shall comply with the orders issued by the **Commandant (Engineer), Central Zone CRPF at H.C. Block, Sector-III, Salt Lake, Kolkata-106** from time to time during the contractual period. If he fails to do so, his failure will be a breach of contract and the **Commandant (Engineer), Central Zone, CRPF** in his discretion without prejudice to any other right or remedy available in law can cancel the contract. The contractor shall be liable for any pecuniary liability arising on account of any violation by him.
- 11. Agreement shall be drawn/work order will be issued to the successful Bidder. Bidders shall quote their rates as per terms and conditions which will form part of the agreement/contract.
- 12. The rates quoted by the Contractor should be **inclusive** of all taxes.
- 13. Intending bidders are advised to inspect and examine the site and its surrounding and satisfy themselves before submitting their bids as to the nature of the ground and sub soil (so far as is practicable), the form and nature of the site, the means of access to the site, the accommodation they may require and in general shall themselves obtain all necessary information as to risks, contingencies and other circumstances which may influence or affect their bid. A bidder shall be deemed to have full knowledge of the site whether he inspects it or not and no extra charges consequent on any misunderstanding or otherwise specifically provided for in the contract documents. Submission of a bid by a bidder implies that he has read this notice with terms & conditions mentioned there in, all other contract documents and has made himself aware of the scope and specifications of the work to be done and of conditions and rates at which stores, tools and plant etc will be issued to him by the government and location conditions and other factors having a bearing on the execution of the work.
- 14. The bid for the work shall remain open for acceptance for a period of **90 days** from the date of opening of the bid and rate of accepted bid shall remain valid during the proposed contractual period including extension period if any. If any bidder withdraws his bid before the said period or issue of letter of acceptance whichever is earlier or makes any notifications in the terms and conditions of the bid which are not acceptable to the department, then the government shall, without prejudice to any other right or remedy, is at liberty to forfeit the said earnest money (bid security) as aforesaid. Further the bidder shall



not be allowed to participate in the re-bidding process of the work.

- The officer inviting bid or his duly authorized assistant will open bid in the presence of intending contractors who may be present at the time of opening and will enter the amounts of the several bids in a comparative statement in a suitable form, in the event of a bid being accepted, a receipt for the earnest money forwarded therewith shall there upon be given to the contractor who shall thereupon for the purpose of identification sign copies of the specification and other documents. In the event of a bid being rejected, the earnest money forwarded which such unaccepted bid shall thereupon be returned to the contractors remitting the same, without any interest.
- If there is any clarification, this may be obtained through the site, or during the pre-bid meeting, if any. Bidder should take into account the corrigendum published from time to time before submitting the online bids.
- 17. The officer inviting bids shall have the right of rejecting all or any of the bids and will not be bound to accept the lowest or any other bid.
- The competent authority on behalf of the President of India does not bind itself to accept the lowest or any other bid and reserves to itself the authority to reject any or all the bids received without the assigning of any reason. All bids in which any of the prescribed conditions are not fulfilled or any condition including that of conditional rebate is put forth by the bidder shall be summarily rejected.
- The competent authority on behalf of President of India reserves to himself the right or accepting the whole or any part of the bid and the bidder shall be bound to perform/provide the same at the rate quoted by him/accepted by the department.
- Canvassing whether by bidders directly or indirectly in connection with bids is strictly prohibited and the bids submitted by the contractors who resort to canvassing will be liable to rejection.
- All the Standard Conditions of the Contract shall be binding on the parties as per Indian Contract Act and prevailing Rules. The Contractor shall comply with all the applicable Acts, Rules, Regulations and Law (s) for entering into Contract and the User/CLIENT will not in any way be liable or responsible for any default / irregularities / penalties on the Contractor's part.
- The Contractor or his authorized representative should visit the site as per requirement and meet Estate officer with prior appointment for any clarifications and to receive instructions, etc. at the site.
- The contractor shall promptly and timely obtain all such consents, permissions, approvals, licenses etc., as may be necessary or required, in accordance with this Tender. The Contractor should obtain approvals, if any, necessary for the work from the Statutory Bodies on behalf of the USER/CLIENT. The Contractor shall assist the User/CLIENT fully in respect of any liaison with the Municipal or any other Authority for necessary approval / permission with regard to the maintenance works. The fees and other statutory charges, if any, will be reimbursed to the Contractor based on the original receipts produced to the User/CLIENT.
- The Competent Authority has the right to accept or reject/cancel/scrap the tender as whole or part of it and no claims what so ever will be entertained on this account. The competent authority has also reserves the right to increase/decrease/alter the place of work/ quantity of work etc. and no claims what so ever will also be entertained.
- If the Bidder want to mention any specific condition, it should be mentioned on the covering/forwarding letter in firm's letter head only which will be placed on the first page of the bid. Such condition mentioned in any other document shall not be given any consideration.

SD/- 01-11-2024 (Lt. Col. Anand Kumar)

Commandant (Engineer) Contract Cell, CZ HQr

[For and on behalf of the President of India]

Signature of Bidder (with seal)



	:: GENERAL CONDITIONS OF THE CONTRACT ::				
1	Terms of price	1.1 Price should be quoted only as per price bid format/B.O.Q provided along with tender documents at e-procurement site http://eprocure.gov.in/eprocure/app. The price bid in B.O.Q format/template should not be modified/replaced by the bidder and			
		the same should be uploaded after filling the relevant columns, else the bidder is liable to be rejected for the tender. Bidders are allowed to enter the bidder name and values only.			
		No price bid is required to be submitted with offline bid documents under technical bid. 1.2 The lowest bidder will be decided on overall rate of entire work. Rates quoted by			
		the bidder must be inclusive of all applicable taxes and other charges. 1.3 The E.P.F & E.S.I contributions on the part of employer in respect of the contract			
		shall be paid by the contractor to concerned department well in time. These contributions on the part of the employer, paid by the contractor, shall be reimbursed by this department on actual basis only on production of receipt of the concerned department, at			
2	Payment	the time of claim of bill. It is required to produce documentary evidences to the concerned authority, violation of which even can end with termination of contract. 2.1 Works/Services category wise as per schedule to tender are to be provided as			
	terms	RA/Final Bill produced by the contractor and verified by competent authority of the department will be provided on credit basis and E.C.S payment will only be made			
		through PAO/RPAO for further drawl action after satisfactorily completion of work as per specification, on production of bill in triplicate, bank mandate form, cancelled cheque. No interest will be payable on delayed payment, if any.			
		2.2 Income Tax, GST-TDS, Labor Cess, Water Charges and other taxes as applicable will be deducted from the bill of contractor by CRPF/PAO/RPAO as per norms. 2.3 While making payment TDS under section 194 (C) of I/Tax Rule 1961 and CGST &			
		SGST Act'2017 if any applicable will be deducted from the bill amount before release of payment.			
		2.4 No payment will be made for the contract till producing registration and payment for labours in EPFO & ESIC.			
		2.5 Payment cannot be made in advance or immediately.2.6 Any discrepancy in settlement of bills may be brought to the notice of User/CLIENT			
2	Tandar foor	within a period of one month after the settlement of the Bills. User/CLIENT will not entertain any claim regarding any dispute in settlement of the bills after stipulated time.			
3 4	Tender fees Earnest Money	3.1 Rs. 00.00 (Nil) 4.1 All the contractors are required to deposit Earnest Money/Bid Security Deposit			
	Deposit	(E.M.D.) as specified in invitation/schedule to tender along with their bid if applicable			
		failing which their offers will be summarily rejected. 4.2 The E.M.D. shall be deposited by the bidders to CONTRACT CELL, CENTRAL ZONE			
		HQR, CRPF, H.C. BLOCK, SECTOR-III, SALT LAKE, KOLKATA (W.B.) PIN-700106 through any			
		of the following alternative forms: a) Crossed bank draft/banker cheque drawn in favour of the "DIG, GC"			
		Durgapur" [Payable At-SBI, Main Branch Durgapur Steel Plant Main Gate			
		(Code:0074)]. Personal Cheque will not be entertained and will result in rejection of bid.			
		 b) Fixed deposit receipt drawn in favour of the "DIG, GC Durgapur" [Payable at:-SBI, Main Branch Durgapur Steel Plant Main Gate (Code:0074).] c) An irrecoverable bank guarantee of any nationalized/ scheduled bank or 			
		reputed commercial bank in the attached format as Appendix-'B' . 4.3 The E.M.D. money shall remain valid for a period of 90 days from the date of tender opening and be deposited to the department. If the validity of the tender is extended, the			
		validity of the BG/or any other alternate documents submitted in lieu of E.M.D. will also be suitably extended by the Bidder, failing which their tender after the expiry of the			
		aforesaid period shall not be considered by the purchaser. 4.4 No interest shall be payable on the earnest money deposited by the Bidder. 4.5 The E.M.D. is liable to be forfeited if the Bidder withdraws or amends/impairs or			
		derogates from the tender in any respect within the period of validity of his tender. 4.6 The E.M.D. of the successful Bidder shall be returned after depositing of Performance Guarantee (P.G.) .			
		4.7 If the successful Bidder fails to furnish the Performance Guarantee (P.G.) as required in the contract within the stipulated period, the E.M.D. shall be treated as Performance			
		Guarantee (P.G.) for all practical purposes. 4.8 E.M.D. of all the unsuccessful bidders will be returned as early as possible after the expiry of bid's validity, but not later than 30 days after placement of contract. Bidders are			
		advised to send a pre receipt challan along with their bids so that refund of earnest money can be done in time. 4.9 Any tender, where the Bidder is required to deposit E.M.D. in terms of conditions			
		mentioned in preceding paras, not accompanied with E.M.D. in any one of the approved forms acceptable to the competent authority, shall be summarily rejected. (As per GOI			
		O/O AS & DC, MSME vide OM F.NO. 21(8)/2011-MA dated 09/11/2016 and also by CPWD vide OM NO. DG/MAN/Misc./12 dated 25/07/2017, there is No exemption of EMD for work contracts).			



Guaranty

- Performance 5.1 The successful contractor shall have to deposit a Performance Guarantee (P.G.) equivalent to **3% (Three Percentage)** of the contract value of the work within **07 (Seven)** days from the date of letter of intent or Acceptance of contract whichever is earlier for due performance, failure on the part of the firm to deposit the Performance Guarantee within stipulated time empowers the competent authority to cancel the contract.
 - 5.2 The Performance Guarantee submitted by the supplier will remain valid at least for $oldsymbol{60}$ days beyond the date of completion of all contractual obligations of the contractor including warranty obligations.
 - 5.3 The Performance Guarantee shall be deposited to Contract Cell, CZ Hqr, CRPF, Kolkata (W.B.) PIN-700106 in any of the following alternative forms :
 - a) A crossed bank draft drawn in favour of the "DIG, GC Durgapur" [Payable at:- SBI, Main Branch Durgapur Steel Plant Main Gate (Code:0074)].
 - Fixed deposit receipt drawn in favour of the "DIG, GC Durgapur" [Payable at:- SBI, Main Branch Durgapur Steel Plant Main Gate (Code:0074)].
 - c) An irrecoverable bank guarantee of any nationalized/ scheduled bank or reputed commercial bank in the attached format as at **Appendix-'B'**
 - 5.4 In case the contractor fails to deposit the Performance Guarantee within the stipulated period including extended period if any, the Earnest Money Deposited (E.M.D.) by the contractor along with his bid shall be forfeited automatically without any notice to the contractor. The earnest money deposited along with bid shall be returned after receiving the aforesaid performance guarantee.
 - 5.5 If the contractor fails to provide required services as per schedule from the contract commencement date and places requests for extension of time, he shall submit an undertaking on Non judicial stamp paper of Rs. 10/- only duly attested by the Notary Public stating that the Performance Guarantee has already been extended for sixty days beyond the guarantee/warranty period of the contract.
 - 5.6 In case a Fixed Deposit Receipt (F.D.R.) of any Bank is furnished by the contractor to the Government as part of the performance guarantee and the Bank is unable to make payment against the said fixed deposit receipt, the loss caused thereby shall fall on the contractor and the contractor shall forthwith on demand furnish additional security to the Government to make good the deficit
 - 5.7 The Performance Guarantee shall be withheld or forfeited in full or part in case the work order is not executed/complied satisfactorily within the stipulated period or requisite standard within the guarantee period is not undertaken to the best satisfaction of the user/department.
 - 5.8 Performance Guarantee will be returned to the bidder only after end of all contractual obligations.

Recovery of Security Deposit/ Retention Money

- 6.1 The person/persons whose tender(s) may be accepted (hereinafter called the contractor), shall permit Government at the time of making any payment to him for work done under the contract to deduct a sum at the rate of 2.5% of the gross amount of each running bill (periodic/interim payment) and final bill till the sum deducted will amount to 2.5% of the tendered value of the work as **Security Deposit/Retention Money** in addition to Performance Security. The earnest money instead of being released may form part of the security deposit.
- 6.2 Such deductions will be made and held by Government by way of Security Deposit unless he/they has/have deposited the amount of Security at the rate mentioned above in cash or in the form of Government Securities or fixed deposit receipts.
- 6.3 In case a fixed deposit receipt of any Bank is furnished by the contractor to the Government as part of the security deposit and the Bank is unable to make payment against the said fixed deposit receipt, the loss caused thereby shall fall on the contractor and the contractor shall forthwith on demand furnish additional security to the Government to make good the deficit.
- 6.4 All compensations or the other sums of money payable by the contractor under the terms of this contract may be deducted from, or paid by the sale of a sufficient part of his security deposit or from the interest arising there from, or from any sums which may be due to or may become due to the contractor by Government on any account whatsoever and in the event of his Security Deposit being reduced by reason of any such deductions or sale as aforesaid, the contractor shall within 10 days make good in cash or fixed deposit receipt tendered by the State Bank of India or by Scheduled Banks or Government Securities (if deposited for more than 12 months) endorsed in favour of the Engineer-in-Charge, any sum or sums which may have been deducted from, or raised by sale of his security deposit or any part thereof.

System of bidding

- 7.1 All bidders are required to submit their offer in two bid system i.e. **Technical Bid** and Financial Bid separately.
- 7.2 In Technical Bid, the bid documents as per below mentioned details are required to be submitted only on CPPP in http://eprocure.gov.in/eprocure/app. Certain documents which are also mentioned below are required to be submitted in original manually and to be dropped in tender box at Contract Cell, CZ, HQr, CRPF, H.C. Block, Sec-III, Salt Lake. Kolkata-106 (W.B.) in a sealed envelope through by hand/registered post/parcel etc.
- 7.3 The composite bid i.e. rate indicating in the Technical Bid "OPENLY" shall be ignored and bid will be rejected summarily.
- 7.4 Price should be quoted only as per Price Bid (Financial Bid) format/B.O.Q. provided along with tender documents at e-procurement site http://eprocure.gov.in/eprocure/app No price bid is required to be submitted with offline bid documents under technical bid.



Method of bid.

First Cover (Technical bid) :-

- submission of 8.1 The submission of technical bid will be entertained only online in e-procurement website The Tender Enquiries duly filled in all aspects and having completed all applicable formalities along with scanned copies of required documents as per below mentioned details may be submitted online through CPP Portal as well as original as required and mentioned below be sent in sealed envelope duly superscripted with tender enquiry number, Name of Work and date of opening by registered post/speed post duly stamped or by courier/by hand to the Contract Cell, CZ HQr, CRPF at H.C. Block, Sector-III, Salt Lake, Kolkata-106 (W.B) so as to reach on or before the scheduled time and date as mentioned in the schedule to the tender enquiry. Department is not responsible for any postal delay.
 - 8.2 Details of documents required to be furnished/submitted by all the bidders in technical bid for participating in the bidding process are as under :-
 - **(a)** Documents (Legible scanned copy, duly signed) required to be submitted <mark>online</mark> in CPPF under Technical Bid :-
 - All pages of the tender documents duly completed & signed in all respect by the authorized signatory of the firm/contractor under the seal.
 - Scanned Copy of EMD.
 - registration of valid firm "Contractor" the as registered 'CPWD/MES/NBCC/BRO/Respective State PWD' in respective categories as per the nature of work and class as per the tender amount.

Note :- The enlistment of the contractors should be valid on the last date of submission of tenders In case only the last date of opening of tender is extended, the enlistment of contractor should be valid on the original date of opening of tenders. A copy of Registration Certificate as a "Contractor" issued by competent authority of 'CPWD/MES/NBCC/BRO/ Respective State PWD is mandatory to be uploaded with the tender documents by the Bidder (s). In case validity of enlistment/registration/trade license expired and the concerned firm has applied for renewal to the concerned department or ministry, the relevant documents of such renewal application along with undertaking of the firm should be essentially submitted with their bid.]

- Basic Information About the Bidder/Firm/Contractor (As per Appendix-'A' of Tender Documents.)
- Copy of valid PAN Card.
- Tenderer Turn over Criteria: The minimum average annual financial turnover of the tenderer during the last three years, ending $31^{
 m st}$ march of the previous financial years, should be at leas: 30% of the estimate cost put to tender. Documentary evidence in the form of certified Audited balance sheet of relevant periods i.e last 03 years or a certificate from the Chartered Accountant/cost Accountant indicating the turnover details for last 03 years shall be uploaded in the tender. In case the date of constitution/incorporation of the bidder is less than 3 years old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
- Bank Remittance Particulars (viz copy of Bank Passbok/Cancelled Cheque etc.)
- Copy of registration certificate of GST, EPF and ESIC.
- Past Performance/Experience for similar nature of works in CRPF/CPWD/MES/NBCC/BRO/ State PWD only during the last 03 Financial Years (Copies of Completion Certificates mentioning Amount and Date of Completion of Work issued by not below the rank of Executive Engineer should be provided) in the following order :-
 - One similar completed work costing not less than the amount equal to 80% of the estimated cost put to tender.

or

Two similar completed works costing not less than the amount equal to 60% of the estimated cost put to tender.

or

- Three similar completed works costing not less than the amount equal to 40% of the estimated cost put to tender.
- (Tenderers should also give their past performance in the specified format as per Appendix-'D')
- 10. Complete Postal address of contractor/Firm along with copy of valid I/Card viz Voter I/D Card. Aadhar Card etc.
- 11. Partnership Agreement of the firm (if the firm is a partnership firm) along with Specific Information as asked for as per **Appendix-'E'.** (If no papers submitted with the bid it will be assumed that the firm is a Single Proprietary and will held responsible if found false in
- 12. Any other relevant documents which the firms wish to submit as a part of offer.
- **b)** Documents required to be submitted in **original manually (Offline**) in a sealed envelope mentioning Tender ID, Date of Opening & full address of Contractor's with contact no. and the same to be dropped in TENDER BOX at Contract Cell, CZ HQr, CRPF at H.C. Block, Sector III, Salt Lake, Kolkata-106 (W.B) :
- 1. Original Earnest Money Deposit (As per schedule to Tender).
- 2. Tender Acceptance Letter: The firm should mandatorily submit the Tender Acceptance Letter (As per Appendix-'C') on Firm/Contractor letter head which should be clearly readable. The contractor may also upload a copy if he wishes so.

Note: No other documents other than original EMD and original Tender Acceptance Letter needs to be submitted offline.

8.3 On due date & time, the Technical Bid will be opened and evaluated by the appropriate committee. Bids which will be accepted in technical bid evaluation stage will be considered for opening of Financial Bid. No financial bid will be opened in respect of bids which are technically disqualified.

Second Cover (Financial/Price Bid) :-

Details of documents required to be furnished/submitted by all the bidders in Financial



Bid for participating in the bidding process are as under :-Details of rates, taxes, duties and discounts, if any, be quoted by the bidder in the BOQ which is an MS Excel Sheet and should be downloaded from the eprocurement site http.https://eprocure.gov.in/eprocure/app. Rates must be clearly written in figures as well as in words. Name of bidder must be written in the appropriate filed of BOQ by each bidder. iii) The Financial Bid will only be accepted through online in BOQ format and offline iv) price bid will not be accepted. 8.5 Prices should be quoted for each work as per enclosed BOQ format provided along with the tender document at e-Procurement site https://eprocure.gov.in/eprocure/app. <u>8.6 Q</u>uoted rates should be workable, reasonable and should include incidental and all overheads and profits. The Tenderer will furnish Rate Analysis for scrutiny of the rates by User/CLIENT. Labour Laws to 9.1 The contractor shall comply with the provisions of the Contract Labour (Regulation and be complied by Abolition) Act, 1970, and the Contract Labour (Regulation and Abolition) Central Rules, 1971. the Contractor 9.2 The contractor shall also obtain a valid license under the said Act before the commencement of the work, and continue to have a valid license until its completion. 9.3 The contractor shall also comply with provisions of the Inter-State Migrant Workmen(Regulation of Employment and Conditions of Service) Act, 1979. 9.4 The contractor shall also abide by the provisions of the Child Labour and Adolescent Labour (Prohibition and Regulation) Act, 1986. The contractor shall also comply with the provisions of the building and other Construction Workers (Regulation of Employment & Conditions of Service) Act, 1996 and the building and other Construction Workers Welfare Cess Act, 1996. Any failure to fulfill these requirements shall attract the penal provisions of this contract arising out of the resultant non-execution of the work. 9.6 No Running Account Bill shall be paid for the work till the applicable labour licenses, registration with EPFO, ESIC and BOCW Welfare Board, whatever applicable are submitted by the contractor to the Engineer-in-Charge. 10 The time allowed for execution of the Works as specified in the NIT or the extended time Time and Extension for in accordance with these conditions shall be the essence of the Contract. The time allowed for Delay carrying out of the work will be reckoned from the seventh day of issuance of Award of Contract or date of handing over of the site whichever is earlier. If the Contractor commits default in commencing the execution of the work as aforesaid and such default continues even after 10 days after a notice in writing has been given by the Engineer in charge, the performance guarantee shall be forfeited by the Engineer in Charge and shall be absolutely at the disposal of the Government without prejudice to any other right or remedy available in law. The contract shall stand determined when such decision regarding the forfeiture of the performance guarantee is communicated to the contractor. 10.2 Delays due to reasons beyond the control of both parties:-If the work(s) be delayed by:-Force majeure, or (ii) Abnormally bad weather, or (iii) Serious loss or damage by fire, or Civil commotion, local commotion of workmen, strike or lockout, affecting any of the trades employed on the work, or Delay on the part of other contractors or tradesmen engaged by Engineer-in-Charge in executing work not forming part of the Contract, or Any other cause like above which, in the reasoned opinion of the Engineer-in-Charge is beyond the control of both parties then upon the happening of any such event causing delay, the Contractor shall immediately give notice thereof in writing to the Authority. The said authority, on receipt of such notice, considering the factual ground situation, give a fair and reasonable 'justified extension of time' and reschedule the mile stones for completion of work. Time will remain essence of the Contract in the extended period. 10.3 The contractor shall have no claim of damages against the delays listed in this sub clause i.e. sub clause 10.2. 11.1 The contractor shall comply with the provisions of Minimum Wages Act, 1948 and Contract 11 Minimum Wages Act and Labour (Regulation and abolition) Act, 1970 amended from time to time and rule framed there under EPFO & ESIC and other labour laws affecting contract labour that may be brought into force time to time. The contractor should also pay wages to his engaged labours against the contract as per existing notification of Ministry of Labour & Employment, G.O.I. including revision which takes place during the contractual period. Probable inflation of minimum wages during contractual period should be considered and taken into account while submitting bid. At the time of claim of bill it is required to produce documentary evidences (i.e. bank statement of employees) to the concerned authority, violation of which even can end with termination of contract. 11.2 The contractor shall have registration with EPFO and ESIC. The E.P.F & E.S.I contributions on the part of employer in respect of the contract shall be paid by the contractor to concerned department well in time. These contributions on the part of the employer, paid by the contractor <u>shall</u> be reimbursed by this department on actual basis and on producing receipt of the concerned department as per the applicable EPF & ESIC. 12 **Termination of** 12.1 If the services of the contractor are not found to be satisfactory, the contractor will be given a notice, with a **notice period of 6 days**, to improve his work. If the contractor fails to agreement improve his work within the Notice period, User/CLIENT shall have the discretion to terminate the contract either in part or in whole, on any day after the expiry of the said notice period. Also the contract may be terminated if :-

> the contractor commits a breach of any terms and conditions of this agreement and/or the contractor is adjudged an insolvent or a compromise is entered by him with his creditors or if distress or execution or other process is levied upon or receiver is appointed





17.3 Payment of deviations/variations beyond 0.25% of the accepted tendered amount. In case there is any change in scope as defined in the contract, the contractor shall carry out the changes as per direction of Engineer in Charge and nothing extra shall be payable to the contractor on account of same if the additional cost of such work is up to 0.25% (zero point two five percent) of

reasonable by the Engineer-in-Charge.



the accepted tendered amount and worked out as per sub-clause 17.4 below. Variations/deviations upto 0.25% (zero point two five percent) of the accepted tendered amount shall be deducted from overall variations/deviations for making payment.

17.4 DETERMINATION OF RATES

In the event, there is any deviations/variations in work as defined in the contract, the contractor shall submit the complete proposal to Engineer-in-charge within 15 days duly supported with :-

(a) Analysis of rates for items involved, along with relevant documents, rates of materials tools/plants and labour, etc.

(b) The impact, if any, which the deviations/variations is likely to have on the project completion schedule, On receipt of such proposal, either individually or covering group of items, the Engineer-incharge shall examine the proposal regarding its admissibility and finalize the proposal/rates within 45 days after receipt of proposal with all requisite details and documents from the contractors, after giving due consideration to the proposal, analysis and rates of materials and labours, etc.

17.5.1 The increase/decrease in the rates due to deviations/variations shall be decided based on the following criteria:-

(i) Pricing of deviations

(a) If the item of work as stipulated in the schedule of quantity/scope of work deviates on plus side, then the rate for the deviated quantity shall be paid at the agreement rate up to the deviation limit with the same terms & conditions of the contract. Beyond deviation limit, rate shall be payable on market rates to be determined based on the relevant documents and prevailing market rates, as per Para (ii, below

(b) If the item of work as stipulated in the schedule of quantity/scope of work deviates on minus side, then the amount for such deviated quantity shall be deducted proportionately at the agreement rate.

(ii) Pricing of variations

If there are changes in the quantity/specifications/ alterations/ substitutions/additions, etc. in the items, other than mentioned in para-(i) above, the rates shall be determined based on detailed analysis of rates with original stipulated scope of items & newly proposed/provided items. The difference of rates so determined shall be payable to/ recoverable from the contractor. The rates for both the components i.e. materials & labour shall be based on prevailing market rates. The rate finalized by the Engineer-in-Charge shall be final and binding.

17.5.2 In case of either non-submission of timely proposal or incomplete proposal by the contractor for deviations/variations, the Engineer-in-Charge shall give final opportunity to the Contractor to submit the complete proposal for change of cost within next 15 days. In case of non-submission or further incomplete submission by the contractor within the stated period, the Engineer-in-Charge shall initiate the proposal and decide the change of cost. In such case the proposal finalized by the Engineer-in-Charge shall be final and binding on the contractor.

17.6 Restrictions on Deviations/Variations

(i) Work(s) due to deviations/variations shall be executed only after getting the instructions of Engineer in-charge, save except to meet any work of emergent nature.

(ii) Notwithstanding anything to the contrary in this clause 12, any change arising from default of the contractor in the performance of his obligations under this agreement shall not be deemed to be deviations/variations, and shall not result in any adjustment of the contract price or the project completion schedule.

8 Other terms & condition

18.1 The contractor/firm shall employ the required workmen [Skilled/Un-Skilled] as per terms and conditions of the tender enquiry. Immediately after award of contract, the contractor/firm should intimate name of workmen to whom the firm has employed for the tendered work along with complete details in firm's letter head and supporting papers of technical capabilities of the workmen where ever applicable against the contract. The workmen so engaged against the contract should maintain discipline inside of the campus.

18.2 All works, complaints / instructions given by the respective authorities covered under the **Annual Maintenance Contract** are to be attended on the same day. In case of delay in attending the work in time, User/CLIENT will be at liberty to get the work done through any other agency and the cost therefore shall be recovered from the Contractor at the discretion of User/CLIENT.

18.3. Personnel employed for operation of STP/Water treatment plant/ESS should have experience of Operation, maintenance & services of respective services and equipment and all personal records should be maintained by the contractor.

18.4 The workmen engaged by the contractor/agency shall be at their own risk and in case of any untoward, incident, mishap the contractor/agency will be liable for such risks and the department will not be held responsible in any way for such mishap and untoward incidents.


18.5 Technical manpower should be provided by successful bidder to execute the specialized work.

18.6 User/CLIENT shall not be responsible for the release of benefits, such as salary, leave, Provident Fund, ESI, Pensioner benefits or allowances to the staff employed by the contractor. User/Client will not be held responsible for any Accident/injury / carrying out default work and any statutory levied by the govt./state government. etc. Excess payment due to any changes in the Minimum Wages Act or in any other labour legislation/provisions or other statutory obligations during the validity period of the contract shall be the responsibility of the contractor.

18.7 The contractor will be responsible and ensure timely payment to its personnel deployed in the premises and compliance of all statutory provisions relating to minimum wages, Provident Fund and Employees State Insurance, etc. in respect of the persons deployed by them in User/CLIENT and under intimation/in the presence of User/CLIENT officer. The Contractor shall be responsible to fulfill all the obligations in connection with the workers employed by it for the purpose of the Contract and all the Statutory and other liabilities if any including minimum wages of Central/ State Govt. (whichever is higher shall be applicable), leave, salary, uniform, identity cards, ex-gratia, ESI, Provident Fund, Workman Compensation, if any, etc. (as applicable) in connection therewith shall be on the Contractor account and payable by the concerned Contractor. The contractor shall liaise with Labor Deptt. of State Govt. / Central Govt. and comply with all necessary regulations/instructions in this regard.

18.8 The Contractor shall be fully responsible and shall indemnify User/CLIENT with suitable Insurance cover in the event of any damage to men or material, injury / damage or death as the case may be, caused directly or indirectly due to the negligence of the Contractor or his agents and / or his employees or workmen. The decision of User/CLIENT in this regard shall be final and binding.





18.10 In case of any default or failure on Contractor's part to comply with all / any one of the Terms / Conditions, User/CLIENT reserves the right to take necessary steps to remedy the situation including, inter-alia, the deduction of appropriate amount/s from dues otherwise payable to Contractor and/or by taking recourse to appropriate recovery proceedings. The contractor shall keep User/CLIENT indemnified against all claims whatsoever in respect of the manpower deployed by it in User/CLIENT. In case any employee of the contractor so deployed enters in dispute of any nature whatsoever, it will be the primary responsibility of the contractor to contest the same. In case User/CLIENT or its employee is made party and is supposed to contest the case, User/CLIENT will be paid in advance by the contractor to User/CLIENT or any person authorized by User/CLIENT, on demand. Further, the contractor will ensure that no financial or any other liability comes to User/CLIENT or its employee in this respect of any nature whatsoever and shall keep User/CLIENT or any employee of User/CLIENT indemnified in this respect.

18.11 For any dispute, the decision of User/CLIENT shall be final and binding upon the contractor. However, any dispute or difference whatsoever arising on any matter concerning this contract between the parties out of or relating to the services, meaning, scope, operation or effect of this contract or the validity or the breach thereof shall be settled through court of law.

18.12 On site storage space will be provided to the Contractor subject to availability. However, the Contractor may erect temporary sheds for storage purposes at his cost with the permission of the User/CLIENT. User/CLIENT will not be responsible for Contractor's materials. The Contractor may be required to vacate the storage space and sheds as per exigency without any extra cost to User/CLIENT. If any statutory charges are required to be paid for erection of sheds, the same should be borne by the Contractor.

18.13 The Contractor shall provide all necessary Tools & Plants materials or any other equipment, materials, labour, etc. and no payment in this regard will be made by User/CLIENT. The Contractor shall supply, fix and maintain all the scaffoldings, jhulla, safety belt, extra labour to hold ladders/jhoolas, T&P, etc., at his cost during the execution of any work and remove them as soon as the work is completed, without causing any damage to User/CLIENT's property.

18.14 The Contractor shall not directly or indirectly transfer, assign or sublet the Contract or any part of it, without written permission of User/CLIENT. But he can engage various licensed agencies/agencies for carrying out different works.

18.15 It is the contractor's responsibility to coordinate with other service providers No other charges for such works shall be payable.

SD/- 01-11-2024

(Lt. Col. Anand Kumar)

Commandant (Engineer)

Contract Cell, CZ HQr [For and on behalf of the President of India]

[......]

Signature of Bidder
(with seal)



SPECIAL TERMS & CONDITIONS OF THE CONTRACT

- 1. If a bidder / tenderer quotes NIL charges / consideration, the bid shall be treated as unresponsive and will not be considered.
- 2. Temporary I-card may be issued by the Estate Officer to skilled labour /operators/ Supervisor. So that frequent movement can be done for the sake of speedy resolution of complaints. However labour camp will not be permitted in the CRPF premises CRPF is not responsible for any type of arrangement of labour camp. Contractor is solely responsible for the accommodation & timely wages to their staff.
- 3. User/CLIENT does not bind itself to accept abnormally low bids. The rates quoted by the tenderer/bidder should be able to demonstrate the capability of the tenderer/bidder to deliver the contract at the offered price. Abnormally low bids/rates will be subject to analysis by User/CLIENT. If required, User/CLIENT may call written clarification from bidder, including detailed price analysis of the bid price in relation to scope, schedule, allocation of risks and responsibilities and any other requirements of the bid document and tenderer/bidder shall have to furnish Rate Analysis for the scrutiny of rates by User/CLIENT within stipulated time. User/CLIENT reserves the right to reject the bid if bid is found to be abnormally low to deliver/perform the contract.
- 4. The manpower deployed by the contractor should be polite, cordial, positive, efficient and their personal records should be maintained by the contractor while handling the assigned work so that their actions promote goodwill and enhance the image of User/CLIENT. Necessary grooming should be done by the contractor before posting the staff at site. He shall also comply with the provisions of all labour legislations. Receipt of any complaint in this regard shall be viewed seriously.
- 5. The Contractor should not employ any person who is prohibited by Law from being employed for fulfilling obligations under this Contract. Any indecent behavior / suspicious activities of the staff employed shall be viewed seriously and a suitable penalty shall be imposed on contractor. The contractor is also required to submit the list of workers with photo ID, educational qualification, address proof, etc. before deputing the workers. An attendance register shall be maintained at site indicating number of persons deployed for the inspection by User/CLIENT officials/representative.
- 6. Any act of indiscipline / misconduct / theft / pilferage on the part of any employee engaged by the Contractor resulting in any loss to User/CLIENT in kind or cash will be viewed seriously and User/CLIENT will have the right to take legal action along with levy damages or fine and / or even terminate the Contract forthwith, if necessary.
- 7. The appointed contractor is required to generate End of the Day (EoD) reports on status of works, labour deployed, etc. to the concerned officer of the Client.
- 8. Contractor shall follow the prescribed formats/procedures for official documentation like registers, etc. as stipulated by User/CLIENT from time to time.
- 9. In case of emergency work, no extra payment for working in odd hour will be made.
- 10. The property will be handed over to the Contractor on 'as is where is' basis and the contractor shall ensure proper service to a reasonably satisfactory level.
- 11. User/CLIENT reserves to change scope of work during the contract period.
- 12. The successive bidders are responsible for replacing/repairing the stores while got defective during the warranty/guarantee/liability period.
- 13. The purchaser reserves the right to place order on the next higher successful firm if the firms quoting lower rates do not fulfill the requirements of Tender Enquiry due to their limited bank solvency/capacity.
- 14. Reject / Cancel / Scrap : The competent authority has got the right to accept or reject / cancel / scrap the tender as whole or part of it and no claims what so ever will be entertained on this account. The competent authority also reserves the right to increase / decrease / alter the scope of work / quantity of work etc and no claims what so ever will be entertained.
- 15. The contractor should possession of labour license under the contract labour (Regulation and abolition) act, 1970 & 1971 from regional labour commission (Central) of area concerned.
- 16. Department will not be responsible for any kind of incident involving the labour during or after the work. The contractor must ensure the workers against all contingencies and be responsible for their safety.
- 17. This Notice Inviting Tender and Integrity Agreement (Refer Appendix F) shall form a part of the contract document.
- 18. The L1 bidder will have to submit a copy of this Tender duly signed on each page along with other relevant documents if required during award of work.
- 19. **FINAL INSPECTION**: After completion of work as per specification the whole work will be subject to a final inspection to ensure that job has been completed as per requirement. If



any defects noticed in the work are attributable to Contractor, these shall be attended by the contractor at his own cost, as and when they are brought to his notice by the "DIG, GC Durgapur" / Work committee / Officer Commanding of Building / Engineer in charge. The "DIG, GC Durgapur" and its representative shall have the right to have these defects rectified at the risk and cost of the contractor if he fails to attend to these defects immediately.

20. No part of the CONTRACT nor any share or interest therein shall in any manner or degree be transferred, assigned or sublet by the CONTRACTOR directly or indirectly to any person, firm or corporation whatsoever without the consent in writing of the Commandant(Engr.), Central Zone, CRPF, Sector-III, Kolkata.

21. ADDITIONAL SPECIFICATION FOR CIVIL WORKS:

- a). All materials required to be used on works shall be got approved from the "DIG, GC Durgapur" / Officer Commanding of Building in advance. In case of doubt on any material, "DIG, GC Durgapur" wears the right to get the material test from Govt. approved labs/NABL.
- b). The quoted rate should be inclusive of all taxes, levies, works contract taxes, duties etc.
- c). List of approved makes is attached. In case item(s) not mentioned in the list, CPWD approved list of material for similar work may be followed

SD/- <mark>01-11-2024</mark> (Lt. Col. Anand Kumar)

Commandant (Engineer)

Contract Cell, CZ HQr [For and on behalf of the President of India]


[] Signature of Bidder
(with seal)



LIST OF APPROVED MAKES FOR CIVIL WORKS

/N	Item	PROVED MAKES FOR CIVIL WORKS Approved Make
L	Ordinary Portland cement	ACC, GRASIM, Ambuja, Birla (Vikram) Ultra-tech.
2	Reinforcement Bars	Tata steel, SAIL, RINL, Secondary producer RATHI and BARNALA make.
3	Synthetic Enamel Paints	Burger (Luxol gold), Asian (Apcolite), ICI Dulux (Gloss), Nerolac.
ļ	Cement Paint, paint, distemper, primer	ICI India Ltd., Berger paint ltd., Good Loss Nerolac Paint, Asian Paint Lt
		Jenson and Necholson India Ltd., Shalimar Paint Ltd., Snowcem India Ltd
<u>.</u>	Admixture for concrete	Cico, Sika, Pidilite, Asian, FOSROC & MBT
,	Epoxy Paint	Nerolac or equivalent
,	Terrazo tiles (precast)	NITCO, GEM, MODERN, HINDUSTAN, JONSON, ORIENT, KAJARIA.
	Chequred tiles	NITCO, GEM, MODERN, HINDUSTAN, JONSON, ORIENT, KAJARIA.
	Water proofing compound	CICO, By structural water proofing Co. FOSROC BY Fosroc Ltd., IMPERI
		by Snocem India, Cheseal by Overseas water proofing compound, PIDILIT
0	Paving Tiles/Paver Block	Nitco Prefab, Ultra KK, TERRAFIRMA, UNISTONE.
1	CC kerb stone	Nitco Prefab, K.K. Manhole, TERRAFIRMA, UNISTONE.
2	White cement	Birla White, J.K. White or equivalent
3	Structural Steel	SAIL, TATA, RINL, ISCO, SRMB
4	Mild Steel Tubes	TATA, SAIL, ISCO, SRMB
5	Welding Electrodes	ESAB, Advani-orlikon, Weld Alloy
6	RMC	RMC, ACC, BIRLA, L&T and other manufacturer of RMC subjected
		approval of Engineer-in-Charge. The contractor shall submit the RMC pl
		list for approval. Contractor own plant of RMC with minimum capacity of
		cum per hour.
7	TMT Fe 415/500	TISCON, ISCON, RINL, SAIL, SRMB / SAI
8	Stainless Steel	Prism Engineers, JINDAL OR EQUIVALENT.
IS'	OF APPROVED MAKES FOR ALUMINIU	
	Aluminum	Indal / Hindalco / Jindal, Alom or equivalent.
	Masking Tapes	Suncontrol/ Wonder Polymer
	Stainless Steel Screws for fabrication	Kundan/ Puja/ Atulor equivalent.
	and fixing of windows	
	Proposed Treatment on MS Brackets	Galvanised brackets as per IS: 4759-1996, 610 gms/ sqm (Microns) 80-90
	Stainless Steel Bolts/ Washers and	Kundan/ Puja/ Atulor equivalent.
	Nuts	
	Stainless Steel Pressure Plate Screws	Kundan/ Puja/ Atulor equivalent.
	Stainless Steel Friction Stay	Earl Behari, Anandor equivalent.
	EPDM Gaskets	Roop/ Anandor equivalent.
	6mm thick clear Float Glass	Modi, St. Gobain, Gujrat Guardian Ltd, Float Glass of India.
0	Weather silicon make and Grade	Dow Corning / Wacker/ GE or equivalent.
1	PVC Continuous fillet for periphery	Roop/ Anand/ Forex Plastic or equivalent.
	packing of Glazing / Curtain wall	
2	Dadaaii1	D / O 11 N 1
_	Powder coating material pure polyester	Berger/ GoollessNerolac or equivalent.
3	Laminated reflective Glass	Glaverbek (Belgium) St. Gobain or equivalent.
3 IS ′	Laminated reflective Glass OF APPROVED MAKES OF MATERIALS	Glaverbek (Belgium) St. Gobain or equivalent. S FOR SANITARY INSTALLATION AND WATER SUPPLY, DRAINAGE
3 IS ′	Laminated reflective Glass	Glaverbek (Belgium) St. Gobain or equivalent. S FOR SANITARY INSTALLATION AND WATER SUPPLY, DRAINAGE Parryware, Hindustan Sanitary ware, CERA, Neycer, Seabird, Johns
3 IS 2	Laminated reflective Glass F OF APPROVED MAKES OF MATERIALS Sanitary wares	Glaverbek (Belgium) St. Gobain or equivalent. S FOR SANITARY INSTALLATION AND WATER SUPPLY, DRAINAGE Parryware, Hindustan Sanitary ware, CERA, Neycer, Seabird, Johns CERA, Prayag, Jaynam or equivalent
3 IS 2	Laminated reflective Glass F OF APPROVED MAKES OF MATERIALS Sanitary wares Bevelled edge mirror with PVC	Glaverbek (Belgium) St. Gobain or equivalent. S FOR SANITARY INSTALLATION AND WATER SUPPLY, DRAINAGE Parryware, Hindustan Sanitary ware, CERA, Neycer, Seabird, Johns CERA, Prayag, Jaynam or equivalent Atul, Jolly, Modi Guard or equivalent.
3 IS 2 3	Laminated reflective Glass T OF APPROVED MAKES OF MATERIALS Sanitary wares Bevelled edge mirror with PVC GI Pipes/ M.S. Pipes	Glaverbek (Belgium) St. Gobain or equivalent. S FOR SANITARY INSTALLATION AND WATER SUPPLY, DRAINAGE Parryware, Hindustan Sanitary ware, CERA, Neycer, Seabird, Johns CERA, Prayag, Jaynam or equivalent Atul, Jolly, Modi Guard or equivalent. Tata, GST, Jindal, Prayag, Hissaror equivalent.
3 IS 2 3	Laminated reflective Glass F OF APPROVED MAKES OF MATERIALS Sanitary wares Bevelled edge mirror with PVC	Glaverbek (Belgium) St. Gobain or equivalent. S FOR SANITARY INSTALLATION AND WATER SUPPLY, DRAINAGE Parryware, Hindustan Sanitary ware, CERA, Neycer, Seabird, Johns CERA, Prayag, Jaynam or equivalent Atul, Jolly, Modi Guard or equivalent. Tata, GST, Jindal, Prayag, Hissaror equivalent. Esco, kingston, Gem, Techno, Parko, Marc, Jaquar, Prayag, Jaynam
3 IS 7 1 2 3	Laminated reflective Glass T OF APPROVED MAKES OF MATERIALS Sanitary wares Bevelled edge mirror with PVC GI Pipes/ M.S. Pipes Brass /CP Brass fittings	Glaverbek (Belgium) St. Gobain or equivalent. S FOR SANITARY INSTALLATION AND WATER SUPPLY, DRAINAGE Parryware, Hindustan Sanitary ware, CERA, Neycer, Seabird, Johns CERA, Prayag, Jaynam or equivalent Atul, Jolly, Modi Guard or equivalent. Tata, GST, Jindal, Prayag, Hissaror equivalent. Esco, kingston, Gem, Techno, Parko, Marc, Jaquar, Prayag, Jaynam equivalent.
3 IS 7 1 2 3	Laminated reflective Glass T OF APPROVED MAKES OF MATERIALS Sanitary wares Bevelled edge mirror with PVC GI Pipes/ M.S. Pipes	Glaverbek (Belgium) St. Gobain or equivalent. S FOR SANITARY INSTALLATION AND WATER SUPPLY, DRAINAGE Parryware, Hindustan Sanitary ware, CERA, Neycer, Seabird, Johns CERA, Prayag, Jaynam or equivalent Atul, Jolly, Modi Guard or equivalent. Tata, GST, Jindal, Prayag, Hissaror equivalent. Esco, kingston, Gem, Techno, Parko, Marc, Jaquar, Prayag, Jaynam
3 IS'1 1 2 3 4	Laminated reflective Glass T OF APPROVED MAKES OF MATERIALS Sanitary wares Bevelled edge mirror with PVC GI Pipes/ M.S. Pipes Brass /CP Brass fittings Stainless Steel sink	Glaverbek (Belgium) St. Gobain or equivalent. S FOR SANITARY INSTALLATION AND WATER SUPPLY, DRAINAGE Parryware, Hindustan Sanitary ware, CERA, Neycer, Seabird, Johns CERA, Prayag, Jaynam or equivalent Atul, Jolly, Modi Guard or equivalent. Tata, GST, Jindal, Prayag, Hissaror equivalent. Esco, kingston, Gem, Techno, Parko, Marc, Jaquar, Prayag, Jaynam equivalent. AMC, Neelkanth, Kingston, made of salem stainless steel or equivalent.
3 IS7 1	Laminated reflective Glass T OF APPROVED MAKES OF MATERIALS Sanitary wares Bevelled edge mirror with PVC GI Pipes/ M.S. Pipes Brass /CP Brass fittings	Glaverbek (Belgium) St. Gobain or equivalent. S FOR SANITARY INSTALLATION AND WATER SUPPLY, DRAINAGE Parryware, Hindustan Sanitary ware, CERA, Neycer, Seabird, Johns CERA, Prayag, Jaynam or equivalent Atul, Jolly, Modi Guard or equivalent. Tata, GST, Jindal, Prayag, Hissaror equivalent. Esco, kingston, Gem, Techno, Parko, Marc, Jaquar, Prayag, Jaynam equivalent. AMC, Neelkanth, Kingston, made of salem stainless steel or equivalent. Parryware, Hindustan Sanitary ware, CERA, Neycer, Seabird, Johns
3 IS?	Laminated reflective Glass T OF APPROVED MAKES OF MATERIALS Sanitary wares Bevelled edge mirror with PVC GI Pipes/ M.S. Pipes Brass /CP Brass fittings Stainless Steel sink Automatic Flushing Cistern	Glaverbek (Belgium) St. Gobain or equivalent. S FOR SANITARY INSTALLATION AND WATER SUPPLY, DRAINAGE Parryware, Hindustan Sanitary ware, CERA, Neycer, Seabird, Johns CERA, Prayag, Jaynam or equivalent Atul, Jolly, Modi Guard or equivalent. Tata, GST, Jindal, Prayag, Hissaror equivalent. Esco, kingston, Gem, Techno, Parko, Marc, Jaquar, Prayag, Jaynam equivalent. AMC, Neelkanth, Kingston, made of salem stainless steel or equivalent. Parryware, Hindustan Sanitary ware, CERA, Neycer, Seabird, Johns CERA, Utech – Toshi, Prayag.
3 IS7 1 2 3 3 4	Laminated reflective Glass T OF APPROVED MAKES OF MATERIALS Sanitary wares Bevelled edge mirror with PVC GI Pipes/ M.S. Pipes Brass /CP Brass fittings Stainless Steel sink Automatic Flushing Cistern Surgeon Mixers	Glaverbek (Belgium) St. Gobain or equivalent. S FOR SANITARY INSTALLATION AND WATER SUPPLY, DRAINAGE Parryware, Hindustan Sanitary ware, CERA, Neycer, Seabird, Johns CERA, Prayag, Jaynam or equivalent Atul, Jolly, Modi Guard or equivalent. Tata, GST, Jindal, Prayag, Hissaror equivalent. Esco, kingston, Gem, Techno, Parko, Marc, Jaquar, Prayag, Jaynam equivalent. AMC, Neelkanth, Kingston, made of salem stainless steel or equivalent. Parryware, Hindustan Sanitary ware, CERA, Neycer, Seabird, Johns CERA, Utech – Toshi, Prayag. Vijay, Jaquar
3 IS7 1 2 3 1 7 3	Laminated reflective Glass T OF APPROVED MAKES OF MATERIALS Sanitary wares Bevelled edge mirror with PVC GI Pipes/ M.S. Pipes Brass / CP Brass fittings Stainless Steel sink Automatic Flushing Cistern Surgeon Mixers GI Fittings	Glaverbek (Belgium) St. Gobain or equivalent. S FOR SANITARY INSTALLATION AND WATER SUPPLY, DRAINAGE Parryware, Hindustan Sanitary ware, CERA, Neycer, Seabird, Johns CERA, Prayag, Jaynam or equivalent Atul, Jolly, Modi Guard or equivalent. Tata, GST, Jindal, Prayag, Hissaror equivalent. Esco, kingston, Gem, Techno, Parko, Marc, Jaquar, Prayag, Jaynam equivalent. AMC, Neelkanth, Kingston, made of salem stainless steel or equivalent. Parryware, Hindustan Sanitary ware, CERA, Neycer, Seabird, Johns CERA, Utech – Toshi, Prayag. Vijay, Jaquar Unik, , KS, RM, Tata, GST, Jindal Hissar or equivalent.
3 IS7 1 2 3 3 7 3	Laminated reflective Glass T OF APPROVED MAKES OF MATERIALS Sanitary wares Bevelled edge mirror with PVC GI Pipes/ M.S. Pipes Brass /CP Brass fittings Stainless Steel sink Automatic Flushing Cistern Surgeon Mixers	Glaverbek (Belgium) St. Gobain or equivalent. S FOR SANITARY INSTALLATION AND WATER SUPPLY, DRAINAGE Parryware, Hindustan Sanitary ware, CERA, Neycer, Seabird, Johns CERA, Prayag, Jaynam or equivalent Atul, Jolly, Modi Guard or equivalent. Tata, GST, Jindal, Prayag, Hissaror equivalent. Esco, kingston, Gem, Techno, Parko, Marc, Jaquar, Prayag, Jaynam equivalent. AMC, Neelkanth, Kingston, made of salem stainless steel or equivalent. Parryware, Hindustan Sanitary ware, CERA, Neycer, Seabird, Johns CERA, Utech – Toshi, Prayag. Vijay, Jaquar Unik, , KS, RM, Tata, GST, Jindal Hissar or equivalent. Commander, Diplomat, Bestolite, Century, Parryware, Hindustan Sanit
3	Laminated reflective Glass F OF APPROVED MAKES OF MATERIALS Sanitary wares Bevelled edge mirror with PVC GI Pipes/ M.S. Pipes Brass /CP Brass fittings Stainless Steel sink Automatic Flushing Cistern Surgeon Mixers GI Fittings Plastic WC seat cover	Glaverbek (Belgium) St. Gobain or equivalent. S FOR SANITARY INSTALLATION AND WATER SUPPLY, DRAINAGE Parryware, Hindustan Sanitary ware, CERA, Neycer, Seabird, Johns CERA, Prayag, Jaynam or equivalent Atul, Jolly, Modi Guard or equivalent. Tata, GST, Jindal, Prayag, Hissaror equivalent. Esco, kingston, Gem, Techno, Parko, Marc, Jaquar, Prayag, Jaynam equivalent. AMC, Neelkanth, Kingston, made of salem stainless steel or equivalent. Parryware, Hindustan Sanitary ware, CERA, Neycer, Seabird, Johns CERA, Utech – Toshi, Prayag. Vijay, Jaquar Unik, , KS, RM, Tata, GST, Jindal Hissar or equivalent. Commander, Diplomat, Bestolite, Century, Parryware, Hindustan Sanit ware, CERA, Neycer, Seabird, Johnson CERA.
3	Laminated reflective Glass F OF APPROVED MAKES OF MATERIALS Sanitary wares Bevelled edge mirror with PVC GI Pipes/ M.S. Pipes Brass /CP Brass fittings Stainless Steel sink Automatic Flushing Cistern Surgeon Mixers GI Fittings Plastic WC seat cover Flush Valves	Glaverbek (Belgium) St. Gobain or equivalent. S FOR SANITARY INSTALLATION AND WATER SUPPLY, DRAINAGE Parryware, Hindustan Sanitary ware, CERA, Neycer, Seabird, Johns CERA, Prayag, Jaynam or equivalent Atul, Jolly, Modi Guard or equivalent. Tata, GST, Jindal, Prayag, Hissaror equivalent. Esco, kingston, Gem, Techno, Parko, Marc, Jaquar, Prayag, Jaynam equivalent. AMC, Neelkanth, Kingston, made of salem stainless steel or equivalent. Parryware, Hindustan Sanitary ware, CERA, Neycer, Seabird, Johns CERA, Utech – Toshi, Prayag. Vijay, Jaquar Unik, , KS, RM, Tata, GST, Jindal Hissar or equivalent. Commander, Diplomat, Bestolite, Century, Parryware, Hindustan Sanit ware, CERA, Neycer, Seabird, Johnson CERA. Jaquar, AKOI or equivalent.
3 IS7 1 2 3 3 4 5 0 0 1	Laminated reflective Glass T OF APPROVED MAKES OF MATERIALS Sanitary wares Bevelled edge mirror with PVC GI Pipes/ M.S. Pipes Brass /CP Brass fittings Stainless Steel sink Automatic Flushing Cistern Surgeon Mixers GI Fittings Plastic WC seat cover Flush Valves C.P. Accessories	Glaverbek (Belgium) St. Gobain or equivalent. S FOR SANITARY INSTALLATION AND WATER SUPPLY, DRAINAGE Parryware, Hindustan Sanitary ware, CERA, Neycer, Seabird, Johns CERA, Prayag, Jaynam or equivalent Atul, Jolly, Modi Guard or equivalent. Tata, GST, Jindal, Prayag, Hissaror equivalent. Esco, kingston, Gem, Techno, Parko, Marc, Jaquar, Prayag, Jaynam equivalent. AMC, Neelkanth, Kingston, made of salem stainless steel or equivalent. Parryware, Hindustan Sanitary ware, CERA, Neycer, Seabird, Johns CERA, Utech – Toshi, Prayag. Vijay, Jaquar Unik, , KS, RM, Tata, GST, Jindal Hissar or equivalent. Commander, Diplomat, Bestolite, Century, Parryware, Hindustan Sanit ware, CERA, Neycer, Seabird, Johnson CERA. Jaquar, AKOI or equivalent. Esco, ESS ESS, Dripless Delta, Lotis, AKOI or equivalent.
3 I 2 2 3 4 7 3 0 1	Laminated reflective Glass T OF APPROVED MAKES OF MATERIALS Sanitary wares Bevelled edge mirror with PVC GI Pipes/ M.S. Pipes Brass /CP Brass fittings Stainless Steel sink Automatic Flushing Cistern Surgeon Mixers GI Fittings Plastic WC seat cover Flush Valves C.P. Accessories Gunmetal Valves (Fullway Check and	Glaverbek (Belgium) St. Gobain or equivalent. S FOR SANITARY INSTALLATION AND WATER SUPPLY, DRAINAGE Parryware, Hindustan Sanitary ware, CERA, Neycer, Seabird, Johns CERA, Prayag, Jaynam or equivalent Atul, Jolly, Modi Guard or equivalent. Tata, GST, Jindal, Prayag, Hissaror equivalent. Esco, kingston, Gem, Techno, Parko, Marc, Jaquar, Prayag, Jaynam equivalent. AMC, Neelkanth, Kingston, made of salem stainless steel or equivalent. Parryware, Hindustan Sanitary ware, CERA, Neycer, Seabird, Johns CERA, Utech – Toshi, Prayag. Vijay, Jaquar Unik, , KS, RM, Tata, GST, Jindal Hissar or equivalent. Commander, Diplomat, Bestolite, Century, Parryware, Hindustan Sanit ware, CERA, Neycer, Seabird, Johnson CERA. Jaquar, AKOI or equivalent.
3 IS3 I 2 3 3 4 5 7 7 8 9 0 1 2	Laminated reflective Glass T OF APPROVED MAKES OF MATERIALS Sanitary wares Bevelled edge mirror with PVC GI Pipes/ M.S. Pipes Brass /CP Brass fittings Stainless Steel sink Automatic Flushing Cistern Surgeon Mixers GI Fittings Plastic WC seat cover Flush Valves C.P. Accessories Gunmetal Valves (Fullway Check and Globe Valves)	Glaverbek (Belgium) St. Gobain or equivalent. S FOR SANITARY INSTALLATION AND WATER SUPPLY, DRAINAGE Parryware, Hindustan Sanitary ware, CERA, Neycer, Seabird, Johns CERA, Prayag, Jaynam or equivalent Atul, Jolly, Modi Guard or equivalent. Tata, GST, Jindal, Prayag, Hissaror equivalent. Esco, kingston, Gem, Techno, Parko, Marc, Jaquar, Prayag, Jaynam equivalent. AMC, Neelkanth, Kingston, made of salem stainless steel or equivalent. Parryware, Hindustan Sanitary ware, CERA, Neycer, Seabird, Johns CERA, Utech – Toshi, Prayag. Vijay, Jaquar Unik, , KS, RM, Tata, GST, Jindal Hissar or equivalent. Commander, Diplomat, Bestolite, Century, Parryware, Hindustan Sanit ware, CERA, Neycer, Seabird, Johnson CERA. Jaquar, AKOI or equivalent. Esco, ESS ESS, Dripless Delta, Lotis, AKOI or equivalent. Leader, Sant, Jaynam, Zoloto or equivalent.
3 187 1 2 3 4 5 7 3 9 0 1 2 3	Laminated reflective Glass T OF APPROVED MAKES OF MATERIALS Sanitary wares Bevelled edge mirror with PVC GI Pipes/ M.S. Pipes Brass /CP Brass fittings Stainless Steel sink Automatic Flushing Cistern Surgeon Mixers GI Fittings Plastic WC seat cover Flush Valves C.P. Accessories Gunmetal Valves (Fullway Check and Globe Valves) Stoneware pipes & Gully trap	Glaverbek (Belgium) St. Gobain or equivalent. S FOR SANITARY INSTALLATION AND WATER SUPPLY, DRAINAGE Parryware, Hindustan Sanitary ware, CERA, Neycer, Seabird, Johns CERA, Prayag, Jaynam or equivalent Atul, Jolly, Modi Guard or equivalent. Tata, GST, Jindal, Prayag, Hissaror equivalent. Esco, kingston, Gem, Techno, Parko, Marc, Jaquar, Prayag, Jaynam equivalent. AMC, Neelkanth, Kingston, made of salem stainless steel or equivalent. Parryware, Hindustan Sanitary ware, CERA, Neycer, Seabird, Johns CERA, Utech – Toshi, Prayag. Vijay, Jaquar Unik, , KS, RM, Tata, GST, Jindal Hissar or equivalent. Commander, Diplomat, Bestolite, Century, Parryware, Hindustan Sanit ware, CERA, Neycer, Seabird, Johnson CERA. Jaquar, AKOI or equivalent. Esco, ESS ESS, Dripless Delta, Lotis, AKOI or equivalent. Leader, Sant, Jaynam, Zoloto or equivalent.
3 187 1 2 3 4 4	Laminated reflective Glass T OF APPROVED MAKES OF MATERIALS Sanitary wares Bevelled edge mirror with PVC GI Pipes/ M.S. Pipes Brass /CP Brass fittings Stainless Steel sink Automatic Flushing Cistern Surgeon Mixers GI Fittings Plastic WC seat cover Flush Valves C.P. Accessories Gunmetal Valves (Fullway Check and Globe Valves) Stoneware pipes & Gully trap C.I. Double flanged sluice valves	Glaverbek (Belgium) St. Gobain or equivalent. S FOR SANITARY INSTALLATION AND WATER SUPPLY, DRAINAGE Parryware, Hindustan Sanitary ware, CERA, Neycer, Seabird, Johns CERA, Prayag, Jaynam or equivalent Atul, Jolly, Modi Guard or equivalent. Tata, GST, Jindal, Prayag, Hissaror equivalent. Esco, kingston, Gem, Techno, Parko, Marc, Jaquar, Prayag, Jaynam equivalent. AMC, Neelkanth, Kingston, made of salem stainless steel or equivalent. Parryware, Hindustan Sanitary ware, CERA, Neycer, Seabird, Johns CERA, Utech – Toshi, Prayag. Vijay, Jaquar Unik, KS, RM, Tata, GST, Jindal Hissar or equivalent. Commander, Diplomat, Bestolite, Century, Parryware, Hindustan Sanit ware, CERA, Neycer, Seabird, Johnson CERA. Jaquar, AKOI or equivalent. Esco, ESS ESS, Dripless Delta, Lotis, AKOI or equivalent. Leader, Sant, Jaynam, Zoloto or equivalent. Perfect, Burn, Parry or equivalent. Kirloskar, IVC, Burn or equivalent.
3 187 1 2 3 4 4 5 5 5 5 5 6 7 7 7 8 7 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	Laminated reflective Glass T OF APPROVED MAKES OF MATERIALS Sanitary wares Bevelled edge mirror with PVC GI Pipes/ M.S. Pipes Brass /CP Brass fittings Stainless Steel sink Automatic Flushing Cistern Surgeon Mixers GI Fittings Plastic WC seat cover Flush Valves C.P. Accessories Gunmetal Valves (Fullway Check and Globe Valves) Stoneware pipes & Gully trap C.I. Double flanged sluice valves C.I. Doubled flanged non return valves	Glaverbek (Belgium) St. Gobain or equivalent. S FOR SANITARY INSTALLATION AND WATER SUPPLY, DRAINAGE Parryware, Hindustan Sanitary ware, CERA, Neycer, Seabird, Johns CERA, Prayag, Jaynam or equivalent Atul, Jolly, Modi Guard or equivalent. Tata, GST, Jindal, Prayag, Hissaror equivalent. Esco, kingston, Gem, Techno, Parko, Marc, Jaquar, Prayag, Jaynam equivalent. AMC, Neelkanth, Kingston, made of salem stainless steel or equivalent. Parryware, Hindustan Sanitary ware, CERA, Neycer, Seabird, Johns CERA, Utech – Toshi, Prayag. Vijay, Jaquar Unik, , KS, RM, Tata, GST, Jindal Hissar or equivalent. Commander, Diplomat, Bestolite, Century, Parryware, Hindustan Sanit ware, CERA, Neycer, Seabird, Johnson CERA. Jaquar, AKOI or equivalent. Esco, ESS ESS, Dripless Delta, Lotis, AKOI or equivalent. Leader, Sant, Jaynam, Zoloto or equivalent. Perfect, Burn, Parry or equivalent. Kirloskar, IVC, Burn or equivalent. Kirloskaror equivalent.
3	Laminated reflective Glass T OF APPROVED MAKES OF MATERIALS Sanitary wares Bevelled edge mirror with PVC GI Pipes/ M.S. Pipes Brass /CP Brass fittings Stainless Steel sink Automatic Flushing Cistern Surgeon Mixers GI Fittings Plastic WC seat cover Flush Valves C.P. Accessories Gunmetal Valves (Fullway Check and Globe Valves) Stoneware pipes & Gully trap C.I. Double flanged sluice valves C.I. Doubled flanged non return valves C.I. Manholes	Glaverbek (Belgium) St. Gobain or equivalent. S FOR SANITARY INSTALLATION AND WATER SUPPLY, DRAINAGE Parryware, Hindustan Sanitary ware, CERA, Neycer, Seabird, Johns CERA, Prayag, Jaynam or equivalent Atul, Jolly, Modi Guard or equivalent. Tata, GST, Jindal, Prayag, Hissaror equivalent. Esco, kingston, Gem, Techno, Parko, Marc, Jaquar, Prayag, Jaynam equivalent. AMC, Neelkanth, Kingston, made of salem stainless steel or equivalent. Parryware, Hindustan Sanitary ware, CERA, Neycer, Seabird, Johns CERA, Utech – Toshi, Prayag. Vijay, Jaquar Unik, KS, RM, Tata, GST, Jindal Hissar or equivalent. Commander, Diplomat, Bestolite, Century, Parryware, Hindustan Sanit ware, CERA, Neycer, Seabird, Johnson CERA. Jaquar, AKOI or equivalent. Esco, ESS ESS, Dripless Delta, Lotis, AKOI or equivalent. Leader, Sant, Jaynam, Zoloto or equivalent. Kirloskar, IVC, Burn or equivalent. Kirloskaror equivalent. B.C., R.I.F., NECO or equivalent.
3 1187 1 2 3 4 4 5 6 7 3 4 5 6 7	Laminated reflective Glass T OF APPROVED MAKES OF MATERIALS Sanitary wares Bevelled edge mirror with PVC GI Pipes/ M.S. Pipes Brass /CP Brass fittings Stainless Steel sink Automatic Flushing Cistern Surgeon Mixers GI Fittings Plastic WC seat cover Flush Valves C.P. Accessories Gunmetal Valves (Fullway Check and Globe Valves) Stoneware pipes & Gully trap C.I. Double flanged sluice valves C.I. Doubled flanged non return valves C.I. Manholes Ball Valves	Glaverbek (Belgium) St. Gobain or equivalent. S FOR SANITARY INSTALLATION AND WATER SUPPLY, DRAINAGE Parryware, Hindustan Sanitary ware, CERA, Neycer, Seabird, Johns CERA, Prayag, Jaynam or equivalent Atul, Jolly, Modi Guard or equivalent. Tata, GST, Jindal, Prayag, Hissaror equivalent. Esco, kingston, Gem, Techno, Parko, Marc, Jaquar, Prayag, Jaynam equivalent. AMC, Neelkanth, Kingston, made of salem stainless steel or equivalent. Parryware, Hindustan Sanitary ware, CERA, Neycer, Seabird, Johns CERA, Utech – Toshi, Prayag. Vijay, Jaquar Unik, , KS, RM, Tata, GST, Jindal Hissar or equivalent. Commander, Diplomat, Bestolite, Century, Parryware, Hindustan Sanit ware, CERA, Neycer, Seabird, Johnson CERA. Jaquar, AKOI or equivalent. Esco, ESS ESS, Dripless Delta, Lotis, AKOI or equivalent. Leader, Sant, Jaynam, Zoloto or equivalent. Kirloskar, IVC, Burn or equivalent. Kirloskaror equivalent. B.C., R.I.F., NECO or equivalent. Zoloto, IBP, ARCO or equivalent.
3	Laminated reflective Glass T OF APPROVED MAKES OF MATERIALS Sanitary wares Bevelled edge mirror with PVC GI Pipes/ M.S. Pipes Brass /CP Brass fittings Stainless Steel sink Automatic Flushing Cistern Surgeon Mixers GI Fittings Plastic WC seat cover Flush Valves C.P. Accessories Gunmetal Valves (Fullway Check and Globe Valves) Stoneware pipes & Gully trap C.I. Double flanged sluice valves C.I. Doubled flanged non return valves C.I. Manholes Ball Valves Butterfly Valve	Glaverbek (Belgium) St. Gobain or equivalent. S FOR SANITARY INSTALLATION AND WATER SUPPLY, DRAINAGE Parryware, Hindustan Sanitary ware, CERA, Neycer, Seabird, Johns CERA, Prayag, Jaynam or equivalent. Atul, Jolly, Modi Guard or equivalent. Tata, GST, Jindal, Prayag, Hissaror equivalent. Esco, kingston, Gem, Techno, Parko, Marc, Jaquar, Prayag, Jaynam equivalent. AMC, Neelkanth, Kingston, made of salem stainless steel or equivalent. Parryware, Hindustan Sanitary ware, CERA, Neycer, Seabird, Johns CERA, Utech – Toshi, Prayag. Vijay, Jaquar Unik, , KS, RM, Tata, GST, Jindal Hissar or equivalent. Commander, Diplomat, Bestolite, Century, Parryware, Hindustan Sanit ware, CERA, Neycer, Seabird, Johnson CERA. Jaquar, AKOI or equivalent. Esco, ESS ESS, Dripless Delta, Lotis, AKOI or equivalent. Leader, Sant, Jaynam, Zoloto or equivalent. Kirloskar, IVC, Burn or equivalent. Kirloskaror equivalent. B.C., R.I.F., NECO or equivalent. Zoloto, IBP, ARCO or equivalent. AUDCO or equivalent.
3	Laminated reflective Glass T OF APPROVED MAKES OF MATERIALS Sanitary wares Bevelled edge mirror with PVC GI Pipes/ M.S. Pipes Brass /CP Brass fittings Stainless Steel sink Automatic Flushing Cistern Surgeon Mixers GI Fittings Plastic WC seat cover Flush Valves C.P. Accessories Gunmetal Valves (Fullway Check and Globe Valves) Stoneware pipes & Gully trap C.I. Double flanged sluice valves C.I. Doubled flanged non return valves C.I. Manholes Ball Valves Butterfly Valve Water Tank	Glaverbek (Belgium) St. Gobain or equivalent. S FOR SANITARY INSTALLATION AND WATER SUPPLY, DRAINAGE Parryware, Hindustan Sanitary ware, CERA, Neycer, Seabird, Johns CERA, Prayag, Jaynam or equivalent Atul, Jolly, Modi Guard or equivalent. Tata, GST, Jindal, Prayag, Hissaror equivalent. Esco, kingston, Gem, Techno, Parko, Marc, Jaquar, Prayag, Jaynam equivalent. AMC, Neelkanth, Kingston, made of salem stainless steel or equivalent. Parryware, Hindustan Sanitary ware, CERA, Neycer, Seabird, Johns CERA, Utech – Toshi, Prayag. Vijay, Jaquar Unik, , KS, RM, Tata, GST, Jindal Hissar or equivalent. Commander, Diplomat, Bestolite, Century, Parryware, Hindustan Sanit ware, CERA, Neycer, Seabird, Johnson CERA. Jaquar, AKOI or equivalent. Esco, ESS ESS, Dripless Delta, Lotis, AKOI or equivalent. Leader, Sant, Jaynam, Zoloto or equivalent. Kirloskar, IVC, Burn or equivalent. Kirloskaror equivalent. B.C., R.I.F., NECO or equivalent. Zoloto, IBP, ARCO or equivalent. Sintex, Polycon, Electroplast, Star, Lotus or equivalent.
3	Laminated reflective Glass T OF APPROVED MAKES OF MATERIALS Sanitary wares Bevelled edge mirror with PVC GI Pipes/ M.S. Pipes Brass /CP Brass fittings Stainless Steel sink Automatic Flushing Cistern Surgeon Mixers GI Fittings Plastic WC seat cover Flush Valves C.P. Accessories Gunmetal Valves (Fullway Check and Globe Valves) Stoneware pipes & Gully trap C.I. Double flanged sluice valves C.I. Doubled flanged non return valves C.I. Manholes Ball Valves Butterfly Valve Water Tank Water pumps	Glaverbek (Belgium) St. Gobain or equivalent. S FOR SANITARY INSTALLATION AND WATER SUPPLY, DRAINAGE Parryware, Hindustan Sanitary ware, CERA, Neycer, Seabird, Johns CERA, Prayag, Jaynam or equivalent Atul, Jolly, Modi Guard or equivalent. Tata, GST, Jindal, Prayag, Hissaror equivalent. Esco, kingston, Gem, Techno, Parko, Marc, Jaquar, Prayag, Jaynam equivalent. AMC, Neelkanth, Kingston, made of salem stainless steel or equivalent. Parryware, Hindustan Sanitary ware, CERA, Neycer, Seabird, Johns CERA, Utech – Toshi, Prayag. Vijay, Jaquar Unik, , KS, RM, Tata, GST, Jindal Hissar or equivalent. Commander, Diplomat, Bestolite, Century, Parryware, Hindustan Sanit ware, CERA, Neycer, Seabird, Johnson CERA. Jaquar, AKOI or equivalent. Esco, ESS ESS, Dripless Delta, Lotis, AKOI or equivalent. Leader, Sant, Jaynam, Zoloto or equivalent. Kirloskar, IVC, Burn or equivalent. Kirloskaror equivalent. B.C., R.I.F., NECO or equivalent. Zoloto, IBP, ARCO or equivalent. Sintex, Polycon, Electroplast, Star, Lotus or equivalent. Kirloskar, KSB, Harrison or equivalent.
3 11 12 3 4 4 5 6 7 8 9 10 11 2 3 4 5 6 7 8 9 9 10 10 10 10 10 10 10 10 10 10	Laminated reflective Glass T OF APPROVED MAKES OF MATERIALS Sanitary wares Bevelled edge mirror with PVC GI Pipes/ M.S. Pipes Brass /CP Brass fittings Stainless Steel sink Automatic Flushing Cistern Surgeon Mixers GI Fittings Plastic WC seat cover Flush Valves C.P. Accessories Gunmetal Valves (Fullway Check and Globe Valves) Stoneware pipes & Gully trap C.I. Double flanged sluice valves C.I. Doubled flanged non return valves C.I. Manholes Ball Valves Butterfly Valve Water Tank Water pumps Float Volves	Glaverbek (Belgium) St. Gobain or equivalent. S FOR SANITARY INSTALLATION AND WATER SUPPLY, DRAINAGE Parryware, Hindustan Sanitary ware, CERA, Neycer, Seabird, Johns CERA, Prayag, Jaynam or equivalent Atul, Jolly, Modi Guard or equivalent. Tata, GST, Jindal, Prayag, Hissaror equivalent. Esco, kingston, Gem, Techno, Parko, Marc, Jaquar, Prayag, Jaynam equivalent. AMC, Neelkanth, Kingston, made of salem stainless steel or equivalent. Parryware, Hindustan Sanitary ware, CERA, Neycer, Seabird, Johns CERA, Utech – Toshi, Prayag. Vijay, Jaquar Unik, , KS, RM, Tata, GST, Jindal Hissar or equivalent. Commander, Diplomat, Bestolite, Century, Parryware, Hindustan Sanit ware, CERA, Neycer, Seabird, Johnson CERA. Jaquar, AKOI or equivalent. Esco, ESS ESS, Dripless Delta, Lotis, AKOI or equivalent. Leader, Sant, Jaynam, Zoloto or equivalent. Kirloskar, IVC, Burn or equivalent. Kirloskar, IVC, Burn or equivalent. B.C., R.I.F., NECO or equivalent. Sintex, Polycon, Electroplast, Star, Lotus or equivalent. Kirloskar, KSB, Harrison or equivalent. Kirloskar, KSB, Harrison or equivalent.
3	Laminated reflective Glass TOF APPROVED MAKES OF MATERIALS Sanitary wares Bevelled edge mirror with PVC GI Pipes/ M.S. Pipes Brass /CP Brass fittings Stainless Steel sink Automatic Flushing Cistern Surgeon Mixers GI Fittings Plastic WC seat cover Flush Valves C.P. Accessories Gunmetal Valves (Fullway Check and Globe Valves) Stoneware pipes & Gully trap C.I. Double flanged sluice valves C.I. Doubled flanged non return valves C.I. Manholes Ball Valves Butterfly Valve Water Tank Water pumps Float Volves RCC pipes	Glaverbek (Belgium) St. Gobain or equivalent. 5 FOR SANITARY INSTALLATION AND WATER SUPPLY, DRAINAGE Parryware, Hindustan Sanitary ware, CERA, Neycer, Seabird, Johns CERA, Prayag, Jaynam or equivalent Atul, Jolly, Modi Guard or equivalent. Tata, GST, Jindal, Prayag, Hissaror equivalent. Esco, kingston, Gem, Techno, Parko, Marc, Jaquar, Prayag, Jaynam equivalent. AMC, Neelkanth, Kingston, made of salem stainless steel or equivalent. Parryware, Hindustan Sanitary ware, CERA, Neycer, Seabird, Johns CERA, Utech – Toshi, Prayag. Vijay, Jaquar Unik, , KS, RM, Tata, GST, Jindal Hissar or equivalent. Commander, Diplomat, Bestolite, Century, Parryware, Hindustan Sanit ware, CERA, Neycer, Seabird, Johnson CERA. Jaquar, AKOI or equivalent. Esco, ESS ESS, Dripless Delta, Lotis, AKOI or equivalent. Leader, Sant, Jaynam, Zoloto or equivalent. Kirloskar, IVC, Burn or equivalent. Kirloskar, IVC, Burn or equivalent. B.C., R.I.F., NECO or equivalent. Zoloto, IBP, ARCO or equivalent. Sintex, Polycon, Electroplast, Star, Lotus or equivalent. Kirloskar, KSB, Harrison or equivalent. IVC, leader or equivalent or equivalent. IVC, leader or equivalent or equivalent. IHP or equivalent
3	Laminated reflective Glass TOF APPROVED MAKES OF MATERIALS Sanitary wares Bevelled edge mirror with PVC GI Pipes/ M.S. Pipes Brass /CP Brass fittings Stainless Steel sink Automatic Flushing Cistern Surgeon Mixers GI Fittings Plastic WC seat cover Flush Valves C.P. Accessories Gunmetal Valves (Fullway Check and Globe Valves) Stoneware pipes & Gully trap C.I. Double flanged sluice valves C.I. Doubled flanged non return valves C.I. Manholes Ball Valves Butterfly Valve Water Tank Water pumps Float Volves RCC pipes Centrifugal cast iron pipes 150mm/	Glaverbek (Belgium) St. Gobain or equivalent. S FOR SANITARY INSTALLATION AND WATER SUPPLY, DRAINAGE Parryware, Hindustan Sanitary ware, CERA, Neycer, Seabird, Johns CERA, Prayag, Jaynam or equivalent Atul, Jolly, Modi Guard or equivalent. Tata, GST, Jindal, Prayag, Hissaror equivalent. Esco, kingston, Gem, Techno, Parko, Marc, Jaquar, Prayag, Jaynam equivalent. AMC, Neelkanth, Kingston, made of salem stainless steel or equivalent. Parryware, Hindustan Sanitary ware, CERA, Neycer, Seabird, Johns CERA, Utech – Toshi, Prayag. Vijay, Jaquar Unik, , KS, RM, Tata, GST, Jindal Hissar or equivalent. Commander, Diplomat, Bestolite, Century, Parryware, Hindustan Sanitaware, CERA, Neycer, Seabird, Johnson CERA. Jaquar, AKOI or equivalent. Esco, ESS ESS, Dripless Delta, Lotis, AKOI or equivalent. Leader, Sant, Jaynam, Zoloto or equivalent. Kirloskar, IVC, Burn or equivalent. Kirloskar, IVC, Burn or equivalent. B.C., R.I.F., NECO or equivalent. Sintex, Polycon, Electroplast, Star, Lotus or equivalent. Kirloskar, KSB, Harrison or equivalent. Kirloskar, KSB, Harrison or equivalent.
3 IS' 1	Laminated reflective Glass TOF APPROVED MAKES OF MATERIALS Sanitary wares Bevelled edge mirror with PVC GI Pipes/ M.S. Pipes Brass /CP Brass fittings Stainless Steel sink Automatic Flushing Cistern Surgeon Mixers GI Fittings Plastic WC seat cover Flush Valves C.P. Accessories Gunmetal Valves (Fullway Check and Globe Valves) Stoneware pipes & Gully trap C.I. Double flanged sluice valves C.I. Doubled flanged non return valves C.I. Manholes Ball Valves Butterfly Valve Water Tank Water pumps Float Volves RCC pipes	Glaverbek (Belgium) St. Gobain or equivalent. 5 FOR SANITARY INSTALLATION AND WATER SUPPLY, DRAINAGE Parryware, Hindustan Sanitary ware, CERA, Neycer, Seabird, Johns CERA, Prayag, Jaynam or equivalent Atul, Jolly, Modi Guard or equivalent. Tata, GST, Jindal, Prayag, Hissaror equivalent. Esco, kingston, Gem, Techno, Parko, Marc, Jaquar, Prayag, Jaynam equivalent. AMC, Neelkanth, Kingston, made of salem stainless steel or equivalent. Parryware, Hindustan Sanitary ware, CERA, Neycer, Seabird, Johns CERA, Utech – Toshi, Prayag. Vijay, Jaquar Unik, , KS, RM, Tata, GST, Jindal Hissar or equivalent. Commander, Diplomat, Bestolite, Century, Parryware, Hindustan Sanita ware, CERA, Neycer, Seabird, Johnson CERA. Jaquar, AKOI or equivalent. Esco, ESS ESS, Dripless Delta, Lotis, AKOI or equivalent. Leader, Sant, Jaynam, Zoloto or equivalent. Kirloskar, IVC, Burn or equivalent. Kirloskar, IVC, Burn or equivalent. B.C., R.I.F., NECO or equivalent. Zoloto, IBP, ARCO or equivalent. Sintex, Polycon, Electroplast, Star, Lotus or equivalent. Kirloskar, KSB, Harrison or equivalent. IVC, leader or equivalent or equivalent. IVC, leader or equivalent or equivalent. IHP or equivalent





Annexure-I


SCHEDULE OF QUANTITY

Tender Enquiry No. :- B.V(GC Durgapur) Spl. Repair/2024-25-CZ-C/Cell(NIT-10) Dated 01-11-2024 Location of Work :- GC CRPF, Durgapur, Distt-West Burdwan (West Bengal) Pin-713214				
Naı	me of Work :- (i) Repair of Type-IV (20 Nos Quarters) (ii) Repair of Ty Repair of Type-III (14 Nos Qtr) (iv) Special Repair of Type-I (78 Nos Qtr	pe-V (04		
S/N.	Item / Description	Qty.	Unit	
Spe	ecial Repair of Type-I (78 Nos Qtr)		1	
	Repairs to plaster of thickness 12 mm to 20 mm in patches of area 2.5 sq.meters and under, including cutting the patch in proper shape, raking out joints and preparing and plastering the surface of the walls complete, including disposal of rubbish to the dumping ground, all complete as per direction of Engineer-in-Charge.			
2.	With cement mortar 1:4 (1cement: 4 coarse sand)	742.14	sqm	
3.	Taking out doors, windows and clerestory window shutters (steel or wood) including stacking within 50	712.11	Sqiii	
· .	metres lead :	24	1	
	Of area 3 sq. metres and below Taking out existing wooden door shutter, repair by cutting, painting etc. and refixing of repaired door	21	each	
	shutters to existing door frames, including replacement of hinges with screws, etc. as required, all complete as per the direction of the Engineer-in-charge.	120	each	
	Providing wood work in frames of doors, windows, clerestory windows and other frames, wrought framed and fixed in position with hold fast lugs or with dash fasteners of required dia & length (hold fast lugs or dash fastener shall be paid for separately).			
	Kiln seasoned and chemically treated hollock wood	0.910	cum	
	Providing and fixing ISI marked flush door shutters conforming to IS: 2202 (Part I) non-decorative type, core of block board construction with frame of 1st class hard wood and well matched commercial 3 ply veneering with vertical grains or cross bands and face veneers on both faces of shutters:			
	30 mm thick including ISI marked Stainless Steel butt hinges with necessary screws	102.52	sqm	
0.	Providing and fixing glazed shutters for doors, windows and clerestory windows using 4 mm thick float glass panes (weight not less than 10 kg per sqm) fixing with 1SI marked M.S. pressed butt hinges bright finished of required size with necessary screws.			
1.	Kiln seasoned and chemically treated hollock wood			
2.	35 mm thick	52.54	sqm	
3.	Providing and fixing aluminium sliding door bolts, ISI marked anodised (anodic coating not less than grade AC 10 as per IS: 1868), transparent or dyed to required colour or shade, with nuts and screws etc. complete:			
4.	300x16 mm	60.00	each	
5.	Providing and fixing aluminium handles, ISI marked, anodised (anodic coating not less than grade AC 10 as per IS: 1868) transparent or dyed to required colour or shade, with necessary screws etc. complete			
6.	125 mm	120.00	each	
7.	Providing and fixing aluminium tower bolts, ISI marked, anodised (anodic coating not less than grade AC 10 as per IS: 1868) transparent or dyed to required colour or shade, with necessary screws etc.			
8.	complete : 200x10 mm	120.00	each	
9.	Finishing with Deluxe Multi surface paint system for interiors and exteriors using Primer as per manufacturers specifications	120100	caen	
0.	Painting wood work with Deluxe Multi Surface Paint of required shade. Two or more coat applied @ 0.90 ltr/10 sqm over an under coat of primer applied @0.75 ltr/10 sqm of approved brand and manufacture Renewing glass panes and refixing existing wooden fillets:	387.07	sqm	
22.	Float glass panes of nominal thickness 4 mm (weight not less	0.26	aam	
3.	than 10kg/sqm) Removing dry or oil bound distemper, water proofing cement paint and the like by scrapping, sand	9.36	sqm	
	papering and preparing the surface smooth including necessary repairs to scratches etc. complete Providing and applying white cement based putty of average thickness 1 mm, of approved brand and		1	
 4. 5. 	manufacturer, over the plastered wall surface to prepare the surface even and smooth complete. Applying priming coats with primer of approved brand and manufacture, having low VOC (Volatile	233.15	sqm	
	Organic Compound) content. With water thinnable cement primer on wall surface having			
6.	VOC content less than 50 grams/litre Distempering with 1st quality acrylic distemper (ready mixed) having VOC (Volatile Organic Compound)	777.18	sqm	
7.	content less than 50 gram/ litre, of approved brand and manufacturer including applying additional coats wherever required to achieve even shade and colour.	777.10		
8.	Old work (one or more coats) Providing and fixing P.V.C. low level flushing cistern with manually controlled device (handle lever)	777.18	sqm	
9.	conforming to IS: 7231, with all fittings and fixtures complete.			
0.	10 litre capacity - White	15	each	
1.	Providing and fixing C.P. brass bib cock of approved quality conforming to IS:8931: 15 mm nominal bore	28	each	
3.	Providing and fixing PTMT pillar cock of approved quality and colour.	-		
4. 5.	15 mm nominal bore, 107 mm long, weighing not less than 110 gms Providing and fixing PTMT grating of approved quality and colour.	30	each	
6.	Circular type			
7. 8.	100 mm nominal dia Providing and fixing on wall face unplasticised Rigid PVC rain water pipes conforming to IS: 13592 Type A, including jointing with seal ring conforming to IS: 5382, leaving 10 mm gap for thermal	30	each	
	expansion, (i) Single socketed pipes.			
9. Rena	110 mm diameter air of Type-III (14 Nos Qtr)	15	metre	
лер а	Dismantling old plaster or skirting raking out joints and cleaning the surface for plaster including disposal of rubbish to the dumping ground within 50 metres lead.	268.91	sqm	
.:	Taking out doors, windows and clerestory window shutters (steel or wood) including stacking within 50			
3.	metres lead : Of area 3 sq. metres and below	2.00	each	
I.	Providing and laying APP (Atactic Polypropylene Polymer) modified prefabricated five layer 3 mm thick water proofing membrane, black finished reinforced with non-woven polyester matt consisting of a coat			





	of bitumen primer for bitumen membrane @ 0.40 litre/sqm by the same membrane manufacture of density at 25°C, 0.87-0.89 kg/ litre and viscocity 70-160 cps. Over the primer coat the layer of membrane shall be laid using Butane Torch and sealing all jointsetc, and preparing the surface complete. The vital physical and chemical parameters of the membrane shall be as under: Joint strength in longitudinal and transverse direction at 23°C as 650/ 450N/5cm. Tear strength in longitudinal and transverse direction as 300/250N. Softening point of membrane not less than 150°C. Cold flexibility shall be upto -2°C when tested in accordance with ASTM, D - 5147. The laying of membrane shall be got done through the authorised applicator of the manufacturer of membrane:		
_		160.40	aam
5.	3 mm thick Hacking of CC flooring including cleaning for surface etc. complete as per direction of the Engineer-in-	168.48	sqm
6.	Charge.	64.40	sqm
7.	Chipping of unsound/weak concrete material from slabs, beams, columns etc. with manual Chisel and/ or by standard power driven percussion type or of approved make including tapering of all edges, making square shoulders of cavities including cleaning the exposed concrete surface and reinforcement with wire brushes etc. and disposal of debris for all lead and lifts all complete as per direction of Engineer-In-Charge		
8.	50 mm average thickness	32.45	sqm
	Cleaning of reinforcement from rust from the reinforcing bars to give it a total rust free steel surface by		•
9.	using alkaline chemical rust remover of approved make with paint brush and removing loose particles after 24 hours of its application with wire brush and thoroughly washing with water and allowing it to dry, all complete as per direction of Engineer-In-Charge.		
10.	Bars upto 12 mm diameter	345.42	metre
11.	Providing, mixing and applying bonding coat of approved adhesive on chipped portion of RCC as per specifications and direction of Engineer-In-charge complete in all respect.		
12.	SBR Polymer (@10% of cement weight) modified cementitious bond coat @ 2.2 kg cement per sqm of surface area mixed with specified proportion of approved polymer	32.45	Sqm
13.	Providing, mixing and applying SBR polymer (of approved make) modified Cement mortar in proportion of 1:4 (1 cement: 4 graded coarse sand with polymer minimum 2% by wt. of cement used) as per specifications and directions of Engineer-in-charge.		
14.	12 mm average thickness.	32.45	Sqm
15.	25 mm average thickness in 2 layers.	32.45	Sqm
16.	Drilling suitable holes in reinforced or plain cement concrete with power driven drill machine to a minimum depth of 100mm upto 200mm in RCC beams, lintels, columns and slabs to introduce steel bars for sunshades/balconies including fixing the steel bars in position using epoxy resin anchor grout of approved make but excluding the cost of reinforcement, all complete as per direction of Engineer-In-Charge.		
17.	Upto and including 12mm dia.	46	Each
18.	Steel reinforcement for R.C.C. work including straightening, cutting, bending, placing in position and		
	binding all complete above plinth level.	CF 45	**
19. 20.	Thermo-Mechanically Treated bars of grade Fe-500D or more. Centering and shuttering including strutting, propping etc. and removal of form for:	65.45	Kg
21.	Suspended floors, roofs, landings, balconies and access		
41.	platform	32.45	Sqm
22.	Painting (one or more coats) on rain water, soil waste and vent pipes and fittings with black		
23.	anticorrosive bitumastic paint of approved brand and manufacture on old work : 75 mm diameter pipes	73.16	metre
۵٠.	Providing and laying Ceramic glazed floor tiles of size 300x300 mm (thickness to be specified by the	7 3.10	meu e
24.	manufacturer) of 1st quality conforming to IS: 15622 of approved make in colours such as White, Ivory, Grey, Fume Red Brown, laid on 20 mm thick cement mortar 1:4 (1 Cement: 4 Coarse sand), Jointing with grey cement slurry @ 3.3 kg/sgm including pointing the joints with white cement and matching pigment etc., complete.	5.32	sqm
25.	Providing and fixing Ist quality ceramic glazed wall tiles conforming to 1S: 15622 (thickness to be specified by the manufacturer), of approved make, in all colours, shades except burgundy, bottle green, black of any size as approved by Engineer-in-Charge, in skirting, risers of steps and dados, over 12 mm thick bed of cement mortar 1:3 (1 cement: 3 coarse sand) and jointing with grey cement slurry @ 3.3kg per sqm, including pointing in white cement mixed with pigment of matching shade complete.	59.08	sqm
26.	Providing and fixing ISI marked flush door shutters conforming to IS: 2202 (Part I) non-decorative type, core of block board construction with frame of 1st class hard wood and well matched commercial 3 ply veneering with vertical grains or cross bands and face veneers on both faces of shutters:		
27.	30 mm thick including ISI marked Stainless Steel butt hinges with necessary screws Providing and fixing ISI marked flush door shutters conforming to IS: 2202 (Part 1) non-decorative	3.39	sqm
28.	type, core of block board construction with frame of 1st class hard wood and well matched commercial 3 ply veneering with vertical grains or cross bands and face veneers on both faces of shutters:		
29.	25 mm thick (for cupboard) including ISI marked nickel plated bright finished M.S. piano hinges with necessary screws.	3.64	sqm
30.	Providing and fixing aluminium sliding door bolts, ISI marked anodised (anodic coating not less than grade AC 10 as per IS: 1868), transparent or dyed to required colour or shade, with nuts and screws etc. complete:		
31.	300x16 mm	3.00	each
	Providing and fixing aluminium handles, ISI marked, anodised (anodic coating not less than grade AC		
32. 33.	10 as per IS: 1868) transparent or dyed to required colour or shade, with necessary screws etc. complete 125 mm	4.00	each
34.	Providing and fixing aluminium tower bolts, ISI marked, anodised (anodic coating not less than grade AC 10 as per IS: 1868) transparent or dyed to required colour or shade, with necessary screws etc. complete		
35.	300x10 mm	2.00	each
36.	12 mm cement plaster of mix :		
37.	1:6 (1 cement: 6 coarse sand)	273.02	sqm
38.	Renewing glass panes, with putty and nails wherever necessary including racking out the old putty: Float glass panes of nominal thickness 5 mm (weight not less		
39. Rep a	than 12.5kg/sqm) air of Type-V (04 Nos Qtr)	10	Sqm
1	Dismantling tile work in floors and roofs laid in cement mortar including stacking material within 50 metres lead.	20.22	
2.	For thickness of tiles 10 mm to 25 mm	29.32	sqm



3.	Hacking of CC flooring including cleaning for surface etc. complete as per direction of the Engineer-in-	106.40	
	Charge. Providing and fixing 1st quality ceramic glazed floor tiles conforming to IS: 15622 (thickness to be	186.48	sqm
	specified by the manufacturer) of approved make in all colours, shades except burgundy, bottle green,		
ŀ .	black of any size as approved by Engineer-in-Charge in skirting, risers of steps and dados over 12 mm thick bed of cement Mortar 1:3 (1 cement: 3 coarse sand) and jointing with grey cement slurry @ 3.3kg		
	per sqm including pointing with grey cement sturry (# 5.5kg		
	white cement mixed with pigment of matching shade complete.	44.20	sqm
	Providing and fixing Ist quality ceramic glazed wall tiles conforming to 1S: 15622 (thickness to be		
5.	specified by the manufacturer), of approved make, in all colours, shades except burgundy, bottle green, black of any size as approved by Engineer-in-Charge, in skirting, risers of steps and dados, over 12 mm		
	thick bed of cement mortar 1:3 (1 cement : 3 coarse sand) and jointing with grey cement slurry @ 3.3kg		
	per sqm, including pointing in white cement mixed with pigment of matching shade complete.	140.84	sqm
5.	Providing and fixing Stainless Steel A ISI 304 (18/8) kitchen sink as per IS:13983 with C.I. brackets and stainless steel plug 40 mm, including painting of fittings and brackets, cutting and making good		
· .	the walls wherever required:		
7.	Kitchen sink with drain board		
Bone	510x1040 mm bowl depth 250 mm air of Type-IV (20 Nos Quarters)	4.00	each
кера	Repairs to plaster of thickness 12 mm to 20 mm in patches of area 2.5 sq.meters and under, including	1	
1	cutting the patch in proper shape, raking out joints and preparing and plastering the surface of the		
1	walls complete, including disposal of rubbish to the dumping ground, all complete as per direction of		
2.	Engineer-in-Charge. With cement mortar 1:4 (1cement: 4 coarse sand)	14.37	sqm
s.	Taking out doors, windows and clerestory window shutters (steel or wood) including stacking within 50	11.57	Sqiii
٠.	metres lead :		
	Of area 3 sq. metres and below	10.00	each
j.	Providing wood work in frames of doors, windows, clerestory windows and other frames, wrought framed and fixed in position with hold fast lugs or with dash fasteners of required dia & length (hold		
•	fast lugs or dash fastener shall be paid for separately).		
).	Kiln seasoned and chemically treated hollock wood	0.332	cum
,	Providing and fixing ISI marked flush door shutters conforming to IS: 2202 (Part I) non-decorative type, core of block board construction with frame of 1st class hard wood and well matched commercial 3 ply		
' .	veneering with vertical grains or cross bands and face veneers on both faces of shutters:		
· ·	30 mm thick including ISI marked Stainless Steel butt hinges with necessary screws	9.99	sqm
	Providing and fixing ISI marked flush door shutters conforming to IS: 2202 (Part 1) non-decorative		
١.	type, core of block board construction with frame of 1st class hard wood and well matched commercial		
	3 ply veneering with vertical grains or cross bands and face veneers on both faces of shutters: 25 mm thick (for cupboard) including ISI marked nickel plated bright finished M.S. piano hinges with		
0.	necessary screws.	1.82	sqm
_	Providing and fixing glazed shutters for doors, windows and clerestory windows using 4 mm thick float		
1.	glass panes (weight not less than 10 kg per sqm) fixing with 1SI marked M.S. pressed butt hinges bright finished of required size with necessary screws.		
2.	Kiln seasoned and chemically treated hollock wood		
3.	30 mm thick	5.60	sqm
4.	Providing and fixing to existing door frames.		
	30 mm thick factory made Polyvinyl Chloride (PVC) door shutter made of styles and rails of a uPVC hollow section of size 60x30 mm and wall thickness 2 mm (+ 0.2 mm), with inbuilt decorative moulding edging on one side. The styles and rails mitred and joint at the corners by means of M.S. galvanised! plastic brackets of size 75x220 mm having wall thickness 1.0 mm and stainless steel screws. The styles		
.5.	of the shutter reinforced by inserting galvanised M.S. tube of size 25x20 mm and 1 mm (x 0.1 mm) wall thickness. The lock rail made up of 'H' section, a uPVC hollow section of size 100x30 mm and 2 mm (+ 0.2 mm) wall thickness fixed to the shutter styles by means of plastic/ galvanised M.S. 'U' cleats. The shutter frame filled with a uPVC muilti chambered single panel of size not less than 620 mm, having over all thickness of 20 mm and 1 mm (x 0.1 mm) wall thickness. The panels filled vertically and tie bar at two places by inserting horizontally 6 mm galvanised M.S. rod and fastened with nuts and washers, complete as per manufacturer's specification	8.10	sqm
6.	and direction of Engineer-in charge. Providing and fixing aluminium sliding door bolts, ISI marked anodised (anodic coating not less than grade AC 10 as per IS: 1868), transparent or dyed to required colour or shade, with nuts and screws		
	etc. complete :		
7.	300x16 mm	15.00	each
8.	Providing and fixing aluminium handles, ISI marked, anodised (anodic coating not less than grade AC 10 as per IS: 1868) transparent or dyed to required colour or shade, with necessary screws etc.		
0.	complete		
9.	125 mm	25.00	each
^	Providing and fixing aluminium tower bolts, ISI marked, anodised (anodic coating not less than grade	$\overline{}$	
0.	AC 10 as per IS: 1868) transparent or dyed to required colour or shade, with necessary screws etc. complete:		
1.	300x10 mm	35.00	each
2.	Removing dry or oil bound distemper, water proofing cement paint and the like by scrapping, sand	206.10	
4.	papering and preparing the surface smooth including necessary repairs to scratches etc. complete	400.10	sqm
3.	Applying priming coats with primer of approved brand and manufacture, having low VOC (Volatile Organic Compound) content.		
4.	With water thinnable cement primer on wall surface having VOC content less than 50 grams/litre	515.24	sqm
	Distempering with 1st quality acrylic distemper (ready mixed) having VOC (Volatile Organic Compound)		
5. 6.	content less than 50 gram/ litre, of approved brand and manufacturer including applying additional coats wherever required to achieve even shade and colour. Old work (one or more coats)	515.24	sam
7.	Finishing with Deluxe Multi surface paint system for interiors and exteriors using Primer as per manufacturers specifications	010.47	sqm
8.	Painting wood work with Deluxe Multi Surface Paint of required shade. Two or more coat applied @ 0.90 ltr/10 sqm over an under coat of primer applied @ 0.75 ltr/10 sqm of approved brand and manufacture	620.29	sqm
9.	Dismantling W.C. Pan of all sizes including disposal of dismantled materials including malba all complete as per directions of Engineer-in-Charge.	1.00	each
0.	Providing and fixing white vitreous china water closet squatting pan (Indian type):		
1.	Long pattern W.C. pan of size 580 mm	1.00	each
	Providing and fixing Ist quality ceramic glazed wall tiles conforming to 1S: 15622 (thickness to be		
	specified by the manufacturer), of approved make, in all colours, shades except burgundy, bottle green,		



33.	Half brick masonry with common burnt clay F.P.S. (non modular) bricks of class designation 7.5 in foundations and plinth in :		
34.	cement mortar 1:4 (1 cement : 4 coarse sand)	0.75	sqm
35.	Providing and fixing 18 mm thick gang saw cut, mirror polished, premoulded and prepolished, machine cut for kitchen platforms, vanity counters, window sills, facias and similar locations of required size, approved shade, colour and texture laid over 20 mm thick base cement mortar 1:4 (1 cement : 4 coarse sand), joints treated with white cement, mixed with matching pigment, epoxy touch ups, including rubbing, curing, moulding and polishing of edges to give high gloss finish etc. complete at all levels.		-
36.	Granite stone slab of all colour and texture except black, Cherry/Ruby red		
37.	Area of slab upto 0.50 sqm	9.19	sqm
38.	Dismantling tile work in floors and roofs laid in cement mortar including stacking material within 50 metres lead.		
39.	For thickness of tiles 10 mm to 25 mm	190.94	sqm
40.	Providing and fixing C.P. brass shower rose with 15 or 20 mm inlet:		
41.	150 mm diameter	20.00	each
42.	Providing and fixing C.P. brass bib cock of approved quality conforming to IS:8931:		
43.	15 mm nominal bore	30.00	each
44.	Providing and fixing C.P. brass angle valve for basin mixer and geyser points of approved quality conforming to IS:8931		
45.	15 mm nominal bore	28.00	each

Note :-

- i) The lowest bidder will be decided on overall rate of entire work instead of item (category) wise. Rates quoted by the bidder must be inclusive of applicable G.S.T (Goods and Services Tax) and all other charges if any but exclusive of EPF & ESI Contributions on the part of Employer as applicable with F.O.R (Site of work) at O/O The DIG, GC CRPF, Durgapur, Distt-West Burdwan (West Bengal) Pin-713214.
- ii) The E.P.F & E.S.I contributions on the part of employer in respect of the contract shall be paid by the contractor to concerned department well in time. These contributions on the part of the employer paid by the contractor shall reimbursable by this department on actual basis and on production of receipt of the concerned department.

SD/- 01-11-2024

(Lt. Col. Anand Kumar)

Commandant (Engineer)

Contract Cell, CZ HQr [For and on behalf of the President of India]

Signature of Bidder (with seal)



Appendix-'A' BASIC INFORMATION ABOUT THE BIDDER/FIRM/CONTRACTOR

S/N	Part	iculars	Specific answer/details by the Bidder/Contractor
1	Name of the Firm		M/S
2	Complete postal address of	Area/Village/Location	,
	the firm with their	Post	
	registered office	P.S.	
	-	Tehsil	
		District	
		State	
		Pin	
		Contact/Mobile No.	
		E-Mail I.D. of firm	
		ther Sole Proprietorship /	
	Partnership / Pvt. Ltd. / Ltd		
		Firm of the Proprietor/	,
	Partners/ Directors.		(b)
			(c)
5	Full name & address of the	person signing the bid	
	documents (In block letters)		
6	Deptt./Organiza i) Registrat	ion No. with date of issue :-	
	tion with which the firm is in Registration	ion issued by (Authority) :-	
	registered for iii) Registrat	tion valid up to (Date) :-	
	the tendered iv) Registrat	tion Class :-	
	work along with v) Nature of		
	following details		
	Details of Permanent Accou	nt No. (PAN)	
	Details of GST No.		
9	-	count No. :-	
		de of the branch :-	
	firm iii) Bank N		
		Name & Address of Bank :-	
	v) Whethe enabled (Ye	er branch is NEFT/ RTGS	
10		tor having Past performance of	
10		rs/experience for similar works	
		VD? If yes, Bidders should give	
		ne specified format given in the	
	Tender documents (Appendi z		
11		rsonnel available in the	
		be furnished in Table-'d' of	
	Appendix-'D' of Tender Doo		
12		isfactory evidence to indicate	
		organization to undertake the	
1.2	said work is attached.	location, machinery, if any	
13	(Attach a separate sheet)	location, machinery, if any	
14		ompany during last 3 years	
* '		ice sheet/P&L a/c statement	
	and IT returns of the firm of		
15		gation arisen in the contracts	
		years/being executed. If yes,	
		the project, employer, nature	
		ork order and date and brief	
	details of litigation.		

Note :- <u>Bidder may please note that if the answer so furnished are not clear and/or are evasive, the tender will liable to be ignored.</u>







Appendix-'B' FORM OF BANK GUARANTEE FOR EARNEST MONEY DEPOSIT / PERFORMANCE

GUARANTEE / SECURITY DEPOSIT

(Guarantee offered by Bank to CRPF in connection with the execution of contracts)

(ON NON-JUDICIAL STAMP PAPER OF MINIMUM RS. 100 DULY NOTARIZED)

То	The President of India,		
111	Whereas the Commandant (Engineer), Centr		
	"The Government") has invited bids under B.V(GC 24 for the work of		
Govern	nment has further agreed to accept irrevoc	able Bank Guarantee for Rs .	(Rupees
	only) valid upto (nan		
	npliance of his obligations in accordance with the		
	Whereas the Commandant (Engineer), Centr "The Government") has entered into an agreement, 20 with M/S	ent bearing number	Date
contra	ctor) (hereinafter called "the Contractor") for execu	ation of the work of	
Bank	Guarantee for Rs. (Rupees		only) valid upto
	tions in accordance with the terms and conditions	of the agreement.	-
	We, ne Bank"), hereby undertake to pay to the Go	overnment an amount not exce	eding Rs
(Rupee deman	esad.	only) on demand by the Gover	nment within 10 days of the
3.	We,e amount due and payable under this guarantee		
stating such d	g that the amount claimed is required to meet the lemand made on the Bank shall be conclusive a ntee. However, our liability under this guara	recoveries due or likely to be due s regards the amount due and p	e from the said Contractor. Any ayable by the Bank under this
	(Rupees	only).	S
suit or under	We,e Government any money so demanded notwiths proceeding pending On non-judicial stamp paper this Bank Guarantee being absolute and unequipe a valid discharge of our liability for payment the	tanding any dispute or disputes a of minimum Rs. 100 before any vocal. The payment so made by	raised by the contractor in any Court or Tribunal, our liability us under this Bank Guarantee
5. Govern vary an time or contract from or omission thing w 6. Govern instance	g such payment. We,	nt and without affecting in any major to extend time of performance by ny of the powers exercisable by the conditions relating to the said agreer on being granted to the said Contract by the Government to the Said	nner our obligation here under to the said Contractor from time to the Government against the said nent and we shall not be relieved ctor or for any forbearance, act of stractor or by any such matter or ect of so relieving us. e bank), further agree that the is a principal debtor at the first surity or other guarantee the Bank or the Contractor.
9. "Notwi	narantee except with the consent of the Government This Bank Guarantee shall be valid up to/ ithstanding anything mentioned above, our	/20 unless extended on de liability against this guard	antee is restricted to Rs.
writing	g is lodged with us within the date of expiry or extentee shall stand discharged."		
Ü	/20		
Witne	esses		
1. Sig	gnature		cory :
	and address :	Name Designation	: :
		Staff code no.	:
2 Sin	gnature		Bank seal
	and address:		

^{*}Date to be worked out on the basis of validity period of 90 days where only financial bids are invited and 180 days for two/three bid system from the date of submission of tender.

^{**}In paragraph 1, strike out the portion not applicable. Bank Guarantee will be made either for earnest money or for performance guarantee/security deposit/mobilization advance/Refund of mile stone withheld amount, as the case may be.

Signature of the Contractor (with Official Seal)



Appendix-'C'

TENDER ACCEPTANCE LETTER
(To be given on Company Letter Head)

Firm letter No		Date :/20
То	Commandant (Engineer) Contract Cell, CZ HQr, CRPF, H.C. Block, Sector-III, Salt lake, Kolkata-106 (W.B.)	
Subject :-	Acceptance of Terms & Conditions of Tender.	
Tender Enqui 2024	ry No :- B.V(GC Durgapur) Spl. Repair/2024-25-CZ-C/Ce	il(NIT-10) Dated 01-11-
Type-V (04 N	ler / Work & location : - (i) Repair of Type-IV (20 Nos os Qtr) (iii) Repair of Type-III (14 Nos Qtr) (iv) Special F RPF, Durgapur, Distt-West Burdwan (West Bengal) Pin-7	Repair of Type-I (78 Nos
Dear Sir,		
Tender/Work	ure.gov.in/eprocure/app (CPPP) as per your advertisen	curement web site
documents fr Guidelines, G Work/Schedu agreement an	nereby certify that I / we have read the entire terms and om Page No. 01 to including all documents like, I General Condition of Contract, Special Condition of le of Quantity, Annexure(s), Schedule(s) etc. which for d also taken into account the above while quoting the raterms/conditions/clauses contained therein.	Important Instruction & the Contract, Scope of m part of the contract
	rrigendum(s) issued from time to time by your department en into consideration, while submitting this acceptance lett	
	hereby unconditionally accept all the tender conditions/aom our/my side in in its totality/entirety.	bove points without any
organization	se any provisions of this tender are found violated, shall without prejudice to any other right or remedy be cluding the forfeiture of the full security deposit absolutely	at liberty to reject this
Place : Date ://		Sincerely



Appendix-'D'

PAST PERFORMANCE/PREVIOUS EXPERIENCE

a) List of important works done in last 03 (three) years (as per the pre-qualification criteria mentioned in this tender)

Sr.	Year	Contract	Department/	Name/	Value of	Date of	Stipulated	Actual Date	Whether the work	Any
No.		No. & Date	Ministry/ PSU	description	the	start of	Date of	of	was left incomplete	other
			etc. where	of work	contract	work	completion as	completion	(reasons if any for	relevant
			works has been		(in Rs.)		per contract		delay in completion	information
			executed						of work) or contract	
			including						was terminated	
			location of work						from either side (give	
									full details)	
1	2	3	4	5	6	7	8	9	10	11

Note: The supporting documents like experience certificate, completion certificate etc. shall be enclosed mandatorily.

b) List of Ongoing works on Hand.

	b) Dist of Origonia works on mand.										
Sr.	Name	Location	Name	Full	Name &	Value of	Date of	Stipulated	Actual Date	Whether the	Any
No.	of work	of work	of	address	Mobile No. of	the	start of	Date of	of	work was left	other
			owner		the contact	contract	work	completion	completion	incomplete	relevant
					person from	(in Rs.)		as per		(reasons if any	informati
					owner's side			contract		for delay in	on
					for whom					completion of	
					work was					work) or contract	
					executed					was terminated	
										from either side	
										(give full	
										details)	
1	2	3	4	5	6	7	8	9	10	11	12
-											

Note:- The supporting documents like "work orders" shall be enclosed mandatorily.

c) List of available Tools, Plants, available Machineries, Equipment etc.

_	, =====================================		110 0001
Sr.	Name of Tools / Plant / Machinery / Equipment	Total No. of units / sqm.	No. of units/sqm. can be spared for the
No.	and Accessories		proposed work

d) List of your Technical/Special Experience Personnel,

Sr.		D.O.B.	Education	Technical	Work	Nature of	Any other
No.	Name of personner	(DD/MM/YYYY)	Qualifications	Qualification	Experience	works handled	information

Note: Please provide details about their technical qualifications and experience.

	1
Signature of the Cont	ractor
(with official seal)	

Appendix-'E'

<u>DECLARATION BY THE CONTRACTOR</u>
{AFFIDAVIT ON A NON JUDICIAL STAMP PAPER OF RS.100/-DULY NOTARIZED}

I, signatory of M/S_firm/public/private	limited	company,	having	its	principal	place o	e proprietor/partner/authorized sole proprietorship/partnership of business/registered office
affirm and declare as	under :-					(Fu	ll Address) do hereby solemnly
That I am t	he sole pr	oprietor of M	/s				
				Or			
That ours is	s partners	hip firm havi	ng partne	rs as u	nder (Full N	ame of part	ners) :-
(a)							_
(b)							_
(c)							_
(d)							_
				Or			
That ours in Companies Act,1956				ed coı	npany inco	rporated in	terms of the provisions of the
		(Delete whic	h is not ap	plical	ole while typ	oing affidavi	t)
partners or one of the from all the partners, or one of the from all the partners, or one of the from all the	abmitted. As the Directors of Board Is the Directors of Source Is the Directors of Source Is the Department De	all the partners duly authorist duly authorist Resolution in and declare the debarred or nents from partners from	rs/ directo zed by Boa case of Corn at my/our on Holida rticipating	rs sho ard Res mpany firm/ y list in the	uld sign the solution in ca is to be enclor company M/ with any contender as on	affidavit or ase of Composed. 'S mpany of Pridate.	and Memorandum & Articles of the person authorized by all the any can sign with authority letter rivate/Public Ltd. or Government knowledge only I have swear this
				(Sign	(ature of the		/ Managing Partner/Director) icial seal)
	e true and in."	l correct and					at the contents of paras 1 to 4 naterial has been concealed or
(Notary)						



G2 क्र भारत 2023 INDIA

Appendix-'F'

INTEGRITY AGREEMENT

This Integrity Agreement is made at	on this	day of2024
-------------------------------------	---------	------------

BETWEEN

President of India represented through Comdt. Engr. NE Zone, Guwahati, (Name of Division) (Hereinafter referred as the (Address of Division)

"Principal/Owner", which expression shall unless repugnant to the meaning or context thereof include its success or sand permitted assigns)

AND

(Name and Address of the Individual/ firm/ Company)

through.....(Hereinafter referred to as

the (Details of duly authorized signatory) "Bidder/Contractor" and which expression shall unless repugnant to the meaning or context hereof include its successors and permitted assigns)

Preamble

(Name of work) "(i) Repair of Type-IV (20 Nos Quarters) (ii) Repair of Type-V (04 Nos Qtr) (iii) Repair of Type-III (14 Nos Qtr) (iv) Special Repair of Type-I (78 Nos Qtr)" at GC CRPF, Durgapur, Distt-West Burdwan (West Bengal) Pin-713214.

Here in after referred to as the "Contract".

AND WHEREAS the Principal/ Owner values full compliance with all relevant laws of the land, rules, regulations, economic use of resources and of fairness/ transparency in its relation with its Bidder(s) and Contractor(s).

AND WHEREAS to meet the purpose aforesaid both the parties have agreed to enter into this Integrity Agreement (hereinafter referred to as "Integrity Pact" or "Pact"), the terms and conditions of which shall also be read as integral part and parcel of the Tender/ Bid documents and Contract between the parties.

NOW, Therefore, in consideration of mutual covenants contained in this Pact, the parties here by agree as follows and this Pact witnesses as under:

Article1: Commitment of the Principal/Owner

The Principal/Owner commits itself to take all measures necessary to Prevent corruption and to observe the following principles:

No employee of the Principal/Owner, personally or through any of his/ her family members, will in connection with the Tender, or the execution of the Contract, demand, take a promise for or accept, for self or third person, any material or immaterial benefit which the person is not legally entitled to.

The Principal/Owner will, during the Tender process, treat all Bidder(s) with equity and reason. The Principal/Owner will, in particular, before and during the Tender process, provide to all Bidder(s) the same information and will not provide to any Bidder(s) confidential/ additional information through which the Bidder(s) could obtain an advantage in relation to the Tender processor the Contract execution.

The Principal/Owner shall endeavour to exclude from the Tender process any person, whose conduct in the past has been of biased nature.



If the Principal/Owner obtains information on the conduct of any of its employees which is a criminal offence under the Indian Penal code (IPC)/ Prevention of Corruption Act, 1988 (PC Act) or is in violation of the principles here in mentioned or if there be a substantive suspicion in this regard, the Principal/Owner will inform the Chief Vigilance Officer and in addition can also initiate disciplinary actions as per its internal laid down policies and procedures.

Article2: Commitment of the Bidder(s) / Contractor(s)

It is required that each Bidder/ Contractor (including their respective officers, employees and agents) adhere to the high esthetical standards, and report to the Government/ Department all suspected acts of fraud or corruption or Coercion or Collusion of which it has knowledge or becomes aware, during the tendering process and throughout the negotiation or award of a contract.

The Bidder(s)/ Contractor(s) commit himself to take all measures necessary to prevent corruption. He commits himself to observe the following principles during his participation in the Tender process and during the Contract execution:

The Bidder(s)/ Contractor(s) will not, directly or through any other person or firm, offer, promise or give to any of the Principal/ Owner's employees involved in the Tender process or execution of the Contract or to any third person any material or other benefit which he/she is not legally entitled to, in order to obtain in exchange any advantage of any kind whatsoever during the Tender process or during the execution of the Contract.

The Bidder(s) / Contractor(s) will not enter with other Bidder(s) into any undisclosed agreement or understanding, whether formal or informal. This applies in particular to prices, specifications, certifications, subsidiary contracts, submission or non-submission of bids or any other actions to restrict competitive or to cartelize in the bidding process. Competitiveness or to cartelize in the bidding process.

The Bidder(s)/ Contractor(s) will not commit any offence under the relevant IPC/PC Act. Further the Bidder(s) / Contract(s) will not use improperly, (for the purpose of competition or personal gain), or pass on to others, any information or documents provided by the Principal/ Owner as part of the business relationship, regarding plans, technical proposals and business details, including information contained or transmitted electronically.

The Bidder(s)/ Contractor(s) of foreign origin shall disclose the names and addresses of agents/ representatives in India, if any. Similarly, Bidder(s)/ Contractor(s) of Indian Nationality shall disclose names and addresses of foreign agents/ representatives, if any. Either the Indian agent on behalf of the foreign principal or the foreign principal directly could bid in a tender but not both. Further, in cases where an agent participates in a tender on behalf of one manufacturer, he shall not be allowed to quote on behalf of another manufacturer along with the first manufacturer in a subsequent/ parallel tender for the same item.

The Bidder(s)/ Contractor(s) will, when presenting his bid, disclose any and all payments he has made, is committed to or intends to make to agents, brokers or any other intermediaries in connection with the award of the Contract.

The Bidder(s)/ Contractor(s) will not instigate third persons to commit offences outlined above or be an accessory to such offences.

The Bidder(s)/ Contractor(s) will not, directly or through any other person or firm indulge in fraudulent practice means a wilful misrepresentation or omission of facts or submission of fake / forged documents in order to induce public official to act in reliance thereof, with the purpose of obtaining unjust advantage by or causing damage to justified interest of others and/ or to influence the procurement process to the detriment of the Government interests.

The Bidder(s)/ Contractor(s) will not, directly or through any other person or firm use Coercive Practices (means the act of obtaining something, compelling an action or influencing a decision through intimidation, threat or the use of force directly or indirectly, where potential or actual injury may be fall upon a person, his/ her reputation or property to influence their participation in the tendering process).



Without prejudice to any rights that may be available to the Principal/ Owner under law or the Contractor its established policies and laid down procedures, the Principal/ Owner shall have the following rights in case of breach of this Integrity Pact by the Bidder(s)/ Contractor(s) and the Bidder/ Contractor accepts and undertakes to respect and uphold the Principal/ Owner's absolute right:

If the Bidder(s)/ Contractor(s), either before award or during execution of Contract has committed a transgression through a violation of Article 2 above or in any other form, such as to put his reliability or credibility in question, the Principal/ Owner after giving14 day's notice to the contractor shall have powers to disqualify the Bidder(s)/ Contractor(s) from the Tender process or terminate/ determine the Contract, if already executed or exclude the Bidder/ Contractor from future contract award processes. The imposition and duration of the exclusion will be determined by the severity of transgression and determined by the Principal/ Owner. Such exclusion may be forever or for a limited period as decided by the Principal/Owner.

Forfeiture of EMD/ Performance Guarantee/ Security Deposit: If the Principal/ Owner has disqualified the Bidder(s) from the Tender process prior to the award of the Contractor terminated/ determined the Contractor has accrued the right to terminate/ determine the Contract according to Article3(1), the Principal/ Owner apart from exercising any legal rights that may have accrued to the Principal / Owner, may in its considered opinion forfeit the entire amount of Earnest Money Deposit, Performance Guarantee and Security Deposit of the Bidder/ Contractor.

Criminal Liability: If the Principal/Owner obtains knowledge of conduct of a Bidder or Contractor, or of an employee or a representative or an associate of a Bidder or Contractor which constitutes corruption within the meaning of IPC Act, or if the Principal/Owner has substantive suspicion in this regard, the Principal/Owner will inform the same to law enforcing agencies for further investigation.

Article 4: Previous Transgression

The Bidder declares that no previous transgressions occurred in the last 5 years with any other Company in any country confirming to the anticorruption approach or with Central Government or State Government or any other Central/State Public Sector Enterprises in India that could justify his exclusion from the Tender process.

If the Bidder makes incorrect statement on this subject, he can be disqualified from the Tender process or action can be taken for banning of business dealings/ holiday listing of the Bidder/Contractor as deemed fit by the Principal/ Owner.

If the Bidder/Contractor can prove that he has resorted / recouped the damage caused by him and has installed a suitable corruption prevention system, the Principal/Owner may, at its own discretion, revoke the exclusion prematurely.

Article 5: Equal Treatment of all Bidders/Contractors/Subcontractors

The Bidder(s)/Contractor(s) undertake(s) to demand from all sub-contractors a commitment in conformity with this Integrity Pact. The Bidder/Contractor shall be responsible for any violation(s) of the principles laid down in this agreement/Pact by any of its Subcontractors/sub-vendors.

The Principal/Owner will enter into Pacts on identical terms as this one with all Bidders and Contractors.

The Principal/Owner will disqualify Bidders, who do not submit, the duly Signed Pact between the Principal/Owner and the bidder, along with the Tender or violate its provisions at any stage of the Tender process, from the Tender process.

Article 6-Duration of the Pact

This Pact begins when both the parties have legally signed it. It expires for the Contractor/Vendor 30 Days after the completion of work under the contract or till the continuation of defect liability period, whichever is more and for all other bidders, till the Contract has been awarded

If any claim is made/lodged during the time, the same shall be binding and continue to be valid despite the lapse of this Pacts as specified above, unless it is discharged/determined by the Competent Authority, CRPF.

Article 7-Other Provisions

This Pact is subject to Indian Law, place of performance and Jurisdiction is the Headquarters of the Division of the Principal/Owner, who has floated the Tender.



Changes and supplements need to be made in writing. Side agreements have not been made.

If the Contractor is a partnership or a consortium, this Pact must be signed by all the partners or by one or more partner holding power of attorney signed by all partners and consortium members. In case of a Company, the Pact must be signed by a representative duly authorized by board resolution.

Should one or several provisions of this Pact turnout to be in valid; the remainder of this Pact remains valid. In this case, the parties will strive to come to an agreement to their original intensions.

It is agreed term and condition that any dispute or difference arising between the parties with regard to the terms of this Integrity Agreement / Pact, any action taken by the Owner/Principal in accordance with this Integrity Agreement/ Pact or interpretation thereof shall not be subject to arbitration.

Article 8-LEGAL AND PRIOR RIGHTS

(For and on behalf of Principal/ Owner)

All rights and remedies of the parties hereto shall be in addition to all the other legal rights and remedies belonging to such parties under the Contract and/or law and the same shall be deemed to be cumulative and not alternative to such legal rights and remedies aforesaid. For the sake of brevity, both the Parties agree that this Integrity Pact will have precedence over the Tender/Contract documents with regard any of the provisions covered under this Integrity Pact.

IN WITNESS WHEREOF the parties have signed and executed this Integrity Pact at the place and date first above mentioned in the presence of following witnesses:

Place: Dated:	(For and on behalf of Bidder/ Contractor)
WITNESSES:	
1	
(signature, name and address)	
2	
(signature, name and address)	