

भारत सरकार, गृह मंत्रालय GOVERNMENT OF INDIA, MINISTRY OF HOME AFFAIRS

केन्द्रीय रिजर्व पुलिस बल

CENTRAL RESERVE POLICE FORCE

कार्यालय विशेष महानिदेशक, दक्षिण अंचलमुख्यालय



पोस्ट— केश्वगीरी, हैदराबाद, तेलगाना—पिन—500005 P. O:KESHOGIRI. HYDERABAD. TELANGANA PIN–500005

नियंत्रण कक्ष/Control Rooms1 4024443324



Web.Site: www.crpf.nic.in/http://eprocure.gov.in/eprocure/app(cppp)

Tender Enquiry No. B.V-4/2024-25-SZ-Works (GC BLR) T/043

Dated, the 22/01/2025

NOTICE INVITING E-TENDER

The Commandant (Engineer), South Zone HQr, CRPF, Hyderabad (Telangana) for and on behalf of the President of India invites online tenders from Registered Contractors of 'CPWD/MES/NBCC/BRO/Other Central Govt. Departments/State PWD' or Equivalent applicable for the region' in appropriate class as per the amount of Tender under Two Bid system (Technical and Financial Bid) on the prescribed form as per the details given below:-

S1. No.	Name of Work	Place of Work	Amount of NIT	Amount of EMD (Mandatory)	Date & Time of opening of tender
I	II	III	IV	V	VI
1	Repairing of Type-1 quarter (O Block) of GC Banglore.	At GC, CRPF, Bangalore (Karnataka) Pin-560064.		Rs. 61,200/- *(No exemption of EMD)	On 31-01-2025 at 12:00 Hrs.

Note :-

- (i) All relevant details are available on CRPF website https://crpf.gov.in/index-hi.htm as well as on E-Procurement web site https://eprocure.gov.in/eprocure/app (CPP Portal). The same may be downloaded by the bidders.
- (ii) Tenderers are requested to watch the CRPF/CPPP website regularly for any change in tender enquiry/technical specification/ terms & condition.
- (iii) Date & Time of availability of tender as per CPP Portal.

Yours Sincerely Sd/- 22/01/2025 (Lt. Col. Vaibhav Srivastava)

Commandant (Engineer)

Contract Cell, SZ HQr [For and on behalf of the President of India]



भारत सरकार, गृह मंत्रालय GOVERNMENT OF INDIA, MINISTRY OF HOME AFFAIRS केन्द्रीय रिजर्व पुलिस बल CENTRAL RESERVE POLICE FORCE कार्यालय विशेष महानिदेशक, दक्षिण अंचलमुख्यालय 0/0 THE SPL. DIRECTOR GENERAL, SOUTH ZONE HOR



पोस्ट— केश्वगीरी, हैदराबाद, तेलगाना—पिन—500005 P. O: KESHOGIRI, HYDERABAD, TELANGANA PIN-500005 नियंत्रण कक्ष/Control Room91 4024443324

Web.Site: www.crpf.nic.in/http://eprocure.gov.in/eprocure/app(cppp)

Tender	Enquiry No. B.V-4/2024-25-SZ-Works (GC BLR) T/043	Dated, the 22/01/2025
Subject :-	Invitation of e-Tender.	
Dear Sir,		

On behalf of the President of India, I invite you to tender online bids for "Repairing of Type-1 quarter (O Block) of GC Banglore".

- 2. If you are in a position to quote rate for "Repairing of Type-1 quarter (O Block) of GC Banglore" in accordance with the requirements stated in the attached schedule to tender, all documents attached herewith should be fully filled in, signed and sealed by the respective firm and submitted through e-Procurement site https://eprocure.gov.in/eprocure/app failing which your tender will be liable to be ignored, and will not be considered.
- 3. This tender is not transferable.

Thanking you.

Yours Sincerely
Sd/- 22/01/2025
(Lt. Col. Vaibhav Srivastava)
Commandant (Engineer)
Contract Cell, SZ HOr

[For and on behalf of the President of India]

SCHEDULE OF TENDER

e-Tender Enquiry No.	B.V-4/2024-25-SZ-Works (GC BLR) T/043				
Name of work	"Repairing of Type-1 quarter (O Block) of GC Banglore".				
Place of work	At GC, CRPF, Bangalore (Karnataka) Pin-560064.				
Work schedule/Schedule of Quantity	Details as per Annexure-'I' of the Tender enquiry				
Amount of NIT/Estimated Cost	Rs. 30,57,915/- only				
E.M.D. (In INR) @2% Fixed	Rs. 61,200/- (Sixty One Thousand Two Hundred) only [Note: - EMD, in favor of The DIGP, GC, CRPF, Bangalore" [Payable At- SBI New Town Yelahanka, Bangalore (Code No. 6706)] and should be valid at least for 90 days from the date of opening of tender. If thereafter validity of the E.M.D. requires extension, the participated firm will be bound to extend the validity suitably. There is no exemption in EMD and it should be furnished by the bidder mandatorily. If the bidder fails to submit the EMD as specified then his tender will be liable to be rejected summarily]				
Date & Time of Publishing of Tender	On 23-01-2025 at 11:30 Hrs.				
Start date & time of submission online/ offline documents	W.E.F. 23-01-2025 at 11:30 Hrs. Onwards.				
Last date & time of submission online/offline documents	Till 30-01-2025 at 12:00 Hrs				
Date & time of opening of tender	On 31-01-2025 at 12:00 Hrs.				
Validity of offer	The tender shall remain open for acceptance till 90 days from the date of opening of bid and the accepted rates shall remain valid during the period of execution including the extended period, if any.				
Time allowed for completion of work	60 Days which will be reckoned from the date of issue of work Order or the date of handing over of the site, whichever is later.				

- 02. Tenderers are advised to go through the **Earnest Money Deposit (EMD)** and **Two Bid system clause** of this Tender Enquiry before filling the tender. In case date of opening of tender happens to be a closed holiday, the tender will be opened on next working day at the stipulated time.
- 03. All relevant details, including specification, terms & condition etc are available on **E-Procurement web site** https://eprocure.gov.in/eprocure/app (CPPP). The same may be downloaded by the bidders. Details can also be seen at CRPF website https://crpf.nic.in/tender_notices.htm. For any changes in Tender Enquiry/specifications etc, tenders are requested to visit CRPF/CPPP web sites regularly.
- O4. Scan copy of all Tender documents duly sealed and singed by firm, Earnest Money have to be uploaded through online on or before the schedule date and time prescribed in tender enquiry. Only original copy of Earnest Money Deposit and Tender Acceptance Letter (Attached as per Appendix -'C') shall be submitted physically in the Tender Box at CONTRACT CELL, SOUTH ZONE HQR, CRPF, HYDERABAD (TELANGANA) PIN 500005 on or before fixed due date and time for opening of tender. In case the firm fails to submit the original copy of above documents on or before the due date and time for opening of tender quotation will be ignored.
- 05. The tenderer may survey the site and decide the quantum materials: It is important that each page of the tender acceptance letter which is written undertaking that all the terms and condition of the tender are understood and accepted should be signed and submitted online through e-procurement site https://eprocure.gov.in/eprocure/app.

Sd/- 22/01/2025
(Lt. Col. Vaibhav Srivastava)

Commandant (Engineer)

Contract Cell, SZ HQr
[For and on behalf of the President of India]

IMPORTANT INSTRUCTIONS AND GUIDELINES

- 1. The intending Bidders must read all the terms and condition carefully and submit their tender through online (e-procurement web site in CPP Portal) before due date & time if they consider themselves eligible and are in possession of all the required documents. Bidders are also advised to go through the Earnest Money, Payment terms and other clauses, terms and conditions of this tender enquiry carefully before participating in bidding process. The Bids (Technical Bids only) against tender enquiry will be opened on the given date & time in the CONTRACT CELL, SOUTH ZONE HQR, CRPF, HYDERABAD (TELANGANA) PIN 500005. However date of opening of financial bids will be intimated to the eligible Bidders only after technical bid evaluation.
- 2. Bidders are requested to submit their bid/tender documents online through e-procurement website in CPP Portal duly filled and completed in all respect as per norms. Only original copy of EMD & Tender Acceptance letter are required to be sent/submitted in a sealed envelope superscripted with full address of the firm, tender enquiry/notice number & date, name of work, date and time of opening etc physically dropping it in the Tender Box at CONTRACT CELL, SOUTH ZONE HQR, CRPF, HYDERABAD (TELANGANA) PIN 500005 so as to reach on or before the scheduled time and date as mentioned in the schedule to the tender enquiry. Department is not responsible for any delay. In case date of opening of tender happens to be a closed holiday, the tender will be opened on next working day at the stipulated time. Late/Delay/Non-submission of original documents manually in a sealed envelope to CONTRACT CELL, SOUTH ZONE HQR, CRPF, HYDERABAD (TELANGANA) PIN 500005 would result in rejection of bid during online bid opening.
- 3. All Tender documents attached with this invitation to tender including specifications are sacrosanct for considering any offer as complete offer. It is therefore important that **Tender Acceptance Letter** (As per **Appendix-'C'** of Tender Enquiry) which is a "**Written Undertaking**" that all the terms and conditions of the tender are understood and accepted, should be ink signed and submitted along with all documents as required with the bid.
- 4. **Name** and **status** of the person signing the tender documents should clearly be mentioned in the tender documents.
- 5. While opening the tenders, the technical bid will be opened first instance and evaluated by the competent committee or authority. If the firm fails to full fill at the conditions specified in the tender notice and fails to attach the documents as asked above, the tender will be rejected immediately. At the second stage, financial bids of technical qualified firms will be opened for further evaluation and ranking before awarding the contract. Award of contract will be awarded overall **L-1 firm.**
- 6. The works required to be executed on credit basis and no interest will be payable on the delayed payment. The payment will be made direct to the Firm/ Contractor bank account through ECS on recoupment of bill. Payment in advance or immediately cannot be made. GST number of the firm should be clearly shown / quoted in the tender.
- 7. Intending Bidder is eligible to submit the bid provided he has definite proof from the appropriate authority, which shall be to the satisfaction of the competent authority of having satisfactorily completed similar works/services of magnitude specified.
- 8. The contractor submitting the tenders against the subject tender enquiry are informed that all relevant details with reference to the tender enquiry stipulations are clearly responded to. In case any of the tender enquiry stipulation are not clearly stated to or replied to by any of the contractor, **no** repeat **no** clarifications will be sought from the concerned firm and its offer will be rejected out rightly.
- 9. The Contractor shall comply with the orders issued by the **Commandant (Engineer), South Zone HQr, CRPF at HYDERABAD (TELANGANA)** from time to time during the contractual period. If he fails to do so, his failure will be a breach of contract and the **Commandant (Engineer), South Zone, CRPF** in his discretion without prejudice to any other right or remedy available in law can cancel the contract. The contractor shall be liable for any pecuniary liability arising on account of any violation by him.
- 10. Agreement shall be drawn/work order will be issued to the successful Bidder. Bidders shall quote their rates as per terms and conditions which will form part of the agreement/contract.
- 11. The rates quoted by the Contractor should be **inclusive** of all taxes.
- 12. Intending bidders are advised to inspect and examine the site and its surrounding and satisfy themselves before submitting their bids as to the nature of the ground and sub soil (so far as is practicable), the form and nature of the site, the means of access to the site, the accommodation they may require and in general shall themselves obtain all necessary information as to risks, contingencies and other circumstances which may influence or affect their bid. A bidder shall be deemed to have full knowledge of the site whether he inspects it or not and no extra charges consequent on any misunderstanding or otherwise specifically provided for in the contract documents. Submission of a bid by a bidder implies that he has read this notice with terms & conditions mentioned there in, all other contract documents and has made himself aware of the scope and specifications of the work to be done and of conditions and rates at which stores, tools and plant etc will be issued to him by the government and location conditions and other factors having a bearing on the execution of the work.
- 13. The bid for the work shall remain open for acceptance for a period of **90 days** from the date of opening of the bid and rate of accepted bid shall remain valid during the proposed contractual period including extension period if any. If any bidder withdraws his bid before the said period or issue of letter of acceptance whichever is earlier or makes any notifications in the terms and conditions of the bid which are not acceptable to the department, then the government shall, without prejudice to any other right or remedy, is at liberty to forfeit the said earnest money (bid security) as

aforesaid. Further the bidder shall not be allowed to participate in the re-bidding process of the work.

- 14. The officer inviting bid or his duly authorized assistant will open bid in the presence of intending contractors who may be present at the time of opening and will enter the amounts of the several bids in a comparative statement in a suitable form, in the event of a bid being accepted, a receipt for the earnest money forwarded therewith shall there upon be given to the contractor who shall thereupon for the purpose of identification sign copies of the specification and other documents. In the event of a bid being rejected, the earnest money forwarded which such unaccepted bid shall thereupon be returned to the contractors remitting the same, without any interest.
- 15. If there is any clarification, this may be obtained through the site, or during the pre-bid meeting, if any. Bidder should take into account the **corrigendum** published from time to time before submitting the online bids.
- 16. The officer inviting bids shall have the right of rejecting all or any of the bids and will not be bound to accept the lowest or any other bid.
- 17. The competent authority on behalf of the President of India does not bind itself to accept the lowest or any other bid and reserves to itself the authority to reject any or all the bids received without the assigning of any reason. All bids in which any of the prescribed conditions are not fulfilled or any condition including that of conditional rebate is put forth by the bidder shall be summarily rejected.
- 18. The competent authority on behalf of President of India reserves to himself the right or accepting the whole or any part of the bid and the bidder shall be bound to perform/provide the same at the rate quoted by him/accepted by the department.
- 19. Canvassing whether by bidders directly or indirectly in connection with bids is strictly prohibited and the bids submitted by the contractors who resort to canvassing will be liable to rejection.
- 20. All the Standard Conditions of the Contract shall be binding on the parties as per Indian Contract Act and prevailing Rules. The Contractor shall comply with all the applicable Acts, Rules, Regulations and Law (s) for entering into Contract and the User/CLIENT will not in any way be liable or responsible for any default / irregularities / penalties on the Contractor's part.
- 21. The Contractor or his authorized representative should visit the site as per requirement and meet Estate officer with prior appointment for any clarifications and to receive instructions, etc. at the site.
- 22. The contractor shall promptly and timely obtain all such consents, permissions, approvals, licenses etc., as may be necessary or required, in accordance with this Tender. The Contractor should obtain approvals, if any, necessary for the work from the Statutory Bodies on behalf of the USER/CLIENT. The Contractor shall assist the User/CLIENT fully in respect of any liaison with the Municipal or any other Authority for necessary approval / permission with regard to the maintenance works. The fees and other statutory charges, if any, will be reimbursed to the Contractor based on the original receipts produced to the User/CLIENT.
- 23. The Competent Authority has the right to accept or reject/cancel/scrap the tender as whole or part of it and no claims what so ever will be entertained on this account. The competent authority has also reserves the right to increase/decrease/alter the place of work/ quantity of work etc. and no claims what so ever will also be entertained.
- 24. If the Bidder want to mention any specific condition, it should be mentioned on the covering/forwarding letter in firm's letter head only which will be placed on the first page of the bid. Such condition mentioned in any other document shall not be given any consideration.

Sd/- 22/01/2025 (Lt. Col. Vaibhav Srivastava) Commandant (Engineer)

Contract Cell, SZ HQr [For and on behalf of the President of India]

Signature of Bidder (with seal)

GENERAL CONDITIONS OF THE CONTRACT

1	Terms of	1.1 Price should be quoted only as per price bid format/B.O.Q provided along with tender						
	price	documents at e-procurement site http://eprocure.gov.in/eprocure/app. The price bid in B.O.Q						
	F	format/template should not be modified/replaced by the bidder and the same should be uploaded						
		after filling the relevant columns, else the bidder is liable to be rejected for the tender. Bidders are						
		allowed to enter the bidder name and values only. No price bid is required to be submitted with						
		offline bid documents under technical bid.						
		1.2 The lowest bidder will be decided on overall rate of entire work. Rates quoted by the bidder						
		must be inclusive of all applicable taxes and other charges.						
		1.3 The E.P.F & E.S.I contributions on the part of employer in respect of the contract shall be paid						
		by the contractor to concerned department well in time. These contributions on the part of the						
		employer, paid by the contractor, shall be reimbursed by this department on actual basis only on						
		production of receipt of the concerned department, at the time of claim of bill. It is required to						
		produce documentary evidences to the concerned authority, violation of which even can end with						
		termination of contract.						
2	Payment	2.1 Works/Services category wise as per schedule to tender are to be provided as RA/Final Bill						
	terms	produced by the contractor and verified by competent authority of the department will be provided on						
		credit basis and E.C.S payment will only be made through PAO/RPAO for further drawl action						
		after satisfactorily completion of work as per specification, on production of bill in triplicate, bank						
		mandate form, cancelled cheque. No interest will be payable on delayed payment, if any.						
		2.2 Income Tax, GST-TDS, Labor Cess, Water Charges and other taxes as applicable will be deducted						
		from the bill of contractor by CRPF/PAO/RPAO as per norms.						
		2.3 While making payment TDS under section 194 (C) of I/Tax Rule 1961 and CGST & SGST						
		Act'2017 if any applicable will be deducted from the bill amount before release of payment.						
		2.4 No payment will be made for the contract till producing registration and payment for						
		labours in EPFO & ESIC.						
		Payment cannot be made in advance or immediately.						
		2.6 Any discrepancy in settlement of bills may be brought to the notice of User/CLIENT within a						
		period of one month after the settlement of the Bills. User/CLIENT will not entertain any claim						
		regarding any dispute in settlement of the bills after stipulated time.						
		2.7 RA Bill - Contractor is free to claim RA Bill as pert for the work executed. However, the frequency						
		of RA Bill will not be less than 15 days.						
2	Tondon foor							
3		3.1 Rs. 00.00 (Nil)						
4	Earnest	4.1 All the contractors are required to deposit Earnest Money/Bid Security Deposit (E.M.D.) as						
	Money	specified in invitation/schedule to tender along with their bid if applicable failing which their offers						
	Deposit	will be summarily rejected.						
	_	4.2 The E.M.D. shall be deposited by the bidders to be dropped physically in Tender Box at						
		CONTRACT CELL, SOUTH ZONE HQR, CRPF, HYDERABAD (TELANGANA) PIN - 500005 through						
		any of the following alternative forms:						
		a) Crossed bank draft/banker cheque drawn in favour of the "The DIGP, GC, CRPF,						
		Bangalore" [Payable At- SBI New Town Yelahanka, Bangalore (Code No. 6706)].						
		Personal Cheque will not be entertained and will result in rejection of bid.						
		b) Fixed deposit receipt drawn in favour of the "The "DIGP, GC, CRPF, Bangalore"						
		[Payable At- SBI New Town Yelahanka, Bangalore (Code No. 6706)].						
		c) An irrecoverable bank guarantee of any nationalized/ scheduled bank or reputed						
		commercial bank in the attached format as Appendix- 'B' .						
		4.3 The E.M.D. money shall remain valid for a period of 90 days from the date of tender opening and						
		be deposited to the department. If the validity of the tender is extended, the validity of the BG/or any						
		other alternate documents submitted in lieu of E.M.D. will also be suitably extended by the Bidder,						
		failing which their tender after the expiry of the aforesaid period shall not be considered by the						
		purchaser.						
		4.4 No interest shall be payable on the earnest money deposited by the Bidder.						
		4.5 The E.M.D. is liable to be forfeited if the Bidder withdraws or amends/impairs or derogates from						
		the tender in any respect within the period of validity of his tender.						
		4.6 The E.M.D. of the successful Bidder shall be returned after depositing of Performance Guarantee						
		(P.G.).						
		4.7 If the successful Bidder fails to furnish the Performance Guarantee (P.G.) as required in the						
		contract within the stipulated period, the E.M.D. shall be treated as Performance Guarantee (P.G.) for						
1		all practical purposes.						
		4.8 E.M.D. of all the unsuccessful bidders will be returned as early as possible after the expiry of						
1								
1		bid's validity, but not later than 30 days after placement of contract. Bidders are advised to send a						
		pre receipt challan along with their bids so that refund of earnest money can be done in time.						
		4.9 Any tender, where the Bidder is required to deposit E.M.D. in terms of conditions mentioned in						
		preceding paras, not accompanied with E.M.D. in any one of the approved forms acceptable to the						
1		competent authority, shall be summarily rejected. (As per GOI O/O AS & DC, MSME vide OM F.NO.						
1		21(8)/2011-MA dated 09/11/2016 and also by CPWD vide OM NO. DG/MAN/Misc./12 dated						
1		25/07/2017, there is No exemption of EMD for work contracts).						

Performance Guaranty

- 5.1 The successful contractor shall have to deposit a **Performance Guarantee (P.G.)** equivalent to **5% (Five Percentage)** of the contract value of the work within **07 (Seven)** days from the date of commencement of contract or issue work order whichever is earlier for due performance, failure on the part of the firm to deposit the Performance Guarantee within stipulated time empowers the competent authority to cancel the contract.
- 5.2 The Performance Guarantee submitted by the supplier will remain valid at least for **60 days beyond the date of completion** of all contractual obligations of the contractor including warranty obligations.
- 5.3 The Performance Guarantee shall be deposited to *The DIGP*, *GC*, *CRPF*, *Bangalore (Karnataka) Pin-560064* in any of the following alternative forms:-
 - a) A crossed bank draft drawn in favour of "The DIGP, GC, CRPF, Bangalore" [Payable At- SBI New Town Yelahanka, Bangalore (Code No. 6706)].
 - b) Fixed deposit receipt drawn in favour of the "The DIGP, GC, CRPF, Bangalore" [Payable At- SBI New Town Yelahanka, Bangalore (Code No. 6706)].
 - c) An irrecoverable bank guarantee of any nationalized/ scheduled bank or reputed commercial bank in the attached format as at **Appendix-'B'**
- 5.4 In case the contractor fails to deposit the Performance Guarantee within the stipulated period including extended period if any, the Earnest Money Deposited (E.M.D.) by the contractor along with his bid shall be forfeited automatically without any notice to the contractor. The earnest money deposited along with bid shall be returned after receiving the aforesaid performance guarantee.
- 5.5 If the contractor fails to provide required services as per schedule from the contract commencement date and places requests for extension of time, he shall submit an undertaking on Non judicial stamp paper of Rs. 10/- only duly attested by the Notary Public stating that the Performance Guarantee has already been extended for sixty days beyond the guarantee/warranty period of the contract.
- 5.6 In case a Fixed Deposit Receipt (F.D.R.) of any Bank is furnished by the contractor to the Government as part of the performance guarantee and the Bank is unable to make payment against the said fixed deposit receipt, the loss caused thereby shall fall on the contractor and the contractor shall forthwith on demand furnish additional security to the Government to make good the deficit
- 5.7 The Performance Guarantee shall be withheld or forfeited in full or part in case the work order is not executed/complied satisfactorily within the stipulated period or requisite standard within the guarantee period is not undertaken to the best satisfaction of the user/department.
- 5.8 Performance Guarantee will be returned to the bidder only after end of all contractual obligations.

Recovery of Security Deposit/ Retention Money

- 6.1 The person/persons whose tender(s) may be accepted (hereinafter called the contractor), shall permit Government at the time of making any payment to him for work done under the contract to deduct a sum at the rate of 2.5% of the gross amount of each running bill (periodic/interim payment) and final bill till the sum deducted will amount to 2.5% of the tendered value of the work as **Security Deposit/Retention Money** in addition to Performance Security. The earnest money instead of being released may form part of the security deposit.
- 6.2 Such deductions will be made and held by Government by way of Security Deposit unless he/they has/have deposited the amount of Security at the rate mentioned above in cash or in the form of Government Securities or fixed deposit receipts.
- 6.3 In case a fixed deposit receipt of any Bank is furnished by the contractor to the Government as part of the security deposit and the Bank is unable to make payment against the said fixed deposit receipt, the loss caused thereby shall fall on the contractor and the contractor shall forthwith on demand furnish additional security to the Government to make good the deficit.
- 6.4 All compensations or the other sums of money payable by the contractor under the terms of this contract may be deducted from, or paid by the sale of a sufficient part of his security deposit or from the interest arising there from, or from any sums which may be due to or may become due to the contractor by Government on any account whatsoever and in the event of his Security Deposit being reduced by reason of any such deductions or sale as aforesaid, the contractor shall within 10 days make good in cash or fixed deposit receipt tendered by the State Bank of India or by Scheduled Banks or Government Securities (if deposited for more than 12 months) endorsed in favour of the Estate Officer at concerned location, any sum or sums which may have been deducted from, or raised by sale of his security deposit or any part thereof.

7. System of bidding

- 7.1 All bidders are required to submit their offer in two bid system i.e. **Technical Bid** and **Financial Bid** separately.
- 7.2 In Technical Bid, the bid documents as per below mentioned details are required to be submitted only on CPPP in http://eprocure.gov.in/eprocure/app. Certain documents which are also mentioned below are required to be submitted in **original manually** and to be dropped in **Tender Box** at **Contract Cell, South Zone HQr, CRPF at Hyderabad (Telangana) Pin- 500005** in a sealed envelope **physically**.
- 7.3 The composite bid i.e. rate indicating in the Technical Bid "OPENLY" shall be ignored and bid will be **rejected** summarily.
- 7.4 <u>Price should be quoted only as per Price Bid (Financial Bid) format/**B.O.Q.** provided along with tender documents at e-procurement site http://eprocure.gov.in/eprocure/app. No price bid is required to be submitted with offline bid documents under technical bid.</u>



Contract Cell, SZ Page 8 of 28

Method of submission of bid.

First Cover (Technical bid) :-

8.1 The submission of technical bid will be entertained only online in e-procurement website. The Tender Enquiries duly filled in all aspects and having completed all applicable formalities along with scanned copies of required documents as per below mentioned details may be submitted online through CPP Portal as well as original as required and mentioned below be sent in sealed envelope duly superscripted with tender enquiry number, Name of Work and date of opening by physically in the Tender Box Contract Cell, South Zone HQr, CRPF at Hyderabad (Telangana) Pin- 500005 so as to reach on or before the scheduled time and date as mentioned in the schedule to the tender enquiry. Department is not responsible for any delay.

8.2 Details of documents required to be furnished/submitted by all the bidders in technical bid for participating in the bidding process are as under :-

(a) Documents (Legible scanned copy, duly signed) required to be submitted online in CPPP under Technical

- All pages of the tender documents duly completed & signed in all respect by the authorized signatory of the firm/contractor under the **seal**.
- Scanned Copy of EMD.
- Copy of valid registration of the firm as a registered "Contractor" with 'CPWD/MES/NBCC/BRO/Other Central Govt. Departments/ State PWD or Equivalent of applicable for the region where the work is to be executed in respective categories as per the nature of work and class as per the tender amount. [Note: The enlistment of the contractors should be valid on the last date of submission of tenders. In case only the last date of opening of tender is extended, the enlistment of contractor should be valid on the original date of opening of tenders. A copy of Registration Certificate as a "Contractor" issued by competent authority of 'CPWD/MES/NBCC/BRO/ Other Central Govt. Departments/ State PWD or Equivalent is mandatory to be uploaded with the tender documents by the Bidder (s). In case validity of enlistment/registration/trade license expired and the concerned firm has applied for renewal to the concerned department or ministry, the relevant documents of such renewal application along with undertaking of the firm should be essentially submitted with their bid.]
- Basic Information about the Bidder/Firm/Contractor (As per Appendix-F of Tender Documents.)
- Copy of valid PAN Card.
- Charted Accountant certified Annual Turnovers for the Assessment Year of 2021-22, 2022-23, 2023-24 or Financial Year 2020-21, 2021-22, 2022-23) [Bidder should have annual average turnover during the last three years, ending 31st March of the previous financial year, should be at least 30% of the estimated cost. [Note: Any false and/or inadequate information may result in rejection of the tender]
- Banker's Certificate / Solvency certificate from the authorized bank in India (The contractor must have a solvency at least 25% of Estimated Cost put to tender (ECT) duly certified by the Banker. Please note that the solvency certificate should not be more than o6 months old prior to the date of submission of tender or should have validity <u>as on last date</u> of submission of tender
- [Note:-Format of solvency certificate is given in Annexure-II for the purpose of guidance]
- Copy of registration certificate of **GST**.
- Past Performance/Experience for similar nature of works in Central / State Govt during the last 07 Financial Years (Copies of Completion Certificates mentioning amount and date of Completion of Work) in the following order :-
 - One similar completed work each costing not less than the amount equal to 80% of the estimated i) cost put to tender.

- Two similar completed works each costing not less than the amount equal to 60% of the ii) estimated cost put to tender.
- Three similar completed works each costing not less than the amount equal to 40% of the estimated cost put to tender.
- 10. Bank Remittance Particulars (viz copy of Bank Passbook/Cancelled Cheque etc.).
- 11. Copy of registration certificate of **EPF** and **ESIC**.
- Complete Postal address of contractor/Firm along with copy of valid I/Card viz Voter I/D Card, Aadhar Card etc.
- 13. Partnership Agreement of the firm (if the firm is a partnership firm) along with Specific Information as asked for as per Appendix-'D'. (If no papers submitted with the bid it will be assumed that the firm is a Single Proprietary and will held responsible if found false in later stage).
- 14. Any other relevant documents which the firms wish to submit as a part of offer.
- b) Documents required to be submitted original manually (Offline) in Sealed Envelope superscripted with Tender ID, name of work etc physically to be dropped in Tender Box at Contract Cell, South Zone HQr, CRPF at Hyderabad (Telangana) Pin- 500005 duly sealed under Technical Bid:
- Original **Earnest Money Deposit** (As per schedule to Tender).
- Tender Acceptance Letter: The firm should mandatorily submit the Tender Acceptance Letter (As per Appendix-'C') on Firm/Contractor letter head duly ink signed which should be clearly readable. The contractor may also upload a copy if he wishes so.

Note: No other documents other than original EMD and original Tender Acceptance Letter needs to be submitted offline. (If the bidder fails to submit the original EMD as well as Tender Acceptance Letter in offline as specified then his tender will be liable to be rejected summarily).

8.3 On due date & time, the Technical Bid will be opened and evaluated by the appropriate committee. Bids



which will be accepted in technical bid evaluation stage will be considered for opening of Financial Bid. No financial bid will be opened in respect of bids which are technically disqualified. 8.4 Failure on uploading/furnishing the requisite documents under Technical bid will lead rejection of their technical bids in straight way. The rejected bidder in Technical bid can represent the same within 72 hours after Technical Evaluation. Second Cover (Financial/Price Bid) :-Details of documents required to be furnished/submitted by all the bidders in Financial Bid for participating in the bidding process are as under :i. Details of rates, taxes, duties and discounts, if any, be quoted by the bidder in the BOQ which is an MS Excel Sheet and should be downloaded from the e-procurement https://eprocure.gov.in/eprocure/app. Rates must be clearly written in figures as well as in words. iii. Name of bidder must be written in the appropriate filed of BOQ by each bidder. iv. The Financial Bid will only be accepted through online in BOQ format and offline price bid will not be Prices should be quoted for each work as per enclosed BOQ format provided along with the tender document at e-Procurement site https://eprocure.gov.in/eprocure/app. 8.7 Quoted rates should be workable, reasonable and should include incidental and all overheads and profits. The Tenderer will furnish Rate Analysis for scrutiny of the rates by User/CLIENT. **Labour Laws** 9.1 The contractor shall comply with the provisions of the Contract Labour (Regulation and Abolition) Act, to be 1970, and the Contract Labour (Regulation and Abolition) Central Rules, 1971. complied by 9.2 The contractor shall also obtain a valid license under the said Act before the commencement of the the work, and continue to have a valid license until its completion. Contractor 9.3 The contractor shall also comply with provisions of the Inter-State Migrant Workmen (Regulation of Employment and Conditions of Service) Act, 1979. 9.4 The contractor shall also abide by the provisions of the Child Labour and Adolescent Labour (Prohibition and Regulation) Act, 1986. 9.5 The contractor shall also comply with the provisions of the building and other Construction Workers (Regulation of Employment & Conditions of Service) Act, 1996 and the building and other Construction Workers Welfare Cess Act, 1996. Any failure to fulfill these requirements shall attract the penal provisions of this contract arising out of the resultant non-execution of the work. 9.6 No Running Account Bill shall be paid for the work till the applicable labour licenses, registration with EPFO, ESIC and BOCW Welfare Board, whatever applicable are submitted by the contractor to the Engineer-in-Charge. 10 10.1 The time allowed for execution of the Works as specified in the NIT or the extended time in accordance Time and with these conditions shall be the essence of the Contract. The execution of the work shall commence Extension for from the date of issue of Work Order or the date of handing over of the site, as notified by the Delay Engineer-in-Charge, whichever is later. If the Contractor commits default in commencing the execution of the work as aforesaid and such default continues even after 10 days after a notice in writing has been given by the Engineer in charge, the performance guarantee shall be forfeited by the Engineer in Charge and shall be absolutely at the disposal of the Government without prejudice to any other right or remedy available in law. The contract shall stand determined when such decision regarding the forfeiture of the performance guarantee is communicated to the contractor. 10.2 Delays due to reasons beyond the control of both parties:-If the work(s) be delayed by:-(i) Force majeure, or (ii) Abnormally bad weather, or (iii) Serious loss or damage by fire, or (iv) Civil commotion, local commotion of workmen, strike or lockout, affecting any of the employed on the work, or (v) Delay on the part of other contractors or tradesmen engaged by Engineer-in-Charge in executing work not forming part of the Contract, or (vi) Any other cause like above which, in the reasoned opinion of the Engineer-in-Charge is beyond the control of both parties then upon the happening of any such event causing delay, the Contractor shall immediately give notice thereof in writing to the Authority. The said authorities, on receipt of such notice, considering the factual ground situation, give a fair and reasonable 'justified extension of time' and reschedule the mile stones for completion of work. 10.3 The contractor shall have no claim of damages against the delays listed in this sub clause i.e. sub clause 10.2. 11 Minimum 11.1 The contractor shall comply with the provisions of Minimum Wages Act, 1948 and Contract Labour (Regulation and abolition) Act, 1970 amended from time to time and rule framed there under and other labour **Wages Act** and EPFO & laws affecting contract labour that may be brought into force time to time. The contractor should also pay wages to his engaged labours against the contract as per existing notification of Ministry of Labour & Employment, G.O.I. **ESIC** including revision which takes place during the contractual period. Probable inflation of minimum wages during contractual period should be considered and taken into account while submitting bid. At the time of claim of bill it is required to produce documentary evidences (i.e. bank statement of employees) to the concerned authority, violation of which even can end with termination of contract. 11.2 The contractor shall have registration with EPFO and ESIC. The E.P.F & E.S.I contributions on the part of employer in respect of the contract shall be paid by the contractor to concerned department well in time. These contributions on the part of the employer, paid by the contractor shall be reimbursed by this department on actual basis and on producing receipt of the concerned department as per the applicable EPF & ESIC. 12 Termination 12.1 If the services of the contractor are not found to be satisfactory, the contractor will be given a notice, of agreement with a notice period of 6 days, to improve his work. If the contractor fails to improve his work within the Notice period, User/CLIENT shall have the discretion to terminate the contract either in part or in whole, on

any day after the expiry of the said notice period. Also the contract may be terminated if :-

Page 10 of 28

- the contractor commits a breach of any terms and conditions of this agreement and/or
- the contractor is adjudged an insolvent or a compromise is entered by him with his creditors or if distress or execution or other process is levied upon or receiver is appointed for any part of the assets or property of contractor and/or
- for any reason whatsoever, the contractor becomes disentitled in law to perform his obligations under this agreement and/or
- there is any variation in the ownership/partnership or management of the contractor or his business without the prior approval in writing of the User/CLIENT to such variation.
- In case of fraud committed by the contractor, the client holds the right to terminate the contract and also forfeit the PG/EMD.

In the event of termination of this agreement for any reason whatsoever, the contractor/or persons employed by him or his agents shall not be entitled for any sum or sums whatsoever from the User/CLIENT by way of compensation, damages or otherwise.

13 **Termination** of contract on death of contractor

13.1 Without prejudice to any of the right or remedies under this contract, if the contractor dies, the Commandant (Engineer) SZ with the recommendation of competent authority, shall have the option of terminating the contract without compensation to the contractor. If the contractor is an individual or proprietary concern and individual or the proprietor dies or if the contractor is a partnership concern and one of the partner dies then unless, the Commandant (Engineer) SZ with the recommendation of competent authority, is satisfied that the legal representative of the individual for the proprietary concern or the surviving partners are capable of carrying out and completing contract, the Commandant (Engineer) SZ with the recommendation of competent authority, is entitled to cancel the contract for the uncompleted part without being in any way liable for any compensation payment to the estate of deceased contractor or to the surviving partners of the contractor's firm on account of the cancellation of contract. The decision of the Commandant (Engineer) SZ with the recommendation of competent authority, in such assessment shall be final and binding on the parties. In the event of such cancellation the Commandant (Engineer) SZ with the recommendation of competent authority, shall not hold the estate of deceased contractor and/or the surviving partners of the contractor's firm liable for any damages for noncompletion of contract

14 Escalation of Cost

15

14.1 Claims regarding escalation in cost of material & labour in any circumstance will not be entertained. The intending bidders before participating in the Tender must ensure the same.

Contractor Liable for Damages, defect liability Period

15.1) If the contractor or his working people or servants shall break, deface, injure or destroy any part of building in which they may be working, or any building, road, road kerb, fence, enclosure, water pipe, cables, drains, electric or telephone post or wires, trees, grass or grassland, or cultivated ground defects during contiguous to the premises on which the work or any part is being executed, or if any damage shall happen to the work while in progress, from any cause whatever or if any defect, shrinkage or other faults appear in the work within Liability Period i.e. 12 Months (other than road work, water proofing treatment and Anti Termite Treatment work, Performa attached as "Appendix E") after a certificate final or otherwise of its completion shall have been given by the Engineer-in-Charge as aforesaid arising out of defect or improper materials or workmanship the contractor shall upon receipt of a notice in writing on that behalf make the same good at his own expense or in default the Engineer-in-Charge cause the same to be made good by other workmen and deduct the expense from any sums that may be due or at any time thereafter may become due to the contractor, or from his security deposit or the proceeds of sale thereof or of a sufficient portion thereof.

15.2) The security deposit of the contractor shall not be refunded before the expiry of Defect Liability Period i.e. 12 Months (other than road work, water proofing treatment and Anti Termite Treatment work, Performa attached as "Appendix E") after the issue of the certificate final or otherwise, of completion of work, or till the final bill has been prepared and passed whichever is later.

15.3) Provided that in the case of road work, if in the opinion of the Engineer-in-Charge, half of the security deposit is sufficient, to meet all liabilities of the contractor under this contract, half of the security deposit will be refundable after six months and the remaining half after twelve months of the issue of the said certificate of completion or till the final bill has been prepared and passed whichever is later.

15.4) In case of Maintenance and Operation works of E&M services, the security deposit deducted from contractors shall be refunded within one month from the date of final payment or within one month from the date of completion of the maintenance contract whichever is earlier.

15.5) GUARANTEE FOR WATER PROOFING TREATMENT: Five years guarantee in prescribed proforma attached must be given by the contractor for the water proofing treatment. In addition 10% (ten percent) of the cost of these items would be retained as guarantee to watch the performance of the work executed. However, half of this amount (withheld) would be released after two monsoon season after the completion of the work if the performance of the water proofing work done is satisfactory. If any defect is noticed during the guarantee period it should be rectified by the contractor within seven days and, if not attended to, the same shall be got done by other agency at the risk and cost of the contractor. In any case the guaranteeing firms during the guarantee period should inspect and examine the treatment once in every year and make good any defect observed. However, the security deposit can be released in full, if a call receipt of a Bank Guarantee from scheduled Bank/Fixed Deposit receipt of Scheduled Bank/Demand Draft of scheduled Bank issued / drawn in favor of "The DIGP, GC, CRPF, Bangalore" [Payable At- SBI New Town Yelahanka, Bangalore (Code No. 6706) for 5 (Five) year is produced and deposited with the department.

for Delay

16.1 If the firm fails to complete the work within prescribed completion period the User/Client may recover from the Contractor liquidated damages including administrative expenses etc. A sum equivalent to 2% of the price of work which contractor fails to execute within prescribed completion period fixed for each month or part of month. Delay so claimed shall not exceed 10% of the total contract.

17 Other terms & condition

17.1 The contractor/firm shall employ the required workmen [Skilled/Un-Skilled] as per terms and conditions of the tender enquiry. Immediately after award of contract, the contractor/firm should intimate name of workmen to whom the firm has employed for the tendered work along with complete details in firm's letter head and supporting papers of technical capabilities of the workmen where ever applicable against the contract. The workmen so engaged against the contract should maintain discipline inside of the campus.

17.2 All works, complaints / instructions given by the respective authorities covered under the Annual Maintenance Contract are to be attended on the same day. In case of delay in attending the work in time, User/CLIENT will be at liberty to get the work done through any other agency and the cost therefore shall



be recovered from the Contractor at the discretion of User/CLIENT.

- 17.3. Personnel employed for operation of STP/Water treatment plant/ESS should have experience of Operation, maintenance & services of respective services and equipment and all personal records should be maintained by the contractor.
- 17.4 The workmen engaged by the contractor/agency shall be at their own risk and in case of any untoward, incident, mishap the contractor/agency will be liable for such risks and the department will not be held responsible in any way for such mishap and untoward incidents.
- 17.5 Technical manpower should be provided by successful bidder to execute the specialized work.
- 17.6 User/CLIENT shall not be responsible for the release of benefits, such as salary, leave, Provident Fund, ESI, Pensioner benefits or allowances to the staff employed by the contractor. **User/Client will not be held responsible for any Accident/injury / carrying out default work and any statutory levied by the govt./ state government. etc.** Excess payment due to any changes in the Minimum Wages Act or in any other labour legislation/provisions or other statutory obligations during the validity period of the contract shall be the responsibility of the contractor.
- 17.7 The contractor will be responsible and ensure timely payment to its personnel deployed in the premises and compliance of all statutory provisions relating to minimum wages, Provident Fund and Employees State Insurance, etc. in respect of the persons deployed by them in User/CLIENT and under intimation/in the presence of User/CLIENT officer. The Contractor shall be responsible to fulfill all the obligations in connection with the workers employed by it for the purpose of the Contract and all the Statutory and other liabilities if any including minimum wages of Central/ State Govt. (whichever is higher shall be applicable), leave, salary, uniform, identity cards, ex-gratia, ESI, Provident Fund, Workman Compensation, if any, etc. (as applicable) in connection therewith shall be on the Contractor account and payable by the concerned Contractor. The contractor shall liaise with Labor Deptt. of State Govt. / Central Govt. and comply with all necessary regulations/instructions in this regard.
- 17.8 The Contractor shall be fully responsible and shall indemnify User/CLIENT with suitable Insurance cover in the event of any damage to men or material, injury / damage or death as the case may be, caused directly or indirectly due to the negligence of the Contractor or his agents and / or his employees or workmen. The decision of User/CLIENT in this regard shall be final and binding.
- 17.9 The contractor's personnel shall not claim any benefit/ compensation /absorption /regularization of services under the provision of the Industrial Disputes Act, 1947 or Contract Labour (Regulation & Abolition) Act,1970.
- 17.10 In case of any default or failure on Contractor's part to comply with all / any one of the Terms / Conditions, User/CLIENT reserves the right to take necessary steps to remedy the situation including, inter-alia, the deduction of appropriate amount/s from dues otherwise payable to Contractor and/or by taking recourse to appropriate recovery proceedings. The contractor shall keep User/CLIENT indemnified against all claims whatsoever in respect of the manpower deployed by it in User/CLIENT. In case any employee of the contractor so deployed enters in dispute of any nature whatsoever, it will be the primary responsibility of the contractor to contest the same. In case User/CLIENT or its employee is made party and Supposed to contest the case, User/CLIENT will be reimbursed for the actual expenses incurred towards Counsel Fee and other expenses which shall be paid in advance by the contractor to User/CLIENT or any person authorized by User/CLIENT, on demand. Further, the contractor will ensure that no financial or any other liability comes to User/CLIENT or its employee in this respect of any nature whatsoever and shall keep User/CLIENT or any employee of User/CLIENT indemnified in this respect.
- 17.11 For any dispute, the decision of User/CLIENT shall be final and binding upon the contractor. However, any dispute or difference whatsoever arising on any matter concerning this contract between the parties out of or relating to the services, meaning, scope, operation or effect of this contract or the validity or the breach thereof shall be settled through court of law.
- 17.12 On site storage space will be provided to the Contractor subject to availability. However, the Contractor may erect temporary sheds for storage purposes at his cost with the permission of the User/CLIENT. User/CLIENT will not be responsible for Contractor's materials. The Contractor may be required to vacate the storage space and sheds as per exigency without any extra cost to User/CLIENT. If any statutory charges are required to be paid for erection of sheds, the same should be borne by the Contractor.
- 17.13 The Contractor shall provide all necessary Tools & Plants materials or any other equipment, materials, labour, etc. and no payment in this regard will be made by User/CLIENT. The Contractor shall supply, fix and maintain all the scaffoldings, jhulla, safety belt, extra labour to hold ladders/jhoolas, T&P, etc., at his cost during the execution of any work and remove them as soon as the work is completed, without causing any damage to User/CLIENT's property.
- 17.14 The Contractor shall not directly or indirectly transfer, assign or sublet the Contract or any part of it, without written permission of User/CLIENT. But he can engage various licensed agencies/agencies for carrying out different works.
- 17.15 It is the contractor's responsibility to coordinate with other service providers No other charges for such works shall be payable.

Sd/- 22/01/2025
(Lt. Col. Vaibhav Srivastava)
Commandant (Engineer)
Contract Cell, SZ HQr
[For and on behalf of the President of India]

[.....]
Signature of Bidder
(with seal)



Contract Cell, SZ

SPECIAL TERMS & CONDITIONS OF THE CONTRACT

- 1. If a bidder / tenderer quotes NIL charges / consideration, the bid shall be treated as unresponsive and will not be considered.
- 2. Temporary I-card may be issued by the Estate Officer to skilled labour /operators/ Supervisor. So that frequent movement can be done for the sake of speedy resolution of complaints. However labour camp will not be permitted in the CRPF premises CRPF is not responsible for any type of arrangement of labour camp. Contractor is solely responsible for the accommodation & timely wages to their staff.
- 3. User/CLIENT does not bind itself to accept abnormally low bids. The rates quoted by the tenderer/bidder should be able to demonstrate the capability of the tenderer/bidder to deliver the contract at the offered price. Abnormally low bids/rates will be subject to analysis by User/CLIENT. If required, User/CLIENT may call written clarification from bidder, including detailed price analysis of the bid price in relation to scope, schedule, allocation of risks and responsibilities and any other requirements of the bid document and tenderer/bidder shall have to furnish Rate Analysis for the scrutiny of rates by User/CLIENT within stipulated time. User/CLIENT reserves the right to reject the bid if bid is found to be abnormally low to deliver/perform the contract.
- 4. The manpower deployed by the contractor should be polite, cordial, positive, efficient and their personal records should be maintained by the contractor while handling the assigned work so that their actions promote goodwill and enhance the image of User/CLIENT. Necessary grooming should be done by the contractor before posting the staff at site. He shall also comply with the provisions of all labour legislations. Receipt of any complaint in this regard shall be viewed seriously.
- 5. The Contractor should not employ any person who is prohibited by Law from being employed for fulfilling obligations under this Contract. Any indecent behavior / suspicious activities of the staff employed shall be viewed seriously and a suitable penalty shall be imposed on contractor. The contractor is also required to submit the list of workers with photo ID, educational qualification, address proof, etc. before deputing the workers. An attendance register shall be maintained at site indicating number of persons deployed for the inspection by User/CLIENT officials/representative.
- 6. Any act of indiscipline / misconduct / theft / pilferage on the part of any employee engaged by the Contractor resulting in any loss to User/CLIENT in kind or cash will be viewed seriously and User/CLIENT will have the right to take legal action along with levy damages or fine and / or even terminate the Contract forthwith, if necessary.
- 7. The appointed contractor is required to generate End of the Day (EoD) reports on status of works, labour deployed, etc. to the concerned officer of the Client.
- 3. Contractor shall follow the prescribed formats/procedures for official documentation like registers, etc. as stipulated by User/CLIENT from time to time.
- 9. In case of emergency work, no extra payment for working in odd hour will be made.
- 10. The property will be handed over to the Contractor on 'as is where is' basis and the contractor shall ensure proper service to a reasonably satisfactory level.
- 11. User/CLIENT reserves to change scope of work during the contract period.
- 12. The successive bidders are responsible for replacing/repairing the stores while got defective during the warranty/guarantee/liability period.
- 13. The purchaser reserves the right to place order on the next higher successful firm if the firms quoting lower rates do not fulfill the requirements of Tender Enquiry due to their limited bank solvency/capacity.
- 14. Reject / Cancel / Scrap : The competent authority has got the right to accept or reject / cancel / scrap the tender as whole or part of it and no claims what so ever will be entertained on this account. The competent authority also reserves the right to increase / decrease / alter the scope of work / quantity of work etc and no claims what so ever will be entertained.
- 15. The contractor should possession of labour license under the contract labour (Regulation and abolition) act, 1970 & 1971 from regional labour commission (Central) of area concerned.
- 16. While the tenderer and the purchaser shall make every effort to resolve any issue amicably through direct informal negotiation, in the event of any disagreement or dispute arising between them under or in connection with the contract shall be settled under court of law within its jurisdiction at state under. The resultant contract will be interpreted as per the prevailing Indian laws and various directions of the Govt. of India. In case of dispute as to the mode of measurement not covered by the contract to be adopted for any item of work, mode of measurement as per latest India specification shall be followed.
- 17. The contractor shall not be permitted to tender for works in the CRPF in which his near relative of CRPF is involved. If so, he shall also intimate the names of persons who are working with him in any capacity or are subsequently employed by him and who are nearrelatives to any CRPF officer/ personnel.
- 18. Department will not be responsible for any kind of incident involving the labour during or after the work. The contractor must ensure the workers against all contingencies and be responsible for their safety.
- 19. This Notice Inviting Tender and Integrity Agreement (Refer Appendix "A") shall form a part of the contract document.
- 20. The L1 bidder will have to submit a copy of this Tender duly signed on each page along with other relevant documents if required during award of work.



- 21. FINAL INSPECTION: After completion of work as per specification the whole work will be subject to a final inspection to ensure that job has been completed as per requirement. If any defects noticed in the work are attributable to Contractor, these shall be attended by the contractor at his own cost, as and when they are brought to his notice by the DIGP, GC, CRPF, Bangalore (Karnataka) /Work committee/Officer Commanding of Building / Engineer in charge. The DIG cum Estate Officer GC, CRPF, Bangalore (Karnataka) and its representative shall have the right to have these defects rectified at the risk and cost of the contractor if he fails to attend to these defects immediately.
- 22. No part of the CONTRACT nor any share or interest therein shall in any manner or degree be transferred, assigned or sublet by the CONTRACTOR directly or indirectly to any person, firm or corporation whatsoever without the consent in writing of the **Commandant(Engr.)**, **SZ Zone**, **CRPF**, **Hyderabad**, **Telangana**.

1. ADDITIONAL SPECIFICATION FOR CIVIL WORKS:

- a). All materials required to be used on works shall be got approved from the **DIG-cum-Estate GC**, **CRPF**, **Bangalore** (Karnataka) / Officer Commanding of Building in advance. In case of doubt on any material, **DIGP**, **GC**, **CRPF**, **Bangalore** (Karnataka) wears the right to get the material test from Govt. approved labs/NABL.
- b). The quoted rate should be inclusive of all taxes, levies, works contract taxes, duties etc.
- c). All items to be used in this work should be branded and ISI. In this case, **LIST OF APPROVED MAKES** as mentioned in NIT or CPWD approved list of material for similar work may be followed.

Sd/- 22/01/2025
(Lt. Col. Vaibhav Srivastava)

Commandant (Engineer)

Contract Cell, SZ HQr
[For and on behalf of the President of India]

[......]
Signature of Bidder
(with seal)

C/M	LIST OF A	PPROVED MAKES FOR CIVIL WORKS
S/N	Ordinary Portland cement	Approved Make ACC, Shree Cement, Ambuja, Birla (Vikram) Ultra-tech.
2	Reinforcement Bars	Tata steel, SAIL, RINL, Secondary producer RATHI and BARNALA make.
3	Synthetic Enamel Paints	Burger (Luxol gold), Asian (Apcolite), ICI Dulux (Gloss), Nerolac.
4	Cement Paint, paint, distemper, primer	Berger paint ltd., Nerolac Paint, Asian Paint Ltd., Shalimar Paint Ltd.
·		
5	Admixture for concrete	Pidilite, FOSROC & Bostic
6	Epoxy Paint	Nerolac ,Shalimar, Berger, Asian, Fosroc
7	Terrazo tiles (precast)	NITCO, GEM, MODERN, HINDUSTAN, JONSON, ORIENT, KAJARIA.
8	Chequred tiles Water proofing compound	NITCO, GEM, MODERN, HINDUSTAN, JONSON, ORIENT, KAJARIA. FOSROC BY Fosroc Ltd., IMPERMO by Snocem India, Cheseal by Overseas water
9	water proofing compound	proofing compound, PIDILITE, Bostik
10	Paving Tiles/Paver Block	Nitco Prefab, Ultra KK, TERRAFIRMA, UNISTONE.
11	CC kerb stone	Nitco Prefab, K.K. Manhole, TERRAFIRMA, UNISTONE.
12	White cement	Birla White, J.K. White, Ultra-tech
13	Structural Steel	SAIL, TATA, RINL, SRMB
14	Mild Steel Tubes	TATA, SAIL, ISCO, SRMB
15	Welding Electrodes	ESAB, Advani-orlikon, Weld Alloy
16	RMC	RMC, ACC, BIRLA, L&T and other manufacturer of RMC subjected to approval of Engineer-in-Charge. The contractor shall submit the RMC plant list for approval. Contractor own plant of RMC with minimum capacity of 30 cum per hour.
17 18	TMT Fe 415/500 Stainless Steel	TISCON, ISCON, RINL, SAIL, SRMB Prism Engineers, JINDAL stainless steel, Tata, JSW steel.
19	Glazed ceramic/Non-skid walls/floor tiles.	Nitco, Johnson, Somany, Kajaria
20	Vitrified tiles (Normal/double charge/Anti	Nitco, Johnson, Somany, Kajaria
	skid)	,,,
21	PVC/UPC door frames/window/door	Supreme, Rajshri plastwood, H.R. Enterprises
	/ventilators and shutters	
	OF APPROVED MAKES FOR ALUMINIUM WO	
1	Aluminum	Indal / Hindalco / Jindal or equivalent.
2	Masking Tapes	Suncontrol/ Wonder Polymer
3	Stainless Steel Screws for fabrication and fixing of windows	Kundan/ Puja/ Atulor equivalent.
4	Proposed Treatment on MS Brackets	Galvanised brackets as per IS: 4759-1996, 610 gms/ sqm (Microns) 80-90
5	Stainless Steel Bolts / Washers and Nuts	Kundan/ Puja/ Atulor equivalent.
6	Stainless Steel Pressure Plate Screws	Kundan/ Puja/ Atulor
7	Stainless Steel Friction Stay	Earl Behari, Anandor
8	EPDM Gaskets	Roop/ Anandor equivalent.
9	6mm thick clear Float Glass	Modi, St. Gobain, Gujrat Guardian Ltd, Float Glass of India.
10	Weather silicon make and Grade	Dow Corning / Wacker/ GE.
11	PVC Continuous fillet for periphery packing of Glazing / Curtain wall	Roop/ Anand/ Forex Plastic.
12	Powder coating material pure polyester	Berger/ GoollessNerolac, Bostik, Shalimar, Asian, Fosroc
13	Laminated reflective Glass	Glaverbek (Belgium) St. Gobain.
LIST	OF APPROVED MAKES OF MATERIALS FOR	SANITARY INSTALLATION AND WATER SUPPLY, DRAINAGE
1	Sanitary wares	Parryware, CERA, Jaquar, Hindware, Kohler
2	Bevelled edge mirror with PVC	Atul, Modi Guard Saint Gobain.
3	GI Pipes/ M.S. Pipes	Tata, GST, Jindal, Prayag.
4	Brass /CP Brass fittings	Marc, Jaquar, Cera, Kohler, Dripless.
5	Stainless Steel sink	Hindware, Nirali, Jindal steel sink, Cera, Kaff.
6	Automatic Flushing Cistern	Parryware, CERA, Johnson CERA, jaquar, kohler, Hindware.
7	Surgeon Mixers	Jaquar, kohler, Hindware, Cera
8	GI Fittings Plastic WC seat cover	Tata, Jindal pipe Ltd (JPL), Unik, Zoloto. Parryware, CERA, jaquar, Hindware
10	Flush Valves	Jaquar, CERA, kohler, Hindware
11	C.P. Accessories	Dripless, Parryware, CERA, jaquar, Kohler
12	Gunmetal Valves (Fullway Check and Globe Valves)	Leader, Sant, Jaynam, Zoloto or equivalent.
13	Stoneware pipes & Gully trap	Perfect, Burn, Parry or equivalent.
14	C.I. Double flanged sluice valves	Kirloskar, IVC, Burn or equivalent.
15	C.I. Doubled flanged non return valves	Kirloskaror equivalent.
16	C.I. Manholes	B.C., R.I.F., NECO or equivalent.
17	Ball Valves	Zoloto, IBP, ARCO or equivalent.
18	Butterfly Valve	AUDCO or equivalent.
19	Water Tank	Sintex, Polycon, Electroplast, Astral, Supreme only ISI Mark.
20	Water pumps	Kirloskar, KSB, Harrison or equivalent.
21	Float Volves	Prayag, Prima , Jainko
22	RCC pipes Centrifugal cast iron pipes 150mm/ 100mm dia	IHP or equivalent NECO, RIF, HIF, HEPCO or equivalent.
23	and its accessories / fittings	neco, Kir, thir, thei co of equivalent.
24	Stainless Steel Wash-basin & WCs	Cera, Hindware, nirali, Jindal steel sink, Kaff
25	Atactic Polypropylene polymer (APP)	STP, FOSROC, Bostik, Pidilite.
	Membrane Sheet	

Membrane Sheet

Note: If any other make is to be used, the same shall be got approved from the NIT approving Authority.



SCHEDULE OF QUANTITY

Annexure-I

	on of Work :- AT GC, CRPF, Bangalore (Karnataka) Pin-560064		
lame	of Work: - Repairing of Type-1 quarter (O Block) of GC Banglore"		1
S/N.	Item / Description	Qty.	Unit
1.	Dismantling W.C. Pan of all sizes including disposal of dismantled materials i/c malba all Complete as per directions of Engineer-in- Charge.	18.00	No
2.	Providing and fixing water closet squatting pan Indian type W.C. pan) with 100 mm sand cast Iron P or S trap, 10 litre low level white P.V.C. flushing cistern, including flush pipe, with manually controlled device (handle lever) conforming to IS: 7231, with all fittings and fixtures complete, including cutting and making good the walls and floors wherever required White Vitreous china Orissa pattern W.C. pan of size 580x440 mm with integral type foot rests each.Indian type	18.00	No
3.	Providing and fixing 8 mm dia C.P. / S.S. Jet with flexible tube upto 1 metre long with S.S. triangular plate to Eureopean type W.C. of quality and make as approved by Engineer - in - charge.	18.00	No
4.	Providing and fixing C.P. brass bib cock of approved quality conforming to IS:8931:15 mm nominal bore	72.00	No
5.	Providing and fixing C.P. brass angle valve for basin mixer and geyser points of approved quality conforming to IS:8931 15mm Nominal bore.	36.00	No
6.	Providing and fixing on wall face unplasticised Rigid PVC rain water pipes conforming to IS: 13592 Type A, including jointing with seal ring conforming to IS: 5382, leaving 10 mm gap for thermal expansion,(i) Single socketed pipes. 110 mm diameter	240.00	Metro
7.	Providing and fixing PTMT grating of approved quality and colour. Circular type 100 mm nominal dia	54.00	No
8.	Providing and fixing S.W. intercepting trap in manholes with stiff mixture of cement mortar 1:1 (1 cement : 1 fine sand) including testing of joints etc. complete : 100 mm Dia	6.00	No
9.	Providing and fixing C.P. brass stop cock (concealed) of standard design and of approved make conforming to IS:8931. 15 mm nominal bore	18.00	No
10.	12 mm cement plaster of mix: 1:4 (1 cement: 4 fine sand) Repairing work(Toilet & joint)	270.00	Sqm
11.	Providing and laying water proofing treatment in sunken portion of WCs, bathroom etc., by applying cement slurry mixed with water proofing cement compound onsisting of applying: (a) First layer of slurry of cement @ 0.488 kg/sqm mixed with water proofing cement compound @ 0.253 kg/ sqm. This layer will be allowed to air cure for 4 hours. (b) Second layer of slurry of cement @ 0.242 kg/sqm mixed with water proofing cement compound @ 0.126 kg/sqm. This layer will be allowed to air cure for 4 hours followed with water curing for 48 hours. The rate includes preparation of surface, treatment and sealing of all joints, corners, junctions of pipes and masonry with polymer mixed slurry.	94.50	Sqm
12.	Renewing glass panes, with putty and nails wherever necessary including racking out the old putty: Float glass panes of nominal thickness 4 mm(weight not less than 10kg/sqm)	53.64	Sqm
13.	Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply, including all CPVC plain & brass threaded fittings, i/c fixing the pipe with clamps at 1.00 m spacing. This includes jointing of pipes & fittings with one step CPVC solvent cement and the cost of cutting chases and making good the same including testing of joints complete as per direction of Engineer in Charge. Concealed work, including cutting chases and making good the wall 32 mm nominal dia Pipe (For old rusting GI Pipe)	216.00	Metro
14.	Providing and fixing P.V.C. waste pipe for sink or wash basin including P.V.C. waste fittings complete: Flexible pipe 32 mm dia.	36.00	No
15.	Providing and fixing aluminium tower bolts, ISI marked, anodised (anodic coating not less than grade AC 10 as per IS: 1868) transparent or dyed to required colour or shade, with necessary screws etc. complete: 200x10 mm	72.00	No
16.	Providing and fixing aluminium handles, ISI marked, anodised (anodic coating not less than grade AC 10 as per IS: 1868) transparent or dyed to required colour or shade,	72.00	No



Contract Cell, SZ

with necessary serews etc. complete: 125 mm Dismantling C.I. pipes including excavation and refilling trenches after taking out the pipes, manually/ by mechanical means breaking lead caulked joints, melting of lead and making into blocks including stacking of pipes & lead at site within 50 metre lead. Demolishing cernate roes skirting raking out joints and cleaning the surface for plaster including disposal of rubbish to the dumping ground within 50 metres lead. Demolishing cement concrete manually by mechanical means including disposal of material within 50 metres lead as per direction of Fingineer - in - charge. Nominal concrete 14-8 or learn mix (6/c equivalent design mix) Providing and fixing 1st quality ceramic glazed wall tiles conforming to 18: 15622 (thickness to be specified by the manufacturer) of 1st quality conforming to 18: 15622 (thickness to be specified by the manufacturer) of 1st quality conforming to 18: 15822 of approved make in colours such as White, Ivory, Grey, Fume Red Brown, laid on 20 mm thick specified by the manufacturer) of 1st quality conforming to 18: 15822 of approved make in colours such as White, Ivory, Grey, Fume Red Brown, laid on 20 mm thick comment mortar 14 (1 cment : 4 Coarse sand), Jointing with grey cement surry @ 3.3 kg per sqm, including pointing in white cement mixed with pigment of matering shade complete. 21. Dismantling of flushing cistern of all types (CLIPVC/Vitrious China) including stacking of the mortar 14 (1 cment : 4 Coarse sand), Jointing with grey cement surry @ 3.3 and 18.00 No No Stack provided by the same stream of the pipes, manually by mechanical means including stacking of proved quality complete with 6 mm thick hand hoard ground fixed to wooden cleats with c. 18.00 No No Stack provided by the providing and fixing to materials with on the control of Engineer-in-charge: 25 mm to 40 mm nominal bore (Dimantling of Lieve China) including stacking of usef materials within 30 metres lead of the providing and fixing to make and position cement covered to	Sand			
nipes, manually' by mechanical means breaking lead caulked joints, melting of lead and making into blocks including stacking of pipes & lead at size within 50 metre lead as per direction of Engineer-in-charge. Up to 150 mm diameter (4 inch pipe) Demonstrating old platser or skirting rating out joints and cleaning the surface for plaster including disposal of rubbish to the dumping ground within 50 metres lead. Demolishing cement concrete manually by mechanical means including disposal of material within 50 metres lead as per direction of Engineer - in - charge. Nominal concrete 1:48 or leader mix (i/c equivalent design mix) Providing and fixing lst quality ceramic glazed wall tiles conforming to 18: 15622 (thickness to be specified by the manufacturer), of approved make, in all colours, shades except burguintly, bottle green, black of any size as approved by Engineer-in-L3(1) cement: 3 coares sandy and jointing with grey enems tlaury @ 3.3kg per sqin, including pointing in white cernent mixed with pignent of matching shade complete. Providing and laying Ceramic glazed floor tiles of size 300x300 mm (thickness to be specified by the manufacturer) of 1st quality conforming to 18: 15622 of approved make in colours such as White, Ivory, Grey, Fume Red Brown, lad on 70 mm thick cennent mortar 1:4 (1 Cement: 4 Coares sand), Jointing with grey cement slurry @ 3.3 kg/sym including pointing the joints with white cement and matching pigment etc. complete. 22. Dismantling file work in floors and roofs laid in cement mortar including stacking material within 50 metres lead. For thickness of tiles 10 mm to 25 mm Providing and fixing 6004450 mm beveled edge mirror of superior glass (of approved quality) complete with 6 mm thick hard board ground fixed to wooden cleats with C.P. baras screws and washers complete. Dismantling of flushing eistern of all types (CL/PVC/Vitrious China) including stacking of piges stacking of flushing eistern of all types (CL/PVC/Vitrious China) including stacking of piges with a superior sp		with necessary screws etc. complete: 125 mm		
19. Demolishing cement concrete manually by mechanical means including disposal of material within 50 metres lead as per direction of Engineer - in - charge. Nominal concrete 1:43:80 release mix (16) equivalent design mix)	17.	pipes, manually/ by mechanical means breaking lead caulked joints, melting of lead and making into blocks including stacking of pipes & lead at site within 50 metre lead	225.00	Metre
19. material within 50 metres lead as per direction of Engineer - in - charge. Nominal concrete 14:8 or learner mix (i/e equivalent design mix) Providing and fixing 1st quality ceramic glazed wall tiles conforming to 18: 15622 (thickness to be specified by the manufacturery), of approved make, in all colours, shades except burguity, bottle green, black of any size as approved by Engineer-in-Charge, in skirting, risers of steps and dades, over 12 mm thick bed of cement mortar 1:3 (I cement : 3 coarse sand) and jointing with grey cement surry (@ 3.3 kg per sqm, including and laying Ceramic glazed floor tiles of size 300x300 mm (thickness to be specified by the manufacturery of 1st quality conforming to 18: 15622 of approved make in colours such as White, twory, Grey, Fume Red Brown, laid on 20 mm thick cement mortar 1:4 (I Cement : 4 Coarse sand), Jointing with grey cement slurry (@ 3.3 kg/sqm including pointing the joints with white cement and matching pigment etc., complete. 22. Dismantling tile work in floors and roofs laid in cement mortar including stacking material within 50 metres lead. For thickness of tiles 10 mm to 25 mm Providing and fixing 600x450 mm beveled edge mirror of superior glass (of approved quality) complete with 6 mm thick hard board ground fixed to wooden cleats with C.P. brass screws and washers complete. 25. Dismantling G.I. pipes (external work) including excavation and refilling trenches after taking out the pipes, manually by mechanical means including stacking of pipes within 50 metres lead as per direction of Engineer-in-charge: 15 mm to 40 mm nominal bore (Dimantling old concealed pipe) Providing and fixing in position cement concrete of specified grade excluding the cost of centering and shuttering - All work up to plinth level : 13:6 (I Cement : 3 coarse sand (zone-III) derived from natural sources : 6 graded stone aggregate 20 mm nominal size derived from natural sources is 6 graded stone aggregate 20 mm nominal size derived from satural sources is 6 graded stone aggregate	18.	including disposal of rubbish to the dumping ground within 50 metres lead.	314.10	Sqm
(thickness to be specified by the manufacturer), of approved make, in all colours, 200 complete. 120 complete, 200 complete, 20	19.	material within 50 metres lead as per direction of Engineer - in - charge. Nominal concrete 1:4:8 or leaner mix (i/c equivalent design mix)	1.944	Cum
specified by the manufacturer) of 1st quality conforming to 1S: 15622 of approved make in colours such as White, Ivory, Grey, Fume Red Brown, laid on 20 mm thick cement mortar 1:4 (1 Cement: 4 Coarse sand), Jointing with grey cement slurry @ 3.3 kg/sqm including pointing the joints with white cement and matching pigment etc., complete. 22. Dismantling tile work in floors and roofs laid in cement mortar including stacking material within 50 metres lead. For thickness of tiles 10 mm to 25 mm Providing and fixing 600x450 mm beveled edge mirror of superior glass (of approved quality) complete with 6 mm thick hard board ground fixed to wooden cleats with C.P. brass screws and washers complete. Dismantling of flushing cistern of all types (CL/PVC/Vitrious China) including stacking of useful materials near the site and disposal of unserviceable materials within 50 metres lead. Dismantling G.I. pipes (external work) including excavation and refilling trenches after taking out the pipes, manually by mechanical means including stacking of pipes within 50 metres lead as per direction of Engineer-in-charge: 15 mm to 40 mm nominal bore (Dimantling old conecaled pipe) Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All work up to plinth level: 1:3.6 (1 Cement: 3 coarse sand (zone-III) derived from natural sources: 6 graded stone aggregate 20 mm nominal size derived from matural sources: 6 graded stone aggregate 20 mm nominal size derived from matural sources: 6 graded stone aggregate 20 mm nominal concepts of providing and fixing on wall face unplasticised - PVC moulded fittings/ accessories for unplasticised Rigid PVC rain water pipes conforming to IS: 13592 Type A, including jointing with seal ring conforming to IS: 5382, leaving 10 mm gap for thermal expansion. Bend 87.5° 110 mm bend Providing and fixing on wall face unplasticised - PVC moulded fittings/ accessories for unplasticised Rigid PVC rain water pipes conforming to IS: 13592 Type A, includ	20.	(thickness to be specified by the manufacturer), of approved make, in all colours, shades except burgundy, bottle green, black of any size as approved by Engineer-in-Charge, in skirting, risers of steps and dados, over 12 mm thick bed of cement mortar 1:3 (1 cement : 3 coarse sand) and jointing with grey cement slurry @ 3.3kg per sqm, including pointing in white cement mixed with pigment of matching shade complete.	322.56	Sqm
Providing and fixing 600x450 mm beveled edge mirror of superior glass (of approved quality) complete with 6 mm thick hard board ground fixed to wooden cleats with C.P. brass screws and washers complete. Dismantling of flushing cistern of all types (C.I./PVC/Vitrious China) including stacking of useful materials near the site and disposal of unserviceable materials within 50 metres lead. Dismantling G.I. pipes (external work) including excavation and refilling trenches after taking out the pipes, manually/ by mechanical means including stacking of pipes within 50 metres lead as per direction of Engineer-in-charge: 15 mm to 40 mm nominal bore (Dimantling old concealed pipe) Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All work up to plinth level: 1:3:6 (1 Cement: 3 coarse sand (zone-III) derived from natural sources: 6 graded stone aggregate 20 mm nominal size derived from natural sources: 9 Providing and fixing on wall face unplasticised - PVC moulded fittings/ accessories for unplasticised fligid PVC rain water pipes conforming to IS: 13592 Type A, including jointing with seal ring conforming to IS: 5382, leaving 10 mm gap for thermal expansion. Single tee with door 110x110x110 mm Providing and fixing on wall face unplasticised - PVC moulded fittings/ accessories for unplasticised Rigid PVC rain water pipes conforming to IS: 13592 Type A, including jointing with seal ring conforming to IS: 5382, leaving 10 mm gap for thermal expansion. Single tee with door 110x110x110 mm Providing and fixing on wall face unplasticised - PVC moulded fittings/ accessories for unplasticised Rigid PVC rain water pipes conforming to IS: 13592 Type A, including jointing with seal ring conforming to IS: 5382, leaving 10 mm gap for thermal expansion. Bend 87.5° 110 mm bend Providing and fixing on wall face unplasticised - PVC moulded fittings/ accessories for unplasticised Rigid PVC rain water pipes conforming to IS: 13592 Type A, including jointing with seal	21.	specified by the manufacturer) of 1st quality conforming to IS: 15622 of approved make in colours such as White, Ivory, Grey, Fume Red Brown, laid on 20 mm thick cement mortar 1:4 (1 Cement: 4 Coarse sand), Jointing with grey cement slurry @ 3.3 kg/sqm including pointing the joints with white cement and matching pigment etc.,	90.72	Sqm
Providing and fixing 600x450 mm beveled edge mirror of superior glass (of approved quality) complete with 6 mm thick hard board ground fixed to wooden cleats with C.P. Dismantling of flushing cistern of all types (C.I./PVC/Vitrious China) including stacking of useful materials near the site and disposal of unserviceable materials within 50 metres lead. Dismantling G.I. pipes (external work) including excavation and refilling trenches after taking out the pipes, manually/ by mechanical means including stacking of pipes within 50 metres lead as per direction of Engineer-in-charge: 15 mm to 40 mm nominal bore (Dimantling old concealed pipe) Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All work up to plinth level: 1:3:6 (1 Cement: 3 coarse sand (zone-III) derived from natural sources: 6 graded stone aggregate 20 mm nominal size derived from matural sources: 9 providing and fixing on wall face unplasticised - PVC moulded fittings/ accessories for unplasticised Rigid PVC rain water pipes conforming to IS: 13592 Type A, including jointing with seal ring conforming to IS: 5382, leaving 10 mm gap for thermal expansion. Single tee with door 110x110x110 mm Providing and fixing on wall face unplasticised - PVC moulded fittings/ accessories for unplasticised Rigid PVC rain water pipes conforming to IS: 13592 Type A, including jointing with seal ring conforming to IS: 5382, leaving 10 mm gap for thermal expansion. Single tee with door 110x110x110 mm Providing and fixing on wall face unplasticised - PVC moulded fittings/ accessories for unplasticised Rigid PVC rain water pipes conforming to IS: 13592 Type A, including jointing with seal ring conforming to IS: 5382, leaving 10 mm gap for thermal expansion. Bend 87.5° 110 mm bend Providing and fixing on wall face unplasticised - PVC moulded fittings/ accessories for unplasticised Rigid PVC rain water pipes conforming to IS: 13592 Type A, including jointing with seal ring conforming to IS: 5382, leavin	22.		90.72	Sqm
24. stacking of useful materials near the site and disposal of unserviceable materials within 50 metres lead. Dismantling G.I. pipes (external work) including excavation and refilling trenches after taking out the pipes, manually/ by mechanical means including stacking of pipes within 50 metres lead as per direction of Engineer-in-charge: 15 mm to 40 mm nominal bore (Dimantling old concealed pipe) Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All work up to plinth level: 1:3:6 (1 Cement: 3 coarse sand (zone-III) derived from natural sources: 6 graded stone aggregate 20 mm nominal size derived from natural sources: 6 graded stone aggregate 20 mm nominal size derived from natural sources: 9 Providing and fixing on wall face unplasticised - PVC moulded fittings/ accessories for unplasticised Rigid PVC rain water pipes conforming to IS: 13592 Type A, including jointing with seal ring conforming to IS: 5382, leaving 10 mm gap for thermal expansion. Single tee with door 110x110x110 mm Providing and fixing on wall face unplasticised - PVC moulded fittings/ accessories for unplasticised Rigid PVC rain water pipes conforming to IS: 13592 Type A, including jointing with seal ring conforming to IS: 5382, leaving 10 mm gap for thermal expansion. Single tee with door 110x110x110 mm Providing and fixing on wall face unplasticised - PVC moulded fittings/ accessories for unplasticised Rigid PVC rain water pipes conforming to IS: 13592 Type A, including jointing with seal ring conforming to IS: 5382, leaving 10 mm gap for thermal expansion. Bend 87.5° 110 mm bend Providing and fixing on wall face unplasticised - PVC moulded fittings/ accessories for unplasticised Rigid PVC rain water pipes conforming to IS: 13592 Type A, including jointing with seal ring conforming to IS: 5382, leaving 10 mm gap for thermal expansion. Bend 87.5° 110 mm bend Providing and fixing on wall face unplasticised - PVC moulded fittings/ accessories for unplasticised Rigid PVC r	23.	quality) complete with 6 mm thick hard board ground fixed to wooden cleats with C.P. brass screws and washers complete.	18.00	No
taking out the pipes, manually/ by mechanical means including stacking of pipes within 50 metres lead as per direction of Engineer-in-charge: 15 mm to 40 mm nominal bore (Dimantling old concealed pipe) Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All work up to plinth level: 1:3:6 (1 Cement: 3 coarse sand (zone-III) derived from natural sources: 6 graded stone aggregate 20 mm nominal size derived from natural sources) Providing and fixing on wall face unplasticised - PVC moulded fittings/ accessories for unplasticised Rigid PVC rain water pipes conforming to IS: 13592 Type A, including jointing with seal ring conforming to IS: 5382, leaving 10 mm gap for thermal expansion. Single tee with door 110x110x110 mm Providing and fixing on wall face unplasticised - PVC moulded fittings/ accessories for unplasticised Rigid PVC rain water pipes conforming to IS: 13592 Type A, including jointing with seal ring conforming to IS: 5382, leaving 10 mm gap for thermal expansion. Single tee with door 110x110x110 mm Providing and fixing on wall face unplasticised - PVC moulded fittings/ accessories for unplasticised Rigid PVC rain water pipes conforming to IS: 13592 Type A, including jointing with seal ring conforming to IS: 5382, leaving 10 mm gap for thermal expansion. Bend 87.5° 110 mm bend Providing and fixing on wall face unplasticised - PVC moulded fittings/ accessories for unplasticised Rigid PVC rain water pipes conforming to IS: 13592 Type A, including jointing with seal ring conforming to IS: 5382, leaving 10 mm gap for thermal expansion. Shoe (Plain) 110 mm Shoe (Plain) Providing and fixing on wall face unplasticised - PVC moulded fittings/ accessories for unplasticised Rigid PVC rain water pipes conforming to IS: 13592 Type A, including jointing with seal ring conforming to IS: 5382, leaving 10 mm gap for thermal expansion. Shoe (Plain) 110 mm Shoe (Plain) Providing and fixing on vall face unplasticised reversible to the providing and fixi	24.	stacking of useful materials near the site and disposal of unserviceable materials within 50 metres lead.	18.00	No
26. of centering and shuttering - All work up to plinth level: 1:3:6 (1 Cement: 3 coarse sand (zone-III) derived from natural sources: 6 graded stone aggregate 20 mm nominal size derived from natural sources: 6 graded stone aggregate 20 mm nominal size derived from natural sources: 6 graded stone aggregate 20 mm nominal size derived from natural sources: 6 graded stone aggregate 20 mm nominal size derived from natural sources: 6 graded stone aggregate 20 mm nominal size derived from natural sources: 6 graded stone aggregate 20 mm nominal size derived from natural sources: 6 graded stone aggregate 20 mm nominal size derived from natural sources: 6 graded stone aggregate 20 mm nominal size derived from natural sources: 6 graded stone aggregate 20 mm nominal size derived from natural sources: 6 graded stone aggregate 20 mm nominal size derived from natural sources: 6 graded stone aggregate 20 mm nominal size derived from natural sources: 6 graded stone aggregate 20 mm nominal size derived from natural sources: 6 graded stone aggregate 20 mm nominal size derived from natural sources: 6 graded stone aggregate 20 mm nominal size derived from natural sources: 6 graded stone aggregate 20 mm nominal size derived from natural sources: 6 graded stone aggregate 20 mm nominal size derived from natural sources: 6 graded stone aggregate 20 mm nominal size derived from natural sources: 6 graded stone aggregate 20 mm nominal size derived from natural sources: 6 graded stone aggregate 20 mm nominal size derived from natural sources: 6 graded stone aggregate 20 mm nominal size for unplasticised Rigid PVC rain water pipes conforming to IS: 13592 Type A, including sources: 6 graded stone aggregate 20 mm nominal sexpansion. Should fix fact unplasticised - PVC moulded fittings/ accessories for unplasticised Rigid PVC rain water pipes conforming to IS: 13592 Type A, including spiniting with seal ring conforming to IS: 5382, leaving 10 mm gap for thermal expansion. Bend 87.5° 110 mm bend Providing and fixing on wall face unplasticised	25.	taking out the pipes, manually/ by mechanical means including stacking of pipes within 50 metres lead as per direction of Engineer-in-charge :	270.00	Metre
Providing and fixing on wall face unplasticised - PVC moulded fittings/ accessories for unplasticised Rigid PVC rain water pipes conforming to IS: 13592 Type A, including jointing with seal ring conforming to IS: 5382, leaving 10 mm gap for thermal expansion. Coupler 110 mm Providing and fixing on wall face unplasticised - PVC moulded fittings/ accessories for unplasticised Rigid PVC rain water pipes conforming to IS: 13592 Type A, including jointing with seal ring conforming to IS: 5382, leaving 10 mm gap for thermal expansion. Single tee with door 110x110x110 mm Providing and fixing on wall face unplasticised - PVC moulded fittings/ accessories for unplasticised Rigid PVC rain water pipes conforming to IS: 13592 Type A, including jointing with seal ring conforming to IS: 5382, leaving 10 mm gap for thermal expansion. Bend 87.5° 110 mm bend Providing and fixing on wall face unplasticised - PVC moulded fittings/ accessories for unplasticised Rigid PVC rain water pipes conforming to IS: 13592 Type A, including jointing with seal ring conforming to IS: 5382, leaving 10 mm gap for thermal expansion. Shoe (Plain) 110 mm Shoe (Plain) Providing and fixing PTMT towel rail complete with brackets fixed to wooden cleats with CP brass screws with concealed fittings arrangement of approved quality and colour. 600 mm long towel rail with total length of 645 mm, width 78 mm and effective height of 88 mm, weighing not less than 190 gms.	26.	of centering and shuttering - All work up to plinth level : 1:3:6 (1 Cement : 3 coarse sand (zone-III) derived from natural sources : 6 graded stone aggregate 20 mm nominal	3.375	Cum
unplasticised Rigid PVC rain water pipes conforming to IS: 13592 Type A, including jointing with seal ring conforming to IS: 5382, leaving 10 mm gap for thermal expansion. Single tee with door 110x110x110 mm Providing and fixing on wall face unplasticised - PVC moulded fittings/ accessories for unplasticised Rigid PVC rain water pipes conforming to IS: 13592 Type A, including jointing with seal ring conforming to IS: 5382, leaving 10 mm gap for thermal expansion. Bend 87.5° 110 mm bend Providing and fixing on wall face unplasticised - PVC moulded fittings/ accessories for unplasticised Rigid PVC rain water pipes conforming to IS: 13592 Type A, including jointing with seal ring conforming to IS: 5382, leaving 10 mm gap for thermal expansion. Shoe (Plain) 110 mm Shoe (Plain) Providing and fixing PTMT towel rail complete with brackets fixed to wooden cleats with CP brass screws with concealed fittings arrangement of approved quality and colour. 600 mm long towel rail with total length of 645 mm, width 78 mm and effective height of 88 mm, weighing not less than 190 gms.	27.	Providing and fixing on wall face unplasticised - PVC moulded fittings/ accessories for unplasticised Rigid PVC rain water pipes conforming to IS: 13592 Type A, including jointing with seal ring conforming to IS: 5382, leaving 10 mm gap for thermal expansion. Coupler 110 mm	45.00	No
unplasticised Rigid PVC rain water pipes conforming to IS: 13592 Type A, including jointing with seal ring conforming to IS: 5382, leaving 10 mm gap for thermal expansion. Bend 87.5° 110 mm bend Providing and fixing on wall face unplasticised - PVC moulded fittings/ accessories for unplasticised Rigid PVC rain water pipes conforming to IS: 13592 Type A, including jointing with seal ring conforming to IS: 5382, leaving 10 mm gap for thermal expansion. Shoe (Plain) 110 mm Shoe (Plain) Providing and fixing PTMT towel rail complete with brackets fixed to wooden cleats with CP brass screws with concealed fittings arrangement of approved quality and 31. colour. 600 mm long towel rail with total length of 645 mm, width 78 mm and effective height of 88 mm, weighing not less than 190 gms.	28.	unplasticised Rigid PVC rain water pipes conforming to IS: 13592 Type A, including jointing with seal ring conforming to IS: 5382, leaving 10 mm gap for thermal	45.00	No
Providing and fixing on wall face unplasticised - PVC moulded fittings/ accessories for unplasticised Rigid PVC rain water pipes conforming to IS: 13592 Type A, including jointing with seal ring conforming to IS: 5382, leaving 10 mm gap for thermal expansion. Shoe (Plain) 110 mm Shoe (Plain) Providing and fixing PTMT towel rail complete with brackets fixed to wooden cleats with CP brass screws with concealed fittings arrangement of approved quality and colour. 18.00 No 600 mm long towel rail with total length of 645 mm, width 78 mm and effective height of 88 mm, weighing not less than 190 gms.	29.	unplasticised Rigid PVC rain water pipes conforming to IS: 13592 Type A, including jointing with seal ring conforming to IS: 5382, leaving 10 mm gap for thermal	45.00	No
with CP brass screws with concealed fittings arrangement of approved quality and colour. 18.00 No No height of 88 mm, weighing not less than 190 gms.	30.	Providing and fixing on wall face unplasticised - PVC moulded fittings/ accessories for unplasticised Rigid PVC rain water pipes conforming to IS: 13592 Type A, including jointing with seal ring conforming to IS: 5382, leaving 10 mm gap for thermal expansion. Shoe (Plain) 110 mm Shoe (Plain)	45.00	No
32. Providing and fixing to existing door frames. 24 mm thick factory made PVC door 21.60 Sqm	31.	with CP brass screws with concealed fittings arrangement of approved quality and colour. 600 mm long towel rail with total length of 645 mm, width 78 mm and effective	18.00	No
	32.	Providing and fixing to existing door frames. 24 mm thick factory made PVC door	21.60	Sqm



Same Sweet House		C	
	shutters made of styles and rails of a uPVC hollow section of size $59x24$ mm and wall thickness 2 mm (\pm 0.2 mm) with inbuilt edging on both sides. The styles and rails mitred and joint at the corners by means of M.S. galvanised/ plastic brackets of size $75x220$ mm having wall thickness 1.0 mm and stainless steel screws. The styles of the shutter reinforced by inserting galvanised M.S. tube of size $20x20$ mm and 1 mm (\pm 0.1 mm) wall thickness. The lock rail made up of 'H' section, a uPVC hollow section of size $100x24$ mm and 2 mm (\pm 0.2 mm) wall thickness, fixed to the shutter styles by means of plastic/galvanised M.S. 'U' cleats. The shutter frame filled with a uPVC multi-chambered single panel of size not less than 620 mm, having over all thickness of 20 mm and 1 mm (\pm 0.1 mm) wall thickness. The panels filled vertically and tie bar at two places by inserting horizontally 6 mm galvanised M.S. rod and fastened with nuts and washers, complete as per manufacturer's specification and direction of Engineer-in-charge. (For W.C. and bathroom door shutter). sqm		
33.	Providing and laying vitrified floor tiles in different sizes (thickness to be specified by the manufacturer) with water absorption less than 0.08% and conforming to IS: 15622, of approved make, in all colours and shades, laid on 20mm thick cement mortar 1:4 (1 cement : 4 coarse sand), jointing with grey cement slurry @ 3.3 kg/ sqm including grouting the joints with white cement and matching pigments etc., complete. Size of Tile 600x600 mm (Providing floor tiles)	275.40	Sqm
34.	Providing and fixing C.P. brass shower rose with 15 or 20 mm inlet: 100 mm diameter	18.00	No
35.	Making connection of drain or sewer line with existing manhole including breaking into and making good the walls, floors with cement concrete 1:2:4 mix (1 cement : 2 coarse sand : 4 graded stone aggregate 20 mm nominal size) cement plastered on both sides with cement mortar 1:3 (1 cement : 3 coarse sand), finished with a floating coat of neat cement and making necessary channels for the drain etc. complete : For pipes 100 to 250 mm diameter	12.00	No
36.	Taking out existing wooden door shutter, repair by cutting, painting etc. and refixing of repaired door shutters to existing door frames, including replacement of hinges with screws, etc. as required, all complete as per the direction of the Engineer-in-charge.	126.00	No
37.	Distempering with 1st quality acrylic distemper (ready made) having VOC content less than 50 gm per ltr. of approved manufacturer and of required shade and colour complete. as per manufacturer's specification. old work(one or more coat)	4392.68	Sqm
38.	Finishing walls with Acrylic Smooth exterior paint of required shade: Old work (Two or more coat applied @ 1.67 ltr/ 10 sqm) on existing cement paint surface	1846.48	Sqm
39.	Painting with synthetic enamel paint of approved brand and manufacture to give an even shade: Two or more coats on new work	21.06	Sqm
40.	Removing white or colour wash by scrapping and sand papering and preparing the surface smooth including necessary repairs to scratches etc. complete	6239.16	Sqm
41.	Dismantling of manhole including R.C.C. top slab, C.I. cover with frame, including stacking of useful materials near the site and disposal of unserviceable materials within 50 m lead as per direction of Engineer-in-charge: Rectangular manhole 120x90 cm and 90 cm deep	12.00	No
42.	Constructing brick masonry manhole in cement mortar 1:4 (1 cement: 4 coarse sand) with R.C.C. top slab with 1:1.5:3 mix (1 cement: 1.5 coarse sand (zone-III): 3 graded stone aggregate 20 mm nominal size), foundation concrete 1:4:8 mix (1 cement: 4 coarse sand (zone-III): 8 graded stone aggregate 40 mm nominal size), inside plastering 12 mm thick with cement mortar 1:3 (1 cement: 3 coarse sand) finished with floating coat of neat cement and making channels in cement concrete 1:2:4 (1 cement: 2 coarse sand: 4 graded stone aggregate 20 mm nominal size) finished with a floating coat of neat cement complete as per standard design: Inside size 90x80 cm and 45 cm deep including C.I. cover with frame (light duty) 455x610 mm internal dimensions, total weight of cover and frame to be not less than 38 kg (weight of cover 23 kg and weight of frame 15 kg): With common burnt clay F.P.S. (non modular) bricks of class designation 7.5	12.00	No

Note:

i) The lowest bidder will be decided on overall rate of entire work instead of item (category) wise. Rates quoted by the bidder must be inclusive of applicable G.S.T (Goods and Services Tax) and all other charges if any but exclusive of EPF & ESI Contributions on the part of Employer as applicable with F.O.R (Site of work) at O/O GC, CRPF, Bangalore (Karnataka) Pin-560064.

ii) The E.P.F & E.S.I contributions on the part of employer in respect of the contract shall be paid by the contractor to concerned department well in time. These contributions on the part of the employer paid by the contractor shall reimbursable by this department on actual basis and on production of receipt of the concerned department.

Sd/- 22/01/2025 (Lt. Col. Vaibhav Srivastava) **Commandant (Engineer)** Contract Cell, SZ HQr [For and on behalf of the President of India]

Signature of Bidder (with seal)

Appendix-'A'

INTEGRITY PACT

To,

Sub:

Commandant (Engineer) Contract Cell, SZ HQr, CRPF, Hyderabad (Telangana), Pin no- 500005.

Dear Si	ir,												
- /		 	 •	 		 			 				

Submission of Tender for the work of

I/We acknowledge that CRPF is committed to follow the principles thereof as enumerated in the Integrity Agreement enclosed with the tender/bid document.

I/We agree that the Notice Inviting Tender (NIT) is an invitation to offer made on the condition that I/We will sign the enclosed integrity Agreement, which is an integral part of tender documents, failing which I/We will stand disqualified from the tendering process. I/We acknowledge that THE MAKING OF THE BID SHALL BE REGARDED AS AN UNCONDITIONAL AND ABSOLUTE ACCEPTANCE of this condition of the NIT.

I/We confirm acceptance and compliance with the Integrity Agreement in letter and spirit and further agree that execution of the said Integrity Agreement shall be separate and distinct from the main contract, which will come into existence when tender/bid is finally accepted by CRPF. I/We acknowledge and accept the duration of the Integrity Agreement, which shall be in the line with Article 1 of the enclosed Integrity Agreement.

I/We acknowledge that in the event of my/our failure to sign and accept the Integrity Agreement, while submitting the tender/bid, CRPF shall have unqualified, absolute and unfettered right to disqualify the tenderer/bidder and reject the tender/bid is accordance with terms and conditions of the tender/bid.

Yours faithfully

(Duly authorized signatory of the Bidder)



To be signed by the bidder and same signatory competent / authorized to sign the relevant contract on behalf of CRPF. INTEGRITY AGREEMENT

This Integrity Agreement is made at...... on this day of 2025

BETWEEN

President of India represented through Comdt. Engr. SZ Zone, Hyderabad, (Name of Division) (Hereinafter referred as the (Address of Division)

"Principal/Owner", which expression shall unless repugnant to the meaning or context thereof include its success or sand permitted assigns)

AND

Preamble

WHEREAS the Principal/Owner has floated the Tender (NIT No. (here in after referred to

as "Tender/ Bid") and intends to award, under laid down organizational procedure, contract for Repairing of Type-1 quarter (O Block) of GC Banglore

Hereinafter referred to as the "Contract".

ANDWHEREAS the Principal/ Owner values full compliance with all relevant laws of the land, rules, regulations, economic use of resources and of fairness/ transparency in its relation with its Bidder(s) and Contractor(s).

ANDWHEREAS to meet the purpose aforesaid both the parties have agreed to enter into this Integrity Agreement (hereinafter referred to as "Integrity Pact" or "Pact"), the terms and conditions of which shall also be read as integral part and parcel of the Tender/ Bid documents and Contract between the parties.

NOW, Therefore, in consideration of mutual covenants contained in this Pact, the parties here by agree as follows and this Pact witnesses as under:

Article1: Commitment of the Principal/Owner

The Principal/Owner commits itself to take all measures necessary to prevent corruption and to observe the following principles:

No employee of the Principal/Owner, personally or through any of his/ her family members, will in connection with the Tender or the execution of the Contract, demand, take a promise for or accept, for self or third person, any material or immaterial benefit which the person is not legally entitled to.

The Principal/Owner will, during the Tender process, treat all Bidder(s) with equity and reason. The Principal/Owner will, in particular, before and during the Tender process, provide to all Bidder(s) the same information and will not provide to any Bidder(s) confidential/additional information through which the Bidder(s) could obtain an advantage in relation to the Tender processor the Contract execution.

The Principal/Owner shall endeavour to exclude from the Tender process any person, whose conduct in the past has been of biased nature.

If the Principal/Owner obtains information on the conduct of any of its employees which is a criminal offence under the Indian Penal code (IPC)/ Prevention of Corruption Act,1988 (PC Act) or is in violation of the principles here in mentioned or if there be a substantive suspicion in this regard, the Principal/Owner will inform the Chief Vigilance Officer and in addition can also initiate disciplinary actions as per its internal laid down policies and procedures.

Article2: Commitment of the Bidder(s)/ Contractor(s)

It is required that each Bidder/ Contractor (including their respective officers, employees and agents) adhere to the high esthetical standards, and report to the Government/ Department all suspected acts of fraud or corruption or Coercion or Collusion of which it has knowledge or becomes aware, during the tendering process and throughout the negotiation or award of a contract.

The Bidder(s)/ Contractor(s) commit himself to take all measures necessary to prevent corruption. He commits himself to observe the following principles during his participation in the Tender process and during the Contract execution:

The Bidder(s)/ Contractor(s) will not, directly or through any other person or firm, offer, promise or give to any of the Principal/ Owner's employees involved in the Tender process or execution of the Contract or to any third person any material or other benefit which he/she is not legally entitled to, in order to obtain in exchange any advantage of any kind whatsoever during the Tender process or during the execution of the Contract.

The Bidder(s)/ Contractor(s) will not enter with other Bidder(s) into any undisclosed agreement or understanding, whether formal or informal. This applies in particular to prices, specifications, certifications, subsidiary contracts, submission or non-submission of bids or any other actions to restrict competitive or to cartelize in the bidding process. Competitiveness or to cartelize in the bidding process.

The Bidder(s)/ Contractor(s) will not commit any offence under the relevant IPC/PC Act. Further the Bidder(s)/ Contract(s) will not use improperly, (for the purpose of competition or personal gain), or pass on to others, any information or documents provided by the



Principal/ Owner as part of the business relationship, regarding plans, technical proposals and business details, including information contained or transmitted electronically.

The Bidder(s)/ Contractor(s) of foreign origin shall disclose the names and addresses of agents/ representatives in India, if any. Similarly, Bidder(s)/ Contractor(s) of Indian Nationality shall disclose names and addresses of foreign agents/ representatives, if any. Either the Indian agent on behalf of the foreign principal or the foreign principal directly could bid in a tender but not both. Further, in cases where an agent participates in a tender on behalf of one manufacturer, he shall not be allowed to quote on behalf of another manufacturer along with the first manufacturer in a subsequent/ parallel tender for the same item.

The Bidder(s)/ Contractor(s) will, when presenting his bid, disclose any and all payments he has made, is committed to or intends to make to agents, brokers or any other intermediaries in connection with the award of the Contract.

The Bidder(s)/ Contractor(s) will not instigate third persons to commit offences outlined above or be an accessory to such offences.

The Bidder(s)/ Contractor(s) will not, directly or through any other person or firm indulge in fraudulent practice means a willful misrepresentation or omission of facts or submission of fake/ forged documents in order to induce public official to act in reliance thereof, with the purpose of obtaining unjust advantage by or causing damage to justified interest of others and/ or to influence the procurement process to the detriment of the Government interests.

The Bidder(s)/ Contractor(s) will not, directly or through any other person or firm use Coercive Practices (means the act of obtaining something, compelling an action or influencing a decision through intimidation, threat or the use of force directly or indirectly, where potential or actual injury may be fall upon a person his/ her reputation or property to influence their participation in the tendering process).

Article 3: Consequences of Breach

Without prejudice to any rights that may be available to the Principal/ Owner under law or the Contractor its established policies and laid down procedures, the Principal/ Owner shall have the following rights in case of breach of this Integrity Pact by the Bidder(s)/ Contractor(s) and the Bidder/ Contractor accepts and undertakes to respect and uphold the Principal/ Owner's absolute right:

If the Bidder(s)/ Contractor(s), either before award or during execution of Contract has committed a transgression through a violation of Article 2 above or in any other form, such as to put his reliability or credibility in question, the Principal/ Owner after giving14 days' notice to the contractor shall have powers to disqualify the Bidder(s)/ Contractor(s) from the Tender process or terminate/ determine the Contract, if already executed or exclude the Bidder/ Contractor from future contract award processes. The imposition and duration of the exclusion will be determined by the severity of transgression and determined by the Principal/ Owner. Such exclusion may be forever or for a limited period as decided by the Principal/Owner.

2. Forfeiture of EMD/ Performance Guarantee/ Security Deposit: If the Principal/ Owner has disqualified the Bidder(s) from the Tender process prior to the award of the Contractor terminated/ determined the Contractor has accrued the right to terminate/ determine the Contract according to Article3(1), the Principal/ Owner apart from exercising any legal rights that may have accrued to the Principal/ Owner, may in its considered opinion forfeit the entire amount of Earnest Money Deposit, Performance Guarantee and Security Deposit of the Bidder/ Contractor.

Criminal Liability: If the Principal/Owner obtains knowledge of conduct of a Bidder or Contractor, or of an employee or a representative or an associate of a Bidder or Contractor which constitutes corruption within the meaning of IPC Act, or if the Principal/Owner has substantive suspicion in this regard, the Principal/Owner will inform the same to law enforcing agencies for further investigation.

Article 4: Previous Transgression

The Bidder declares that no previous transgressions occurred in the last 5 years with any other Company in any country confirming to the anticorruption approach or with Central Government or State Government or any other Central/State Public Sector Enterprises in India that could justify his exclusion from the Tender process.

If the Bidder makes incorrect statement on this subject, he can be disqualified from the Tender process or action can be taken for banning of business dealings/ holiday listing of the Bidder/Contractor as deemed fit by the Principal/ Owner.

If the Bidder/Contractor can prove that he has resorted / recouped the damage caused by him and has installed a suitable corruption prevention system, the Principal/Owner may, at its own discretion, revoke the exclusion prematurely.

Article 5: Equal Treatment of all Bidders/Contractors/Subcontractors

The Bidder(s)/Contractor(s) undertake(s) to demand from all sub-contractors a commitment in conformity with this Integrity Pact. The Bidder/Contractor shall be responsible for any violation(s) of the principles laid down in this agreement/Pact by any of its Subcontractors/sub-vendors.

The Principal/Owner will enter into Pacts on identical terms as this one with all Bidders and Contractors.

The Principal/Owner will disqualify Bidders, who do not submit, the duly Signed Pact between the Principal/Owner and the bidder, along with the Tender or violate its provisions at any stage of the Tender process, from the Tender process.

Article 6-Duration of the Pact

This Pact begins when both the parties have legally signed it. It expires for the Contractor/Vendor 30 Days after the completion of work under the contract or till the continuation of defect liability period, whichever is more and for all other bidders, till the Contract has been awarded

If any claim is made/lodged during the time, the same shall be binding and continue to be valid despite the lapse of this Pacts as specified above, unless it is discharged/determined by the Competent Authority, CRPF.

Article 7-Other Provisions

This Pact is subject to Indian Law, place of performance and Jurisdiction is the Headquarters of the Division of the Principal/Owner, who has floated the Tender.

Contract Cell, SZ Page 22 of 28

Changes and supplements need to be made in writing. Side agreements have not been made.

If the Contractor is a partnership or a consortium, this Pact must be signed by all the partners or by one or more partner holding power of attorney signed by all partners and consortium members. In case of a Company, the Pact must be signed by a representative duly authorized by board resolution.

Should one or several provisions of this Pact turnout to be in valid; the remainder of this Pact remains valid. In this case, the parties will strive to come to an agreement to their original intensions.

It is agreed term and condition that any dispute or difference arising between the parties with regard to the terms of this Integrity Agreement / Pact, any action taken by the Owner/Principal in accordance with this Integrity Agreement/ Pact or interpretation thereof shall not be subject to arbitration.

Article 8-LEGAL AND PRIOR RIGHTS

(For and on behalf of Principal/ Owner)

All rights and remedies of the parties hereto shall be in addition to all the other legal rights and remedies belonging to such parties under the Contract and/or law and the same shall be deemed to be cumulative and not alternative to such legal rights and remedies aforesaid. For the sake of brevity, both the Parties agree that this Integrity Pact will have precedence over the Tender/Contract documents with regard any of the provisions covered under this Integrity Pact.

IN WITNESS WHEREOF the parties have signed and executed this Integrity Pact at the place and date first above mentioned in the presence of following witnesses:

,	· · · · · · · · · · · · · · · · · · ·
Place:	(For and on behalf of Bidder/ Contractor)
Dated:	
WITNES	SES:
1	(signature, name and address)
2	
(signatu	re, name and address)

Appendix-'B'

FORM OF BANK GUARANTEE FOR EARNEST MONEY DEPOSIT / PERFORMANCE **GUARANTEE / SECURITY DEPOSIT**

(Guarantee offered by Bank to CRPF in connection with the execution of contracts) {ON NON-JUDICIAL STAMP PAPER OF MINIMUM RS. 100 DULY NOTARIZED}

То	The Presiden	t of Indi	a,						
irrevocal	nent") has ole Bank Gua ST MONEY	invite arantee : DEPOSI	d bids for Rs. T from	under at M/S		Enquiry pees	noaccordance w	. da The	e President of India (hereinafter called "The ated2025 for the work of Government has further agreed to accept
M/S Contract Rs GUARAN	nent") has e cor") for	entered ex (Rupe	into an ecution	agreement of	the . The Gov	number work vernment	(name and a ofhas further a or	addres agreed aly) va	e President of India (hereinafter called "The Date/20 with s of the contractor) (hereinafter called "the
2. hereby (Rupees. 3. due and required as regar restricted 4. Governmending absolute there un 5. fullest lit said agree the power said agree for any f	We,	to to the green this greecoveries and the not example of the contract of the c	pay larantee versions due or list and paya acceeding Remanded payament or shall have the of performent be relieved sision on the hunder the core this Conding any lot be disconserved by the shall be mentioned	without any kely to be dible by the less	Governm only) demur, me ue from th Bank unc nding any Rs. 100 b v us under against us (ing in any n e said contrability by r Governme g to suretie g to the cha gainst the other gua to the cha g tr liability	nent a on demar (indica erely on a le said Coller this General es for making the same of a le said Coller this Bank as rantee the nage in the collection of the said	amount amount and by the Gove the the name of the name of the court or Trib and the court of	more men of the bank, re und or to penforce ion or the botton a may hof the botton a may hof the botton derittee is claim.	bank) (herein after referred to as "the Bank"), but exceeding Rs
1. Signa Name a 	aturend address : ature		 				Authorized S Name Designation Staff code no		ry ::::::::::::::::::::::::::::::

^{*}Date to be worked out on the basis of validity period of 90 days where only financial bids are invited and 180 days for two/three bid system from the date of submission of tender.

**In paragraph 1, strike out the portion not applicable. Bank Guarantee will be made either for earnest money or for performance

guarantee/security deposit/mobilization advance/Refund of mile stone withheld amount, as the case may be.

Appendix-'C'

TENDER ACCEPTANCE LETTER

(To be given on Company Letter Head)

Firm letter N	o	Date :/20
То	Commandant (Engineer) Contract Cell, SZ HQr, CRPF, Hyderabad (Telangana), Pin no- 500005	
Subject :-	Acceptance of Terms & Conditions of Te	nder.
Tender Enqu	iry No :	
Name of Tend	der / Work & location :	
Dear Sir,		
the web site	have downloaded/obtained the tender document (s) namely :- E-Procurement web site http://sement , given in the above mentioned website(s).	
from Page No of Contract, S etc. which fo	hereby certify that I / we have read the entire of the including all documents like, Importance Special Condition of the Contract, Scope of Work/rm part of the contract agreement and also taken all abide hereby by the terms/conditions/clauses of the contract agreement and also taken all abide hereby by the terms/conditions/clauses.	ant Instruction & Guidelines, General Condition /Schedule of Quantity, Annexure(s), Schedule(s) a into account the above while quoting the rates
	corrigendum(s) issued from time to time by your onsideration, while submitting this acceptance lett	
	hereby unconditionally accept all the tender consider in its totality/entirety.	inditions/above points without any reservation
without preju	se any provisions of this tender are found violat adice to any other right or remedy be at liberty to rity deposit absolutely.	
Dlaga .		Yours Sincerely
Place : Date :/	/20_	
<i>=-,</i> 		[] Signature of the Contractor (with Official Seal)



Appendix-'D'

DECLARATION BY THE CONTRACTOR

{AFFIDAVIT ON A NON JUDICIAL STAMP PAPER OF RS.100/-DULY NOTARIZED}

M/S	1,			sole	proprietorship/partnership firm/public/private limited
company at	y, having	its	principal	place	of business/registered office (Full Address) do hereby solemnly affirm and declare
as under	? : =				
	That I am the sole pro	prietor of M/	's		
				Or	
	That ours is partnersh	ip firm havir	ng partners as unde	r (Full Name	of partners):-
	(a)				
(b)					
	(c)				
	(d)				
				Or	
Act,195	That ours is a priva 6/Companies Act,2013		ıblic limited comp	any incorpo	orated in terms of the provisions of the Companies
		(Delet	e which is not appl	icable while	typing affidavit)
All the p	Limited/Public Limited artners/ directors shou I Resolution in case of C	1 Company, C ld sign the aff	ertificate of incorpo idavit or the person	oration and authorized b	nership Firm , a Partnership Deed is to be enclosed, if Memorandum & Articles of association to be submitted. By all the partners or one of the Directors duly authorized the partners/or Board Resolution in case of Company is
	That I hereby confirm ted/delisted or debarron tents from participating	ed or on Holi	day list with any co		M/S is not rivate/Public Ltd. or Government Company/Government
04.	I know that to swear a	false affidavit i	is a crime under the	law and with	such knowledge only I have swear this Affidavit.
				,	,
			3)	Signature of	the Proprietor / Managing Partner/Director) (with official seal)
affidavi					that the contents of paras 1 to 4 of this terial has been concealed or falsely stated therein."
DEPONE	CNT – 1	····			
DEPONE	CNT - 2				
()				
(Signatu	re & Seal of Notary)				

Appendix-'E'



2.

GUARANTEE TO BE EXECUTED BY CONTRACTORS FOR REMOVAL OF DEFECTS AFTER COMPLETION IN RESPECT OF WATER PROOFING WORKS AND ATT

COM LETION IN RESIDENT OF WATER PROOFING WORKS AND ATT
The Agreement made this
WHEREAS this agreement is supplementary to a contract (hereinafter called the Contract) dated
AND WHEREAS GUARANTOR agreed to give a guarantee to the effect that the said structures will remain water and leak-proof for five years from the date of giving of water proofing treatment.
NOW THE GUARANTOR hereby guarantees that water proofing treatment given by him will render the structures completely leak-proof and the minimum life of such water proofing treatment shall be five years to be reckoned from the date after the maintenance period prescribed in the contract.
Provided that the guarantor will not be responsible for leakage caused by earthquake or structural defects or misuse of roof or alteration and for such purpose:
(a) Misuse of roof shall mean any operation which will damage proofing treatment, like chopping of firewood and things of the same nature which might cause damage to the roof;
(b) Alteration shall mean construction of an additional storey or a part of the roof or construction adjoining to existing roof whereby proofing treatment is removed in parts;
(c) The decision of the Engineer-in-Charge with regard to cause of leakage shall be final.
During this period of guarantee the guarantor shall make good all defects and in case of any defect being found, render the building water-proof to the satisfaction of the Engineer-in-Charge at his cost, and shall commence the work for such rectification within seven days from the date of issue of the notice from the Engineer-in-Charge calling upon him to rectify the defects, failing which the work shall be got done by the Department by some other contractor at the GUARANTOR'S cost and risk. The decision of the Engineer-in-Charge as to the cost, payable by the Guarantor shall be final and binding.
That if GUARANTOR fails to execute the water proofing or commits breach thereunder then the GUARANTOR will indemnify the Principal and his successors against all loss, damage, cost, expense or otherwise which may be incurred by him by reason of any default on the part of the GUARANTOR in performance and observance of this supplementary agreement. As to the amount of loss and/or damage and/or cost incurred by the Government the decision of the Engineer-in-Charge will be final and binding on the parties.
IN WITNESS WHEREOF these presents have been executed by the Obligor
Signed, sealed and delivered by OBLIGOR in the presence of—
1.
2.
Signed for and on behalf of THE PRESIDENT OF INDIA by in the presence of—
1



Appendix-'F'

BASIC INFORMATION ABOUT THE BIDDER/FIRM/CONTRACTOR

S/N	Particulars			Specific answer/details by the Bidder/Contractor	
1	Name of the Firm			M/S	
2	Complete postal addı	dress of	Area/Village/Location		
	the firm with	their	Post		
	registered office		P.S.		
			Tehsil		
			District		
			State		
			Pin		
		_	Contact/Mobile No.		
			E-Mail I.D. of firm		
3	Type of the Firm (whether Sole Proprietorship / Partnership / Pvt. Ltd. / Ltd. or Cooperative Body etc).				
4			m of the Proprietor/	(a)	
	Partners/ Directors.	•		(b)	
				(c)	
5	Full name & address		erson signing the bid		
	,	s (In block letters)			
6			n No. with date of issue :-		
	the firm is	Registratio	on issued by (Authority) :-		
	registered for iii) I	Registrati	on valid up to (Date) :-		
	the tendered (iv) I		ion Class :-		
	work along with v) N following details	Nature of	works (Road/Building etc.)		
	Details of Permanent	Account N			
8	Details of GST No.				
/			count No. :-		
			de of the branch :-		
) Bank N			
	iv) :-	Branch	Name & Address of Bank		
			er branch is NEFT/		
	RTO		- / NT-) .		
10	Whathar any Civil C	abled (Ye	s/NO):-		
	o Whether any Civil Suit/Litigation arisen in the contracts executed during the last 5 years/being executed. If yes, please				
	furnish the name of the project, employer, nature of work, contract value, work order and date and brief				
	details of litigation.				

Note :- <u>Bidder may please note that if the answer so furnished are not clear and/or are evasive, the tender will liable to be ignored.</u>

[] Signature
of the Contractor(with	Official Seal)

Date

Branch Manager (with bank seal)



Annexure-II

FORMAT OF SOLVENCY CERTIFICATE

Format 1

Reference No.....

To(Name of F(Address)	irm)				
This is to state that to the best of our knowledge and information, Mr./Ms./M/s					
Place:					
Date:	Branch Manager (with bank seal)				
OR Format 2					
Reference No	Date				
To(Name of(Address)	Firm)				
This is to certify that as Shri/Smt./Ms, is solvent up to	valid for the period from				

Place:

Date:

^{*}For the purpose of guidance.