


भारत सरकार, गृह मंत्रालय GOVERNMENT OF INDIA, MINISTRY OF HOME AFFAIRS केन्द्रीय रिजर्व पुलिस बल

CENTRAL RESERVE POLICE FORCE

कार्यालय विशेष महानिदेशक, मध्य जोन मुख्यालय



नियंत्रण कक्ष/Control Room- 033 29520129



NIT No. :- B.V(GC Kathgodam) Spl. Repair/2024-25-CZ-C/Cell(NIT-13)

Dated 03-02-2025

NOTICE INVITING E-TENDER

The Commandant (Engineer), Central Zone HQr, CRPF, Kolkata (W.B.) for and on behalf of the President of India invites online tenders from Registered Contractors of 'CPWD/MES/NBCC/BRO/State PWD' in appropriate class as per the amount of Tender under Two Bid system (Technical and Financial Bid) on the prescribed form as per the details given below:-

S1. No.	Name of Work	Place of Work	Amount of NIT	Amount of EMD (Mandatory)	Date & Time of opening of tender
I	II	III	IV	V	VI
1	Special repair of SO s mess and 240 Men barrack No. 03.	O/O The DIG, GC, CRPF, Kathgodam, Distt-Nainital (Uttrakhand) Pin- 263126	Rs. 96,19,773/- only	Rs. 1,92,395/- only *(No exemption of EMD)	On 25/02/2025 at 1200 Hrs.

Note:-

- (i) All relevant details are available on CRPF website https://crpf.gov.in/index-hi.htm as well as on E-Procurement web site https://eprocure.gov.in/eprocure/app (CPP Portal). The same may be downloaded by the bidders.
- (ii) Tenderers are requested to watch the CRPF/CPPP website regularly for any change in tender enquiry/technical specification/ terms & condition.
- (iii) Date & Time of availability of tender on CPP Portal :- With effect from **04/02/2025** at **0930** Hrs. onwards.

Yours Sincerely

SD/-03/02/2025


(Lt. Col. Anand Kumar)

Commandant (Engineer)

Contract Cell, CZ HQr

[For and on behalf of the President of India]





GOVERNMENT OF INDIA, MINISTRY OF HOME AFFAIRS केन्द्रीय रिजर्व पुलिस बल



कार्यालय विशेष महानिदेशक, मध्य जोन मुख्यालय







NIT No. :- B.	V(GC Kathgodam) Spl. Repair/2024-25-CZ-C/Cell(NIT-13)	Dated 03-02-2025
Subject :-	Invitation of e-Tender.	

Dear Sir,

On behalf of the President of India, I invite you to tender online bids for "Special repair of SO s mess and 240 Men barrack No. 03." at GC, CRPF, Kathgodam, Distt-Nainital (Uttrakhand) Pin-263126.

- 2. If you are in a position to quote rate for "Special repair of SO s mess and 240 Men barrack No. 03." at GC, CRPF, Kathgodam, Distt-Nainital (Uttrakhand) Pin-263126 in accordance with the requirements stated in the attached schedule to tender, all documents attached herewith should be fully filled in, signed and sealed by the respective firm and submitted through e-Procurement site https://eprocure.gov.in/eprocure/app failing which your tender will be liable to be ignored, and will not be considered.
- 3. This tender is not transferable.

Thanking you.

Yours Sincerely SD/-03/02/2025 (Lt. Col. Anand Kumar) Commandant (Engineer) Contract Cell, CZ HQr [For and on behalf of the President of India]



:: SCHEDULE OF TENDER ::

a Tandar Enguing No. % Data	Ī		godam) Spl. Repair/2024-25-CZ-
e-Tender Enquiry No. & Date	••	C/Cell(NIT-13) Date	ed 03-02-2025
Name of work	::		ess and 240 Men barrack No. 03.
Place of work	::	GC, CRPF, Kathgodam 263126	, Distt-Nainital (Uttrakhand) Pin-
Work schedule/Schedule of Quantity	::	Details as per Annexure	e-'I' of the Tender enquiry
Amount of NIT/Estimated Cost	::	Rs. 96,19,773 /- only	
E.M.D. (In INR) @2% Fixed	::	Hundred Ninety Five) of [Note: - EMD, in favor of SBI, Main Branch, Kand should be valid at lopening of tender. If requires extension, the extend the validity suital and it should be paid	DIG, GC Kathgodam, Payable at- athgodam (Branch Code-03389) east for 120 days from the date of thereafter validity of the E.M.D. participated firm will be bound to ably. There is no exemption in EMD by the bidder mandatorily. If the e EMD as specified then his tender
Date & Time of Publishing of Tender	::	On 04/02/2025 at 09 3	30 Hrs.
Start date & time of submission online/ offline documents	::	W.E.F. 04/02/2025 on	1000 Hrs. Onwards.
Last date & time of submission		T:11 04 (00 (000 F	Online :- upto 1200 Hrs.
online/offline documents	::	Till 24/02/2025	Offline :- Upto 1700 Hrs.
Date & time of opening of tender	::	On 25/02/2025 at 120	0 Hrs.
Validity of offer		from the date of opening	n open for acceptance till 90 days ng of bid and the accepted rates g the period of execution including ny.
Time allowed for completion of work	::	210 Days.	

- 02. Tenderers are advised to go through the **Earnest Money Deposit (EMD)** and **Two Bid system clause** of this Tender Enquiry before filling the tender. In case date of opening of tender happens to be a closed holiday, the tender will be opened on next working day at the stipulated time.
- 03. All relevant details, including specification, terms & condition etc are available on **E-Procurement** web site https://eprocure.gov.in/eprocure/app (CPPP). The same may be downloaded by the bidders. Details can also be seen at CRPF website http://crpf.nic.in/tender_notices.htm. For any changes in Tender Enquiry/specifications etc, tenders are requested to visit CRPF/CPPP web sites regularly.
- O4. Scan copy of all Tender documents duly sealed and singed by firm, Earnest Money have to be uploaded through online on or before the schedule date and time prescribed in tender enquiry. Only original copy of Earnest Money Deposit and Tender Acceptance Letter (Attached as per Appendix -'C') to be submitted by the firm to CONTRACT CELL, CENTRAL ZONE HQR, CRPF, H.C. BLOCK, SECTOR-III, SALT LAKE, KOLKATA (W.B.) PIN-700106 on or before fixed due date and time for opening of tender by post or by hand. In case the firm fails to submit the original copy of above documents on or before the due date and time for opening of tender quotation will be ignored.
- 05. The tenderer may survey the site and decide the quantum materials: It is important that each page of the tender acceptance letter which is written undertaking that all the terms and condition of the tender are understood and accepted should be signed and submitted online through e-procurement site https://eprocure.gov.in/eprocure/app.

SD/-03/02/2025

(Lt. Col. Anand Kumar)

Commandant (Engineer)

Contract Cell, CZ HQr
[For and on behalf of the President of India]



:: IMPORTANT INSTRUCTIONS AND GUIDELINES ::

- 1. The intending Bidders must read all the terms and condition carefully and submit their tender through online (e-procurement web site in CPP Portal) before due date & time i.e. before 24-02-2025 Online upto 1200 Hrs and Offline upto 1700 Hrs if they consider themselves eligible and are in possession of all the required documents. Bidders are also advised to go through the Earnest Money, Payment terms and other clauses, terms and conditions of this tender enquiry carefully before participating in bidding process. The Bids (Technical Bids only) against tender enquiry will be opened on the given date & time i.e. on 25-02-2025 at 1200 Hrs. in the Contract Cell, CZ HQr, CRPF, H.C. Block, Sector-III, Salt lake, Kolkata-106 (W.B.). However date of opening of financial bids will be intimated to the eligible Bidders only after technical bid evaluation.
- 2. Bidders are requested to submit their bid/tender documents online through e-procurement website in CPP Portal duly filled and completed in all respect as per norms and original which are required to be submitted manually in tender box of **Contract Cell, CZ HQr, CRPF, H.C. Block, Sector-III, Salt lake, Kolkata-106 (W.B.).** duly sealed well before date of opening as specified in the tender enquiry to avoid last minute rush. In case date of opening of tender happens to be a closed holiday, the tender will be opened on next working day at the stipulated time. Late/Delay/Non submission of original documents manually in a sealed envelope in the tender box of **Contract Cell, CZ HQr** CRPF would result in rejection of bid during online bid opening. Department is not responsible for any postal delay.
- 3. All Tender documents attached with this invitation to tender including specifications are sacrosanct for considering any offer as complete offer. It is therefore important that **Tender Acceptance Letter** (As per **Appendix-'C'** of Tender Enquiry) which is a "**Written Undertaking**" that all the terms and conditions of the tender are understood and accepted, should be signed and submitted along with all documents as required with the bid.
- 4. The tender enquiries duly filled in all aspects and having completed all applicable formalities may be submitted online through CPP Portal as well as original as required manually (already mentioned in schedule to tender) be sent in a sealed envelope superscripted with **full address** of the **firm**, tender enquiry/notice **number & date**, name of **work**, **date** and **time** of opening etc by registered post/speed post duly stamped or by courier/by hand to the Contract Cell, CZ HQr, CRPF, H.C. Block, Sector-III, Salt lake, Kolkata-106 (W.B.) so as to reach on or before the scheduled time and date as mentioned in the schedule to the tender enquiry. Department is not responsible for any postal delay.
- 5. **Name** and **status** of the person signing the tender documents should clearly be mentioned in the tender documents.
- 6. While opening the tenders, the technical bid will be opened first instance and evaluated by the competent committee or authority. If the firm fails to fulfill at the conditions specified in the tender notice and fails to attach the documents as asked above, the tender will be rejected immediately. At the second stage, financial bids of technical qualified firms will be opened for further evaluation and ranking before awarding the contract. Award of contract will be awarded overall **L-1 firm.**
- 7. The works required to be executed on credit basis and no interest will be payable on the delayed payment. The payment will be made direct to the Firm/ Contractor bank account through ECS on recoupment of bill. Payment in advance or immediately cannot be made. The rates will remain open for **120 days**. GST/TIN number of the firm should be clearly shown / quoted in the tender.
- 8. Intending Bidder is eligible to submit the bid provided he has definite proof from the appropriate authority, which shall be to the satisfaction of the competent authority of having satisfactorily completed similar works/services of magnitude specified.
- 9. The contractor submitting the tenders against the subject tender enquiry are informed that all relevant details with reference to the tender enquiry stipulations are clearly responded to. In case any of the tender enquiry stipulation are not clearly stated to or replied to by any of the contractor, **no** repeat **no** clarifications will be sought from the concerned firm and its offer will be rejected out rightly.
- 10. The Contractor shall comply with the orders issued by the **Commandant (Engineer), Central Zone CRPF at H.C. Block, Sector-III, Salt Lake, Kolkata-106** from time to time during the contractual period. If he fails to do so, his failure will be a breach of contract and the **Commandant (Engineer), Central Zone, CRPF** in his discretion without prejudice to any other right or remedy available in law can cancel the contract. The contractor shall be liable for any pecuniary liability arising on account of any violation by him.
- 11. Agreement shall be drawn/work order will be issued to the successful Bidder. Bidders shall quote their rates as per terms and conditions which will form part of the agreement/contract.
- 12. The rates quoted by the Contractor should be **inclusive** of all taxes.
- 13. Intending bidders are advised to inspect and examine the site and its surrounding and satisfy themselves before submitting their bids as to the nature of the ground and sub soil (so far as is practicable), the form and nature of the site, the means of access to the site, the accommodation they may require and in general shall themselves obtain all necessary information as to risks, contingencies and other circumstances which may influence or affect their bid. A bidder shall be deemed to have full knowledge of the site whether he inspects it or not and no extra charges consequent on any misunderstanding or otherwise specifically provided for in the contract documents. Submission of a bid by a bidder implies that he has read this notice with terms & conditions mentioned there in, all other contract documents and has made himself aware of the scope and specifications of the work to be done and of conditions and rates at which stores, tools and plant etc will be issued to him by the government and location conditions and other factors having a bearing on the execution of the work.
- 14. The bid for the work shall remain open for acceptance for a period of **90 days** from the date of opening of the bid and rate of accepted bid shall remain valid during the proposed contractual period including extension period if any. If any bidder withdraws his bid before the said period or issue of letter of acceptance whichever is earlier or makes any notifications in the terms and conditions of the bid which are not acceptable to the department, then the government shall, without prejudice to any other right or remedy, is at liberty to forfeit the said earnest money (bid security) as aforesaid. Further the bidder shall



not be allowed to participate in the re-bidding process of the work.

- The officer inviting bid or his duly authorized assistant will open bid in the presence of intending contractors who may be present at the time of opening and will enter the amounts of the several bids in a comparative statement in a suitable form, in the event of a bid being accepted, a receipt for the earnest money forwarded therewith shall there upon be given to the contractor who shall thereupon for the purpose of identification sign copies of the specification and other documents. In the event of a bid being rejected, the earnest money forwarded which such unaccepted bid shall thereupon be returned to the contractors remitting the same, without any interest.
- If there is any clarification, this may be obtained through the site, or during the pre-bid meeting, if any. Bidder should take into account the corrigendum published from time to time before submitting the online bids.
- 17. The officer inviting bids shall have the right of rejecting all or any of the bids and will not be bound to accept the lowest or any other bid.
- The competent authority on behalf of the President of India does not bind itself to accept the lowest or any other bid and reserves to itself the authority to reject any or all the bids received without the assigning of any reason. All bids in which any of the prescribed conditions are not fulfilled or any condition including that of conditional rebate is put forth by the bidder shall be summarily rejected.
- The competent authority on behalf of President of India reserves to himself the right or accepting the whole or any part of the bid and the bidder shall be bound to perform/provide the same at the rate quoted by him/accepted by the department.
- Canvassing whether by bidders directly or indirectly in connection with bids is strictly prohibited and the bids submitted by the contractors who resort to canvassing will be liable to rejection.
- All the Standard Conditions of the Contract shall be binding on the parties as per Indian Contract Act and prevailing Rules. The Contractor shall comply with all the applicable Acts, Rules, Regulations and Law (s) for entering into Contract and the User/CLIENT will not in any way be liable or responsible for any default / irregularities / penalties on the Contractor's part.
- The Contractor or his authorized representative should visit the site as per requirement and meet Estate officer with prior appointment for any clarifications and to receive instructions, etc. at the site.
- The contractor shall promptly and timely obtain all such consents, permissions, approvals, licenses etc., as may be necessary or required, in accordance with this Tender. The Contractor should obtain approvals, if any, necessary for the work from the Statutory Bodies on behalf of the USER/CLIENT. The Contractor shall assist the User/CLIENT fully in respect of any liaison with the Municipal or any other Authority for necessary approval / permission with regard to the maintenance works. The fees and other statutory charges, if any, will be reimbursed to the Contractor based on the original receipts produced to the User/CLIENT.
- The Competent Authority has the right to accept or reject/cancel/scrap the tender as whole or part of it and no claims what so ever will be entertained on this account. The competent authority has also reserves the right to increase/decrease/alter the place of work/ quantity of work etc. and no claims what so ever will also be entertained.
- If the Bidder want to mention any specific condition, it should be mentioned on the covering/forwarding letter in firm's letter head only which will be placed on the first page of the bid. Such condition mentioned in any other document shall not be given any consideration.

SD/- 03/02/2025

(Lt. Col. Anand Kumar)

Commandant (Engineer)

Contract Cell, CZ HQr [For and on behalf of the President of India]

Signature of Bidder (with seal)



:: GENERAL CONDITIONS OF THE CONTRACT :

		:: GENERAL CONDITIONS OF THE CONTRACT ::
1	Terms of price	1.1 Price should be quoted only as per price bid format/B.O.Q provided along with tender documents at e-procurement site http://eprocure.gov.in/eprocure/app. The price hid in B.O.O. format/template about a new modified (naplaced by the hidden and
		price bid in B.O.Q format/template should not be modified/replaced by the bidder and the same should be uploaded after filling the relevant columns, else the bidder is liable to be rejected for the tender. Bidders are allowed to enter the bidder name and values only.
		No price bid is required to be submitted with offline bid documents under technical bid. 1.2 The lowest bidder will be decided on overall rate of entire work. Rates quoted by
		the bidder must be inclusive of all applicable taxes and other charges. 1.3 The E.P.F & E.S.I contributions on the part of employer in respect of the contract
		shall be paid by the contractor to concerned department well in time. These contributions on the part of the employer, paid by the contractor, shall be reimbursed by this department on actual basis only on production of receipt of the concerned department, at
	-	the time of claim of bill. It is required to produce documentary evidences to the concerned authority, violation of which even can end with termination of contract.
2	Payment terms	2.1 Works/Services category wise as per schedule to tender are to be provided as RA/Final Bill produced by the contractor and verified by competent authority of the department will be provided on credit basis and E.C.S payment will only be made
		through PAO/RPAO for further drawl action after satisfactorily completion of work as per specification, on production of bill in triplicate, bank mandate form, cancelled cheque. No interest will be payable on delayed payment, if any.
		2.2 Income Tax, GST-TDS, Labor Cess, Water Charges and other taxes as applicable will be deducted from the bill of contractor by CRPF/PAO/RPAO as per norms.
		2.3 While making payment TDS under section 194 (C) of I/Tax Rule 1961 and CGST & SGST Act'2017 if any applicable will be deducted from the bill amount before release of payment.
		2.4 No payment will be made for the contract till producing registration and payment for labours in EPFO & ESIC.
		 2.5 Payment cannot be made in advance or immediately. 2.6 Any discrepancy in settlement of bills may be brought to the notice of User/CLIENT within a period of one month after the settlement of the Bills. User/CLIENT will not entertain any claim regarding any dispute in settlement of the bills after stipulated time.
3	Tender fees	3.1 Rs. 00.00 (Nil)
4		4.1 All the contractors are required to deposit Earnest Money/Bid Security Deposit
	Deposit	(E.M.D.) as specified in invitation/schedule to tender along with their bid if applicable failing which their offers will be summarily rejected.
		4.2 The E.M.D. shall be deposited by the bidders to CONTRACT CELL, CENTRAL ZONE
		HQR, CRPF, H.C. BLOCK, SECTOR-III, SALT LAKE, KOLKATA (W.B.) PIN-700106 through any of the following alternative forms:
		a) Crossed bank draft/banker cheque drawn in favour of the "DIG, GC
		Kathgodam" [Payable At-SBI, Main Branch, Kathgodam (Branch Code-03389)]. Personal Cheque will not be entertained and will result in rejection of
		bid. b) Fixed deposit receipt drawn in favour of the "DIG, GC Kathgodam" [Payable
		at:- SBI , Main Branch, Kathgodam (Branch Code-03389) .] c) An irrecoverable bank guarantee of any nationalized/ scheduled bank or
		reputed commercial bank in the attached format as Appendix-'B' . 4.3 The E.M.D. money shall remain valid for a period of 90 days from the date of tender opening and be deposited to the department. If the validity of the tender is extended, the
		validity of the BG/or any other alternate documents submitted in lieu of E.M.D. will also be suitably extended by the Bidder, failing which their tender after the expiry of the
		aforesaid period shall not be considered by the purchaser. 4.4 No interest shall be payable on the earnest money deposited by the Bidder. 4.5 The E.M.D. is liable to be forfeited if the Bidder withdraws or amends/impairs or
		derogates from the tender in any respect within the period of validity of his tender. 4.6 The E.M.D. of the successful Bidder shall be returned after depositing of Performance Guarantee (P.G.) .
		4.7 If the successful Bidder fails to furnish the Performance Guarantee (P.G.) as required in the contract within the stipulated period, the E.M.D. shall be treated as Performance
		Guarantee (P.G.) for all practical purposes. 4.8 E.M.D. of all the unsuccessful bidders will be returned as early as possible after the expiry of bid's validity, but not later than 30 days after placement of contract. Bidders are
		advised to send a pre receipt challan along with their bids so that refund of earnest money can be done in time.
		4.9 Any tender, where the Bidder is required to deposit E.M.D. in terms of conditions mentioned in preceding paras, not accompanied with E.M.D. in any one of the approved forms acceptable to the competent authority, shall be summarily rejected. (As per GOI
		O/O AS & DC, MSME vide OM F.NO. 21(8)/2011-MA dated 09/11/2016 and also by CPWD vide OM NO. DG/MAN/Misc./12 dated 25/07/2017, there is No exemption of EMD for work contracts).



Performance Guaranty

- 5.1 The successful contractor shall have to deposit a **Performance Guarantee (P.G.)** equivalent to **3% (Three Percentage)** of the contract value of the work within **07 (Seven)** days from the date of letter of intent or Acceptance of contract whichever is earlier for due performance, failure on the part of the firm to deposit the Performance Guarantee within stipulated time empowers the competent authority to cancel the contract.
- 5.2 The Performance Guarantee submitted by the supplier will remain valid at least for **60 days beyond the date of completion** of all contractual obligations of the contractor including warranty obligations.
- 5.3 The Performance Guarantee shall be deposited to **Contract Cell, CZ Hqr, CRPF, Kolkata (W.B.) PIN-700106** in any of the following alternative forms:-
 - a) A crossed bank draft drawn in favour of the "DIG, GC Kathgodam" [Payable at:-SBI, Main Branch, Kathgodam (Branch Code-03389)].
 - b) Fixed deposit receipt drawn in favour of the "DIG, GC Kathgodam" [Payable at:- SBI, Main Branch, Kathgodam (Branch Code-03389)].
 - c) An irrecoverable bank guarantee of any nationalized/ scheduled bank or reputed commercial bank in the attached format as at **Appendix-'B'**
- 5.4 In case the contractor fails to deposit the Performance Guarantee within the stipulated period including extended period if any, the Earnest Money Deposited (E.M.D.) by the contractor along with his bid shall be forfeited automatically without any notice to the contractor. The earnest money deposited along with bid shall be returned after receiving the aforesaid performance guarantee.
- 5.5 If the contractor fails to provide required services as per schedule from the contract commencement date and places requests for extension of time, he shall submit an undertaking on Non judicial stamp paper of Rs. 10/- only duly attested by the Notary Public stating that the Performance Guarantee has already been extended for sixty days beyond the guarantee/warranty period of the contract.
- 5.6 In case a Fixed Deposit Receipt (F.D.R.) of any Bank is furnished by the contractor to the Government as part of the performance guarantee and the Bank is unable to make payment against the said fixed deposit receipt, the loss caused thereby shall fall on the contractor and the contractor shall forthwith on demand furnish additional security to the Government to make good the deficit
- 5.7 The Performance Guarantee shall be withheld or forfeited in full or part in case the work order is not executed/complied satisfactorily within the stipulated period or requisite standard within the guarantee period is not undertaken to the best satisfaction of the user/department.
- 5.8 Performance Guarantee will be returned to the bidder only after end of all contractual obligations.

6. Recovery of Security Deposit/Retention Money

- 6.1 The person/persons whose tender(s) may be accepted (hereinafter called the contractor), shall permit Government at the time of making any payment to him for work done under the contract to deduct a sum at the rate of 2.5% of the gross amount of each running bill (periodic/interim payment) and final bill till the sum deducted will amount to 2.5% of the tendered value of the work as **Security Deposit/Retention Money** in addition to Performance Security. The earnest money instead of being released may form part of the security deposit.
- 6.2 Such deductions will be made and held by Government by way of Security Deposit unless he/they has/have deposited the amount of Security at the rate mentioned above in cash or in the form of Government Securities or fixed deposit receipts.
- 6.3 In case a fixed deposit receipt of any Bank is furnished by the contractor to the Government as part of the security deposit and the Bank is unable to make payment against the said fixed deposit receipt, the loss caused thereby shall fall on the contractor and the contractor shall forthwith on demand furnish additional security to the Government to make good the deficit.
- 6.4 All compensations or the other sums of money payable by the contractor under the terms of this contract may be deducted from, or paid by the sale of a sufficient part of his security deposit or from the interest arising there from, or from any sums which may be due to or may become due to the contractor by Government on any account whatsoever and in the event of his Security Deposit being reduced by reason of any such deductions or sale as aforesaid, the contractor shall within 10 days make good in cash or fixed deposit receipt tendered by the State Bank of India or by Scheduled Banks or Government Securities (if deposited for more than 12 months) endorsed in favour of the Engineer-in-Charge, any sum or sums which may have been deducted from, or raised by sale of his security deposit or any part thereof.

7. System of bidding

- 7.1 All bidders are required to submit their offer in two bid system i.e. **Technical Bid** and **Financial Bid** separately.
- 7.2 In Technical Bid, the bid documents as per below mentioned details are required to be submitted only on CPPP in http://eprocure.gov.in/eprocure/app. Certain documents which are also mentioned below are required to be submitted in **original manually** and to be dropped in tender box at Contract Cell, CZ, HQr, CRPF, H.C. Block, Sec-III, Salt Lake, Kolkata-106 (W.B.) in a sealed envelope through by hand/registered post/parcel etc.
- 7.3 The composite bid i.e. rate indicating in the Technical Bid "OPENLY" shall be ignored and bid will be **rejected** summarily.
- 7.4 <u>Price should be quoted only as per Price Bid (Financial Bid) format/**B.O.Q.** provided along with tender documents at e-procurement site http://eprocure.gov.in/eprocure/app. No price bid is required to be submitted with offline bid documents under technical bid.</u>



Method of bid.

First Cover (Technical bid) :-

- submission of 8.1 The submission of technical bid will be entertained only online in e-procurement website The Tender Enquiries duly filled in all aspects and having completed all applicable formalities along with scanned copies of required documents as per below mentioned details may be submitted online through CPP Portal as well as original as required and mentioned below be sent in sealed envelope duly superscripted with tender enquiry number, Name of Work and date of opening by registered post/speed post duly stamped or by courier/by hand to the Contract Cell, CZ HQr, CRPF at H.C. Block, Sector-III, Salt Lake, Kolkata-106 (W.B) so as to reach on or before the scheduled time and date as mentioned in the schedule to the tender enquiry. Department is not responsible for any postal delay.
 - 8.2 Details of documents required to be furnished/submitted by all the bidders in technical bid for participating in the bidding process are as under :-
 - **(a)** Documents (Legible scanned copy, duly signed) required to be submitted <mark>online</mark> in CPPF under Technical Bid :-
 - All pages of the tender documents duly completed & signed in all respect by the authorized signatory of the firm/contractor under the seal.
 - Scanned Copy of EMD.
 - registration of valid the firm as "Contractor" of registered 'CPWD/MES/NBCC/BRO/State PWD' in respective categories as per the nature of work and class as per the tender amount.

Note :- The enlistment of the contractors should be valid on the last date of submission of tenders In case only the last date of opening of tender is extended, the enlistment of contractor should be valid on the original date of opening of tenders. A copy of Registration Certificate as a "Contractor" issued by competent authority of 'CPWD/MES/NBCC/BRO/State PWD is mandatory to be uploaded with the tender documents by the Bidder (s). In case validity of enlistment/registration/trade license expired and the concerned firm has applied for renewal to the concerned department or ministry, the relevant documents of such renewal application along with undertaking of the firm should be essentially submitted with their bid.]

- Basic Information About the Bidder/Firm/Contractor (As per Appendix-'A' of Tender Documents.)
- Copy of valid PAN Card.
- Tenderer Turn over Criteria: The minimum average annual financial turnover of the tenderer during the last three years, ending $31^{
 m st}$ march of the previous financial years, should be at least 30% of the estimate cost put to tender. Documentary evidence in the form of certified Audited balance sheet of relevant periods i.e last 03 years or a certificate from the Chartered Accountant/cost Accountant indicating the turnover details for last 03 years shall be uploaded in the tender. In case the date of constitution/incorporation of the bidder is less than 3 years old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
- Bank Remittance Particulars (viz copy of Bank Passbok/Cancelled Cheque etc.)
- Copy of registration certificate of GST, EPF and ESIC.
- Past Performance/Experience for similar nature of works in CRPF/CPWD/MES/NBCC/BRO/ State PWD only during the last 03 Financial Years (Copies of Completion Certificates mentioning Amount and Date of Completion of Work issued by not below the rank of Executive Engineer should be provided) in the following order :-
 - One similar completed work costing not less than the amount equal to 80% of the estimated cost put to tender.

or

Two similar completed works costing not less than the amount equal to 60% of the estimated cost put to tender.

or

- Three similar completed works costing not less than the amount equal to 40% of the estimated cost put to tender.
- (Tenderers should also give their past performance in the specified format as per Appendix-'D')
- 10. Complete Postal address of contractor/Firm along with copy of valid I/Card viz Voter I/D Card. Aadhar Card etc.
- 11. Partnership Agreement of the firm (if the firm is a partnership firm) along with Specific Information as asked for as per **Appendix-'E'.** (If no papers submitted with the bid it will be assumed that the firm is a Single Proprietary and will held responsible if found false in
- 12. Any other relevant documents which the firms wish to submit as a part of offer.
- **b)** Documents required to be submitted in **original manually (Offline**) in a sealed envelope mentioning Tender ID, Date of Opening & full address of Contractor's with contact no. and the same to be dropped in TENDER BOX at Contract Cell, CZ HQr, CRPF at H.C. Block, Sector III, Salt Lake, Kolkata-106 (W.B) :
- 1. Original Earnest Money Deposit (As per schedule to Tender).
- 2. Tender Acceptance Letter: The firm should mandatorily submit the Tender Acceptance Letter (As per Appendix-'C') on Firm/Contractor letter head which should be clearly readable. The contractor may also upload a copy if he wishes so.

Note: No other documents other than original EMD and original Tender Acceptance Letter needs to be submitted offline.

8.3 On due date & time, the Technical Bid will be opened and evaluated by the appropriate committee. Bids which will be accepted in technical bid evaluation stage will be considered for opening of Financial Bid. No financial bid will be opened in respect of bids which are technically disqualified.

Second Cover (Financial/Price Bid) :-

Details of documents required to be furnished/submitted by all the bidders in Financial



Bid for participating in the bidding process are as under :-Details of rates, taxes, duties and discounts, if any, be quoted by the bidder in the BOQ which is an MS Excel Sheet and should be downloaded from the eprocurement site http.https://eprocure.gov.in/eprocure/app. Rates must be clearly written in figures as well as in words. Name of bidder must be written in the appropriate filed of BOQ by each bidder. iii) The Financial Bid will only be accepted through online in BOQ format and offline iv) price bid will not be accepted. 8.5 Prices should be quoted for each work as per enclosed BOQ format provided along with the tender document at e-Procurement site https://eprocure.gov.in/eprocure/app. <u>8.6 Q</u>uoted rates should be workable, reasonable and should include incidental and all overheads and profits. The Tenderer will furnish Rate Analysis for scrutiny of the rates by User/CLIENT. Labour Laws to 9.1 The contractor shall comply with the provisions of the Contract Labour (Regulation and be complied by Abolition) Act, 1970, and the Contract Labour (Regulation and Abolition) Central Rules, 1971. the Contractor 9.2 The contractor shall also obtain a valid license under the said Act before the commencement of the work, and continue to have a valid license until its completion. 9.3 The contractor shall also comply with provisions of the Inter-State Migrant Workmen(Regulation of Employment and Conditions of Service) Act, 1979. 9.4 The contractor shall also abide by the provisions of the Child Labour and Adolescent Labour (Prohibition and Regulation) Act, 1986. The contractor shall also comply with the provisions of the building and other Construction Workers (Regulation of Employment & Conditions of Service) Act, 1996 and the building and other Construction Workers Welfare Cess Act, 1996. Any failure to fulfill these requirements shall attract the penal provisions of this contract arising out of the resultant non-execution of the work. 9.6 No Running Account Bill shall be paid for the work till the applicable labour licenses, registration with EPFO, ESIC and BOCW Welfare Board, whatever applicable are submitted by the contractor to the Engineer-in-Charge. 10 The time allowed for execution of the Works as specified in the NIT or the extended time Time and Extension for in accordance with these conditions shall be the essence of the Contract. The time allowed for Delay carrying out of the work will be reckoned from the seventh day of issuance of Award of Contract or date of handing over of the site whichever is earlier. If the Contractor commits default in commencing the execution of the work as aforesaid and such default continues even after 10 days after a notice in writing has been given by the Engineer in charge, the performance guarantee shall be forfeited by the Engineer in Charge and shall be absolutely at the disposal of the Government without prejudice to any other right or remedy available in law. The contract shall stand determined when such decision regarding the forfeiture of the performance guarantee is communicated to the contractor. 10.2 Delays due to reasons beyond the control of both parties:-If the work(s) be delayed by:-Force majeure, or (ii) Abnormally bad weather, or (iii) Serious loss or damage by fire, or Civil commotion, local commotion of workmen, strike or lockout, affecting any of the trades employed on the work, or Delay on the part of other contractors or tradesmen engaged by Engineer-in-Charge in executing work not forming part of the Contract, or Any other cause like above which, in the reasoned opinion of the Engineer-in-Charge is beyond the control of both parties then upon the happening of any such event causing delay, the Contractor shall immediately give notice thereof in writing to the Authority. The said authority, on receipt of such notice, considering the factual ground situation, give a fair and reasonable 'justified extension of time' and reschedule the mile stones for completion of work. Time will remain essence of the Contract in the extended period. 10.3 The contractor shall have no claim of damages against the delays listed in this sub clause i.e. sub clause 10.2. 11.1 The contractor shall comply with the provisions of Minimum Wages Act, 1948 and Contract 11 Minimum Wages Act and Labour (Regulation and abolition) Act, 1970 amended from time to time and rule framed there under EPFO & ESIC and other labour laws affecting contract labour that may be brought into force time to time. The contractor should also pay wages to his engaged labours against the contract as per existing notification of Ministry of Labour & Employment, G.O.I. including revision which takes place during the contractual period. Probable inflation of minimum wages during contractual period should be considered and taken into account while submitting bid. At the time of claim of bill it is required to produce documentary evidences (i.e. bank statement of employees) to the concerned authority, violation of which even can end with termination of contract. 11.2 The contractor shall have registration with EPFO and ESIC. The E.P.F & E.S.I contributions on the part of employer in respect of the contract shall be paid by the contractor to concerned department well in time. These contributions on the part of the employer, paid by the contractor <u>shall</u> be reimbursed by this department on actual basis and on producing receipt of the concerned department as per the applicable EPF & ESIC. 12 **Termination of** 12.1 If the services of the contractor are not found to be satisfactory, the contractor will be given a notice, with a **notice period of 6 days**, to improve his work. If the contractor fails to agreement improve his work within the Notice period, User/CLIENT shall have the discretion to terminate the contract either in part or in whole, on any day after the expiry of the said notice period. Also the contract may be terminated if :-

> the contractor commits a breach of any terms and conditions of this agreement and/or the contractor is adjudged an insolvent or a compromise is entered by him with his creditors or if distress or execution or other process is levied upon or receiver is appointed



	Τ	for any part of the assets or property of contractor and/or
		(c) for any reason whatsoever, the contractor becomes disentitled in law to perform his
		obligations under this agreement and/or
		(d) there is any variation in the ownership/partnership or management of the contractor or
		his business without the prior approval in writing of the User/CLIENT to such variation.
		12.2 In the event of termination of this agreement for any reason whatsoever, the
		contractor/or persons employed by him or his agents shall not be entitled for any sum or sums
		whatsoever from the User/CLIENT by way of compensation, damages or otherwise.
13	Termination	13.1 Without prejudice to any of the right or remedies under this contract, if the contractor dies, the
10	of contract on	Commandant (Engineer) CZ with the recommendation of competent authority, shall have the option
	death of	of terminating the contract without compensation to the contractor. If the contractor is an individual
	contractor	or proprietary concern and individual or the proprietor dies or if the contractor is a partnership
	COntractor	concern and one of the partner dies then unless, the Commandant (Engineer) CZ with the
		recommendation of competent authority, is satisfied that the legal representative of the individual for
		the proprietary concern or the surviving partners are capable of carrying out and completing
		contract, the Commandant (Engineer) CZ with the recommendation of competent authority, is
		entitled to cancel the contract for the uncompleted part without being in any way liable for any
		compensation payment to the estate of deceased contractor or to the surviving partners of the
		contractor's firm on account of the cancellation of contract. The decision of the Commandant
		(Engineer) CZ with the recommendation of competent authority, in such assessment shall be final
		and binding on the parties. In the event of such cancellation the Commandant (Engineer) CZ with the
		recommendation of competent authority, shall not hold the estate of deceased contractor and/or the
1 4		surviving partners of the contractor's firm liable for any damages for non-completion of contract.
14		14.1 Claims regarding escalation in cost of material & labour in any circumstance will
		not be entertained. The intending bidders before participating in the Tender must ensure
		the same.
15		15.1 If the contractor or his working people or servants shall break, deface, injure or destroy
		any part of building in which they may be working, or any building, road, road kerb, fence,
		enclosure, water pipe, cables, drains, electric or telephone post or wires, trees, grass or
		grassland, or cultivated ground contiguous to the premises on which the work or any part is
		whatever or if any defect, shrinkage or other faults appear in the work within Liability Period
		i.e. 12 Months (06 Months in the case of work costing Rs. Upto 10 lakh & below except road
		work after a certificate final or otherwise of its completion shall have been given by the
		Engineer-in-Charge as aforesaid arising out of defect or improper materials or workmanship
		the contractor shall upon receipt of a notice in writing on that behalf make the same good at
		his own expense or in default the Engineer-in-Charge cause the same to be made good by other
		workmen and deduct the expense from any sums that may be due or at any time thereafter
		may become due to the contractor, or from his security deposit or the proceeds of sale thereof
		or of a sufficient portion thereof.
		15.2 The security deposit of the contractor shall not be refunded before the expiry of liability
		Period i.e. 12 Months (06 months in the case of work costing utpo Rs. 10 lakhs and below
		except road work) after the issue of the certificate final or otherwise, of completion of work, or
		till the final bill has been prepared and passed whichever is later.
		15.3 Provided that in the case of road work, if in the opinion of the Engineer-in-Charge, half of
		the security deposit is sufficient, to meet all liabilities of the contractor under this contract, half
		of the security deposit will be refundable after six months and the remaining half after twelve
		months of the issue of the said certificate of completion or till the final bill has been prepared
		and passed whichever is later.
		15.4 In case of Maintenance and Operation works of E&M services, the security deposit deducted from contractors shall be refunded within one month from the date of final payment or within one
		month from the date of completion of the maintenance contract whichever is earlier.
16		16.1 If the firm fails to complete the work within prescribed completion period the User/Client may
10		recover from the Contractor liquidated damages including administrative expenses etc. A sum
		equivalent to 2% of the price of work which contractor fails to execute within prescribed completion
		period fixed for each month or part of month. Delay so claimed shall not exceed 10% of the total
		contract.
17	Deviations/	17.1 The Engineer-in-Charge shall have power (i) to make alterations in, additions to or substitutions
		for the original scope of work as defined in the contract, that may appear to him to be necessary or
		advisable during the progress of the work, and (ii) to omit a part of the works in case of non-
		availability of a portion of the site or due to any other reason, the contractor shall be bound to carry
		out the works in accordance with any instructions given to him in writing signed by the Engineer-in-
		Charge and such alterations, omissions, additions or substitutions shall form part of the contract as
		if originally provided therein and any change in the scope of work as defined in the contract, which
		the contractor may be directed to do in the manner specified above as part of the works, shall be
		carried out by the contractor on the same terms and conditions in all respects, except for
		increase/decrease in the cost and additional time due to change of scope, to be determined based on
		the sub-clauses hereunder.
		17.2 The time for completion of the works shall, in the event of any deviations resulting in additional
		cost over the tendered value sum being ordered, be extended, if requested by the contractor, as
		follows: (i) In the proportion which the additional cost of the altered, additional or substituted work, bears to
		the original tendered value plus
		(ii) 25% of the time calculated in (i) above or such further additional time as may be considered
		(ii) 20% of the time edicated in (i) above of oden rather additional time as may be considered

17.3 Payment of deviations/variations beyond 0.25% of the accepted tendered amount.

In case there is any change in scope as defined in the contract, the contractor shall carry out the changes as per direction of Engineer in Charge and nothing extra shall be payable to the contractor on account of same if the additional cost of such work is up to 0.25% (zero point two five percent) of

reasonable by the Engineer-in-Charge.



the accepted tendered amount and worked out as per sub-clause 17.4 below. Variations/deviations upto 0.25% (zero point two five percent) of the accepted tendered amount shall be deducted from overall variations/ deviations for making payment.

17.4 DETERMINATION OF RATES

In the event, there is any deviations/variations in work as defined in the contract, the contractor shall submit the complete proposal to Engineer-in-charge within 15 days duly supported with :-

(a) Analysis of rates for items involved, along with relevant documents, rates of materials tools/plants and labour, etc.

(b) The impact, if any, which the deviations/variations is likely to have on the project completion schedule, On receipt of such proposal, either individually or covering group of items, the Engineer-incharge shall examine the proposal regarding its admissibility and finalize the proposal/rates within 45 days after receipt of proposal with all requisite details and documents from the contractors, after giving due consideration to the proposal, analysis and rates of materials and labours, etc.

17.5.1 The increase/decrease in the rates due to deviations/variations shall be decided based on the following criteria:-

(i) Pricing of deviations

(a) If the item of work as stipulated in the schedule of quantity/scope of work deviates on plus side, then the rate for the deviated quantity shall be paid at the agreement rate up to the deviation limit with the same terms & conditions of the contract. Beyond deviation limit, rate shall be payable on market rates to be determined based on the relevant documents and prevailing market rates, as per Para (ii, below

(b) If the item of work as stipulated in the schedule of quantity/scope of work deviates on minus side, then the amount for such deviated quantity shall be deducted proportionately at the agreement rate.

(ii) Pricing of variations

If there are changes in the quantity/specifications/ alterations/ substitutions/additions, etc. in the items, other than mentioned in para-(i) above, the rates shall be determined based on detailed analysis of rates with original stipulated scope of items & newly proposed/provided items. The difference of rates so determined shall be payable to/ recoverable from the contractor. The rates for both the components i.e. materials & labour shall be based on prevailing market rates. The rate finalized by the Engineer-in-Charge shall be final and binding.

17.5.2 In case of either non-submission of timely proposal or incomplete proposal by the contractor for deviations/variations, the Engineer-in-Charge shall give final opportunity to the Contractor to submit the complete proposal for change of cost within next 15 days. In case of non-submission or further incomplete submission by the contractor within the stated period, the Engineer-in-Charge shall initiate the proposal and decide the change of cost. In such case the proposal finalized by the Engineer-in-Charge shall be final and binding on the contractor.

17.6 Restrictions on Deviations/Variations

(i) Work(s) due to deviations/variations shall be executed only after getting the instructions of Engineer in-charge, save except to meet any work of emergent nature.

(ii) Notwithstanding anything to the contrary in this clause 12, any change arising from default of the contractor in the performance of his obligations under this agreement shall not be deemed to be deviations/variations, and shall not result in any adjustment of the contract price or the project completion schedule.

8 Other terms & condition

18.1 The contractor/firm shall employ the required workmen [Skilled/Un-Skilled] as per terms and conditions of the tender enquiry. Immediately after award of contract, the contractor/firm should intimate name of workmen to whom the firm has employed for the tendered work along with complete details in firm's letter head and supporting papers of technical capabilities of the workmen where ever applicable against the contract. The workmen so engaged against the contract should maintain discipline inside of the campus.

18.2 All works, complaints / instructions given by the respective authorities covered under the **Annual Maintenance Contract** are to be attended on the same day. In case of delay in attending the work in time, User/CLIENT will be at liberty to get the work done through any other agency and the cost therefore shall be recovered from the Contractor at the discretion of User/CLIENT.

18.3. Personnel employed for operation of STP/Water treatment plant/ESS should have experience of Operation, maintenance & services of respective services and equipment and all personal records should be maintained by the contractor.

18.4 The workmen engaged by the contractor/agency shall be at their own risk and in case of any untoward, incident, mishap the contractor/agency will be liable for such risks and the department will not be held responsible in any way for such mishap and untoward incidents.


18.5 Technical manpower should be provided by successful bidder to execute the specialized work.

18.6 User/CLIENT shall not be responsible for the release of benefits, such as salary, leave, Provident Fund, ESI, Pensioner benefits or allowances to the staff employed by the contractor. User/Client will not be held responsible for any Accident/injury / carrying out default work and any statutory levied by the govt./state government. etc. Excess payment due to any changes in the Minimum Wages Act or in any other labour legislation/provisions or other statutory obligations during the validity period of the contract shall be the responsibility of the contractor.

18.7 The contractor will be responsible and ensure timely payment to its personnel deployed in the premises and compliance of all statutory provisions relating to minimum wages, Provident Fund and Employees State Insurance, etc. in respect of the persons deployed by them in User/CLIENT and under intimation/in the presence of User/CLIENT officer. The Contractor shall be responsible to fulfill all the obligations in connection with the workers employed by it for the purpose of the Contract and all the Statutory and other liabilities if any including minimum wages of Central/ State Govt. (whichever is higher shall be applicable), leave, salary, uniform, identity cards, ex-gratia, ESI, Provident Fund, Workman Compensation, if any, etc. (as applicable) in connection therewith shall be on the Contractor account and payable by the concerned Contractor. The contractor shall liaise with Labor Deptt. of State Govt. / Central Govt. and comply with all necessary regulations/instructions in this regard.

18.8 The Contractor shall be fully responsible and shall indemnify User/CLIENT with suitable Insurance cover in the event of any damage to men or material, injury / damage or death as the case may be, caused directly or indirectly due to the negligence of the Contractor or his agents and / or his employees or workmen. The decision of User/CLIENT in this regard shall be final and binding.





18.10 In case of any default or failure on Contractor's part to comply with all / any one of the Terms / Conditions, User/CLIENT reserves the right to take necessary steps to remedy the situation including, inter-alia, the deduction of appropriate amount/s from dues otherwise payable to Contractor and/or by taking recourse to appropriate recovery proceedings. The contractor shall keep User/CLIENT indemnified against all claims whatsoever in respect of the manpower deployed by it in User/CLIENT. In case any employee of the contractor so deployed enters in dispute of any nature whatsoever, it will be the primary responsibility of the contractor to contest the same. In case User/CLIENT or its employee is made party and is supposed to contest the case, User/CLIENT will be paid in advance by the contractor to User/CLIENT or any person authorized by User/CLIENT, on demand. Further, the contractor will ensure that no financial or any other liability comes to User/CLIENT or its employee in this respect of any nature whatsoever and shall keep User/CLIENT or any employee of User/CLIENT indemnified in this respect.

18.11 For any dispute, the decision of User/CLIENT shall be final and binding upon the contractor. However, any dispute or difference whatsoever arising on any matter concerning this contract between the parties out of or relating to the services, meaning, scope, operation or effect of this contract or the validity or the breach thereof shall be settled through court of law.

18.12 On site storage space will be provided to the Contractor subject to availability. However, the Contractor may erect temporary sheds for storage purposes at his cost with the permission of the User/CLIENT. User/CLIENT will not be responsible for Contractor's materials. The Contractor may be required to vacate the storage space and sheds as per exigency without any extra cost to User/CLIENT. If any statutory charges are required to be paid for erection of sheds, the same should be borne by the Contractor.

18.13 The Contractor shall provide all necessary Tools & Plants materials or any other equipment, materials, labour, etc. and no payment in this regard will be made by User/CLIENT. The Contractor shall supply, fix and maintain all the scaffoldings, jhulla, safety belt, extra labour to hold ladders/jhoolas, T&P, etc., at his cost during the execution of any work and remove them as soon as the work is completed, without causing any damage to User/CLIENT's property.

18.14 The Contractor shall not directly or indirectly transfer, assign or sublet the Contract or any part of it, without written permission of User/CLIENT. But he can engage various licensed agencies/agencies for carrying out different works. However, the technical documents of Sole bidder will only be considered until or unless otherwise specified.

18.15 It is the contractor's responsibility to coordinate with other service providers No other charges for such works shall be payable.

SD/-03/02/2025

(Lt. Col. Anand Kumar)

Commandant (Engineer)

Contract Cell, CZ HQr [For and on behalf of the President of India]


[......]
Signature of Bidder
(with seal)



SPECIAL TERMS & CONDITIONS OF THE CONTRACT

- 1. If a bidder / tenderer quotes NIL charges / consideration, the bid shall be treated as unresponsive and will not be considered.
- 2. Temporary I-card may be issued by the Estate Officer to skilled labour /operators/ Supervisor. So that frequent movement can be done for the sake of speedy resolution of complaints. However labour camp will not be permitted in the CRPF premises CRPF is not responsible for any type of arrangement of labour camp. Contractor is solely responsible for the accommodation & timely wages to their staff.
- 3. User/CLIENT does not bind itself to accept abnormally low bids. The rates quoted by the tenderer/bidder should be able to demonstrate the capability of the tenderer/bidder to deliver the contract at the offered price. Abnormally low bids/rates will be subject to analysis by User/CLIENT. If required, User/CLIENT may call written clarification from bidder, including detailed price analysis of the bid price in relation to scope, schedule, allocation of risks and responsibilities and any other requirements of the bid document and tenderer/bidder shall have to furnish Rate Analysis for the scrutiny of rates by User/CLIENT within stipulated time. User/CLIENT reserves the right to reject the bid if bid is found to be abnormally low to deliver/perform the contract.
- 4. The manpower deployed by the contractor should be polite, cordial, positive, efficient and their personal records should be maintained by the contractor while handling the assigned work so that their actions promote goodwill and enhance the image of User/CLIENT. Necessary grooming should be done by the contractor before posting the staff at site. He shall also comply with the provisions of all labour legislations. Receipt of any complaint in this regard shall be viewed seriously.
- 5. The Contractor should not employ any person who is prohibited by Law from being employed for fulfilling obligations under this Contract. Any indecent behavior / suspicious activities of the staff employed shall be viewed seriously and a suitable penalty shall be imposed on contractor. The contractor is also required to submit the list of workers with photo ID, educational qualification, address proof, etc. before deputing the workers. An attendance register shall be maintained at site indicating number of persons deployed for the inspection by User/CLIENT officials/representative.
- 6. Any act of indiscipline / misconduct / theft / pilferage on the part of any employee engaged by the Contractor resulting in any loss to User/CLIENT in kind or cash will be viewed seriously and User/CLIENT will have the right to take legal action along with levy damages or fine and / or even terminate the Contract forthwith, if necessary.
- 7. The appointed contractor is required to generate End of the Day (EoD) reports on status of works, labour deployed, etc. to the concerned officer of the Client.
- 8. Contractor shall follow the prescribed formats/procedures for official documentation like registers, etc. as stipulated by User/CLIENT from time to time.
- 9. In case of emergency work, no extra payment for working in odd hour will be made.
- 10. The property will be handed over to the Contractor on 'as is where is' basis and the contractor shall ensure proper service to a reasonably satisfactory level.
- 11. User/CLIENT reserves to change scope of work during the contract period.
- 12. The successive bidders are responsible for replacing/repairing the stores while got defective during the warranty/guarantee/liability period.
- 13. The purchaser reserves the right to place order on the next higher successful firm if the firms quoting lower rates do not fulfill the requirements of Tender Enquiry due to their limited bank solvency/capacity.
- 14. Reject / Cancel / Scrap : The competent authority has got the right to accept or reject / cancel / scrap the tender as whole or part of it and no claims what so ever will be entertained on this account. The competent authority also reserves the right to increase / decrease / alter the scope of work / quantity of work etc and no claims what so ever will be entertained.
- 15. The contractor should possession of labour license under the contract labour (Regulation and abolition) act, 1970 & 1971 from regional labour commission (Central) of area concerned.
- 16. Department will not be responsible for any kind of incident involving the labour during or after the work. The contractor must ensure the workers against all contingencies and be responsible for their safety.
- 17. This Notice Inviting Tender and Integrity Agreement (Refer Appendix F) shall form a part of the contract document.
- 18. The L1 bidder will have to submit a copy of this Tender duly signed on each page along with other relevant documents if required during award of work.
- 19. **FINAL INSPECTION**: After completion of work as per specification the whole work will be subject to a final inspection to ensure that job has been completed as per requirement. If





20. No part of the CONTRACT nor any share or interest therein shall in any manner or degree be transferred, assigned or sublet by the CONTRACTOR directly or indirectly to any person, firm or corporation whatsoever without the consent in writing of the Commandant(Engr.), Central Zone, CRPF, Sector-III, Kolkata.

21. ADDITIONAL SPECIFICATION FOR CIVIL WORKS:

- a). All materials required to be used on works shall be got approved from the "DIG, GC Kathgodam" / Officer Commanding of Building in advance. In case of doubt on any material, "DIG, GC Kathgodam" wears the right to get the material test from Govt. approved labs/NABL.
- b). The quoted rate should be inclusive of all taxes, levies, works contract taxes, duties etc.
- c). List of approved makes is attached. In case item(s) not mentioned in the list, CPWD approved list of material for similar work may be followed

SD/- 03/02/2025
(Lt. Col. Anand Kumar)


Commandant (Engineer)

Contract Cell, CZ HQr
[For and on behalf of the President of India]

[......]

Signature of Bidder
(with seal)






LIST OF APPROVED MAKES FOR CIVIL WORKS

		PROVED MAKES FOR CIVIL WORKS
S/N	Item	Approved Make
1	Ordinary Portland cement	ACC, GRASIM, Ambuja, Birla (Vikram) Ultra-tech.
2	Reinforcement Bars	Tata steel, SAIL, RINL, Secondary producer RATHI and BARNALA make.
3	Synthetic Enamel Paints	Burger (Luxol gold), Asian (Apcolite), ICI Dulux (Gloss), Nerolac.
4	Cement Paint, paint, distemper, primer	ICI India Ltd., Berger paint ltd., Good Loss Nerolac Paint, Asian Paint Ltd.,
7	Cement ramt, pant, distemper, primer	Jenson and Necholson India Ltd.
-	A dunintarum Com annum	
5	Admixture for concrete	Cico, Sika, Pidilite, Asian, FOSROC & MBT
6	Epoxy Paint	Nerolac, Asian, Berger.
7	Terrazo tiles (precast)	NITCO, GEM, MODERN, HINDUSTAN, JONSON, ORIENT, KAJARIA.
8	Chequred tiles	NITCO, GEM, MODERN, HINDUSTAN, JONSON, ORIENT, KAJARIA.
9	Water proofing compound	CICO, By structural water proofing Co. FOSROC BY Fosroc Ltd., IMPERMO
	F 8	by Snocem India, Cheseal by Overseas water proofing compound, PIDILITE
10	Paving Tiles/Paver Block	Nitco Prefab, Ultra KK, TERRAFIRMA, UNISTONE.
11	CC kerb stone	Nitco Prefab, K.K. Manhole, TERRAFIRMA, UNISTONE.
12	White cement	Birla White, J.K. White Ultratech, ACC.
13	Structural Steel	SAIL, TATA, RINL, ISCO, SRMB
14	Mild Steel Tubes	TATA, SAIL, ISCO, SRMB
15	Welding Electrodes	ESAB, Advani-orlikon, Weld Alloy
16	RMC	RMC, ACC, BIRLA, L&T and other manufacturer of RMC subjected to
10		approval of Engineer-in-Charge. The contractor shall submit the RMC plant
		list for approval. Contractor own plant of RMC with minimum capacity of 30
		cum per hour.
17	TMT Fe 415/500	TISCON, ISCON, RINL, SAIL, SRMB / SAI
18	Stainless Steel	Prism Engineers, JINDAL OR EQUIVALENT.
19	Ceramic/ Glazed/ Vetrified wall tiles	Kajari, Somany, Jonsan, Orient
20	False Ceiling	Aerolite, Armstrong, Saint-Gobain, Hyprock
21	Polymer Bonding Agent	Mono bond (Krishna Conchem), Roff bond repair (Pidilite Industries)
22		
	Super Plasticizer for Jackting	Supercon-100 (Krishna Conchem), RoffPlast 330
23	Anti termite Chemicle	Choloropyriphos, Biflex TC, Lindane, Bayer, Crop Science
24	Construction Chemicle	Fosroe, Cico, Pidilite, Sika, Ashford
25	Flush Door	Green, Duro, Century , EURO
26	Commercial PLY	Green, Duro, Century, Silicon (Evoke)
27	Laminate	Green, Duro, Century, EURO
41	Lammate	Green, Daro, Century, EORO
7.707		TA WARTA
	OF APPROVED MAKES FOR ALUMINIU	
1	Aluminum	Indal / Hindalco / Jindal, Alom or equivalent.
2	Masking Tapes	Suncontrol/ Wonder Polymer
3	Stainless Steel Screws for fabrication	Kundan/ Puja/ Atulor equivalent.
_	and fixing of windows	
4	Proposed Treatment on MS Brackets	Galvanised brackets as per IS: 4759-1996, 610 gms/ sqm (Microns) 80-90
5	Stainless Steel Bolts/ Washers and	Kundan/ Puja/ Atulor equivalent.
	Nuts	
6	Stainless Steel Pressure Plate Screws	Kundan/ Puja/ Atulor equivalent.
7	Stainless Steel Friction Stay	Earl Behari, Anandor equivalent.
8	EPDM Gaskets	Roop/ Anandor equivalent.
9	6mm thick clear Float Glass	Modi, St. Gobain, Gujrat Guardian Ltd, Float Glass of India.
10	Weather silicon make and Grade	Dow Corning / Wacker / GE or equivalent.
11	PVC Continuous fillet for periphery	Roop/ Anand/ Forex Plastic or equivalent.
	packing of Glazing / Curtain wall	
12	Powder coating material pure polyester	Berger/ GoollessNerolac or equivalent.
13	Laminated reflective Glass	Glaverbek (Belgium) St. Gobain or equivalent.
		FOR SANITARY INSTALLATION AND WATER SUPPLY, DRAINAGE
1	Sanitary wares	Hindustan Sanitary ware, CERA, Johnson CERA, Jaquar, Esco, Marc.
1	•	
2	Bevelled edge mirror with PVC	Modi Guard Saint-Goben.
3	GI Pipes/ M.S. Pipes	Tata, GST, Jindal, Prayag, Hissaror equivalent.
4	Brass / CP Brass fittings	Esco, Marc, Jaquar, Hindware, CERA.
5	Stainless Steel sink	Neelkanth, Kingston, made of salem stainless steel CERA.
J	Statifices Otter SHIK	mediani, migoton, made of salem stanness steel CEMA.
	And a modic Piles 1 : O' 1	His factor Occitor and OPPA 1.1 OPPA 1.
6	Automatic Flushing Cistern	Hindustan Sanitary ware, CERA, Johnson CERA, Jaquar.
7	Surgeon Mixers	Jaquar, ESCO, Hindware, CERA
8	GI Pipe Fittings Water supply	DRP-M,R-BRAND, ZOLOTO
9	Plastic WC seat cover	Parryware, Hindustan Sanitary ware, CERA, Johnson CERA.
10	UPVC Piping	Supreme, Ashirbad, Prime
11	Flush Valves	Jaquar, AKOI Hindware, Cisar.
12	C.P. Accessories	Esco, ESS ESS, Jaquar, Hindware, CERA.
13	Gunmetal Valves (Fullway Check and	Leader, Sant, Jaynam, Zoloto or equivalent.
	Globe Valves)	-
14	Stoneware pipes & Gully trap	Perfect, Burn, Parry or equivalent.
15		Kirloskar, IVC, Burn or equivalent.
	C.I. Double flanged sluice valves	
16	C.I. Doubled flanged non return valves	Kirloskaror equivalent.
17	C.I. Manholes	B.C., R.I.F., NECO or equivalent.
18	Ball Valves	Zoloto, IBP, ARCO or equivalent.
19	Butterfly Valve	AUDCO or equivalent.
20	Water Tank	Sintex, Polycon, Electroplast, Star, Lotus or equivalent.
		Kirloskar, KSB, Harrison or equivalent.
	Water numbe	
21	Water pumps	
22	Water pumps Float Volves	IVC, leader or equivalent or equivalent.





23	RCC pipes	IHP or equivalent
24	Centrifugal cast iron pipes 150mm/ 100mm dia and its accessories/ fittings	NECO, RIF, HIF, HEPCO or equivalent.
25	Stainless Steel Wash-basin & WCs	Jayna, Neelkanth, Prayag or equivalent
LIST	T OF APPROVED MAKES FOR ELECTRIC	CAL WORKS
1	Electrical communication Cable	Polycab, Finolax
2	MCCB/ACB	Legrand, Schneider,
3	Distribution Box	Sicmens, L&T, Mitssubishi, UP Power
4	Connectors	Sicmens, L&T, Schneider
5	HT Cable	Havells, Polycab, Finolex
6	Modular Plate/Modular Switch & Socket/GI Boxes/ Fan Regulator/Telephone/ RJ-45/RJ11Modular Socket /Bell	Schneider (Opel)/ Legrand (Myrius)/ ABB (Tvisha)/ Honeywell (Blenze Pro)/ Cabtree (Athena)/ Panasonic (Europa) The range should be antibacterial type.
7	Decorative Pendant Luminaire/Surface Circular Downlighter/1200 mm LED batten/ LED Bulk Head/Decorative Post Top Lantern fitting/flood light/Mirror Light/Strip Light/Street Light with sensos/wall washer/spot light	Wipro/ Trilux/ Philips/ Regent Lighting/ LT/ Havells
8	BLDC Fans/Ceiling Fan / Exhaust Fan (ISI Marked)	Havells /Crompton /Usha /Almonard/Orient/ Alstom
9	Telephone Cables / Wires (ISI Marked) / CoAxialTv Cables	Finolex/ Polycab/Havells / RR Kabel /KEI /Derwiser
10	Cable Trays & Accessories	Venus/ Slotco/ Pilco/ Reeco/ Rmcon


Note: If any other make is to be used, the same shall be got approved from the NIT approving Authority.

SD/-03/02/2025

Commandant (Engineer)-Contract Cell, CZ HQr

Signature of Bidder.....





Annexure-I

SCHEDULE OF QUANTITY

	der Enquiry No. :- B.V(GC Kathgodam) Spl. Repair/2024-25-CZ-C/Cell(NIT-13) cation of Work :- GC, CRPF, Kathgodam, Distt-Nainital (Uttrakhand) Pin		2-2024
	ne of Work: Special repair of SO s mess and 240 Men barrack No. 03.		
S/N.	Item / Description	Qty.	Unit
٠,	Excavating trenches of required width for pipes, cables, etc including excavation for	Q.J.	- CIIIC
1.	sockets, and dressing of sides, ramming of bottoms, depth up to 1.5 m , including getting out the excavated soil, and then returning the soil as required, in layers not exceeding 20 cm in depth, including consolidating each deposited layer by ramming, watering, etc. and disposing of surplus excavated soil as directed, within a lead of 50 m: All kinds of soil. Pipes, cables etc. exceeding 80 mm dia. but not exceeding 300 mm dia	70.00	Meter
2.	Filling available excavated earth (excluding rock) in trenches, plinth, sides of foundations etc. in layers not exceeding 20cm in depth, consolidating each deposited layer by ramming and watering, lead up to 50 m and lift upto 1.5 m.	5.00	Cum
3.	Diluting and injecting chemical emulsion for POST-CONSTRUCTIONAL anti-termite treatmen t (excluding the cost of chemical emulsion): Along external wall where the apron is not provided using chemical emulsion @ 7.5 litres / sqm of the vertical surface of the substructure to a depth of 300mm including excavation channel along the wall & rodding etc. complete: With Chlorpyriphos/ Lindane E.C. 20% with 1% concentration	140.00	Meter
4.	Along the external wall below concrete or masonry apron us ing chemical emulsion @ 2.25 litres per linear metre includ ing drilling and plugging holes etc. With Chlorpyriphos/Lindane E.C. 20% with 1% concentration	200.00	Meter
5.	Insecticides/Anti Termite Spray after Drilling, diluting/injecting in drilling holes with chemical emulsion for anti-termite treatment and general termite spray of all whole, corners, joints, wooden surfaces etc including closing of all drlling wholes after completion of termite work.	2000.00	sqm
6.	Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All work up to plinth level: 1:2:4 (1 cement: 2 coarse sand (zone-III) derived from natural sources: 4 graded stone aggregate 20 mm nominal size derived from natural sources)	7.50	Cum
7.	Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All work up to plinth level: 1:4:8 (1 Cement: 4 coarse sand (zone-III) derived from natural sources: 8 graded stone aggregate 40 mm nominal size derived from natural sources)	1.50	Cum
8.	Reinforced cement concrete work in beams, suspended floors, roofs having slope up to 15° landings, balconies, shelves, chajjas, lintels, bands, plain window sills, staircases and spiral stair cases above plinth level up to floor five level, excluding the cost of centering, shuttering, finishing and reinforcement with 1:1.5:3 (1 cement : 1.5 coarse sand(zone-III) derived from natural sources : 3 graded stone aggregate 20 mm nominal size derived from natural sources).	1.25	Cum
9.	Centering and shuttering including strutting, propping etc. and removal of form for Foundations, footings, bases of columns, etc. for mass concrete	5.00	sqm
10.	Suspended floors, roofs, landings, balconies and access platform	20.00	sqm
11.	Steel reinforcement for R.C.C. work including straightening, cutting, bending, placing in position and binding all complete above plinth level. Thermo-Mechanically Treated bars of grade Fe-500D or more.	125.00	kg
12.	Providing and fixing sheet covering over expansion joints with iron screws as per design. Aluminium fluted strips 3.15 mm thick. 150 mm wide	10.00	Meter
13.	Providing and fixing sheet covering over expansion joints with iron screws as per design. Aluminium fluted strips 3.15 mm thick. 200 mm wide	15.00	Meter
14.	Add for plaster drip course/ groove in plastered surface or moulding to R.C.C. projections.	200.00	Meter
15.	Providing and fixing of <u>expansion joint system related with wall joint</u> (<u>internal/external</u>) <u>location</u> as per drawings and direction of Engineer-In Charge. The joints shall be of extruded aluminum base members, self aligning / centering arrangement and support plates as per ASTM B221- 02. The material shall be such that it provides an Expansion Joints System suitable <u>for vertical wall to wall/wall to corner application</u> , both new and existing construction in office Buildings & complexes with no slipping down tendency amongst the components of the Joint System. The Joint System shall utilize light weight aluminum profiles exhibiting minimal exposed aluminum surfaces mechanically snap locking the multicellular to facilitate movement. (Material shall confirm to ASTM 6063). Wall Joint of 100 mm gap	10.00	Meter
16.	Providing and fixing of expansion joint system of approved make and manufactures for various roof locations as per approved drawings and direction of Engineer-In-Charge. The joints shall be of extruded aluminum base members with, self aligning and self centering arragement support plates asper ASTM B221-02. The system shall be such that it provides watertight roof to roof/roof to corner joint cover expansion control system that is capable of accommodating multidirectional seismic movement without stress to its components. System shall consist of metal profile that incorporates a universal aluminum base member designed to accommodate various project conditions and roof treatments. The cover plate shall be designed of width and thickness required to satisfy movement and loading requirements and secured to base members by utilizing manufacturer's preengineered self-centering arrangement that freely rotates / moves in all directions. The Self centering arrangement shall exhibit circular sphere ends that lock and slide inside the corresponding aluminum extrusion cavity to allow freedom of movement and flexure in all directions including vertical displacement. The Joint System shall resists damage or deterioration from the impact of falling ice, exposure to UV, airborne contaminants and occasional foot traffic from maintenance personnel. Provision of Moisture Barrier Membrane in the Joint System to have water tight joint is mandatory requirement.	18.00	Meter



	(Material shall confirm to ASTM 6063). Roof Joint of 100 mm gap		
17.	Brick work with common burnt clay modular bricks of class designation 7.5 in foundation and plinth in: Cement mortar 1:6 (1 cement : 6 coarse sand)	1.50	Cum
18.	Brick work with common burnt clay machine moulded perforated bricks of class designation 12.5 conforming to IS: 2222 in superstructure above plinth level up to floor five level in cement mortar 1:6 (1 cement : 6 coarse sand) : With Modular bricks	15.00	Cum
19.	Half brick masonry with common burnt clay F.P.S. (non modular) bricks of class designation 7.5 in foundations and plinth in : Cement mortar 1:4 (1 cement : 4 coarse sand)	5.00	sqm
20.	Marble work gang saw cut (polished and machine cut) of thickness 18 mm for wall lining (veneer work), backing filled with a grout of average 12 mm thick in cement mortar 1:3 (1 cement : 3 coarse sand), including pointing with white cement mortar 1:2 (1 white cement : 2 marble dust) with an admixture of pigment to match the marble shade (To be secured to the backing by means of cramps, which shall be paid for separately). Raj Nagar Plain white marble/ Udaipur green marble/ Zebra black marble. Area of slab upto 0.50 sqm	2.00	Meter
21.	Providing and fixing 18 mm thick gang saw cut, mirror polished, premoulded and prepolished, machine cut for kitchen platforms, vanity counters, window sills, facias and similar locations of required size, approved shade, colour and texture laid over 20 mm thick base cement mortar 1:4 (1 cement : 4 coarse sand), joints treated with white cement, mixed with matching pigment, epoxy touch ups, including rubbing, curing, moulding and polishing to edges to give high gloss finish etc. complete at all levels. Granite stone slab colour black, Cherry/Ruby red. Area of slab upto 0.50 sqm	5.00	sqm
22.	Providing <u>edge moulding</u> to 18 mm thick marble stone counters, Vanities etc., including machine polishing to edge to give high gloss finish etc. complete as per design approved by Engineer-in-Charge. Granite work	48.40	Meter
23.	Extra for providing opening of required size & shape for wash basin/ kitchen sink in kitchen platform, vanity counter and similar location in marble/ Granite/ stone work, including necessary holes for pillar taps etc. including moulding, rubbing and polishing of cut edges etc. complete.	40.00	Each
24.	Providing and <u>fixing expandable fasteners of specified size</u> with necessary plastic sleeves and galvanised M.S. screws including drilling holes in masonry work /CC/ R.C.C. and making good etc. complete. 25 mm long	10.00	each
25.	Providing and fixing Ist quality ceramic glazed wall tiles conforming to IS: 15622 (thickness to be specified by the manufacturer), of approved make, in all colours, shades except burgundy, bottle green, black of any size as approved by Engineer-in-Charge, in skirting, risers of steps and dados, over 12 mm thick bed of cement mortar 1:3 (1 cement: 3 coarse sand) and jointing with grey cement slurry @ 3.3kg per sqm, including pointing in white cement mixed with pigment of matching shade complete.	294.00	sqm
26.	Providing and fixing panelling or panelling and glazing in panelled or panelled and glazed shutters for doors, windows and clerestory windows (Area of opening for panel inserts excluding portion inside grooves or rebates to be measured). Panelling for panelled or panelled and glazed shutters 25 mm to 40 mm thick: Float glass panes. 5.0 mm thick glass panes (weight not less than 12.50 kg/sqm).	4.00	sqm
27.	Providing and fixing ISI marked <u>flush door shutters conforming to IS: 2202 (Part I) decorative type</u> , core of block board construction with frame of 1st class hard wood and well matched teak 3 ply veneering with vertical grains or cross bands and face veneers on both faces of shutters. 35 mm thick including ISI marked Stainless Steel butt hinges with necessary screws	20.00	sqm
28.	Providing and fixing ISI marked <u>flush door shutters conforming to IS: 2202 (Part I) non-decorative type</u> , core of block board construction with frame of 1st class hard wood and well matched commercial 3 ply veneering with vertical grains or cross bands and face veneers on both faces of shutters: 35 mm thick including ISI marked Stainless Steel butt hinges with necessary screws	46.00	sqm
29.	Extra for cutting rebate in flush door shutters (Total area of the shutter to be measured).	20.00	sqm
30.	Providing and fixing chromium plated brass curtain rod having wall thickness of 1.25mm with two chromium plated brass brackets fixed with C.P. brass screws and PVC sleeves etc., wherever necessary complete: 25 mm dia	12.00	Meter
31.	Providing and fixing 50 mm bright finished brass cup board or wardrobe knob of approved quality with necessary screws.	10.00	each
32.	Providing and fixing bright finished brass hasp and staple (safety type) with necessary screws etc. complete: 150 mm,	254.00	each
33.	Providing and fixing ISI marked <u>aluminium butt hinges</u> anodised (anodic coating not less than grade AC 10 as per IS: 1868) transparent or dyed to required colour or shade with necessary screws etc. complete: 125x63x4 mm	10.00	each
34.	Providing and fixing ISI marked <u>aluminium butt hinges</u> anodised (anodic coating not less than grade AC 10 as per IS: 1868) transparent or dyed to required colour or shade with necessary screws etc. complete: 100x63x4 mm	10.00	each
35.	Providing and fixing aluminium tower bolts , ISI marked, anodised (anodic coating not less than grade AC 10 as per IS: 1868) transparent or dyed to required colour or shade, with necessary screws etc. complete: 100x10 mm	10.00	each
36.	Providing and fixing aluminium handles , ISI marked, anodised (anodic coating not less than grade AC 10 as per IS: 1868) transparent or dyed to required colour or shade, with necessary screws etc. complete: 100 mm	10.00	each
37.	Providing and fixing <u>aluminium hanging floor door stopper</u> , ISI marked, anodised (anodic coating not less than grade AC 10 as per IS: 1868) transparent or dyed to required colour and shade, with necessary screws etc. complete. Twin rubber stopper	200.00	each
38.	Providing and fixing 2nd class teak wood lipping/ moulded beading or taj beading of size 18X5 mm fixed with wooden adhesive of approved quality and screws/nails on the edges of the Pre- aminated particle board as per direction of Engineer-in-charge.	20.00	Meter
39.	Providing and fixing magnetic catcher of approved quality in cupboard / ward robe	400.00	each






		1	
40.	Providing and fixing factory made P.V.C. door frame of size 50x47 mm with awall thickness of 5 mm, made out of extruded 5mm rigid PVC foam sheet, mitred at corners and joined with 2 Nos of 150 mm long brackets of 15x15 mm M.S. square tube, the vertical door frame profiles to be reinforced with 19x19 mm M.S. square tube of 19 gauge, EPDM rubber gasket weather seal to be provided through out the frame. The door frame to be fixed to the wall using M.S. screws of 65/100 mm size, complete as per manufacturer's specification and direction of Engineer in-Charge.	62.00	Meter
41.	Providing and fixing <u>factory made panel PVC door shutter</u> consisting of frame made out of M.S. tubes of 19 gauge thickness and size of 19 mm x 19 mm for styles and 15x15 mm for top & bottom rails. M.S. frame shall have a coat of steel primers of approved make and manufacture. M.S. frame covered with 5 mm thick heat moulded PVC 'C' channel of size 30 mm thickness, 70 mm width out of which 50 mm shall be flat and 20 mm shall be tapered in 45 degree angle on both side forming styles and 5 mm thick, 95 mm wide PVC sheet out of which 75mm shall be flat and 20 mm shall be tapered in 45 degree on the inner side to form top and bottom rail and 115 mm wide PVC sheet out of which 75 mm shall be flat and 20 mm shall be tapered on both sides to form lock rail. Top, bottom and lock rails shall be provided both side of the panel. 10 mm (5 mm x 2) thick, 20 mm wide cross PVC sheet be provided as gap insert for top rail & bottom rail, paneling of 5 mm thick both side PVC sheet to be fitted in the M.S. frame welded/ sealed to the styles & rails with 7 mm (5 mm+2 mm) thick x 15 mm wide PVC sheet beading on inner side, and joined together with solvent cement adhesive. An additional 5 mm thick PVC strip of 20 mm width is to be stuck on the interior side of the 'C' Channel using PVC solvent adhesive etc. complete as per direction of Engineer-in-charge, manufacturer's specification & drawing. 30 mm thick plain PVC door shutters	4.50	sqm
42.	Providing and fixing wire gauge shutters using stainless steel grade 304 wire gauge with wire of dia 0.5 mm and average width of aperture 1.4 mm in both directions for doors, windows and clerestory windows with necessary screws: 35 mm thick shutters. With ISI marked stainless steel butt hinges of required size. Second class teak wood	15.00	sqm
43.	Providing and fixing fly proof stainless steel grade 304 wire gauge, to windows and clerestory windows using wire gauge with average width of aperture 1.4 mm in both directions with wire of dia. 0.50 mm all complete. With 2nd class teak wood beading 62X19 mm	250.00	sqm
44.	Providing and fixing fly proof stainless steel grade 304 wire gauge, to windows and clerestory windows using wire gauge with average width of aperture 1.4 mm in both directions with wire of dia. 0.50 mm all complete. With 12 mm mild steel U beading	10.00	sqm
45.	Providing and fixing bright /matt finished Stainless Steel handles of approved quality & make with necessary screws etc all complete. 125 mm	90.00	each
46.	Providing and fixing bright /matt finished Stainless Steel handles of approved quality & make with necessary screws etc all complete. 100 mm	200.00	each
47.	Providing and fixing 18mm thick both sides Pre-laminated cement bonded wood particle board as per IS: 15786:2008 of approved brand and shade with suitable full threaded steel screws etc. in partitions, boxes, shelves, racks and cupboard, kitchen cabinet under kitchen counter etc. all complete as per direction of Engineer-in-charge (Note: Fittings to be paid separately). 18 mm thick	310.00	sqm
48.	Providing and fixing cupboard shutter with 19mm thick one side decorative and other side balancing lamination factory pressed BWP grade marine ply as per IS 710 of approved brand including 2mm thick PVC edge banding tape with hot glue by edge bending machine etc. with auto closing spring loaded hinges (hydraulic type) etc. complete as per direction of Engineer-in-charge. (Payment of providing and fixing auto closing hinges shall be paid separately)	15.00	sqm
49.	Providing and fixing 19mm thick both side balancing lamination factory pressed BWP grade marine ply as per IS 710 of approved brand boxes, shelves, racks, almirah, cupboard and drawer etc. including necessary nails, screws etc. complete as per direction of Engineer-in charge.	25.00	sqm
50.	Providing and fixing stainless steel soft closing spring hinges at 0 degree hinges (hydraulic type) of approved make/brand to cupboard shutters with full threaded steel screws including making necessary recess in board and finished etc. complete as per direction of Engineer-in-charge.	324.00	each
51.	Providing and fixing stainless steel soft closing heavy type telescopic drawer channels of approved make 500 mm long with screws etc. complete as per directions of Engineer-in-charge.	5.00	1 set
52.	Providing and fixing 2mm thick 16 to 19mm wide PVC edge binding tape of approved quality for cupboard/wardrobe shutters including necessary synthetic resin hot pressed to edges on binding machine etc. complete as per directions of Engineer- in-charge.	200.00	meter
53.	Structural steel work in single section, fixed with or without connecting plate, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer all complete.	750.00	kg
54.	Providing and fixing 1mm thick M.S. sheet door with frame of 40x40x6 mm angle iron and 3 mm M.S. gusset plates at the junctions and corners, all necessary fittings complete, including applying a priming coat of approved steel primer. Using M.S. angels 40x40x6 mm for diagonal braces	13.00	sqm
55.	Welding by gas or electric plant including transportation of plant at site etc. complete.	1402.00	cmt
56.	Steel work welded in built up sections/ framed work, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer using structural steel etc. as required. In stringers, treads, landings etc. of stair cases, including use of chequered plate wherever required, all complete	450.00	kg
57.	Steel work welded in built up sections/ framed work, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer using structural steel etc. as required. In gratings, frames, guard bar, ladder, railings, brackets, gates and similar works	144.00	kg





58.	Providing & fixing <u>fly proof wire gauze to windows, clerestory windows & doors with</u> <u>M.S. Flat 15x3 mm and nuts & bolt</u> s complete.Stainless steel (grade 304) wire gauze of	10.00	sqm
59.	0.5 mm dia wire and 1.4 mm aperture on both sides Providing & fixing glass panes with putty and glazing clips in steel doors, windows,	10.00	sqm
60.	clerestory windows, all complete with: 5.5 mm thick glass panes Extra for making chequers of approved pattern on cement concrete floors, steps,	300.00	sqm
61.	landing, pavements etc. Kota stone slab flooring over 20 mm (average) thick base laid over and jointed with grey cement slurry mixed with pigment to match the shade of the slab, including rubbing and polishing complete with base of cement mortar 1: 4 (1 cement: 4 coarse sand): 25 mm thick	6.00	sqm
62.	Providing and laying Ceramic glazed floor tiles of size 300x300 mm (thickness to be specified by the manufacturer) of 1st quality conforming to IS: 15622 of approved make in colours such as White, Ivory, Grey, Fume Red Brown, laid on 20 mm thick cement mortar 1:4 (1 Cement: 4 Coarse sand), Jointing with grey cement slurry @ 3.3 kg/sqm including pointing the joints with white cement and matching pigment etc., complete.	25.00	sqm
63.	Cleaning including rubbing and polishing on existing kota stone floor & marble chips flooring work where ever required to give clean & bright finish complete. existing kota stone floor.	500.00	sqm
64.	Cleaning including rubbing and polishing on existing kota stone floor & marble chips flooring work where ever required to give clean & bright finish complete. Existing marble chips flooring	1000.00	sqm
65.	Providing and laying <u>Vitrified tiles in floor with different sizes</u> (thickness to be specified by the manufacturer), with water absorption less than 0.08% and conforming to IS:15622, of approved brand & manufacturer, in all colours and shade, <u>laid with cement based high polymer modified quick set tile adhesive</u> (water based) conforming to IS: 15477, in average 6 mm thickness, <u>including grouting of joints</u> (<u>Payment for grouting of joints to be made separately</u>). Size of Tile 600x600 mm	1.00	sqm
66.	Providing and laying Vitrified tiles in floor with different sizes (thickness to be specified by the manufacturer), with water absorption less than 0.08% and conforming to IS:15622, of approved brand & manufacturer, in all colours and shade, laid with cement based high polymer modified quick set tile adhesive (water based) conforming to IS: 15477, in average 6 mm thickness, including grouting of joints (Payment for grouting of joints to be made separately). Size of Tile 800x800 mm	15.00	sqm
67.	Providing and laying Polished Granite stone flooring in required design and patterns, in linear as well as curvilinear portions of the building all complete as per the architectural drawings with 18 mm thick stone slab over 20 mm (average) thick base of cement mortar 1:4 (1 cement : 4 coarse sand) laid and jointed with cement slurry and pointing with white cement slurry admixed with pigment of matching shade including rubbing, curing and polishing etc. all complete as specified and as directed by the Engineer-in-Charge. Polished Granite stone slab colour of Black, Cherry/Ruby Red or equivalent	2.00	sqm
68.	Providing and laying Polished Granite stone flooring in required design and patterns, in linear as well as curvilinear portions of the building all complete as per the architectural drawings with 18 mm thick stone slab over 20 mm (average) thick base of cement mortar 1:4 (1 cement : 4 coarse sand) laid and jointed with cement slurry and pointing with white cement slurry admixed with pigment of matching shade including rubbing, curing and polishing etc. all complete as specified and as directed by the Engineer-in-Charge. Polished Granite stone slab of all colour and texture except Black, Cherry/Ruby Red	4.00	sqm
69.	Providing corrugated G.S. sheet roofing including vertical / curved surface fixed with polymer coated J or L hooks, bolts and nuts 8 mm diameter with bitumen and G.I. limpet washers or with G.I. limpet washers filled with white lead, including a coat of approved steel primer and two coats of approved paint on overlapping of sheets complete (up to any pitch in horizontal/ vertical or curved surfaces), excluding the cost of purlins, rafters and trusses and including cutting to size and shape wherever required. 1.00 mm thick with zinc coating not less than 275 gm/m ²	65.00	sqm
70.	Extra for straight cutting in C.G.S. sheet roofing for making opening of area exceeding 40 sq. decimeter for chimney stacks, sky light etc.: 1.00 mm thick	7.00	Meter
71.	Providing ridges or hips of width 60 cm overall width plain G.S. sheet fixed with polymer coated J or L hooks, bolts and nuts 8 mm dia G.I. limpet and bitumen washers complete. 0.80 mm thick with zinc coating not less than 275 gm/m ²	14.00	Meter
72.	Providing and laying brick tiles over mumty roofs, grouted with cement mortar 1:3 (1 cement : 3 fine sand) mixed with 2% of integral water proofing compound by weight of cement, over 12 mm layer of cement mortar 1:3 (1 cement : 3 fine sand) and finished neat: With common burnt clay F.P.S. (non modular) brick tiles of class designation 10	6.00	sqm
73.	Providing gola 75x75 mm in cement concrete 1:2:4 (1 cement : 2 coarse sand : 4 stone aggregate 10 mm and down gauge), including finishing with cement mortar 1:3 (1 cement : 3 fine sand) as per standard design : In 75x75 mm deep chase	25.00	meter
74.	Making khurras 45x45 cm with average minimum thickness of 5 cm cement concrete 1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate of 20 mm nominal size) over P.V.C. sheet 1 m x1 m x 400 micron, finished with 12 mm cement plaster 1:3 (1 cement : 3 coarse sand) and a coat of neat cement, rounding the edges and making and finishing the outlet complete.	15.00	each
75.	Providing and fixing on <u>wall face unplasticised Rigid PVC rain water pipes</u> conforming to IS: 13592 Type A, including jointing with seal ring conforming to IS: 5382, leaving 10 mm gap for thermal expansion, (i) Single socketed pipes.	15.00	meter
76.	12 mm cement plaster of mix: 1:6 (1 cement: 6 coarse sand)	575.00	sqm
77.	20 mm cement plaster of mix: 1:6 (1 cement: 6 coarse sand)	450.00	sqm
78.	Neat cement punning.	825.00	sqm
79.	Extra for providing and mixing water proofing material in cement plaster work in proportion recommended by the manufacturers.	150.00	Per bag 50 Kg of cement





			use in the mix
80.	Extra for plastering exterior walls of height more than 10 m from ground level for every additional height of 3 m or part thereof.	110.00	sqm
81.	Extra for Providing and fixing 250 mm vide GI chicken mess with nails or scrues before plastering on existing Vertical & horizontal joints of RCC & brick works	200.00	Meter
82.	Distempering with oil bound washable distemper of approved brand and manufacture to give an even shade: New work (two or more coats) over and including water thinnable priming coat with cement primer	100.00	sqm
83.	Finishing walls with Acrylic Smooth exterior paint of required shade: New work (Two or more coat applied @ 1.67 ltr/10 sqm over and including priming coat of exterior primer applied @ 2.20 kg/10 sqm)	200.00	sqm
84.	With ready mixed pink or Grey primer of approved brand and manufacture on wood work (hard and soft wood) .	75.00	sqm
85.	Painting with synthetic enamel paint of approved brand and manufacture to give an even shade: Two or more coats on new work	75.00	sqm
86.	Providing and applying white cement based putty of average thickness 1 mm, of approved brand and manufacturer, over the plastered wall surface to prepare the surface even and smooth complete.	300.00	sqm
87.	Distempering with 1st quality acrylic distemper , having VOC (Volatile Organic Compound) content less than 50 grams/ litre, of approved brand and manufacture, including applying additional coats wherever required, to achieve even shade and colour. Two coats	9000.00	sqm
88.	Wall painting with acrylic emulsion paint , having VOC (Volatile Organic Compound) content less than 50 grams/ litre, of approved brand and manufacture, including applying additional coats wherever required, to achieve even shade and colour. Two coats	4750.00	sqm
89.	Removing white or colour wash by scrapping and sand papering and preparing the surface smooth including necessary repairs to scratches etc. complete	750.00	sqm
90.	Painting (one or more coats) on rain water, soil waste and vent pipes and fittings with synthetic enamel paint of approved brand and manufacture and required colour on old work: 100 mm diameter pipes	435.00	sqm
91.	Painting with synthetic enamel paint of approved brand and manufacture of required colour to give an even shade: One or more coats on old work	3000.00	sqm
92.	French spirit polishing: One or more coats on old work	550.00	sqm
93.	<u>Finishing walls with Acrylic Smooth exterior paint</u> of required shade: Old work (Two or more coat applied @ 1.67 ltr/ 10 sqm) on existing cement paint surface	7500.00	sqm
94.	Renewing glass panes, with putty and nails wherever necessary including racking out the old putty: Float glass panes of nominal thickness 5 mm (weight not less than 12.5kg/sqm)	10.00	sqm
95.	Supplying and fixing new wooden fillets wherever necessary: 2nd class teak wood fillets	21.00	meter
96.			
\circ	Renewal of old putty of glass panes (length)	1800.00	meter
97.	Refixing old glass panes with putty and nails	1800.00	meter sqm
97. 98.	Refixing old glass panes with putty and nails Raking out joints in lime or cement mortar and preparing the surface for re-pointing or replastering, including disposal of rubbish to the dumping ground, all complete as per		
	Refixing old glass panes with putty and nails Raking out joints in lime or cement mortar and preparing the surface for re-pointing or replastering, including disposal of rubbish to the dumping ground, all complete as per direction of Engineer-in-Charge. Providing and fixing brass curtain rods of wall thickness 1.25 mm with two brass brackets fixed with brass screws and wooden plugs etc. wherever necessary complete. 25	10.00	sqm
98.	Raking out joints in lime or cement mortar and preparing the surface for re-pointing or replastering, including disposal of rubbish to the dumping ground, all complete as per direction of Engineer-in-Charge. Providing and fixing brass curtain rods of wall thickness 1.25 mm with two brass brackets fixed with brass screws and wooden plugs etc. wherever necessary complete. 25 mm diameter. Providing and fixing bright finished brass helical door spring (superior quality).	10.00	sqm sqm
98. 99.	Refixing old glass panes with putty and nails Raking out joints in lime or cement mortar and preparing the surface for re-pointing or replastering, including disposal of rubbish to the dumping ground, all complete as per direction of Engineer-in-Charge. Providing and fixing brass curtain rods of wall thickness 1.25 mm with two brass brackets fixed with brass screws and wooden plugs etc. wherever necessary complete. 25 mm diameter.	10.00 100.00 20.00	sqm sqm each
98. 99. 100.	Raking out joints in lime or cement mortar and preparing the surface for re-pointing or replastering, including disposal of rubbish to the dumping ground, all complete as per direction of Engineer-in-Charge. Providing and fixing brass curtain rods of wall thickness 1.25 mm with two brass brackets fixed with brass screws and wooden plugs etc. wherever necessary complete. 25 mm diameter. Providing and fixing bright finished brass helical door spring (superior quality). Providing and fixing double scaffolding system (cup lock type) on the exterior side, up to seven story height made with 40 mm dia M.S. tube 1.5 m centre to centre, horizontal & vertical tubes joining with cup & lock system with M.S. tubes, M.S. tube challies, M.S. clamps and M.S. staircase system in the scaffolding for working platform etc. and maintaining it in a serviceable condition for the required duration as approved and removing it there after .The scaffolding system shall be stiffened with bracings, runners, connection with the building etc wherever required for inspection of work at required locations with essential safety features for the workmen etc. complete as per directions and approval of Engineer in-charge .The elevational area of the scaffolding shall be measured for payment purpose .The payment will be made once irrespective of duration of scaffolding. Note: - This item to be used for maintenance work judicially, necessary deduction for scaffolding in the existing item to be done. Cleaning and desilting of gully trap chamber, including removal of rubbish mixed with	10.00 100.00 20.00 65.00	sqm sqm each each
98. 99. 100.	Raking out joints in lime or cement mortar and preparing the surface for re-pointing or replastering, including disposal of rubbish to the dumping ground, all complete as per direction of Engineer-in-Charge. Providing and fixing brass curtain rods of wall thickness 1.25 mm with two brass brackets fixed with brass screws and wooden plugs etc. wherever necessary complete. 25 mm diameter. Providing and fixing bright finished brass helical door spring (superior quality). Providing and fixing double scaffolding system (cup lock type) on the exterior side, up to seven story height made with 40 mm dia M.S. tube 1.5 m centre to centre, horizontal & vertical tubes joining with cup & lock system with M.S. tubes, M.S. tube challies, M.S. clamps and M.S. staircase system in the scaffolding for working platform etc. and maintaining it in a serviceable condition for the required duration as approved and removing it there after. The scaffolding system shall be stiffened with bracings, runners, connection with the building etc wherever required for inspection of work at required locations with essential safety features for the workmen etc. complete as per directions and approval of Engineer in-charge. The elevational area of the scaffolding shall be measured for payment purpose. The payment will be made once irrespective of duration of scaffolding. Note: - This item to be used for maintenance work judicially, necessary deduction for scaffolding in the existing item to be done. Cleaning and desilting of gully trap chamber, including removal of rubbish mixed with earth etc. and disposal of same, all as per the direction of Engineer-in-charge. Providing & fixing White vitreous china water closet squatting pan (Indian type) along with "S" or "P" trap including dismantling of old WC seat and "S" or "P" trap at site complete with all operations including all necessary materials, labour and disposal of dismantled material i/c malba, all complete as per the direction of Engineer-in charge.	10.00 100.00 20.00 65.00	sqm sqm each each
98. 99. 100. 101.	Refixing old glass panes with putty and nails Raking out joints in lime or cement mortar and preparing the surface for re-pointing or replastering, including disposal of rubbish to the dumping ground, all complete as per direction of Engineer-in-Charge. Providing and fixing brass curtain rods of wall thickness 1.25 mm with two brass brackets fixed with brass screws and wooden plugs etc. wherever necessary complete. 25 mm diameter. Providing and fixing bright finished brass helical door spring (superior quality). Providing and fixing double scaffolding system (cup lock type) on the exterior side, up to seven story height made with 40 mm dia M.S. tube 1.5 m centre to centre, horizontal & vertical tubes joining with cup & lock system with M.S. tubes, M.S. tube challies, M.S. clamps and M.S. staircase system in the scaffolding for working platform etc. and maintaining it in a serviceable condition for the required duration as approved and removing it there after. The scaffolding system shall be stiffened with bracings, runners, connection with the building etc wherever required for inspection of work at required locations with essential safety features for the workmen etc. complete as per directions and approval of Engineer in-charge. The elevational area of the scaffolding shall be measured for payment purpose. The payment will be made once irrespective of duration of scaffolding. Note: - This item to be used for maintenance work judicially, necessary deduction for scaffolding in the existing item to be done. Cleaning and desilting of gully trap chamber, including removal of rubbish mixed with earth etc. and disposal of same, all as per the direction of Engineer-in-charge. Providing & fixing White vitreous china water closet squatting pan (Indian type) along with "S" or "P" trap including dismantling of old WC seat and "S" or "P" trap at site complete with all operations including all necessary materials, labour and disposal of dismantled material i/c malba, all complete as per the direction of Engineer-in c	10.00 100.00 20.00 65.00 225.00	sqm sqm each each
98. 99. 100. 101.	Refixing old glass panes with putty and nails Raking out joints in lime or cement mortar and preparing the surface for re-pointing or replastering, including disposal of rubbish to the dumping ground, all complete as per direction of Engineer-in-Charge. Providing and fixing brass curtain rods of wall thickness 1.25 mm with two brass brackets fixed with brass screws and wooden plugs etc. wherever necessary complete. 25 mm diameter. Providing and fixing bright finished brass helical door spring (superior quality). Providing and fixing double scaffolding system (cup lock type) on the exterior side, up to seven story height made with 40 mm dia M.S. tube 1.5 m centre to centre, horizontal & vertical tubes joining with cup & lock system with M.S. tubes, M.S. tube challies, M.S. clamps and M.S. staircase system in the scaffolding for working platform etc. and maintaining it in a serviceable condition for the required duration as approved and removing it there after .The scaffolding system shall be stiffened with bracings, runners, connection with the building etc wherever required for inspection of work at required locations with essential safety features for the workmen etc. complete as per directions and approval of Engineer in-charge .The elevational area of the scaffolding shall be measured for payment purpose .The payment will be made once irrespective of duration of scaffolding. Note: - This item to be used for maintenance work judicially, necessary deduction for scaffolding in the existing item to be done. Cleaning and desilting of gully trap chamber, including removal of rubbish mixed with earth etc. and disposal of same, all as per the direction of Engineer-in-charge. Providing & fixing White vitreous china water closet squatting pan (Indian type) along with "S" or "P" trap at site complete with all operations including all necessary materials, labour and disposal of dismantled material i/c malba, all complete as per the direction of Engineer-in charge. Dismantling W.C. Pan of all sizes including dispo	10.00 100.00 20.00 65.00 225.00 22.00	sqm sqm each each each
98. 99. 100. 101. 102. 103.	Refixing old glass panes with putty and nails Raking out joints in lime or cement mortar and preparing the surface for re-pointing or replastering, including disposal of rubbish to the dumping ground, all complete as per direction of Engineer-in-Charge. Providing and fixing brass curtain rods of wall thickness 1.25 mm with two brass brackets fixed with brass screws and wooden plugs etc. wherever necessary complete. 25 mm diameter. Providing and fixing bright finished brass helical door spring (superior quality). Providing and fixing double scaffolding system (cup lock type) on the exterior side, up to seven story height made with 40 mm dia M.S. tube 1.5 m centre to centre, horizontal & vertical tubes joining with cup & lock system with M.S. tubes, M.S. tube challies, M.S. clamps and M.S. staircase system in the scaffolding for working platform etc. and maintaining it in a serviceable condition for the required duration as approved and removing it there after. The scaffolding system shall be stiffened with bracings, runners, connection with the building etc wherever required for inspection of work at required locations with essential safety features for the workmen etc. complete as per directions and approval of Engineer in-charge. The elevational area of the scaffolding shall be measured for payment purpose. The payment will be made once irrespective of duration of scaffolding. Note: - This item to be used for maintenance work judicially, necessary deduction for scaffolding in the existing item to be done. Cleaning and desilting of gully trap chamber, including removal of rubbish mixed with earth etc. and disposal of same, all as per the direction of Engineer-in-charge. Providing & fixing White vitreous china water closet squatting pan [Indian type] along with "S" or "P" trap including dismantling of old WC seat and "S" or "P" trap at site complete with all operations including all necessary materials, labour and disposal of dismantled material i/c malba all complete as per directions of Engineer-in Charg	10.00 100.00 20.00 65.00 225.00 22.00 2.00	sqm sqm each each each each
98. 99. 100. 101. 102. 103.	Refixing old glass panes with putty and nails Raking out joints in lime or cement mortar and preparing the surface for re-pointing or replastering, including disposal of rubbish to the dumping ground, all complete as per direction of Engineer-in-Charge. Providing and fixing brass curtain rods of wall thickness 1.25 mm with two brass brackets fixed with brass screws and wooden plugs etc. wherever necessary complete. 25 mm diameter. Providing and fixing bright finished brass helical door spring (superior quality). Providing and fixing double scaffolding system (cup lock type) on the exterior side, up to seven story height made with 40 mm dia M.S. tube 1.5 m centre to centre, horizontal & vertical tubes joining with cup & lock system with M.S. tubes, M.S. tube challies, M.S. clamps and M.S. staircase system in the scaffolding for working platform etc. and maintaining it in a serviceable condition for the required duration as approved and removing it there after. The scaffolding system shall be stiffened with bracings, runners, connection with the building etc wherever required for inspection of work at required locations with essential safety features for the workmen etc. complete as per directions and approval of Engineer in-charge. The elevational area of the scaffolding shall be measured for payment purpose. The payment will be made once irrespective of duration of scaffolding. Note: - This item to be used for maintenance work judicially, necessary deduction for scaffolding in the existing item to be done. Cleaning and desilting of gully trap chamber, including removal of rubbish mixed with earth etc. and disposal of same, all as per the direction of Engineer-in-clange. Providing & fixing White vitreous china water closet squatting pan (Indian type) along with "S" or "P" trap including dismantling of old WC seat and "S" or "P" trap at site complete with all operations including all necessary materials, labour and disposal of dismantled material i/c malba all complete as per directions of Engineer-in Charg	10.00 100.00 20.00 65.00 225.00 22.00 2.00 8.00 5.00	sqm sqm each each each each each meter





	direction of Engineer in charge. In coment mentar		
109.	direction of Engineer-in-charge. In cement mortar Removing mortar from bricks and cleaning bricks including stacking within a lead of	3.00	Per 1000
109.	50 m (stacks of cleaned bricks shall be measured): From brick work in cement mortar Dismantling doors, windows and clerestory windows (steel or wood) shutter including	3.00	FCI 1000
110.	<u>chowkhats</u> , <u>architrave</u> , <u>holdfast</u> s etc. complete and stacking within 50 metres lead : Of area 3 sq. metres and below	10.00	each
111.	Dismantling tile work in floors and roofs laid in cement mortar including stacking material within 50 metres lead. For thickness of tiles 10 mm to 25 mm	342.00	sqm
112.	Demolishing dry brick pitching in floors, drains etc. including stacking of serviceable material and disposal of unserviceable material within 50 metres lead:	5.00	cum
113.	Demolishing brick tile covering in terracing including stacking of serviceable material and disposal of unserviceable material within 50 metres lead.	7.00	sqm
114.	<u>Dismantling C.I. or asbestos rain water pipe with fittings</u> and clamps including stacking the material within 50 metres lead: 100 mm dia pipe	20.00	meter
115.	<u>Dismantling old plaster or skirting raking out joints and cleaning the surface for plaster</u> including disposal of rubbish to the dumping ground within 50 metres lead.	650.00	sqm
116.	<u>Disposal of building rubbish / malba / similar unserviceable, dismantled or waste materials</u> by mechanical means, including loading, transporting, unloading to approved municipal dumping ground or as approved by Engineer-in-charge, <u>beyond 50 m initial lead</u> , for all leads including all lifts involved.	40.00	cum
117.	Providing and laying 60mm thick faciory made cement concrete interlocking paver block of M -30 grade made by block making machine with strong vibratory compaction, of approved size, design & shape, laid in required colour and pattern over and including 50mm thick compacted bed of coarse sand, filling the joints with line sand etc. all complete as per the direction of Engineer-in-charge.	25.00	sqm
118.	Providing and fixing wash basin with C.I. brackets, 15 mm dia CP Brass single hole basin mixer of approved quality and make, including painting of fittings and brackets, cutting and making good the walls wherever required:- (a) White Vitreous China Wash basin size 550x400 mm with a 15 mm CP Brass single hole basin mixer	2.00	each
119.	Providing and fixing white vitreous china pedestal type (European type / wash down type) water closet pan.	7.00	each
120.	Providing and fixing 8 mm dia C.P. / S.S. Jet with flexible tube upto 1 metre long with S.S. triangular plate to Eureopean type W.C. of quality and make as approved by Engineer - in - charge.	5.00	each
121.	Providing and fixing P.V.C. low level flushing cistern with manually controlled device (handle lever) conforming to IS: 7231, with all fittings and fixtures complete. 10 litre capacity - White	10.00	Each
122.	Providing and fixing solid plastic seat with lid for pedestal type W.C. pan complete: White solid plastic seat with lid	27.00	Each
123.	Providing and fixing G.I. inlet connection for flush pipe connecting with W.C. pan.	10.00	Each
124.	Providing and fixing CP Brass 32mm size Bottle Trap of approved quality & make and as per the direction of Engineer-in-charge.	10.00	each
125.	Providing and fixing white vitreous china flat back or wall corner type or stall urinal of size of 580x380x350 with waste coupling.	3.00	Each
126.	Providing and fixing P.V.C. waste pipe for sink or wash basin including P.V.C. waste fittings complete. Flexible pipe. 32 & 40 mm dia	104.00	each
127.	Providing and fixing 100 mm CP brass gratting with or without hole fixed with white cement or adhesive for gully trap & waste pipe as required by Engineering Incharge.	90.00	each
128.	Providing and fixing <u>600x450 mm beveled edge mirror of superior glass</u> (of approved quality) complete with <u>6 mm thick hard board ground fixed</u> to wooden cleats with C.P. brass screws and washers complete.	15.00	each
129.	Providing and fixing <u>mirror of superior glass</u> (of approved quality) and of required shape and size <u>with plastic moulded frame of approved make and shade with 6 mm thick hard board backing</u> : Rectangular shape 1500x450 mm	9.00	each
130.	Providing and fixing 600x120x5 mm glass shelf with edges round off, supported on anodised aluminium angle frame with C.P. brass brackets and guard rail complete fixed with 40 mm long screws, rawl plugs etc., complete.	27.00	each
131.	Providing and fixing soil, waste and vent pipes : 100 mm dia. Centrifugally cast (spun) iron socket & spigot (S&S) pipe as per IS: 3989.	15.00	Meter
132.	Providing and filling the existing & old joints with spun yarn, cement slurry and cement mortar 1:2 (1 cement : 2 fine sand) in S.C.I./ C.I. Pipes after proper cleaning and removal of damaged lead filling as required by Engineer Incharge.: for 100 mm dia pipe	55.00	each
133.	Providing and fixing M.S. holder-bat clamps of approved design to Sand Cast Iron / Cast Iron (spun) pipe embedded in and including cement concrete blocks $10x10x10$ cm of 1:2:4 mix (1 cement : 2 coarse sand : 4 graded stone aggregate 20 mm nominal size), including cost of cutting holes and making good the walls etc. : For 100 mm dia pipe	10.00	each
134.	Providing and fixing bend of required degree with access door , insertion rubber washer 3 mm thick, bolts and nuts complete. 100 mm dia. Sand cast iron S&S as per IS - 3989	2.00	each
135.	Providing and fixing plain bend of required degree . 100 mm dia. Sand cast iron S&S as per IS - 3989	4.00	each
136.	Providing and fixing heel rest sanitary bend . 100 mm dia. Sand cast iron S&S as per IS - 3989	4.00	each
137.	Providing and fixing <u>double equal junction of required degree with access door</u> , insertion rubber washer 3 mm thick, bolts and nuts complete: 100x100x100x100 mm. Sand cast iron S&S as per IS - 3989	1.00	each
138.	Providing and fixing <u>double equal plain junction of required degree</u> . 100x100x100x100 mm. Sand cast iron S&S as per IS - 3989	1.00	each
139.	Providing and fixing single equal plain junction of required degree with access door, insertion rubber washer 3 mm thick, bolts and nuts complete. 100x100x100 mm. Sand cast iron S&S as per IS - 3989	3.00	Each





140.	Providing and fixing single equal plain junction of required degree . 100x100x100 mm. Sand cast iron S&S as per IS - 3989	3.00	each
141.	Providing and fixing sand cast iron S&S off sets as per IS: 3989 : 150 mm off sets. With	1.00	each
142.	100 mm dia pipe Providing and fixing terminal guard: 100 mm. Sand cast iron S&S as per IS - 3989	20.00	each
143.	Providing and fixing collar :100 mm. Sand cast iron S&S as per IS - 3989	1.00	each
144.	Providing <u>lead caulked joints</u> to sand cast iron/centrifugally cast (spun) iron pipes and fittings of diameter: 100 mm	25.00	each
145.	Providing and fixing M.S. stays and clamps for sand cast iron/ centrifugally cast (spun) iron pipes of diameter: 100 mm	6.00	each
146.	Providing and fixing PTMT Waste Coupling for wash basin and sink , of approved quality and colour. Waste coupling 31 mm dia of 79 mm length and 62mm breadth weighing not less than 45 gms	20.00	each
147.	Providing and fixing PTMT liquid soap container 109 mm wide, 125 mm high and 112 mm distance from wall of standard shape with bracket of the same materials with snap fittings of approved quality and colour, weighing not less than 105 gms.	3.00	each
148.	Providing and fixing PTMT towel ring trapezoidal shape 215 mm long , 200 mm wide with minimum distances of 37 mm from wall face with concealed fittings arrangement of approved quality and colour, weighing not less than 88 gms.	28.00	each
149.	Providing and fixing PTMT towel rail complete with brackets fixed to wooden cleats with CP brass screws with concealed fittings arrangement of approved quality and colour. 600 mm long towel rail with total length of 645 mm, width 78 mm and effective height of 88 mm, weighing not less than 190 gms.	15.00	each
150.	Providing and fixing PTMT shelf 440 mm long , 124 mm width and 36 mm height of approved quality and colour, weighing not less than 300 gms.	32.00	each
151.	Providing and fixing PTMT 15 mm Urinal spreader size 95x69x100 mm with 1/2" BSP thread and shapes, weighing not less than 60 gms.	40.00	each
152.	Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes , having thermal stability for hot & cold water supply, including all CPVC plain & brass threaded fittings, i/c fixing the pipe with clamps at 1.00 m spacing. This includes jointing of pipes & fittings with one step CPVC solvent cement and the cost of cutting chases and making good the same including testing of joints complete as per direction of Engineer in Charge. Concealed work, including cutting chases and making good the walls etc. 15 mm nominal dia Pipes	150.00	meter
153.	Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply, including all CPVC plain & brass threaded fittings, i/c fixing the pipe with clamps at 1.00 m spacing. This includes jointing of pipes & fittings with one step CPVC solvent cement and the cost of cutting chases and making good the same including testing of joints complete as per direction of Engineer in Charge. Concealed work, including cutting chases and making good the walls etc. 25 mm nominal dia Pipes	290.00	meter
154.	Providing and fixing G.I. pipes complete with G.I. fittings and clamps, including cutting and making good the walls etc. Internal work - Exposed on wall. 25 mm nominal dia Pipes	8.00	meter
155.	Providing and fixing G.I. pipes complete with G.I. fittings including trenching and refilling etc. External work. 25 mm dia nominal bore	6.00	meter
156.	Providing and fixing G.I. pipes complete with G.I. fittings including trenching and refilling etc. External work. 32 mm dia nominal bore	20.00	meter
157.	Making connection of G.I. distribution branch with G.I. main of following sizes by providing and fixing tee, including cutting and threading the pipe etc. complete 25 to 40 mm nominal bore	20.00	each
158.	Providing and fixing gun metal gate valve with C.I. wheel of approved quality (screwed end): 32 mm dia nominal bore	9.00	each
159.	Providing and fixing gun metal gate valve with C.I. wheel of approved quality (screwed end): 40 mm nominal dia Pipes	2.00	each
160.	Providing and fixing gun metal gate valve with C.I. wheel of approved quality (screwed end): 50 mm dia nominal bore	1.00	each
161.	Providing and fixing gun metal gate valve with C.I. wheel of approved quality (screwed end): 65 mm dia nominal bore	2.00	each
162.	Providing and fixing ball valve (brass) of approved quality, High or low pressure, with plastic floats complete: 15 mm dia nominal bore	1.00	each
163.	Providing and fixing ball valve (brass) of approved quality, High or low pressure, with plastic floats complete: 20 mm dia nominal bore	2.00	each
164.	Providing and fixing ball valve (brass) of approved quality, High or low pressure, with plastic floats complete: 25 mm dia nominal bore	10.00	each
165.	Providing and fixing uplasticised PVC connection pipe with brass unions : 30 cm length. 15 mm nominal bore	32.00	each
166.	Providing and fixing uplasticised PVC connection pipe with brass unions. 45 cm length. 15 mm nominal bore	20.00	each
167.	Providing and fixing <u>C.P. brass shower rose</u> with 15 or 20 mm inlet: 150 mm diameter Constructing masonry Chamber 30x30x50 cm inside, in brick work in cement mortar	15.00	each
168.	1:4 (1 cement :4 coarse sand) for stop cock, with C. I. surface box 100x100 x75 mm [inside] with hinged cover fixed in cement concrete slab 1:2:4 mix (1 cement : 2 coarse sand : 4 graded stone aggregate 20 mm nominal size), i/c necessary excavation, foundation concrete 1:5:10 (1 cement : 5 fine sand : 10 graded stone aggregate 40mm nominal size) and inside plastering with cement mortar 1:3 (1 cement : 3 coarse sand) 12mm thick, finished with a floating coat of neat cement complete as per standard design : With common burnt clay F.P.S.(non modular) bricks of class designation 7.5	2.00	each
169.	Painting G.I. pipes and fittings with two coats of anti-corrosive bitumastic paint of approved quality: 25 mm dia nominal bore	150.00	meter
	Painting G.I. pipes and fittings with two coats of anti-corrosive bitumastic paint of	150.00	meter
170.	approved quality: 32 mm dia nominal bore		





	approved quality :40 mm nominal dia Pipes		
172.	Painting G.I. pipes and fittings with two coats of anti-corrosive bitumastic paint of approved quality: 50 mm dia nominal bore	20.00	meter
173.	Painting G.I. pipes and fittings with two coats of anti-corrosive bitumastic paint of approved quality: 65 mm dia nominal bore	10.00	meter
174.	Providing and fixing G.I. Union in existing G.I. pipe line , cutting and threading the pipe and making long screws, including excavation, refilling the earth or cutting of wall and making good the same complete wherever required: 25 mm nominal bore	1.00	each
175.	Providing and fixing G.I. Union in existing G.I. pipe line , cutting and threading the pipe and making long screws, including excavation, refilling the earth or cutting of wall and making good the same complete wherever required: 32 mm nominal bore	1.00	each
176.	Providing and fixing G.I. Union in existing G.I. pipe line , cutting and threading the pipe and making long screws, including excavation, refilling the earth or cutting of wall and making good the same complete wherever required: 40 mm nominal dia Pipes	2.00	each
177.	Providing and fixing G.I. Union in existing G.I. pipe line , cutting and threading the pipe and making long screws, including excavation, refilling the earth or cutting of wall and making good the same complete wherever required: 65 mm dia nominal bore	2.00	each
178.	Providing and fixing C.P. brass bib cock of approved quality conforming to IS:8931. 15 mm nominal bore	4.00	each
179.	Providing and fixing C.P. brass long body bib cock of approved quality conforming to IS standards and weighing not less than 690 gms. 15 mm nominal bore	25.00	each
180.	Providing and fixing C.P. brass stop cock (concealed) of standard design and of approved make conforming to IS:8931. 15 mm nominal bore	5.00	each
181.	Providing and fixing C.P. brass angle valve for basin mixer and geyser points of approved quality conforming to IS:8931. 15 mm nominal bore	40.00	each
182.	Providing and fixing C.P. Brass extension nipple (size 15mmx50mm) of approved make and quality as per direction of Engineer-in-charge	20.00	each
183.	Providing and fixing C.P. Brass pillar cock of approved quality conforming to IS:8931. 15 mm nominal bore, 107 mm long, weighing not less than 110 gms	5.00	each
184.	Providing and fixing C.P. Brass pillar cock of approved quality conforming to IS:8931. 15 mm nominal bore, 200 mm long swan neck pillar cock, weighing not less than 200 gms	35.00	each
185.	Providing and fixing $\underline{\textbf{PTMT swivelling shower, 15 mm}}$ nominal bore, weighing not less than 40 gms	25.00	each
186.	Providing and fixing PTMT soap Dish Holder having length of 138mm, breadth 102mm, height of 75mm with concealed fitting arrangements, weighing not less than 106 gms.	32.00	each
187.	Providing and <u>laying non-pressure NP2 class</u> (<u>light duty</u>) R.C.C. <u>pipes with collars</u> <u>jointed</u> with stiff mixture of <u>cement mortar in the proportion of 1:2</u> (1 cement : 2 fine sand) including testing of joints etc. complete : 100 mm dia. R.C.C. pipe	40.00	meter
188.	Providing and laying non-pressure NP2 class (light duty) R.C.C. pipes with collars jointed with stiff mixture of cement mortar in the proportion of 1:2 (1 cement : 2 fine sand) including testing of joints etc. complete : 150 mm dia. R.C.C. pipe	30.00	meter
189.	Constructing brick masonry manhole in cement mortar 1:4 (1 cement: 4 coarse sand) with R.C.C. top slab with 1:1.5:3 mix (1 cement: 1.5 coarse sand (zone-III): 3 graded stone aggregate 20 mm nominal size), foundation concrete 1:4:8 mix (1 cement: 4 coarse sand (zone III): 8 graded stone aggregate 40 mm nominal size), inside plastering 12 mm thick with cement mortar 1:3 (1 cement: 3 coarse sand) finished with floating coat of neat cement and making channels in cement concrete 1:2:4 (1 cement: 2 coarse sand: 4 graded stone aggregate 20 mm nominal size) finished with a floating coat of neat cement complete as per standard design: Inside size 90x80 cm and 45 cm deep i/c C.I. cover with frame (light duty) 455x610 mm internal dimensions, total weight of cover and frame to be not less than 38 kg (weight of cover 23 kg and weight of frame 15 kg): With Sewer bricks conforming to IS: 4885	2.00	each
190.	Supplying and fixing C.I. cover 300x300 mm without frame for gully trap (standard pattern) the weight of cover to be not less than 4.5 kg	2.00	each
191.	Making connection of drain or sewer line with existing manhole including breaking into and making good the walls, floors with cement concrete 1:2:4 mix (1 cement : 2 coarse sand : 4 graded stone aggregate 20 mm nominal size) cement plastered on both sides with cement mortar 1:3 (1 cement : 3 coarse sand), finished with a floating coat of neat cement and making necessary channels for the drain etc. complete : For pipes 100 to 250 mm diameter	2.00	each
192.	Providing and fixing aluminium work for doors, windows, ventilators and partitions with extruded built up standard tubular sections/ appropriate Z sections and other sections of approved make conforming to IS: 733 and IS: 1285, fixing with dash fasteners of required dia and size, including necessary filling up the gaps at junctions, i.e. at top, bottom and sides with required EPDM rubber/ neoprene gasket etc. Aluminium sections shall be smooth, rust free, straight, mitred and jointed mechanically wherever required including cleat angle, Aluminium snap beading for glazing / paneling, C.P. brass / stainless steel screws, all complete as per architectural drawings and the directions of Engineer-in-charge. (Glazing, paneling and dash fasteners to be paid for separately): For fixed portion. Polyester powder coated aluminium (minimum thickness of polyester powder coating 50 micron)	8.00	Kg
193.	Providing and fixing glazing in aluminium door, window, ventilator shutters and partitions etc. with EPDM rubber / neoprene gasket etc. complete as per the architectural drawings and the directions of engineer-in-charge. (Cost of aluminium snap beading shall be paid in basic item): With float glass panes of 5 mm thickness (weight not less than 12.50 kg/sqm)	4.00	sqm
194.	Filling the gap in between aluminium frame & adjacent RCC/ Brick/ Stone work by providing weather silicon sealant over backer rod of approved quality as per architectural drawings and direction of Engineer-in-charge complete. Upto 5mm depth and 5 mm width	25.00	meter
195.	Providing and fixing stainless steel (SS 304 grade) adjustable friction windows stays of	2.00	each





	approved quality with necessary stainless steel screws etc. to the side hung windows as per direction of Engineer in-charge complete. 255 X 19 mm		
	Providing and fixing aluminium casement windows fastener of required length for		
196.	aluminium windows with necessary screws etc. complete. Polyester powder coated minimum thickness 50 micron aluminium	8.00	each
197.	Grading roof for water proofing treatment with Cement mortar 1:4 (1cement : 4 coarse sand)	12.25	cum
	Providing and applying fibre reinforced elastomeric liquid water proofing membrane		
	with resilient acrylic polymers having Sun Reflectivity Index (SRI) of 105 on top of		
198.	concrete roof in three coats @10.76 litre/ 10 sqm. One coat of self-priming of elastomeric waterproofing liquid (dilution with water in the ratio of 3:1) and two coats of undiluted elastomeric waterproofing liquid (dry film thickness of complete application/system not less than 500 microns). The operation shall be carried out after	3150.00	sqm
	scrapping and properly cleaning the surface to remove loose particles with wire brushes, complete in all respect as per the direction of Engineer-in-Charge.		
199.	Providing and fixing factory made precast RCC perforated drain covers, having concrete of strength not less than M-25, of size 1000 x 450x50 mm, reinforced with 8 mm dia four nos longitudinal & 9 nos cross sectional T.M.T. hoop bars, including providing 50 mm dia perforations @ 100 to 125 mm c/c, including providing edge binding with M.S. flats of size 50 mm x 1.6 mm complete, all as per direction of Engineer in-charge.	60.00	each
200.	Supplying and fixing following modular switch/ socket on the existing modular plate & switch box including connections but excluding modular plate etc. as required. 5/6 amps switch	15.00	each
201.	Supplying and fixing following modular switch/ socket on the existing modular plate & switch box including connections but excluding modular plate etc. as required. 15/16 Ampere	15.00	each
202.	Supplying and fixing following modular switch/ socket on the existing modular plate & switch box including connections but excluding modular plate etc. as required. 3 Pin 5/6 amp socket outlet	15.00	each
203.	Supplying and fixing following modular switch/ socket on the existing modular plate & switch box including connections but excluding modular plate etc. as required. 3 Pin 15/16 amp socket outlet	15.00	each
204.	Supplying and fixing two module stepped type electronic fan regulator on the existing modular plate switch box including connections but excluding modular plate etc. as required.	10.00	each
205.	Supplying and fixing suitable size 18 watt surface ceiling light with complete electric fitting at any height as required by Engineer Incharge. (Make- Phillips/ Havells / Jaquar / Lighting Technology)	15.00	each

Note :-

- i) The lowest bidder will be decided on overall rate of entire work instead of item (category) wise. Rates quoted by the bidder must be inclusive of applicable G.S.T (Goods and Services Tax) and all other charges if any but exclusive of EPF & ESI Contributions on the part of Employer as applicable with F.O.R (Site of work) at O/O The DIG, GC, CRPF, Kathgodam, Distt-Nainital (Uttrakhand) Pin-263126.
- ii) The E.P.F & E.S.I contributions on the part of employer in respect of the contract shall be paid by the contractor to concerned department well in time. These contributions on the part of the employer paid by the contractor shall reimbursable by this department on actual basis and on production of receipt of the concerned department.

SD/-03/02/2025

(Lt. Col. Anand Kumar)

Commandant (Engineer)

Contract Cell, CZ HQr [For and on behalf of the President of India]


Signature of Bidder (with seal)




Appendix-'A' (I) BASIC INFORMATION ABOUT THE BIDDER/FIRM/CONTRACTOR

S/N	Part	iculars	Specific answer/details by the Bidder/Contractor
1	Name of the Firm		M/S
	Complete postal address of		
	the firm with their	Post	
	registered office	P.S.	
		Tehsil	
		District	
		State	
		Pin	
		Contact/Mobile No.	
		E-Mail I.D. of firm	
		ther Sole Proprietorship /	
	Partnership / Pvt. Ltd. / Ltd		
	Name of Organization/	Firm of the Proprietor/	(a)
	Partners/ Directors.		(b)
			(c)
	Full name & address of the	person signing the bid	
	documents (In block letters)		
6	Deptt./Organiza i) Registrat	ion No. with date of issue :-	
	tion with which ii) Registrat	ion issued by (Authority) :-	
	registered for iii) Registrat	tion valid up to (Date) :-	
	the tendered iv) Registrati		
	work along with v) Nature of		
	following details	,	
	Details of Permanent Accou	nt No. (PAN)	
	Details of GST No.		
		count No. :-	
		de of the branch :-	
	firm iii) Bank N		
		Name & Address of Bank :-	
	v) Whethe enabled (Y	r branch is NEFT/ RTGS	
10		tor having Past performance of	
		rs/experience for similar works	
		VD? If yes, Bidders should give	
	their past performance in th	ne specified format given in the	
	Tender documents (Appendi x		
		rsonnel available in the	
	,	be furnished in Table-'d' of	
	Appendix-'D' of Tender Doo		
		isfactory evidence to indicate	
		organization to undertake the	
1.2	said work is attached.	location modelinam if	
13	(Attach a separate sheet)	location, machinery, if any	
14		ompany during last 3 years	
		ice sheet/P&L a/c statement	
	and IT returns of the firm of		
15		gation arisen in the contracts	
		years/being executed. If yes,	
		the project, employer, nature	
	of work, contract value, w	ork order and date and brief	
	details of litigation.		

Note :- Bidder may please note that if the answer so furnished are not clear and/or are evasive, the tender will liable to be ignored.





(II)

Check list for tenderer

(Tenderers should check following requirements for compliance before submission fo the tender documents)

Sl. No.	Requirements to be cheeked by the tenderer before submission of the tender	Compliance (To be indicated With "YES" after Compliance of the requirements
1.	Whether Tenderers has submitted required Earnest Money Deposit with their bid as specified? (As per schedule to tender failing which offers will be summarily rejected).	
2.	Whether rates have been quoted only as per price bid format / B.O.Q along with tender documents?	
3.	Whether rates have been quoted inclusive of all taxes including GST (ESI and EPF contributions of the part of employer in respect of this contract shall be paid by the contractor. The EPF & ESIC contributions of the part of the employer paid by the contractor shall be reimbursed by the department to the contractor on actual basis with site of work at GC CRPF Bhopal (M.P). only on producing original receipt of EPF & ESIC paid by the contractor to Govt. organization.	
4.	Whether copy of GST & PAN Card submitted?	
5.	Whether copy of registration of the firm/contractor with CPWD, MES, BRO, NBCC & MP PWD submitted?	
6.	Whether copy of registration of certificate registration for EPFO and certificate of registration for ESIC submitted? (Declaration, if not applicable) (Failing to submit the certificates offers will be summarily rejected).	
7.	Work completion certificate as a prime contractor at least one similar work of 80% value or two works of at least 60% value or 3 works of at least 40% value in CRPF/CPWD/MES/NBCC/BRO/ State PWD only during the last 03 Financial Years issued by not below the rank of Executive Engineer.	
8.	Tenderers should mention that Business dealing with their firms has not been banned by any Govt./Private agencies.	
9.	Tenderers should mention their address for communication with Telephone/Fax Number and Email Address.	
10.	Whether all the points under beading "Terms & Condition", "Additional Conditions" and instructions are fully abided by the contractor or not?	
11	Whether all the requisite documents as asked in tender Schedule of inviting tender notice have been submitted by the tenderer?	
12.	Whether the firm has enclosed valid documents if the firm is a partnership proprietary in nature? (If no papers submitted with the bid it will be assumed that the firm is Single/Sole Proprietary)	
13.	Whether any other relevant documents which the firms wish to submit as a part of offer?	
14	Tender acceptance letter (In firm's letter head)	
15.	Integrity pact (on firm's letter head)	
16.	Whether, firm has submitted any fake or misleading documents in last 3 Financial year and any incident raised in this regard?	

Note: Bidder may please note that if the answer so furnished are not clear and/or are evasive, the tender will liable to be ignored.







Appendix-'B'

FORM OF BANK GUARANTEE FOR EARNEST MONEY DEPOSIT / PERFORMANCE **GUARANTEE / SECURITY DEPOSIT**

(Guarantee offered by Bank to CRPF in connection with the execution of contracts)

{ON NON-JUDICIAL STAMP PAPER OF MINIMUM RS. 100 DULY NOTARIZED}

To			
	The President of India,		
	Whereas the Commandant (Engineer), Central Zone CR The Government") has invited bids under NIT No. :- B.V(GC 3-02-2025 for the work of	Kathgodam) Spl. Repair	/2024-25-CZ-C/Cell(NIT-13)
Governm	nent has further agreed to accept irrevocable Bank Guaranonly) valid upto//20* a	tee for Rs. ss EARNEST MONEY DE dress of contractor) (here	(Rupees EPOSIT from M/S cinafter called "the contractor")
ior comp	OR**	conditions of the said iv	11.
	Whereas the Commandant (Engineer), Central Zone (The Government") has entered into an agreement bearing	g number	Date
contract	20 with M/Sor) (hereinafter called "the Contractor") for execution of the	e work of	
Bank G	uarantee for Rs. (Rupees	POSIT from the said Co	only) valid upto
	We,	an amount not excee	eding Rs
demand. 3. pay the	. We,		
such der Guarant	that the amount claimed is required to meet the recoveries mand made on the Bank shall be conclusive as regards tee. However, our liability under this guarantee shal	the amount due and pa Il be restricted to an	yable by the Bank under this
4.	We, (i	ndicate the name of the	,,
suit or p under th shall be	Government any money so demanded notwithstanding are proceeding pending On non-judicial stamp paper of miniments Bank Guarantee being absolute and unequivocal. The a valid discharge of our liability for payment there under such payment.	um Rs. 100 before any opening payment so made by u	Court or Tribunal, our liability is under this Bank Guarantee
vary any time or	We,	nout affecting in any man d time of performance by powers exercisable by th	ner our obligation here under to the said Contractor from time to e Government against the said
from our omission	liability by reason of any such variation or extension being gr ton the part of the Government or any indulgence by the Gov atsoever which under the law relating to sureties would, but for	anted to the said Contrac vernment to the said Cont	tor or for any forbearance, act of tractor or by any such matter or
	We,(in nent at its option shall be entitled to enforce this Guarante without proceeding against the Contractor and not	tee against the Bank as	a principal debtor at the first
Governm 7. 8.	nent may have in relation to the Contractor's liabilities. This guarantee will not be discharged due to the change i We,		
this gua:	rantee except with the consent of the Government in writing This Bank Guarantee shall be valid up to//20	ig. • unless extended on de	mand by the Government.
	nstanding anything mentioned above, our liability(Rupees(Rupees		
	is lodged with us within the date of expiry or extended date ee shall stand discharged."	of expiry of this guaran	tee, all our liabilities under this
Date	.//20		
Witnes	ses		
1. Sign :	ature	_	ory :
Name a	and address :	Name Designation	:= :
		Staff code no.	i
Name a	atureand address:		Bank seal

^{*}Date to be worked out on the basis of validity period of 90 days where only financial bids are invited and 180 days for two/three bid system from the date of submission of tender.

**In paragraph 1, strike out the portion not applicable. Bank Guarantee will be made either for earnest money or for

performance guarantee/security deposit/mobilization advance/Refund of mile stone withheld amount, as the case may be.



Appendix-'C'

TENDER ACCEPTANCE LETTER (To be given on Company Letter Head)

Firm letter No	Date ://20
To Commandant (Engineer) Contract Cell, CZ HQr, CRPF, H.C. Block, Sector-III, Salt lake, Kolkata-106 (W.B.)	
Subject :- Acceptance of Terms & Conditions of Tender.	
Tender Enquiry No :- NIT No. :- B.V(GC Kathgodam) Spl. Repair/20 Dated 03-02-2025	024-25-CZ-C/Cell(NIT-13)
Name of Tender / Work & location : - Special repair of SO s mess 03. at GC, CRPF, Kathgodam, Distt-Nainital (Uttrakhand) Pin-263	
Dear Sir,	
I/We have downloaded/obtained the tender document(s) 'Tender/Work' from the web site(s) namely :- E-P http://eprocure.gov.in/eprocure/app (CPPP) as per your advertisementioned website(s).	Procurement web site
2. I/We hereby certify that I / we have read the entire terms a documents from Page No. 01 to including all documents like Guidelines, General Condition of Contract, Special Condition of Work/Schedule of Quantity, Annexure(s), Schedule(s) etc. which agreement and also taken into account the above while quoting the hereby by the terms/conditions/clauses contained therein.	e, Important Instruction & of the Contract, Scope of form part of the contract
3. The corrigendum(s) issued from time to time by your departm also been taken into consideration, while submitting this acceptance	
4. I/We hereby unconditionally accept all the tender condition reservation from our/my side in in its totality/entirety.	s/above points without any
5. In case any provisions of this tender are found violated organization shall without prejudice to any other right or remedy tender/bid including the forfeiture of the full security deposit absolu	be at liberty to reject this
Yo Place : Date ://20	urs Sincerely
-	e of the Contractor



Appendix-'D'

PAST PERFORMANCE/PREVIOUS EXPERIENCE

a) List of important works done in last 03 (three) years (as per the pre-qualification criteria mentioned in this tender)

Sr.	Year	Contract	Department/		Value of	Date of	Stipulated	Actual Date	Whether the work	Any	
No.		No. & Date	Ministry/ PSU	description	the	start of	Date of	of	was left incomplete	other	
			etc. where	of work	contract	work	completion as	completion	(reasons if any for	relevant	
			works has been		(in Rs.)		per contract		delay in completion	information	
			executed						of work) or contract		
			including						was terminated		
			location of work						from either side (give		
									full details)		
1	2	3	4	5	6	7	8	9	10	11	

Note:- The supporting documents like experience certificate, completion certificate etc. shall be enclosed mandatorily.

b) List of Ongoing works on Hand.

	b) List of Orgonic works on mand:											
Sr.	Name	Location	Name	Full	Name &	Value of	Date of	Stipulated	Actual Date	Whether the	Any	
No.	of work	of work	of	address	Mobile No. of	the	start of	Date of	of	work was left	other	
			owner		the contact	contract	work	completion	completion	incomplete	relevant	
					person from	(in Rs.)		as per		(reasons if any	informati	
					owner's side			contract		for delay in	on	
					for whom					completion of		
					work was					work) or contract		
					executed					was terminated		
										from either side		
										(give full		
										details)		
1	2	3	4	5	6	7	8	9	10	11	12	
-												

Note: The supporting documents like "work orders" shall be enclosed mandatorily.

c) List of available Tools, Plants, available Machineries, Equipment etc.

_	, =====================================		110 000
Sr.	Name of Tools / Plant / Machinery / Equipment	Total No. of units / sqm.	No. of units/sqm. can be spared for the
No.	and Accessories		proposed work

d) List of your Technical/Special Experience Personnel,

Sr.		D.O.B.	Education	Technical	Work	Nature of	Any other
No.	Name of personner	(DD/MM/YYYY)	Qualifications	Qualification	Experience	works handled	information

Note: Please provide details about their technical qualifications and experience.

[]	
Signature of the Contrac	tor
(with official seal)	



Appendix-'E'

<u>DECLARATION BY THE CONTRACTOR</u>
{AFFIDAVIT ON A NON JUDICIAL STAMP PAPER OF RS.100/-DULY NOTARIZED}

signatory of firm/public/j		limited	company,	having	its	principal	place	s	
at affirm and de	clare as	under :-						_(Full	Address) do hereby solemnly
Tha	t I am t	he sole pro	oprietor of M	/s					
					Or				
Tha	t ours i	s partners	hip firm havi	ng partne	rs as u	nder (Full N	lame of	partn	ers) :-
	(a)								-
	(b)								-
	(c)								-
	(d)								-
					Or				
			e limited/pu ies Act,2013		ed co	mpany inco	rporated	l in t	erms of the provisions of the
			(Delete whic	h is not a _l	pplical	ole while typ	ping affi	davit)	
association partners or of from all the p 03. That is not black! Company/Go	to be sum one of the partners, t I herebelisted/dependent overnment own that	abmitted. As e Directors for Board F	Il the partner duly authorice duly authorice duly authorice described and declare the debarred or tents from particles affidavianot submitted	rs/ directors di	ors sho ard Res mpany r firm/ ay list in the e unde	uld sign the solution in ca is to be enclo company M/with any contender as on er the law an	affidavi ase of Coosed. (Sompany of date. ad with s	t or the post of Privuch k	nd Memorandum & Articles of the person authorized by all the the person authorized by all the the person with authority letter that are personal in the personal
					(Sign	ature of the			Managing Partner/Director) ial seal)
	lavit ar	e true and							t the contents of paras 1 to 4 aterial has been concealed or
DEPONENT -	- 1								
DEPONENT -	- 2								
()							
(Signature &	Seal of	Notary)							



G2 翻天 2023 INDLA

Appendix-'F'

INTEGRITY AGREEMENT

This Integrity Agreement is made at	on this	day of2024
-------------------------------------	---------	------------

BETWEEN

President of India represented through Comdt. Engr. CZ Hqr, Kolkata, (Name of Division) (Hereinafter referred as the (Address of Division)

"Principal/Owner", which expression shall unless repugnant to the meaning or context thereof include its success or sand permitted assigns)

AND

(Name and Address of the Individual/ firm/ Company)

through.....(Hereinafter referred to as

the (Details of duly authorized signatory) "Bidder/Contractor" and which expression shall unless repugnant to the meaning or context hereof include its successors and permitted assigns)

Preamble

(Name of work) "Special repair of SO s mess and 240 Men barrack No. 03." at GC, CRPF, Kathgodam, Distt-Nainital (Uttrakhand) Pin-263126.

Here in after referred to as the "Contract".

AND WHEREAS the Principal/ Owner values full compliance with all relevant laws of the land, rules, regulations, economic use of resources and of fairness/ transparency in its relation with its Bidder(s) and Contractor(s).

AND WHEREAS to meet the purpose aforesaid both the parties have agreed to enter into this Integrity Agreement (hereinafter referred to as "Integrity Pact" or "Pact"), the terms and conditions of which shall also be read as integral part and parcel of the Tender/ Bid documents and Contract between the parties.

NOW, Therefore, in consideration of mutual covenants contained in this Pact, the parties here by agree as follows and this Pact witnesses as under:

Article1: Commitment of the Principal/Owner

The Principal/Owner commits itself to take all measures necessary to Prevent corruption and to observe the following principles:

No employee of the Principal/Owner, personally or through any of his/ her family members, will in connection with the Tender, or the execution of the Contract, demand, take a promise for or accept, for self or third person, any material or immaterial benefit which the person is not legally entitled to.

The Principal/Owner will, during the Tender process, treat all Bidder(s) with equity and reason. The Principal/Owner will, in particular, before and during the Tender process, provide to all Bidder(s) the same information and will not provide to any Bidder(s) confidential/ additional information through which the Bidder(s) could obtain an advantage in relation to the Tender processor the Contract execution.

The Principal/Owner shall endeavour to exclude from the Tender process any person, whose conduct in the past has been of biased nature.

If the Principal/Owner obtains information on the conduct of any of its employees which is a criminal offence under the Indian Penal code (IPC)/ Prevention of Corruption Act,1988 (PC Act) or is in violation of the principles here in mentioned or if there be a



substantive suspicion in this regard, the Principal/Owner will inform the Chief Vigilance Officer and in addition can also initiate disciplinary actions as per its internal laid down policies and procedures.

Article2: Commitment of the Bidder(s) / Contractor(s)

It is required that each Bidder/ Contractor (including their respective officers, employees and agents) adhere to the high esthetical standards, and report to the Government/ Department all suspected acts of fraud or corruption or Coercion or Collusion of which it has knowledge or becomes aware, during the tendering process and throughout the negotiation or award of a contract.

The Bidder(s)/ Contractor(s) commit himself to take all measures necessary to prevent corruption. He commits himself to observe the following principles during his participation in the Tender process and during the Contract execution:

The Bidder(s)/ Contractor(s) will not, directly or through any other person or firm, offer, promise or give to any of the Principal/ Owner's employees involved in the Tender process or execution of the Contract or to any third person any material or other benefit which he/she is not legally entitled to, in order to obtain in exchange any advantage of any kind whatsoever during the Tender process or during the execution of the Contract.

The Bidder(s)/ Contractor(s) will not enter with other Bidder(s) into any undisclosed agreement or understanding, whether formal or informal. This applies in particular to prices, specifications, certifications, subsidiary contracts, submission or non- submission of bids or any other actions to restrict competitive or to cartelize in the bidding process. Competitiveness or to cartelize in the bidding process.

The Bidder(s)/ Contractor(s) will not commit any offence under the relevant IPC/PC Act. Further the Bidder(s) / Contract(s) will not use improperly, (for the purpose of competition or personal gain), or pass on to others, any information or documents provided by the Principal/ Owner as part of the business relationship, regarding plans, technical proposals and business details, including information contained or transmitted electronically.

The Bidder(s)/ Contractor(s) of foreign origin shall disclose the names and addresses of agents/ representatives in India, if any. Similarly, Bidder(s)/ Contractor(s) of Indian Nationality shall disclose names and addresses of foreign agents/ representatives, if any. Either the Indian agent on behalf of the foreign principal or the foreign principal directly could bid in a tender but not both. Further, in cases where an agent participates in a tender on behalf of one manufacturer, he shall not be allowed to quote on behalf of another manufacturer along with the first manufacturer in a subsequent/ parallel tender for the same item.

The Bidder(s)/ Contractor(s) will, when presenting his bid, disclose any and all payments he has made, is committed to or intends to make to agents, brokers or any other intermediaries in connection with the award of the Contract.

The Bidder(s) / Contractor(s) will not instigate third persons to commit offences outlined above or be an accessory to such offences.

The Bidder(s)/ Contractor(s) will not, directly or through any other person or firm indulge in fraudulent practice means a wilful misrepresentation or omission of facts or submission of fake / forged documents in order to induce public official to act in reliance thereof, with the purpose of obtaining unjust advantage by or causing damage to justified interest of others and/ or to influence the procurement process to the detriment of the Government interests.

The Bidder(s)/ Contractor(s) will not, directly or through any other person or firm use Coercive Practices (means the act of obtaining something, compelling an action or influencing a decision through intimidation, threat or the use of force directly or indirectly, where potential or actual injury may be fall upon a person, his/ her reputation or property to influence their participation in the tendering process).

Article 3: Consequences of Breach

Without prejudice to any rights that may be available to the Principal/ Owner under law or the Contractor its established policies and laid down procedures, the Principal/ Owner shall have the following rights in case of breach of this Integrity Pact by the Bidder(s)/



Contractor(s) and the Bidder/ Contractor accepts and undertakes to respect and uphold the Principal/ Owner's absolute right:

If the Bidder(s)/ Contractor(s), either before award or during execution of Contract has committed a transgression through a violation of Article 2 above or in any other form, such as to put his reliability or credibility in question, the Principal/ Owner after giving14 day's notice to the contractor shall have powers to disqualify the Bidder(s)/ Contractor(s) from the Tender process or terminate/ determine the Contract, if already executed or exclude the Bidder/ Contractor from future contract award processes. The imposition and duration of the exclusion will be determined by the severity of transgression and determined by the Principal/ Owner. Such exclusion may be forever or for a limited period as decided by the Principal/Owner.

Forfeiture of EMD/ Performance Guarantee/ Security Deposit: If the Principal/ Owner has disqualified the Bidder(s) from the Tender process prior to the award of the Contractor terminated/ determined the Contractor has accrued the right to terminate/ determine the Contract according to Article3(1), the Principal/ Owner apart from exercising any legal rights that may have accrued to the Principal / Owner, may in its considered opinion forfeit the entire amount of Earnest Money Deposit, Performance Guarantee and Security Deposit of the Bidder/ Contractor.

Criminal Liability: If the Principal/Owner obtains knowledge of conduct of a Bidder or Contractor, or of an employee or a representative or an associate of a Bidder or Contractor which constitutes corruption within the meaning of IPC Act, or if the Principal/Owner has substantive suspicion in this regard, the Principal/Owner will inform the same to law enforcing agencies for further investigation.

Article 4: Previous Transgression

The Bidder declares that no previous transgressions occurred in the last 5 years with any other Company in any country confirming to the anticorruption approach or with Central Government or State Government or any other Central/State Public Sector Enterprises in India that could justify his exclusion from the Tender process.

If the Bidder makes incorrect statement on this subject, he can be disqualified from the Tender process or action can be taken for banning of business dealings/ holiday listing of the Bidder/Contractor as deemed fit by the Principal/ Owner.

If the Bidder/Contractor can prove that he has resorted / recouped the damage caused by him and has installed a suitable corruption prevention system, the Principal/Owner may, at its own discretion, revoke the exclusion prematurely.

Article 5: Equal Treatment of all Bidders/Contractors/Subcontractors

The Bidder(s)/Contractor(s) undertake(s) to demand from all sub-contractors a commitment in conformity with this Integrity Pact. The Bidder/Contractor shall be responsible for any violation(s) of the principles laid down in this agreement/Pact by any of its Subcontractors/sub-vendors.

The Principal/Owner will enter into Pacts on identical terms as this one with all Bidders and Contractors.

The Principal/Owner will disqualify Bidders, who do not submit, the duly Signed Pact between the Principal/Owner and the bidder, along with the Tender or violate its provisions at any stage of the Tender process, from the Tender process.

Article 6-Duration of the Pact

This Pact begins when both the parties have legally signed it. It expires for the Contractor/Vendor 30 Days after the completion of work under the contract or till the continuation of defect liability period, whichever is more and for all other bidders, till the Contract has been awarded

If any claim is made/lodged during the time, the same shall be binding and continue to be valid despite the lapse of this Pacts as specified above, unless it is discharged/determined by the Competent Authority, CRPF.

Article 7-Other Provisions

This Pact is subject to Indian Law, place of performance and Jurisdiction is the Headquarters of the Division of the Principal/Owner, who has floated the Tender.

Changes and supplements need to be made in writing. Side agreements have not been made.



If the Contractor is a partnership or a consortium, this Pact must be signed by all the partners or by one or more partner holding power of attorney signed by all partners and consortium members. In case of a Company, the Pact must be signed by a representative duly authorized by board resolution.

Should one or several provisions of this Pact turnout to be in valid; the remainder of this Pact remains valid. In this case, the parties will strive to come to an agreement to their original intensions.

It is agreed term and condition that any dispute or difference arising between the parties with regard to the terms of this Integrity Agreement / Pact, any action taken by the Owner/Principal in accordance with this Integrity Agreement/ Pact or interpretation thereof shall not be subject to arbitration.

Article 8-LEGAL AND PRIOR RIGHTS

(For and on behalf of Principal/ Owner)

All rights and remedies of the parties hereto shall be in addition to all the other legal rights and remedies belonging to such parties under the Contract and/or law and the same shall be deemed to be cumulative and not alternative to such legal rights and remedies aforesaid. For the sake of brevity, both the Parties agree that this Integrity Pact will have precedence over the Tender/Contract documents with regard any of the provisions covered under this Integrity Pact.

IN WITNESS WHEREOF the parties have signed and executed this Integrity Pact at the place and date first above mentioned in the presence of following witnesses:

Place: Dated:	(For and on behalf of Bidder/ Contractor)
WITNESSES:	
1	
(signature, name and address)	
2	
(signature name and address)	