



भारत सरकार, गृह मंत्रालय  
GOVERNMENT OF INDIA, MINISTRY OF HOME AFFAIRS  
केन्द्रीय रिजर्व पुलिस बल

CENTRAL RESERVE POLICE FORCE

कार्यालय विशेष महानिदेशक, मध्य जोन मुख्यालय

O/O THE SPL. DIRECTOR GENERAL, CENTRAL ZONE HQR

एच.सी. ब्लॉक, सेक्टर-तीन, साल्ट लेक, कोलकाता (प०ब०) पिन-700106

H.C. BLOCK, SECTOR-III, SALT LAKE, KOLKATA (W.B.) PIN-700106

नियंत्रण कक्ष/Control Room- 033 29520129



**NIT No.:-B.V(WBS HQR)Spl.Repair/2024-25-CZ-C/Cell(NIT-17) Dated 03/02/2025**

**NOTICE INVITING E-TENDER**

The Commandant (Engineer), Central Zone HQR, CRPF, Kolkata (W.B.) for and on behalf of the President of India invites online tenders from Registered Contractors of 'CPWD/MES/NBCC/BRO/State PWD' in appropriate class as per the amount of Tender under Two Bid system (Technical and Financial Bid) on the prescribed form as per the details given below :-

Sl. No.	Name of Work	Place of Work	Amount of NIT	Amount of EMD (Mandatory)	Date & Time of opening of tender
I	II	III	IV	V	VI
1	1. Special repair and renovation of Administrative Building office and 2. Special repair / replacement of old existing wiring and necessary electrical fitting of Adm Building	O/O The DIG (Prov & Accts), WB Sector HQR, CRPF, H.C. Block, Sector-III, Salt Lake, Kolkata (W.B.) Pin-700106	Rs. 2,65,00,195/- only	Rs. 5,30,004/- only *(No exemption of EMD)	On 05/03/2025 at 1700Hrs.

**Note :-**

- All relevant details are available on CRPF website <https://crpf.gov.in/index-hi.htm> as well as on E-Procurement web site <https://eprocure.gov.in/eprocure/app> (CPP Portal). The same may be downloaded by the bidders.
- Tenderers are requested to watch the CRPF/CPPP website regularly for any change in tender enquiry/technical specification/ terms & condition.
- Date & Time of availability of tender on CPP Portal: - With effect from 05/02/2025 at 1700 Hrs. onwards.

Yours Sincerely

Sd/-03/02/2025

(Lt. Col. Anand Kumar)

**Commandant (Engineer)**

Contract Cell, CZ HQR

[For and on behalf of the President of India]



भारत सरकार, गृह मंत्रालय  
GOVERNMENT OF INDIA, MINISTRY OF HOME AFFAIRS  
केन्द्रीय रिजर्व पुलिस बल  
CENTRAL RESERVE POLICE FORCE  
कार्यालय विशेष महानिदेशक, मध्य जोन मुख्यालय  
O/O THE SPL. DIRECTOR GENERAL, CENTRAL ZONE HQR  
एच.सी. ब्लॉक, सेक्टर-तीन, साल्ट लेक, कोलकाता (प०ब०) पिन-700106  
H.C. BLOCK, SECTOR-III, SALT LAKE, KOLKATA (W.B.) PIN-700106  
नियंत्रण कक्ष/Control Room- 033 29520129



**NIT No.:-B.V(WBS HQR)Spl.Repair/2024-25-CZ-C/Cell(NIT-17) Dated 03/02/2025**

.....  
.....  
.....

Subject :- **Invitation of e-Tender.**

Dear Sir,

3. On behalf of the President of India, I invite you to tender online bids for **“I. Special repair and renovation of Administrative Building office and II. Special repair / replacement of old existing wiring and necessary electrical fitting of Adm Building”** at WB Sector HQR, CRPF, H.C. Block, Sector-III, Salt Lake, Kolkata (W.B.) Pin-700106.

2. If you are in a position to quote rate for **“I. Special repair and renovation of Administrative Building office and II. Special repair / replacement of old existing wiring and necessary electrical fitting of Adm Building”** at WB Sector HQR, CRPF, H.C. Block, Sector-III, Salt Lake, Kolkata (W.B.) Pin-700106 in accordance with the requirements stated in the attached schedule to tender, all documents attached herewith should be fully filled in, signed and sealed by the respective firm and submitted through e-Procurement site <https://eprocure.gov.in/eprocure/app> failing which your tender will be liable to be ignored, and will not be considered.

3. This tender is not transferable.

Thanking you.

Yours Sincerely  
Sd/-03/02/2025  
(Lt. Col. Anand Kumar)  
**Commandant (Engineer)**  
Contract Cell, CZ HQR  
[For and on behalf of the President of India]

**:: SCHEDULE OF TENDER ::**

e-Tender Enquiry No. & Date	::	<b>NIT No.:-B.V(WBS HQr) Spl.Repair/2024-25-CZ-C/Cell(NIT-17)</b> <b>Dated 03/02/2025</b>		
Name of work	::	<b>“I. Special repair and renovation of Administrative Building office and II. Special repair / replacement of old existing wiring and necessary electrical fitting of Adm Building”</b>		
Place of work	::	WB Sector HQr, CRPF, H.C. Block, Sector-III, Salt Lake, Kolkata (W.B.) Pin-700106		
Work schedule/Schedule of Quantity	::	Details as per <b>Annexure-‘I’</b> of the Tender enquiry		
Amount of NIT/Estimated Cost	::	Rs. <b>2,65,00,195/-</b> only		
E.M.D. (In INR) @2% Fixed	::	Rs. <b>(5,30,004/-)</b> only <i>[Note: - EMD, in favor of DIG (Prov &amp; Accts), WB Sector HQr, Payable at SBI, Bikas Bhaban, Kolkata (Branch Code- 07816) and should be valid at least for 120 days from the date of opening of tender. If thereafter validity of the E.M.D. requires extension, the participated firm will be bound to extend the validity suitably. There is no exemption in EMD and it should be paid by the bidder mandatorily. If the bidder fails to submit the EMD as specified then his tender will be liable to be rejected summarily]</i>		
Important time line for the Bid	::	<b>Bid uploaded on CPP Portal</b>	<b>AT 1700 HRS</b>	<b>05/02/2025</b>
		<b>Pre Bid meeting</b>	<b>AT 1130 HRS</b>	<b>21/02/2025</b>
		<b>Clarification if any be sought by bidders</b>	<b>AT 1100 HRS</b>	<b>25/02/2025</b>
	::	<b>Corrigendum if any uploaded in CPP Portal</b>	<b>AT 1700 HRS</b>	<b>26/02/2025</b>
		<b>Bid submission start date</b>	<b>AT 1100 HRS</b>	<b>27/02/2025</b>
	::	<b>Bid submission End date</b>	<b>AT 1700 HRS</b>	<b>04/03/2025</b>
		<b>Tender open date</b>	<b>AT 1700 HRS</b>	<b>05/03/2025</b>
Validity of offer	::	The tender shall remain open for acceptance till <b>120 days</b> from the date of opening of bid and the accepted rates shall remain valid during the period of execution including the extended period, if any.		
Time allowed for completion of work	::	<b>240 Days.</b>		

02. Tenderers are advised to go through the **Earnest Money Deposit (EMD)** and **Two Bid system clause** of this Tender Enquiry before filling the tender. In case date of opening of tender happens to be a closed holiday, the tender will be opened on next working day at the stipulated time.

03. All relevant details, including specification, terms & condition etc are available on **E-Procurement web site** <https://eprocure.gov.in/eprocure/app> (CPPP). The same may be downloaded by the bidders. Details can also be seen at CRPF website [http://crpf.nic.in/tender\\_notices.htm](http://crpf.nic.in/tender_notices.htm). For any changes in Tender Enquiry/specifications etc, tenders are requested to visit CRPF/CPPP web sites regularly.

04. Scan copy of all Tender documents duly sealed and signed by firm, Earnest Money have to be uploaded through online on or before the schedule date and time prescribed in tender enquiry. Only original copy of **Earnest Money Deposit** and **Tender Acceptance Letter** (Attached as per **Appendix -‘C’**) to be submitted by the firm to **CONTRACT CELL, CENTRAL ZONE HQR, CRPF, H.C. BLOCK, SECTOR-III, SALT LAKE, KOLKATA (W.B.) PIN-700106** on or before fixed due date and time for opening of tender by post or by hand. In case the firm fails to submit the original copy of above documents on or before the due date and time for opening of tender quotation will be ignored.

05. The tenderer may survey the site and decide the quantum materials: It is important that each page of the tender acceptance letter which is written undertaking that all the terms and condition of the tender are understood and accepted should be signed and submitted online through e-procurement site <https://eprocure.gov.in/eprocure/app>.

Sd/-03/02/2025

(Lt. Col. Anand Kumar)

**Commandant (Engineer)**

Contract Cell, CZ HQr

[For and on behalf of the President of India]

**:: IMPORTANT INSTRUCTIONS AND GUIDELINES ::**

1. The intending Bidders must read all the terms and condition carefully and submit their tender through online (e-procurement web site in CPP Portal) before due date & time **i.e. before 04/03/2025 Online upto 1700 Hrs and Offline upto 1700 Hrs** if they consider themselves eligible and are in possession of all the required documents. Bidders are also advised to go through the Earnest Money, Payment terms and other clauses, terms and conditions of this tender enquiry carefully before participating in bidding process. The Bids (**Technical Bids only**) against tender enquiry will be opened on the given date & time **i.e. on 05/03/2025 at 1700 Hrs.** in the **Contract Cell, CZ HQr, CRPF, H.C. Block, Sector-III, Salt lake, Kolkata-106 (W.B.)**. However date of opening of financial bids will be intimated to the eligible Bidders only after technical bid evaluation.
2. Bidders are requested to submit their bid/tender documents online through e-procurement website in CPP Portal duly filled and completed in all respect as per norms and original which are required to be submitted manually in tender box of **Contract Cell, CZ HQr, CRPF, H.C. Block, Sector-III, Salt lake, Kolkata-106 (W.B.)**. duly sealed well before date of opening as specified in the tender enquiry to avoid last minute rush. In case date of opening of tender happens to be a closed holiday, the tender will be opened on next working day at the stipulated time. Late/Delay/Non submission of original documents manually in a sealed envelope in the tender box of **Contract Cell, CZ HQr CRPF** would result in rejection of bid during online bid opening. Department is not responsible for any postal delay.
3. All Tender documents attached with this invitation to tender including specifications are sacrosanct for considering any offer as complete offer. It is therefore important that **Tender Acceptance Letter** (As per **Appendix-‘C’** of Tender Enquiry) which is a **“Written Undertaking”** that all the terms and conditions of the tender are understood and accepted, should be signed and submitted along with all documents as required with the bid.
4. The tender enquiries duly filled in all aspects and having completed all applicable formalities may be submitted online through CPP Portal as well as original as required manually (already mentioned in schedule to tender) be sent in a sealed envelope superscripted with **full address of the firm**, tender enquiry/notice **number & date**, name of **work**, **date** and **time** of opening etc by registered post/speed post duly stamped or by courier/by hand to the Contract Cell, CZ HQr, CRPF, H.C. Block, Sector-III, Salt lake, Kolkata-106 (W.B.) so as to reach on or before the scheduled time and date as mentioned in the schedule to the tender enquiry. Department is not responsible for any postal delay.
5. **Name** and **status** of the person signing the tender documents should clearly be mentioned in the tender documents.
6. While opening the tenders, the technical bid will be opened first instance and evaluated by the competent committee or authority. **Technical bids will only be evaluated for firms who have attended pre bid meeting as specified in Special condition of Contract.** If the firm fails to fulfill at the conditions specified in the tender notice and fails to attach the documents as asked above, the bid will be rejected immediately. At the second stage, financial bids of technical qualified firms will be opened for further evaluation and ranking before awarding the contract. Award of contract will be awarded overall **L-1 firm**.
7. The works required to be executed on credit basis and no interest will be payable on the delayed payment. The payment will be made direct to the Firm/ Contractor bank account through ECS on recoupment of bill. Payment in advance or immediately cannot be made. The rates will remain open for **120 days**. GST/TIN number of the firm should be clearly shown / quoted in the tender.
8. Intending Bidder is eligible to submit the bid provided he has definite proof from the appropriate authority, which shall be to the satisfaction of the competent authority of having satisfactorily completed similar works/services of magnitude specified.
9. The contractor submitting the tenders against the subject tender enquiry are informed that all relevant details with reference to the tender enquiry stipulations are clearly responded to. In case any of the tender enquiry stipulation are not clearly stated to or replied to by any of the contractor, **no repeat no** clarifications will be sought from the concerned firm and its offer will be rejected out rightly.
10. The Contractor shall comply with the orders issued by the **Commandant (Engineer), Central Zone CRPF at H.C. Block, Sector-III, Salt Lake, Kolkata-106** from time to time during the contractual period. If he fails to do so, his failure will be a breach of contract and the **Commandant (Engineer), Central Zone, CRPF** in his discretion without prejudice to any other right or remedy available in law can cancel the contract. The contractor shall be liable for any pecuniary liability arising on account of any violation by him.
11. Agreement shall be drawn/work order will be issued to the successful Bidder. Bidders shall quote their rates as per terms and conditions which will form part of the agreement/contract.
12. The rates quoted by the Contractor should be **inclusive** of all taxes.
13. Intending bidders are advised to inspect and examine the site and its surrounding and satisfy themselves before submitting their bids as to the nature of the ground and sub soil (so far as is practicable), the form and nature of the site, the means of access to the site, the accommodation they may require and in general shall themselves obtain all necessary information as to risks, contingencies and other circumstances which may influence or affect their bid. A bidder shall be deemed to have full knowledge of the site whether he inspects it or not and no extra charges consequent on any misunderstanding or otherwise specifically provided for in the contract documents. Submission of a bid by a bidder implies that he has read this notice with terms & conditions mentioned there in, all other contract documents and has made himself aware of the scope and specifications of the work to be done and of conditions and rates at which stores, tools and plant etc will be issued to him by the government and location conditions and other factors having a bearing on the execution of the work. **It is mandatory to all bidders to attend pre bid meeting.**
14. The bid for the work shall remain open for acceptance for a period of **120 days** from the date of opening of the bid and rate of accepted bid shall remain valid during the proposed contractual period including extension period if any. If any bidder withdraws his bid before the said period or issue of letter of acceptance whichever is earlier or makes any notifications in the terms and conditions of the bid which are

not acceptable to the department, then the government shall, without prejudice to any other right or remedy, is at liberty to forfeit the said earnest money (bid security) as aforesaid. Further the bidder shall not be allowed to participate in the re-bidding process of the work.

15. The officer inviting bid or his duly authorized assistant will open bid in the presence of intending contractors who may be present at the time of opening and will enter the amounts of the several bids in a comparative statement in a suitable form, in the event of a bid being accepted, a receipt for the earnest money forwarded therewith shall there upon be given to the contractor who shall thereupon for the purpose of identification sign copies of the specification and other documents. In the event of a bid being rejected, the earnest money forwarded which such unaccepted bid shall thereupon be returned to the contractors remitting the same, without any interest.

16. If there is any clarification, this may be obtained through the site, or during the pre-bid meeting, if any. **Clarification is any by the bidders be sought by 1100 hrs 25/02/2025 through official mail id [coengrcz@crpf.gov.in](mailto:coengrcz@crpf.gov.in).** Bidder should take into account the **corrigendum** published from time to time before submitting the online bids.

17. The officer inviting bids shall have the right of rejecting all or any of the bids and will not be bound to accept the lowest or any other bid.

18. The competent authority on behalf of the President of India does not bind itself to accept the lowest or any other bid and reserves to itself the authority to reject any or all the bids received without the assigning of any reason. All bids in which any of the prescribed conditions are not fulfilled or any condition including that of conditional rebate is put forth by the bidder shall be summarily rejected.

19. The competent authority on behalf of President of India reserves to himself the right or accepting the whole or any part of the bid and the bidder shall be bound to perform/provide the same at the rate quoted by him/accepted by the department.

20. Canvassing whether by bidders directly or indirectly in connection with bids is strictly prohibited and the bids submitted by the contractors who resort to canvassing will be liable to rejection.

21. All the Standard Conditions of the Contract shall be binding on the parties as per Indian Contract Act and prevailing Rules. The Contractor shall comply with all the applicable Acts, Rules, Regulations and Law (s) for entering into Contract and the User/CLIENT will not in any way be liable or responsible for any default / irregularities / penalties on the Contractor's part.

22. The Contractor or his authorized representative should visit the site as per requirement and meet Estate officer with prior appointment for any clarifications and to receive instructions, etc. at the site.

23. The contractor shall promptly and timely obtain all such consents, permissions, approvals, licenses etc., as may be necessary or required, in accordance with this Tender. The Contractor should obtain approvals, if any, necessary for the work from the Statutory Bodies on behalf of the USER/CLIENT. The Contractor shall assist the User/CLIENT fully in respect of any liaison with the Municipal or any other Authority for necessary approval / permission with regard to the maintenance works. The fees and other statutory charges, if any, will be reimbursed to the Contractor based on the original receipts produced to the User/CLIENT.

24. The Competent Authority has the right to accept or reject/cancel/scrap the tender as whole or part of it and no claims what so ever will be entertained on this account. The competent authority has also reserves the right to increase/decrease/alter the place of work/ quantity of work etc. and no claims what so ever will also be entertained.

25. If the Bidder want to mention any specific condition, it should be mentioned on the covering/forwarding letter in firm's letter head only which will be placed on the first page of the bid. Such condition mentioned in any other document shall not be given any consideration.

Sd/-03/02/2025

(Lt. Col. Anand Kumar)

**Commandant (Engineer)**

Contract Cell, CZ HQR

[For and on behalf of the President of India]

[\_\_\_\_\_  
**Signature of Bidder**  
(with seal)



**:: GENERAL CONDITIONS OF THE CONTRACT ::**

1	<b>Terms of price</b>	<p>1.1 <b>Price should be quoted only as per price bid format/B.O.Q provided along with tender documents at e-procurement site <a href="http://eprocure.gov.in/eprocure/app">http://eprocure.gov.in/eprocure/app</a>.</b> The price bid in B.O.Q format/template should not be modified/replaced by the bidder and the same should be uploaded after filling the relevant columns, else the bidder is liable to be rejected for the tender. Bidders are allowed to enter the bidder name and values only. <b>No price bid is required to be submitted with offline bid documents under technical bid.</b></p> <p>1.2 <b>The lowest bidder will be decided on overall rate of entire work.</b> Rates quoted by the bidder must be inclusive of all applicable taxes and other charges.</p> <p>1.3 The E.P.F &amp; E.S.I contributions on the part of employer in respect of the contract shall be paid by the contractor to concerned department well in time. These contributions on the part of the employer, paid by the contractor, shall be reimbursed by this department on actual basis only on production of receipt of the concerned department, at the time of claim of bill. It is required to produce documentary evidences to the concerned authority, violation of which even can end with termination of contract.</p>
2	<b>Payment terms</b>	<p>2.1 Works/Services category wise as per schedule to tender are to be provided as RA/Final Bill produced by the contractor and verified by competent authority of the department will be provided on <b>credit basis and E.C.S payment will only be made through PAO/RPAO</b> for further drawl action after satisfactorily completion of work as per specification, on production of bill in triplicate, bank mandate form, cancelled cheque. No interest will be payable on delayed payment, if any.</p> <p>2.2 Income Tax, GST-TDS, Labor Cess, Water Charges and other taxes as applicable will be deducted from the bill of contractor by CRPF/PAO/RPAO as per norms.</p> <p>2.3 While making payment TDS under section 194 (C) of I/Tax Rule 1961 and CGST &amp; SGST Act'2017 if any applicable will be deducted from the bill amount before release of payment.</p> <p>2.4 <b>No payment will be made for the contract till producing registration and payment for labours in EPFO &amp; ESIC.</b></p> <p>2.5 Payment cannot be made in advance or immediately.</p> <p>2.6 Any discrepancy in settlement of bills may be brought to the notice of User/CLIENT within a period of one month after the settlement of the Bills. User/CLIENT will not entertain any claim regarding any dispute in settlement of the bills after stipulated time.</p>
3	<b>Tender fees</b>	3.1 Rs. 00.00 (Nil)
4	<b>Earnest Money Deposit</b>	<p>4.1 All the contractors are required to deposit <b>Earnest Money/Bid Security</b> Deposit (E.M.D.) as specified in invitation/schedule to tender along with their bid if applicable failing which their offers will be summarily rejected.</p> <p>4.2 The <b>E.M.D.</b> shall be deposited by the bidders to <b>CONTRACT CELL, CENTRAL ZONE HQ, CRPF, H.C. BLOCK, SECTOR-III, SALT LAKE, KOLKATA (W.B.) PIN-700106</b> through any of the following alternative forms:</p> <ul style="list-style-type: none"><li>a) Crossed bank draft/banker cheque drawn in favour of the <b>“DIG (Prov &amp; Accts), WB Sector HQ”</b> [Payable At-<b>SBI, Bikas Bhaban, Kolkata (Branch Code- 07816)</b>]. Personal Cheque will not be entertained and will result in rejection of bid.</li><li>b) Fixed deposit receipt drawn in favour of the <b>“DIG (Prov &amp; Accts), WB Sector HQ”</b> [Payable at:- <b>SBI, Bikas Bhaban, Kolkata (Branch Code- 07816)</b>. ]</li><li>c) An irrecoverable bank guarantee of any nationalized/ scheduled bank or reputed commercial bank in the attached format as <b>Appendix- ‘B’</b>.</li></ul> <p>4.3 The <b>E.M.D.</b> money shall remain valid for a period of 90 days from the date of tender opening and be deposited to the department. If the validity of the tender is extended, the validity of the BG/or any other alternate documents submitted in lieu of <b>E.M.D.</b> will also be suitably extended by the Bidder, failing which their tender after the expiry of the aforesaid period shall not be considered by the purchaser.</p> <p>4.4 <b>No interest</b> shall be payable on the earnest money deposited by the Bidder.</p> <p>4.5 The <b>E.M.D.</b> is liable to be forfeited if the Bidder withdraws or amends/impairs or derogates from the tender in any respect within the period of validity of his tender.</p> <p>4.6 The <b>E.M.D.</b> of the successful Bidder shall be returned after depositing of <b>Performance Guarantee (P.G.)</b>.</p> <p>4.7 If the successful Bidder fails to furnish the Performance Guarantee (P.G.) as required in the contract within the stipulated period, the <b>E.M.D.</b> shall be treated as Performance Guarantee (P.G.) for all practical purposes.</p> <p>4.8 <b>E.M.D.</b> of all the unsuccessful bidders will be returned as early as possible after the expiry of bid's validity, but not later than 30 days after placement of contract. Bidders are advised to send a pre receipt challan along with their bids so that refund of earnest money can be done in time.</p> <p>4.9 Any tender, where the Bidder is required to deposit <b>E.M.D.</b> in terms of conditions mentioned in preceding paras, not accompanied with <b>E.M.D.</b> in any one of the approved forms acceptable to the competent authority, shall be summarily rejected. <b>(As per GOI O/O AS &amp; DC, MSME vide OM F.NO. 21(8)/2011-MA dated 09/11/2016 and also by CPWD vide OM NO. DG/MAN/Misc./12 dated 25/07/2017, there is No exemption of EMD for work contracts).</b></p>

5	<b>Performance Guaranty</b>	<p>5.1 The successful contractor shall have to deposit a <b>Performance Guarantee (P.G.)</b> equivalent to <b>3% (Three Percentage)</b> of the contract value of the work within <b>07 (Seven)</b> days from the date of letter of intent or Acceptance of contract whichever is earlier for due performance, failure on the part of the firm to deposit the Performance Guarantee within stipulated time empowers the competent authority to cancel the contract.</p> <p>5.2 The Performance Guarantee submitted by the supplier will remain valid at least for <b>60 days beyond the date of completion</b> of all contractual obligations of the contractor including warranty obligations.</p> <p>5.3 The Performance Guarantee shall be deposited to <b>Contract Cell, CZ Hqr, CRPF, Kolkata (W.B.) PIN-700106</b> in any of the following alternative forms :-</p> <ul style="list-style-type: none"><li>a) A crossed bank draft drawn in favour of the <b>“DIG (Prov &amp; Accts), WB Sector Hqr”</b> [Payable at:- <b>SBI, Bikas Bhaban, Kolkata (Branch Code- 07816)</b> ].</li><li>b) Fixed deposit receipt drawn in favour of the <b>“DIG (Prov &amp; Accts), WB Sector Hqr”</b> [Payable at:- <b>SBI, Bikas Bhaban, Kolkata (Branch Code- 07816)</b> ].</li><li>c) An irrecoverable bank guarantee of any nationalized/ scheduled bank or reputed commercial bank in the attached format as at <b>Appendix-‘B’</b></li></ul> <p>5.4 In case the contractor fails to deposit the Performance Guarantee within the stipulated period including extended period if any, the Earnest Money Deposited (E.M.D.) by the contractor along with his bid shall be forfeited automatically without any notice to the contractor. The earnest money deposited along with bid shall be returned after receiving the aforesaid performance guarantee.</p> <p>5.5 If the contractor fails to provide required services as per schedule from the contract commencement date and places requests for extension of time, he shall submit an undertaking on Non judicial stamp paper of Rs. 10/- only duly attested by the Notary Public stating that the Performance Guarantee has already been extended for sixty days beyond the guarantee/warranty period of the contract.</p> <p>5.6 In case a Fixed Deposit Receipt (F.D.R.) of any Bank is furnished by the contractor to the Government as part of the performance guarantee and the Bank is unable to make payment against the said fixed deposit receipt, the loss caused thereby shall fall on the contractor and the contractor shall forthwith on demand furnish additional security to the Government to make good the deficit</p> <p>5.7 The Performance Guarantee shall be withheld or forfeited in full or part in case the work order is not executed/complied satisfactorily within the stipulated period or requisite standard within the guarantee period is not undertaken to the best satisfaction of the user/department.</p> <p>5.8 Performance Guarantee will be returned to the bidder only after end of all contractual obligations.</p>
6.	<b>Recovery of Security Deposit/ Retention Money</b>	<p>6.1 The person/persons whose tender(s) may be accepted (hereinafter called the contractor), shall permit Government at the time of making any payment to him for work done under the contract to deduct a sum at the rate of <b>2.5%</b> of the gross amount of each running bill (periodic/interim payment) and final bill till the sum deducted will amount to <b>2.5%</b> of the tendered value of the work as <b>Security Deposit/Retention Money</b> in addition to Performance Security. The earnest money instead of being released may form part of the security deposit.</p> <p>6.2 Such deductions will be made and held by Government by way of Security Deposit unless he/they has/have deposited the amount of Security at the rate mentioned above in cash or in the form of Government Securities or fixed deposit receipts.</p> <p>6.3 In case a fixed deposit receipt of any Bank is furnished by the contractor to the Government as part of the security deposit and the Bank is unable to make payment against the said fixed deposit receipt, the loss caused thereby shall fall on the contractor and the contractor shall forthwith on demand furnish additional security to the Government to make good the deficit.</p> <p>6.4 All compensations or the other sums of money payable by the contractor under the terms of this contract may be deducted from, or paid by the sale of a sufficient part of his security deposit or from the interest arising there from, or from any sums which may be due to or may become due to the contractor by Government on any account whatsoever and in the event of his Security Deposit being reduced by reason of any such deductions or sale as aforesaid, the contractor shall within 10 days make good in cash or fixed deposit receipt tendered by the State Bank of India or by Scheduled Banks or Government Securities (if deposited for more than 12 months) endorsed in favour of the Engineer-in-Charge, any sum or sums which may have been deducted from, or raised by sale of his security deposit or any part thereof.</p>
7.	<b>System of bidding</b>	<p>7.1 All bidders are required to submit their offer in two bid system i.e. <b>Technical Bid</b> and <b>Financial Bid</b> separately.</p> <p>7.2 In Technical Bid, the bid documents as per below mentioned details are required to be submitted only on CPPP in <a href="http://eprocure.gov.in/eprocure/app">http://eprocure.gov.in/eprocure/app</a>. Certain documents which are also mentioned below are required to be submitted in <b>original manually</b> and to be dropped in tender box at Contract Cell, CZ, HQR, CRPF, H.C. Block, Sec-III, Salt Lake, Kolkata-106 (W.B.) in a sealed envelope through by hand/registered post/parcel etc.</p> <p>7.3 <u>The composite bid i.e. rate indicating in the Technical Bid “OPENLY” shall be ignored and bid will be rejected summarily.</u></p> <p>7.4 <u>Price should be quoted only as per Price Bid (Financial Bid) format/B.O.Q. provided along with tender documents at e-procurement site <a href="http://eprocure.gov.in/eprocure/app">http://eprocure.gov.in/eprocure/app</a>.</u></p> <p>No price bid is required to be submitted with offline bid documents under technical bid.</p>

8.	<p><b>Method of submission of bid.</b></p>	<p><b>First Cover (Technical bid) :-</b></p> <p>8.1 The submission of technical bid will be entertained only online in e-procurement website. The Tender Enquiries duly filled in all aspects and having completed all applicable formalities along with <b>scanned copies</b> of required documents as per below mentioned details may be submitted online through CPP Portal as well as original as required and mentioned below be sent in sealed envelope duly superscripted with tender enquiry number, Name of Work and date of opening by registered post/speed post duly stamped or by courier/by hand to the <b>Contract Cell, CZ HQr, CRPF at H.C. Block, Sector-III, Salt Lake, Kolkata-106 (W.B)</b> so as to reach on or before the scheduled time and date as mentioned in the schedule to the tender enquiry. <b>Department is not responsible for any postal delay.</b></p> <p>8.2 Details of documents required to be furnished/submitted by all the bidders in technical bid for participating in the bidding process are as under :-</p> <p><b>(a) Documents (Legible scanned copy, duly signed) required to be submitted <b>online</b> in CPPF under Technical Bid :-</b></p> <ol style="list-style-type: none"> <li>1. All pages of the tender documents duly completed &amp; signed in all respect by the authorized signatory of the firm/contractor under the <b>seal</b>.</li> <li>2. <b>Scanned Copy of EMD and certificate of attendance of pre bid meeting.</b></li> <li>3. Copy of valid registration of the firm as a registered <b>“Contractor”</b> with <b>‘CPWD/MES/NBCC/BRO/State PWD’</b> in respective categories as per the nature of work and class as per the tender amount.  <i>[Note :- The enlistment of the contractors should be valid on the last date of submission of tenders. In case only the last date of opening of tender is extended, the enlistment of contractor should be valid on the original date of opening of tenders. A copy of Registration Certificate as a <b>“Contractor”</b> issued by competent authority of <b>‘CPWD/MES/NBCC/BRO/State PWD’</b> is mandatory to be uploaded with the tender documents by the Bidder (s). In case validity of enlistment/registration/trade license expired and the concerned firm has applied for renewal to the concerned department or ministry, the relevant documents of such renewal application along with undertaking of the firm should be essentially submitted with their bid.]</i> </li> <li>4. Basic Information About the Bidder/Firm/Contractor (As per <b>Appendix-‘A’</b> of Tender Documents.)</li> <li>5. Copy of valid <b>PAN Card</b>.</li> <li>6. <b>Tenderer Turn over Criteria:</b> The minimum average annual financial turnover of the tenderer during the last three years, ending 31<sup>st</sup> march of the previous financial years, should be <i>at least 30% of the estimate cost put to tender</i>. Documentary evidence in the form of certified Audited balance sheet of relevant periods i.e last 03 years or a certificate from the Chartered Accountant/cost Accountant indicating the turnover details for last 03 years shall be uploaded in the tender. In case the date of constitution/incorporation of the bidder is less than 3 years old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.</li> <li>7. <b>Bank Remittance Particulars</b> (viz copy of Bank Passbok/Cancelled Cheque etc.)</li> <li>8. Copy of registration certificate of <b>GST, EPF and ESIC</b>.</li> <li>9. <b>Past Performance/Experience</b> for similar nature of works in <b>CRPF/CPWD/MES/NBCC/BRO/State PWD</b> only during the last <b>05 Financial Years</b> (Copies of Completion Certificates mentioning Amount and Date of Completion of Work issued by not below the rank of Executive Engineer should be provided) in the following order :- <ol style="list-style-type: none"> <li>i) <b>One</b> similar completed work costing not less than the amount equal to <b>80%</b> of the estimated cost put to tender.</li> <li style="text-align: center;"><b>or</b></li> <li>ii) <b>Two</b> similar completed works costing not less than the amount equal to <b>60%</b> of the estimated cost put to tender.</li> <li style="text-align: center;"><b>or</b></li> <li>iii) <b>Three</b> similar completed works costing not less than the amount equal to <b>40%</b> of the estimated cost put to tender.</li> </ol> <i>(Tenderers should also give their past performance in the specified format as per <b>Appendix-‘D’</b>)</i> </li> <li>10. <b>Complete Postal address</b> of contractor/Firm along with copy of valid I/Card viz Voter I/D Card, Aadhar Card etc.</li> <li>11. Partnership Agreement of the firm (if the firm is a partnership firm) along with Specific Information as asked for as per <b>Appendix-‘E’</b>. (If no papers submitted with the bid it will be assumed that the firm is a Single Proprietary and will held responsible if found false in later stage).</li> <li>12. Any other relevant documents which the firms wish to submit as a part of offer.</li> </ol> <p><b>(b) Documents required to be submitted in <b>original manually (Offline)</b> in a sealed envelope mentioning Tender ID, Date of Opening &amp; full address of Contractor’s with contact no. and the same to be dropped in <b>TENDER BOX</b> at <b>Contract Cell, CZ HQr, CRPF at H.C. Block, Sector-III, Salt Lake, Kolkata-106 (W.B)</b> :-</b></p> <ol style="list-style-type: none"> <li>1. Original <b>Earnest Money Deposit</b> (As per schedule to Tender).</li> <li>2. <b>Tender Acceptance Letter</b> :- The firm should mandatorily submit the Tender Acceptance Letter (As per <b>Appendix-‘C’</b>) on Firm/Contractor letter head which should be clearly readable. The contractor may also upload a copy if he wishes so.</li> </ol> <p><b>Note :- (i) No other documents other than original EMD and original Tender Acceptance Letter needs to be submitted offline.</b>  <b>(ii) Only those firms that participated in the pre-bid meeting will have their bids considered, bids from firms that did not participate in pre bid meeting shall be rejected</b></p> <p>8.3 On due date &amp; time, the Technical Bid will be opened and evaluated by the appropriate committee. Bids which will be accepted in technical bid evaluation stage will be considered for opening of Financial Bid. No financial bid will be opened in respect of bids which are</p>
----	--	---



		<p>technically disqualified.</p> <p><b>Second Cover (Financial/Price Bid) :-</b></p> <p>8.4 Details of documents required to be furnished/submitted by all the bidders in <b>Financial Bid</b> for participating in the bidding process are as under :-</p> <ol style="list-style-type: none"> <li>i) Details of rates, taxes, duties and discounts, if any, be quoted by the bidder in the <b>BOQ</b> which is an MS Excel Sheet and should be downloaded from the e-procurement site <a href="http://eprocure.gov.in/eprocure/app">http://eprocure.gov.in/eprocure/app</a>.</li> <li>ii) Rates must be clearly written in <b>figures</b> as well as in <b>words</b>.</li> <li>iii) Name of bidder must be written in the appropriate filed of BOQ by each bidder.</li> <li>iv) The Financial Bid will only be accepted through online in BOQ format and offline price bid will not be accepted.</li> </ol> <p>8.5 Prices should be quoted for each work as per enclosed <b>BOQ</b> format provided along with the tender document at e-Procurement site <a href="https://eprocure.gov.in/eprocure/app">https://eprocure.gov.in/eprocure/app</a>.</p> <p>8.6 Quoted rates should be workable, reasonable and should include incidental and all overheads and profits. The Tenderer will furnish Rate Analysis for scrutiny of the rates by User/CLIENT.</p>
9	<b>Labour Laws to be complied by the Contractor</b>	<p>9.1 The contractor shall comply with the provisions of the Contract Labour (Regulation and Abolition) Act, 1970, and the Contract Labour (Regulation and Abolition) Central Rules, 1971.</p> <p>9.2 The contractor shall also obtain a valid license under the said Act before the commencement of the work, and continue to have a valid license until its completion.</p> <p>9.3 The contractor shall also comply with provisions of the Inter-State Migrant Workmen(Regulation of Employment and Conditions of Service) Act, 1979.</p> <p>9.4 The contractor shall also abide by the provisions of the Child Labour and Adolescent Labour (Prohibition and Regulation) Act, 1986.</p> <p>9.5 The contractor shall also comply with the provisions of the building and other Construction Workers (Regulation of Employment &amp; Conditions of Service) Act, 1996 and the building and other Construction Workers Welfare Cess Act, 1996.</p> <p>Any failure to fulfill these requirements shall attract the penal provisions of this contract arising out of the resultant non-execution of the work.</p> <p><b>9.6 No Running Account Bill shall be paid for the work till the applicable labour licenses, registration with EPFO, ESIC and BOCW Welfare Board, whatever applicable are submitted by the contractor to the Engineer-in-Charge.</b></p>
10	<b>Time and Extension for Delay</b>	<p>10.1 The time allowed for execution of the Works as specified in the NIT or the extended time in accordance with these conditions shall be the essence of the Contract. The time allowed for carrying out of the work will be reckoned from the seventh day of issuance of Award of Contract or date of handing over of the site whichever is earlier. If the Contractor commits default in commencing the execution of the work as aforesaid and such default continues even after 10 days after a notice in writing has been given by the Engineer in charge, the performance guarantee shall be forfeited by the Engineer in Charge and shall be absolutely at the disposal of the Government without prejudice to any other right or remedy available in law. The contract shall stand determined when such decision regarding the forfeiture of the performance guarantee is communicated to the contractor.</p> <p>10.2 <b>Delays due to reasons beyond the control of both parties:-</b>          If the work(s) be delayed by:-</p> <ol style="list-style-type: none"> <li>(i) Force majeure, or</li> <li>(ii) Abnormally bad weather, or</li> <li>(iii) Serious loss or damage by fire, or</li> <li>(iv) Civil commotion, local commotion of workmen, strike or lockout, affecting any of the trades employed on the work, or</li> <li>(v) Delay on the part of other contractors or tradesmen engaged by Engineer-in-Charge in executing work not forming part of the Contract, or</li> <li>(vi) Any other cause like above which, in the reasoned opinion of the Engineer-in-Charge is beyond the control of both parties</li> </ol> <p>then upon the happening of any such event causing delay, the Contractor shall immediately give notice thereof in writing to the Authority. The said authority, on receipt of such notice, considering the factual ground situation, give a fair and reasonable 'justified extension of time' and reschedule the mile stones for completion of work. <b>Time will remain essence of the Contract in the extended period.</b></p> <p>10.3 The contractor shall have no claim of damages against the delays listed in this sub clause i.e. sub clause 10.2.</p>
11	<b>Minimum Wages Act and EPFO &amp; ESIC</b>	<p>11.1 The contractor shall comply with the provisions of Minimum Wages Act, 1948 and Contract Labour (Regulation and abolition) Act, 1970 amended from time to time and rule framed there under and other labour laws affecting contract labour that may be brought into force time to time. <u>The contractor should also pay wages to his engaged labours against the contract as per existing notification of Ministry of Labour &amp; Employment, G.O.I. including revision which takes place during the contractual period. Probable inflation of minimum wages during contractual period should be considered and taken into account while submitting bid. At the time of claim of bill it is required to produce documentary evidences (i.e. bank statement of employees) to the concerned authority, violation of which even can end with termination of contract.</u></p> <p>11.2 The contractor shall have registration with EPFO and ESIC. The E.P.F &amp; E.S.I contributions on the part of employer in respect of the contract shall be paid by the contractor to concerned department well in time. These contributions on the part of the employer, paid by the contractor shall be reimbursed by this department on actual basis and on producing receipt of the concerned department as per the applicable EPF &amp; ESIC.</p>
12	<b>Termination of agreement</b>	<p>12.1 If the services of the contractor are not found to be satisfactory, the contractor will be given a notice, with a <b>notice period of 6 days</b>, to improve his work. If the contractor fails to improve his work within the Notice period, User/CLIENT shall have the discretion to terminate</p>

		<p>the contract either in part or in whole, on any day after the expiry of the said notice period. Also the contract may be terminated if :-</p> <ol style="list-style-type: none"> <li>the contractor commits a breach of any terms and conditions of this agreement and/or</li> <li>the contractor is adjudged an insolvent or a compromise is entered by him with his creditors or if distress or execution or other process is levied upon or receiver is appointed for any part of the assets or property of contractor and/or</li> <li>for any reason whatsoever, the contractor becomes disentitled in law to perform his obligations under this agreement and/or</li> <li>there is any variation in the ownership/partnership or management of the contractor or his business without the prior approval in writing of the User/CLIENT to such variation.</li> </ol> <p>12.2 In the event of termination of this agreement for any reason whatsoever, the contractor/or persons employed by him or his agents shall not be entitled for any sum or sums whatsoever from the User/CLIENT by way of compensation, damages or otherwise.</p>
13	<b>Termination of contract on death of contractor</b>	<p>13.1 Without prejudice to any of the right or remedies under this contract, if the contractor dies, the <b>Commandant (Engineer) CZ</b> with the recommendation of competent authority, shall have the option of terminating the contract without compensation to the contractor. If the contractor is an individual or proprietary concern and individual or the proprietor dies or if the contractor is a partnership concern and one of the partner dies then unless, the <b>Commandant (Engineer) CZ</b> with the recommendation of competent authority, is satisfied that the legal representative of the individual for the proprietary concern or the surviving partners are capable of carrying out and completing contract, the Commandant (Engineer) CZ with the recommendation of competent authority, is entitled to cancel the contract for the uncompleted part without being in any way liable for any compensation payment to the estate of deceased contractor or to the surviving partners of the contractor's firm on account of the cancellation of contract. The decision of the Commandant (Engineer) CZ with the recommendation of competent authority, in such assessment shall be final and binding on the parties. In the event of such cancellation the Commandant (Engineer) CZ with the recommendation of competent authority, shall not hold the estate of deceased contractor and/or the surviving partners of the contractor's firm liable for any damages for non-completion of contract.</p>
14	<b>Escalation of Cost</b>	<p>14.1 Claims regarding escalation in cost of material &amp; labour in any circumstance will not be entertained. The intending bidders before participating in the Tender must ensure the same.</p>
15	<b>Contractor Liable for Damages, defects during defect liability Period</b>	<p>15.1 If the contractor or his working people or servants shall break, deface, injure or destroy any part of building in which they may be working, or any building, road, road kerb, fence, enclosure, water pipe, cables, drains, electric or telephone post or wires, trees, grass or grassland, or cultivated ground contiguous to the premises on which the work or any part is being executed, or if any damage shall happen to the work while in progress, from any cause whatever or if any defect, shrinkage or other faults appear in the work within Liability Period i.e. <b>24 Months</b> after a certificate final or otherwise of its completion shall have been given by the Engineer-in-Charge as aforesaid arising out of defect or improper materials or workmanship the contractor shall upon receipt of a notice in writing on that behalf make the same good at his own expense or in default the Engineer-in-Charge cause the same to be made good by other workmen and deduct the expense from any sums that may be due or at any time thereafter may become due to the contractor, or from his security deposit or the proceeds of sale thereof or of a sufficient portion thereof.</p> <p>15.2 The security deposit of the contractor shall not be refunded before the expiry of liability Period i.e. 12 Months (06 months in the case of work costing upto Rs. 10 lakhs and below except road work) after the issue of the certificate final or otherwise, of completion of work, or till the final bill has been prepared and passed whichever is later.</p> <p>15.3 Provided that in the case of road work, if in the opinion of the Engineer-in-Charge, half of the security deposit is sufficient, to meet all liabilities of the contractor under this contract, half of the security deposit will be refundable after six months and the remaining half after twelve months of the issue of the said certificate of completion or till the final bill has been prepared and passed whichever is later.</p> <p>15.4 In case of Maintenance and Operation works of E&amp;M services, the security deposit deducted from contractors shall be refunded within one month from the date of final payment or within one month from the date of completion of the maintenance contract whichever is earlier.</p>
16	<b>Compensation for Delay</b>	<p>16.1 If the firm fails to complete the work within prescribed completion period the User/Client may recover from the Contractor liquidated damages including administrative expenses etc. A sum equivalent to 2% of the price of work which contractor fails to execute within prescribed completion period fixed for each month or part of month. Delay so claimed shall not exceed 10% of the total contract.</p>
17	<b>Deviations/ Variations Extent and Pricing</b>	<p>17.1 The Engineer-in-Charge shall have power (i) to make alterations in, additions to or substitutions for the original scope of work as defined in the contract, that may appear to him to be necessary or advisable during the progress of the work, and (ii) to omit a part of the works in case of non-availability of a portion of the site or due to any other reason, the contractor shall be bound to carry out the works in accordance with any instructions given to him in writing signed by the Engineer-in-Charge and such alterations, omissions, additions or substitutions shall form part of the contract as if originally provided therein and any change in the scope of work as defined in the contract, which the contractor may be directed to do in the manner specified above as part of the works, shall be carried out by the contractor on the same terms and conditions in all respects, except for increase/decrease in the cost and additional time due to change of scope, to be determined based on the sub-clauses hereunder.</p> <p>17.2 The time for completion of the works shall, in the event of any deviations resulting in additional cost over the tendered value sum being ordered, be extended, if requested by the contractor, as follows :</p> <ol style="list-style-type: none"> <li>In the proportion which the additional cost of the altered, additional or substituted work, bears to the original tendered value plus</li> <li>25% of the time calculated in (i) above or such further additional time as may be considered reasonable by the Engineer-in-Charge.</li> </ol>

		<p><b>17.3 Payment of deviations/ variations beyond 0.25% of the accepted tendered amount.</b> In case there is any change in scope as defined in the contract, the contractor shall carry out the changes as per direction of Engineer in Charge and nothing extra shall be payable to the contractor on account of same if the additional cost of such work is up to 0.25% (zero point two five percent) of the accepted tendered amount and worked out as per sub-clause 17.4 below. Variations/ deviations upto 0.25% (zero point two five percent) of the accepted tendered amount shall be deducted from overall variations/ deviations for making payment.</p> <p><b>17.4 DETERMINATION OF RATES</b> In the event, there is any deviations/ variations in work as defined in the contract, the contractor shall submit the complete proposal to Engineer-in-charge within 15 days duly supported with :- (a) Analysis of rates for items involved, along with relevant documents, rates of materials, tools/plants and labour, etc. (b) The impact, if any, which the deviations/ variations is likely to have on the project completion schedule, On receipt of such proposal, either individually or covering group of items, the Engineer-in-charge shall examine the proposal regarding its admissibility and finalize the proposal/rates within 45 days after receipt of proposal with all requisite details and documents from the contractors, after giving due consideration to the proposal, analysis and rates of materials and labours, etc.</p> <p><b>17.5.1</b> The increase/decrease in the rates due to deviations/ variations shall be decided based on the following criteria:- <b>(i) Pricing of deviations</b> (a) If the item of work as stipulated in the schedule of quantity/ scope of work deviates on plus side, then the rate for the deviated quantity shall be paid at the agreement rate up to the deviation limit with the same terms &amp; conditions of the contract. Beyond deviation limit, rate shall be payable on market rates to be determined based on the relevant documents and prevailing market rates, as per Para (ii) below (b) If the item of work as stipulated in the schedule of quantity/ scope of work deviates on minus side, then the amount for such deviated quantity shall be deducted proportionately at the agreement rate. <b>(ii) Pricing of variations</b> If there are changes in the quantity/ specifications/ alterations/ substitutions/ additions, etc. in the items, other than mentioned in para-(i) above, the rates shall be determined based on detailed analysis of rates with original stipulated scope of items &amp; newly proposed/ provided items. The difference of rates so determined shall be payable to/ recoverable from the contractor. The rates for both the components i.e. materials &amp; labour shall be based on prevailing market rates. The rate finalized by the Engineer-in-Charge shall be final and binding.</p> <p>17.5.2 In case of either non-submission of timely proposal or incomplete proposal by the contractor for deviations/ variations, the Engineer-in-Charge shall give final opportunity to the Contractor to submit the complete proposal for change of cost within next 15 days. In case of non-submission or further incomplete submission by the contractor within the stated period, the Engineer-in-Charge shall initiate the proposal and decide the change of cost. In such case the proposal finalized by the Engineer-in-Charge shall be final and binding on the contractor.</p> <p><b>17.6 Restrictions on Deviations/ Variations</b> (i) Work(s) due to deviations/ variations shall be executed only after getting the instructions of Engineer-in-charge, save except to meet any work of emergent nature. (ii) Notwithstanding anything to the contrary in this clause 12, any change arising from default of the contractor in the performance of his obligations under this agreement shall not be deemed to be deviations/ variations, and shall not result in any adjustment of the contract price or the project completion schedule.</p>
18	<b>Other terms &amp; condition</b>	<p>18.1 The contractor/firm shall employ the required workmen [Skilled/Un-Skilled] as per terms and conditions of the tender enquiry. Immediately after award of contract, the contractor/firm should intimate name of workmen to whom the firm has employed for the tendered work along with complete details in firm's letter head and supporting papers of technical capabilities of the workmen where ever applicable against the contract. The workmen so engaged against the contract should maintain discipline inside of the campus.</p> <p>18.2 All works, complaints / instructions given by the respective authorities covered under the <b>Annual Maintenance Contract</b> are to be attended on the same day. In case of delay in attending the work in time, User/CLIENT will be at liberty to get the work done through any other agency and the cost therefore shall be recovered from the Contractor at the discretion of User/CLIENT.</p> <p>18.3. Personnel employed for operation of STP/Water treatment plant/ESS should have experience of Operation, maintenance &amp; services of respective services and equipment and all personal records should be maintained by the contractor.</p> <p>18.4 The workmen engaged by the contractor/agency shall be at their own risk and in case of any untoward, incident, mishap the contractor/agency will be liable for such risks and the department will not be held responsible in any way for such mishap and untoward incidents.</p> <p>18.5 Technical manpower should be provided by successful bidder to execute the specialized work.</p> <p>18.6 User/CLIENT shall not be responsible for the release of benefits, such as salary, leave, Provident Fund, ESI, Pensioner benefits or allowances to the staff employed by the contractor. <b>User/Client will not be held responsible for any Accident/injury / carrying out default work and any statutory levied by the govt./ state government. etc.</b> Excess payment due to any changes in the Minimum Wages Act or in any other labour legislation/ provisions or other statutory obligations during the validity period of the contract shall be the responsibility of the contractor.</p> <p>18.7 The contractor will be responsible and ensure timely payment to its personnel deployed in the premises and compliance of all statutory provisions relating to minimum wages, Provident Fund and Employees State Insurance, etc. in respect of the persons deployed by them in User/CLIENT and under intimation/ in the presence of User/CLIENT officer. The Contractor shall be responsible to fulfill all the obligations in connection with the workers employed by it for the purpose of the Contract and all the Statutory and other liabilities if any including minimum wages of Central/ State Govt. (whichever is higher shall be applicable), leave, salary, uniform, identity cards, ex-gratia, ESI, Provident Fund, Workman Compensation, if any, etc. (as applicable) in connection therewith shall be on the Contractor account and payable by the concerned Contractor. The contractor shall liaise with Labor Deptt. of State Govt. / Central Govt. and comply with all necessary regulations/ instructions in this regard.</p>



	<p>18.8 The Contractor shall be fully responsible and shall indemnify User/CLIENT with suitable Insurance cover in the event of any damage to men or material, injury / damage or death as the case may be, caused directly or indirectly due to the negligence of the Contractor or his agents and / or his employees or workmen. The decision of User/CLIENT in this regard shall be final and binding.</p> <p>18.9 The contractor's personnel shall not claim any benefit/ compensation /absorption /regularization of services under the provision of the Industrial Disputes Act, 1947 or Contract Labour (Regulation &amp; Abolition) Act,1970.</p> <p>18.10 In case of any default or failure on Contractor's part to comply with all / any one of the Terms / Conditions, User/CLIENT reserves the right to take necessary steps to remedy the situation including, inter-alia, the deduction of appropriate amount/s from dues otherwise payable to Contractor and/or by taking recourse to appropriate recovery proceedings. <u>The contractor shall keep User/CLIENT indemnified against all claims whatsoever in respect of the manpower deployed by it in User/CLIENT. In case any employee of the contractor so deployed enters in dispute of any nature whatsoever, it will be the primary responsibility of the contractor to contest the same. In case User/CLIENT or its employee is made party and is supposed to contest the case, User/CLIENT will be reimbursed for the actual expenses incurred towards Counsel Fee and other expenses which shall be paid in advance by the contractor to User/CLIENT or any person authorized by User/CLIENT, on demand. Further, the contractor will ensure that no financial or any other liability comes to User/CLIENT or its employee in this respect of any nature whatsoever and shall keep User/CLIENT or any employee of User/CLIENT indemnified in this respect.</u></p> <p>18.11 For any dispute, the decision of User/CLIENT shall be final and binding upon the contractor. However, any dispute or difference whatsoever arising on any matter concerning this contract between the parties out of or relating to the services, meaning, scope, operation or effect of this contract or the validity or the breach thereof shall be settled through court of law.</p> <p>18.12 On site storage space will be provided to the Contractor subject to availability. However, the Contractor may erect temporary sheds for storage purposes at his cost with the permission of the User/CLIENT. User/CLIENT will not be responsible for Contractor's materials. The Contractor may be required to vacate the storage space and sheds as per exigency without any extra cost to User/CLIENT. If any statutory charges are required to be paid for erection of sheds, the same should be borne by the Contractor.</p> <p>18.13 The Contractor shall provide all necessary Tools &amp; Plants materials or any other equipment, materials, labour, etc. and no payment in this regard will be made by User/CLIENT. The Contractor shall supply, fix and maintain all the scaffoldings, jhulla, safety belt, extra labour to hold ladders/jhoolas, T&amp;P, etc., at his cost during the execution of any work and remove them as soon as the work is completed, without causing any damage to User/CLIENT's property.</p> <p>18.14 The Contractor shall not directly or indirectly transfer, assign or sublet the Contract or any part of it, without written permission of User/CLIENT. But he can engage various licensed agencies/agencies for carrying out different works. However, the technical documents of Sole bidder will only be considered until or unless otherwise specified.</p> <p>18.15 It is the contractor's responsibility to coordinate with other service providers No other charges for such works shall be payable.</p>
--	--

Sd/-03/02/2025

(Lt. Col. Anand Kumar)

**Commandant (Engineer)**

Contract Cell, CZ HQr

[For and on behalf of the President of India]

[.....]

**Signature of Bidder**

(with seal)



**SPECIAL TERMS & CONDITIONS OF THE CONTRACT**

1. **Being specialized repair work, bidding shall be in 2 stages. In first stage a pre bid meeting will be organized by the Dept.**
2. **Bids uploaded on CPP Portal on 05/02/2025 subsequently pre bid meeting will be held in the conference hall of the Central Zone Headquarters, Kolkata at 1130 Hrs on 21/02/2025. The purpose of the meeting is to discuss the required works related to the building maintenance and standard specifications. The bidders may access the works as per actual ground condition. Any queries regarding same be communicated to the Department on mail ID [coengrcz@crpf.gov.in](mailto:coengrcz@crpf.gov.in) by 1100 Hrs 25/02/2025.**
3. **All interested bidders must submit their contractor license and personal Aadhar card during the pre bid meeting. A meeting attendance certificate will be issued by the department to the participating firms and a copy of this certificate must be uploaded mandatorily with the tender documents.**
4. **If any queries arise after the pre-bid meeting, the bidders shall submit the same department via the above official email by 1100 Hrs 25/02/2025. Corrigendum addressing the queries or any other instructions, if necessary, will be uploaded by the department on the CPP portal by 1700 Hrs 26/02/2025.**
5. **Firms shall upload their bids wef 1100 Hrs 27/02/2025. The bid submission end date shall be 04/03/2025 and the tender will be opened on 1700 Hrs 05/03/2025**
6. **Only those firms that participated in the pre-bid meeting will have their bids considered, bids from firms that did not participate in pre bid meeting shall be rejected.**
7. **Important time line for the Bid**

<b>Bid uploaded on CPP Portal</b>	<b>AT 1700 HRS</b>	<b>05/02/2025</b>
<b>Pre Bid meeting</b>	<b>AT 1130 HRS</b>	<b>21/02/2025</b>
<b>Clarification if any be sought by bidders</b>	<b>AT 1100 HRS</b>	<b>25/02/2025</b>
<b>Corrigendum if any uploaded in CPP Portal</b>	<b>AT 1700 HRS</b>	<b>26/02/2025</b>
<b>Bid submission start date</b>	<b>AT 1100 HRS</b>	<b>27/02/2025</b>
<b>Bid submission End date</b>	<b>AT 1700 HRS</b>	<b>04/03/2025</b>
<b>Tender open date</b>	<b>AT 1700 HRS</b>	<b>05/03/2025</b>

8. If a bidder / tenderer quotes NIL charges / consideration, the bid shall be treated as unresponsive and will not be considered.
9. Temporary I-card may be issued by the Estate Officer to skilled labour /operators/ Supervisor. So that frequent movement can be done for the sake of speedy resolution of complaints. However labour camp will not be permitted in the CRPF premises CRPF is not responsible for any type of arrangement of labour camp. Contractor is solely responsible for the accommodation & timely wages to their staff.
10. User/CLIENT does not bind itself to accept abnormally low bids. The rates quoted by the tenderer/bidder should be able to demonstrate the capability of the tenderer/bidder to deliver the contract at the offered price. Abnormally low bids/rates will be subject to analysis by User/CLIENT. If required, User/CLIENT may call written clarification from bidder, including detailed price analysis of the bid price in relation to scope, schedule, allocation of risks and responsibilities and any other requirements of the bid document and tenderer/bidder shall have to furnish Rate Analysis for the scrutiny of rates by User/CLIENT within stipulated time. User/CLIENT reserves the right to reject the bid if bid is found to be abnormally low to deliver/perform the contract.
11. The manpower deployed by the contractor should be polite, cordial, positive, efficient and their personal records should be maintained by the contractor while handling the assigned work so that their actions promote goodwill and enhance the image of User/CLIENT. Necessary grooming should be done by the contractor before posting the staff at site. He shall also comply with the provisions of all labour legislations. Receipt of any complaint in this regard shall be viewed seriously.
12. The Contractor should not employ any person who is prohibited by Law from being employed for fulfilling obligations under this Contract. Any indecent behavior / suspicious activities of the staff employed shall be viewed seriously and a suitable penalty shall be imposed on contractor. The contractor is also required to submit the list of workers with photo ID, educational qualification, address proof, etc. before deputing the workers. An attendance register shall be maintained at site indicating number of persons deployed for the inspection by User/CLIENT officials/representative.
13. Any act of indiscipline / misconduct / theft / pilferage on the part of any employee engaged by the Contractor resulting in any loss to User/CLIENT in kind or cash will be

- viewed seriously and User/CLIENT will have the right to take legal action along with levy damages or fine and / or even terminate the Contract forthwith, if necessary.
14. The appointed contractor is required to generate End of the Day (EoD) reports on status of works, labour deployed, etc. to the concerned officer of the Client.
  15. Contractor shall follow the prescribed formats/procedures for official documentation like registers, etc. as stipulated by User/CLIENT from time to time.
  16. In case of emergency work, no extra payment for working in odd hour will be made.
  17. The property will be handed over to the Contractor on 'as is where is' basis and the contractor shall ensure proper service to a reasonably satisfactory level.
  18. User/CLIENT reserves to change scope of work during the contract period.
  19. The successive bidders are responsible for replacing/repairing the stores while got defective during the warranty/guarantee/liability period.
  20. The purchaser reserves the right to place order on the next higher successful firm if the firms quoting lower rates do not fulfill the requirements of Tender Enquiry due to their limited bank solvency/capacity.
  21. Reject / Cancel / Scrap : The competent authority has got the right to accept or reject / cancel / scrap the tender as whole or part of it and no claims what so ever will be entertained on this account. The competent authority also reserves the right to increase / decrease / alter the scope of work / quantity of work etc and no claims what so ever will be entertained.
  22. The contractor should possession of labour license under the contract labour (Regulation and abolition) act, 1970 & 1971 from regional labour commission (Central) of area concerned.
  23. Department will not be responsible for any kind of incident involving the labour during or after the work. The contractor must ensure the workers against all contingencies and be responsible for their safety.
  24. **This Notice Inviting Tender and Integrity Agreement (Refer Appendix F) shall form a part of the contract document.**
  25. The L1 bidder will have to submit a copy of this Tender duly signed on each page along with other relevant documents if required during award of work.
  26. **FINAL INSPECTION** : After completion of work as per specification the whole work will be subject to a final inspection to ensure that job has been completed as per requirement. If any defects noticed in the work are attributable to Contractor, these shall be attended by the contractor at his own cost, as and when they are brought to his notice by the **“DIG (Prov & Accts), WB Sector HQr”** / Work committee / Officer Commanding of Building / Engineer in charge. The **“DIG (Prov & Accts), WB Sector HQr”** and its representative shall have the right to have these defects rectified at the risk and cost of the contractor if he fails to attend to these defects immediately.
  27. No part of the CONTRACT nor any share or interest therein shall in any manner or degree be transferred, assigned or sublet by the CONTRACTOR directly or indirectly to any person, firm or corporation whatsoever without the consent in writing of the Commandant(Engr.), Central Zone, CRPF, Sector-III, Kolkata.
  28. **ADDITIONAL SPECIFICATION FOR CIVIL WORKS :**
    - a). All materials required to be used on works shall be got approved from the **“DIG (Prov & Accts), WB Sector HQr”** / Officer Commanding of Building in advance. In case of doubt on any material, **“DIG (Prov & Accts), WB Sector HQr”** wears the right to get the material test from Govt. approved labs/NABL.
    - b). The quoted rate should be inclusive of all taxes, levies, works contract taxes, duties etc.
    - c). List of approved makes is attached. In case item(s) not mentioned in the list, CPWD approved list of material for similar work may be followed.

Sd/-03/02/2025

(Lt. Col. Anand Kumar)

**Commandant (Engineer)**

Contract Cell, CZ HQr

[For and on behalf of the President of India]

[.....]

**Signature of Bidder**

(with seal)

**LIST OF APPROVED MAKES FOR CIVIL WORKS**

S/N	Item	Approved Make
1	Ordinary Portland cement	ACC, GRASIM, Ambuja, Birla (Vikram) Ultra-tech.
2	Reinforcement Bars	Tata steel, SAIL, RINL, Secondary producer RATHI and BARNALA make.
3	Synthetic Enamel Paints	Burger (Luxol gold), Asian (Apolite), ICI Dulux (Gloss), Nerolac.
4	Cement Paint, paint, distemper, primer	ICI India Ltd., Berger paint ltd., Good Loss Nerolac Paint, Asian Paint Ltd., Jenson and Necholson India Ltd.
5	Admixture for concrete	Cico, Sika, Pidilite, Asian, FOSROC & MBT
6	Epoxy Paint	Nerolac, Asian, Berger.
7	Terrazo tiles (precast)	NITCO, GEM, MODERN, HINDUSTAN, JONSON, ORIENT, KAJARIA.
8	Chequered tiles	NITCO, GEM, MODERN, HINDUSTAN, JONSON, ORIENT, KAJARIA.
9	Water proofing compound	CICO, By structural water proofing Co. FOSROC BY Fosroc Ltd., IMPERMO by Snocem India, Cheseal by Overseas water proofing compound, PIDILITE
10	Paving Tiles/Paver Block	Nitco Prefab, Ultra KK, TERRAFIRMA, UNISTONE.
11	CC kerb stone	Nitco Prefab, K.K. Manhole, TERRAFIRMA, UNISTONE.
12	White cement	Birla White, J.K. White Ultratech, ACC.
13	Structural Steel	SAIL, TATA, RINL, ISCO, SRMB
14	Mild Steel Tubes	TATA, SAIL, ISCO, SRMB
15	Welding Electrodes	ESAB, Advani-orlikon, Weld Alloy
16	RMC	RMC, ACC, BIRLA, L&T and other manufacturer of RMC subjected to approval of Engineer-in-Charge. The contractor shall submit the RMC plant list for approval. Contractor own plant of RMC with minimum capacity of 30 cum per hour.
17	TMT Fe 415/500	TISCON, ISCON, RINL, SAIL, SRMB / SAI
18	Stainless Steel	Prism Engineers, JINDAL OR EQUIVALENT.
19	Ceramic/ Glazed/ Vetrified wall tiles	Kajari, Somany, Jonsan, Orient
20	False Ceiling	Aerolite, Armstrong, Saint-Gobain, Hyprock
21	Polymer Bonding Agent	Mono bond (Krishna Conchem), Roff bond repair (Pidilite Industries)
22	Super Plasticizer for Jackting	Supercon-100 (Krishna Conchem), RoffPlast 330
23	Anti termite Chemicle	Choloropyriphos, Biflex TC, Lindane, Bayer, Crop Science
24	Construction Chemicle	Fosroe, Cico, Pidilite, Sika, Ashford
25	Flush Door	Green, Duro, Century , EURO
26	Commercial PLY	Green, Duro, Century, Silicon (Evoke)
27	Laminate	Green, Duro, Century , EURO
28	Mortice latch and lock	Godrej (Product code 6649,6647,6067 & 7033) or equivalent

**LIST OF APPROVED MAKES FOR ALUMINIUM WORKS**

1	Aluminum	Indal / Hindalco / Jindal, Alom or equivalent.
2	Masking Tapes	Suncontrol/ Wonder Polymer
3	Stainless Steel Screws for fabrication and fixing of windows	Kundan/ Puja/ Atulor equivalent.
4	Proposed Treatment on MS Brackets	Galvanised brackets as per IS: 4759-1996, 610 gms/ sqm (Microns) 80-90
5	Stainless Steel Bolts/ Washers and Nuts	Kundan/ Puja/ Atulor equivalent.
6	Stainless Steel Pressure Plate Screws	Kundan/ Puja/ Atulor equivalent.
7	Stainless Steel Friction Stay	Earl Behari, Anandor equivalent.
8	EPDM Gaskets	Roop/ Anandor equivalent.
9	6mm thick clear Float Glass	Modi, St. Gobain, Gujrat Guardian Ltd, Float Glass of India.
10	Weather silicon make and Grade	Dow Corning / Wacker/ GE or equivalent.
11	PVC Continuous fillet for periphery packing of Glazing / Curtain wall	Roop/ Anand/ Forex Plastic or equivalent.
12	Powder coating material pure polyester	Berger/ GoollessNerolac or equivalent.
13	Laminated reflective Glass	Glaverbek (Belgium) St. Gobain or equivalent.

**LIST OF APPROVED MAKES OF MATERIALS FOR SANITARY INSTALLATION AND WATER SUPPLY, DRAINAGE**

1	Sanitary wares and appliance	Hindustan Sanitary ware, CERA, Johnson CERA, Jaquar, Esco, Marc.
2	Bevelled edge mirror with PVC	Modi Guard Saint-Goben.
3	GI Pipes/ M.S. Pipes	Tata, GST, Jindal, Prayag, Hissaror equivalent.
4	Brass /CP Brass fittings	Esco, Marc, Jaquar, Hindware, CERA.
5	Stainless Steel sink	Neelkanth, Kingston, made of salem stainless steel CERA.
6	Automatic Flushing Cistern	Hindustan Sanitary ware, CERA, Johnson CERA, Jaquar.
7	Surgeon Mixers	Jaquar, ESCO, Hindware, CERA
8	GI Pipe Fittings Water supply	DRP-M,R-BRAND, ZOLOTO
9	Plastic WC seat cover	Parryware, Hindustan Sanitary ware, CERA, Johnson CERA.
10	UPVC Piping	Supreme, Ashirbad, Prime
11	Flush Valves	Jaquar, AKOI Hindware, Cisar.
12	C.P. Accessories	Esco, ESS ESS, Jaquar, Hindware, CERA.
13	Gunmetal Valves (Fullway Check and Globe Valves)	Leader, Sant, Jaynam, Zoloto or equivalent.
14	Stoneware pipes & Gully trap	Perfect, Burn, Parry or equivalent.
15	C.I. Double flanged sluice valves	Kirloskar, IVC, Burn or equivalent.
16	C.I. Doubled flanged non return valves	Kirloskaror equivalent.
17	C.I. Manholes	B.C., R.I.F., NECO or equivalent.
18	Ball Valves	Zoloto, IBP, ARCO or equivalent.
19	Butterfly Valve	AUDCO or equivalent.
20	Water Tank	Sintex, Polycon, Electroplast, Star, Lotus or equivalent.
21	Water pumps	Kirloskar, KSB, Harrison or equivalent.



22	Float Valves	IVC, leader or equivalent or equivalent.
23	RCC pipes	IHP or equivalent
24	Centrifugal cast iron pipes 150mm/100mm dia and its accessories/ fittings	NECO, RIF, HIF, HEPCO or equivalent.
25	Stainless Steel Wash-basin & WCs	Jayna, Neelkanth, Prayag or equivalent
26	uPVC & cPVC Pipe	Prince, Supreme and Astral or equivalent
27	Plastic Hand Dryer	Euronics India, Prestige, Dolphy, Sudhai or equivalent
28	Toughened Glass	Saint-Gobain, Modi Guard
<b>LIST OF APPROVED MAKES FOR ELECTRICAL WORKS</b>		
1	Electrical communication Cable	Polycab, Finolax
2	MCCB/ACB	Legrand, Schneider,
3	Distribution Box	Sicmens, L&T, Mitssubishi, UP Power
4	Connectors	Sicmens, L&T, Schneider
5	HT Cable	Havells, Polycab, Finolex
6	Modular Plate/Modular Switch & Socket/GI Boxes/ Fan Regulator/Telephone/ RJ-45/RJ11 Modular Socket /Bell	Schneider (Opel)/ Legrand (Myrius)/ ABB (Tvisha)/ Honeywell (Blenze Pro)/ Cabtree (Athena)/ Panasonic (Europa) The range should be antibacterial type.
7	Decorative Pendant Luminaire/Surface Circular Downlighter/1200 mm LED batten/ LED Bulk Head/Decorative Post Top Lantern fitting/flood light/Mirror Light/Strip Light/Street Light with sensos/wall washer/spot light	Wipro/ Trilux/ Philips/ Regent Lighting/ LT/ Havells
8	BLDC Fans/Ceiling Fan / Exhaust Fan (ISI Marked)	Havells /Crompton /Usha /Almonard/Orient/ Alstom
9	Telephone Cables / Wires (ISI Marked) / CoAxialTv Cables	Finolex/ Polycab/Havells / RR Kabel /KEI /Derwiser
10	Cable Trays & Accessories	Venus/ Slotco/ Pilco/ Reeco/ Rmcon

**Note : If any other make is to be used, the same shall be got approved from the NIT approving Authority.**

Sd/-03/02/2025

**Commandant (Engineer)-Contract Cell, CZ HQr**

Signature of Bidder.....



**Annexure-I**

**SCHEDULE OF QUANTITY**

<b>Tender Enquiry No. :-B.V(WBS HQr)Spl.Repair/2024-25-CZ-C/Cell(NIT-17) Dated 31/01/2025</b>			
<b>Location of Work :- WB Sector HQr, CRPF, H.C. Block, Sector-III, Salt Lake, Kolkata (W.B.) Pin-700106</b>			
<b>Name of Work :- “I. Special repair and renovation of Administrative Building office ”</b>			
<b>S/N.</b>	<b>Item / Description</b>	<b>Qty.</b>	<b>Unit</b>
1.	Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All work up to plinth level : 1:1½:3 (1 Cement: 1½ coarse sand (zone-III) derived from natural sources : 3 graded stone aggregate 20 mm nominal size derived from natural sources)	8.01	Cum
2.	Providing and laying cement concrete in retaining walls, return walls, walls (any thickness) including attached pilasters, columns, piers, abutments, pillars, posts, struts, buttresses, string or lacing courses, parapets, coping, bed blocks, anchor blocks, plain window sills, fillets,sunken floor etc., up to floor five level, excluding the cost of centering,shuttering and finishing: 1:5:10 (1 cement : 5 coarse sand (zone-III) derived from natural sources : 10 graded stone aggregate 40 mm nominal size derived from natural sources).	45.57	Cum
3.	Making <b>plinth protection</b> 50mm thick of cement concrete 1:3:6 (1 cement: 3 coarse sand (zone-III) derived from natural sources : 6 graded stone aggregate 20 mm nominal size derived from natural sources) over 75mm thick bed of dry brick ballast 40 mm nominal size, well rammed and consolidated and grouted with fine sand, including necessary excavation, levelling & dressing & finishing the top smooth	137.70	Sqm
4.	Providing precast cement concrete Jali 1:2:4 (1 cement : 2 coarse sand(zone-III) : 4 graded stone aggregate 6mm nominal size ), reinforced with 1.6 mm dia mild steel wire, including centering and shuttering, roughening cleaning, fixing and finishing in cement mortar 1:3 (1 cement: 3 fine sand) etc. complete, excluding plastering of the jambs, sills and soffits 50 mm thick	54.00	Sqm
5.	Steel reinforcement for R.C.C. work including straightening, cutting, bending, placing in position and binding all complete above plinth level. Thermo-Mechanically Treated bars of grade Fe-500D or more.	1128.40	KG
6.	Non-asbestos fibre cement board 6 mm thick as per IS: 14862. 200mm wide	113.00	mtr
7.	Brick work with common burnt clay F.P.S. (non modular) bricks of class designation 7.5 in superstructure above plinth level up to floor V level in all shapes and sizes in : Cement mortar 1:6 (1 cement : 6 coarse sand)	8.49	Cum
8.	Half brick masonry with common burnt clay F.P.S. (non modular) bricks of class designation 7.5 in superstructure above plinth level up to floor V level. Cement mortar 1:4 (1 cement :4 coarse sand)	141.75	Sqm
9.	Providing and fixing 18 mm thick gang saw cut, mirror polished, premoulded and prepolished, machine cut for kitchen platforms, vanity counters, window sills, facias and similar locations of required size, approved shade, colour and texture laid over 20 mm thick base cement mortar 1:4 (1 cement : 4 coarse sand), joints treated with white cement, mixed with matching pigment, epoxy touch ups, including rubbing, curing, moulding and polishing to edges to give high gloss finish etc. complete at all levels. Granite stone slab colour black, Cherry/Ruby red Area of slab over 0.50 sqm	147.93	Sqm
10.	Providing and fixing plywood 4 mm thick, one side decorative veneer conforming to IS: 1328 (type 1), for plain lining / cladding with necessary screws, including priming coat on unexposed surface with :Decorative veneer facings of approved manufacture	81.65	Sqm
11.	Extra for providing opening of required size & shape for wash basin/ kitchen sink in kitchen platform, vanity counter and similar location in marble/ Granite/ stone work, including necessary holes for pillar taps etc. including moulding, rubbing and polishing of cut edges etc. complete.	24.00	each
12.	Providing and fixing 2nd class teak wood plain lining tongued and grooved,including wooden plugs complete with necessary screws and priming coat on unexposed surface. 12 mm thick	121.40	Sqm
13.	Providing and fixing 1st quality <b>ceramic glazed wall tiles</b> conforming to IS: 15622 (thickness to be specified by the manufacturer), of approved make, in all colours, shades except burgundy, bottle green, black of any size as approved by Engineer-in-Charge, in skirting, risers of steps and dados, over 12 mm thick bed of cement mortar 1:3 (1 cement : 3 coarse sand) and jointing with grey cement slurry @ 3.3kg per sqm, including pointing in white cement mixed with pigment of matching shade complete.	768.00	Sqm
14.	Designing, fabricating, testing, installing and fixing in position Curtain Wall with <b>Aluminium Composite Panel Cladding</b> , with open grooves for linear as well as curvilinear portions of the building , for all heights and all levels etc. including:(a) Structural analysis & design and preparation of shop drawings for pressure equalisation or rain screen principle as required, proper drainage of water to make it watertight including checking of all the structural and functional design.(b) Providing, fabricating and	571.22	Sqm

	supplying and fixing panels of aluminium composite panel cladding in pan shape in metallic colour of approved shades made out of 4mm thick aluminium composite panel material consisting of 3mm thick FR grade mineral core sandwiched between two Aluminium sheets (each 0.5mm thick). The aluminium composite panel cladding sheet shall be coil coated, with Kynar 500 based PVDF / Lumiflon based fluoropolymer resin coating of approved colour and shade on face # 1 and polymer (Service) coating on face # 2 as specified using stainless steel screws, nuts, bolts, washers, cleats, weather silicone sealant, backer rods etc. (c) The fastening brackets of Aluminium alloy 6005 T5 / MS with Hot Dip Galvanised with serrations and serrated washers to arrest the wind load movement, fasteners, SS 316 Pins and anchor bolts of approved make in SS 316, Nylon separators to prevent bi-metallic contacts all complete required to perform as per specification and drawing The item includes cost of all material & labour component, the cost of all mock ups at site, cost of all samples of the individual components for testing in an approved laboratory, field tests on the assembled working curtain wall with aluminium composite panel cladding, cleaning and protection of the curtain wall with <b>aluminium composite panel cladding</b> till the handing over of the building for occupation. Base frame work for ACP cladding is payable under the relevant aluminium items. The Contractor shall provide curtain wall with aluminium composite panel cladding, having all the performance characteristics all complete , as per the Architectural drawings, as per item description, as specified, as per the approved shop drawings and as directed by the Engineer-in-Charge. However, for the purpose of payment, only the actual area on the external face of the curtain wall with Aluminum Composite Panel Cladding (including width of groove) shall be measured in sqm. up to two decimal places.		
15.	Providing wood work in frames of doors, windows, clerestory windows and other frames, wrought framed and fixed in position with hold fast lugs or with dash fasteners of required dia & length (hold fast lugs or dash fastener shall be paid for separately). Sal wood	1.04	Cum
16.	Providing and fixing ISI marked flush door shutters conforming to IS : 2202 (Part I) non-decorative type, core of block board construction with frame of 1st class hard wood and well matched commercial 3 ply veneering with vertical grains or cross bands and face veneers on both faces of shutters: 30 mm thick including ISI marked Stainless Steel butt hinges with necessary screws	25.20	Sqm
17.	Providing and fixing IS : 12817 marked stainless steel butt hinges (heavy weight) with stainless steel screws etc. complete : 100x60x2.50 mm	280.00	each
18.	Providing and fixing bright finished brass tower bolts (barrel type) with necessary screws etc. complete : 200x10 mm	70.00	each
19.	Providing and fixing aluminium extruded section body tubular type universal <b>hydraulic door closer</b> (having brand logo with ISI, IS : 3564, embossed on the body, door weight upto 36 kg to 80 kg and door width from 701 mm to 1000 mm), with double speed adjustment with necessary accessories and screws etc. complete.	67.00	each
20.	Providing and fixing chromium plated brass 100 mm <b>mortice latch and lock</b> with 6 levers and a pair of lever handles of approved quality with necessary screws etc. complete.	67.00	each
21.	Providing and fixing aluminium sliding door bolts, ISI marked anodised (anodic coating not less than grade AC 10 as per IS : 1868), transparent or dyed to required colour or shade, with nuts and screws etc. complete : 300x16 mm	28.00	each
22.	Providing and fixing aluminium handles, ISI marked, anodised (anodic coating not less than grade AC 10 as per IS : 1868) transparent or dyed to required colour or shade, with necessary screws etc. complete : 125 mm	56.00	each
23.	Providing & Fixing decorative high pressure laminated sheet of plain / wood grain in gloss / matt/ suede finish with high density protective surface layer and reverse side of adhesive bonding quality conforming to IS : 2046 Type S, including cost of adhesive of approved quality. 1.5 mm thick	252.00	Sqm
24.	Providing and fixing factory made <b>Fiberglass Reinforced plastics (F.R.P.) chajja</b> 4 mm thick of required colour, size and design made by Resin Transfer Moulding (RTM) Machine Technology, resulting in void free compact laminate in single piece, having smooth gradual slope curvature for easy drainage of water and duly reinforced by 2 nos vertically and 1 nos horizontally 50x2 mm thick M.S. flat with 12 mm in built hole for grouting on the existing wall along with the 50 mm flanges duly inserted and sealed in the wall complete in one single piece casted monolithically, including all necessary fittings . The FRP Chajja should be manufactured using unsaturated Polyester resin as per IS: 6746, duly reinforced with fibre glass chopped strand mat (CSM) as per IS: 11551 complete with protective Gel coat U/V coating on Top for complete resistance from the extreme of temperature, weather & sunlight (Only plan area of chajjas shall be measured for making payment).	68.04	Sqm
25.	Providing and fixing <b>cup board shutters</b> 25 mm thick, with Pre-laminated flat pressed three layer particle board or graded wood particle board IS: 12823 marked, exterior grade (Grade I Type II), having one side decorative lamination and other side balancing lamination, including IInd class teak wood lipping of 25 mm wide x12 mm thick with necessary screws and bright finished stainless steel piano hinges, complete as per direction of the Engineer-in-Charge	17.70	Sqm
26.	<b>Three track three panels sliding window with fly proof S.S wire mesh</b> (Two nos. glazed & one no. wire mesh panels) made of (big series) frame 116 x 45 mm & sash 46 x	52.11	Sqm

	62 mm both having wall thickness of 2.3 ± 0.2 mm and single glazing bead / double glazing bead of appropriate dimension. (Area of window above 1.75 sqm).		
27.	Providing and fixing <b>casement handle</b> made of zinc alloyed (white powder coated) for uPVC casement window with necessary screws etc. complete.	100.00	each
28.	Providing and fixing zinc alloyed (white powder coated) <b>touch lock</b> for uPVC sliding window with necessary screws etc. complete.	500.00	each
29.	Providing and fixing <b>cupboard shutter with 19mm thick</b> one side decorative and other side balancing lamination factory pressed BWP grade marine ply as per IS 710 of approved brand including 2mm thick PVC edge banding tape with hot glue by edge bending machine etc. with auto closing spring loaded hinges (hydraulic type) etc. complete as per direction of Engineer-in-charge.(Payment of providing and fixing auto closing hinges shall be paid separately)	148.63	Sqm
30.	Providing and fixing stainless steel fancy handle of approved make fixed with SS screws etc. complete as per direction of Engineer-in-charge.200 mm	42.00	each
31.	Marble stone flooring with 18 mm thick marble stone, as per sample of marble approved by Engineer-in-charge, over 20 mm (average) thick base of cement mortar 1:4 (1 cement : 4 coarse sand) laid and jointed with grey cement slurry, including rubbing and polishing complete with : Makarana white second quality	178.07	Sqm
32.	25 mm wooden planking, tongued and grooved in flooring, including fixing with iron screws complete with : Second class deodar wood	36.12	Sqm
33.	Providing and laying Vitrified tiles in floor in different sizes (thickness to be specified by the manufacturer) with water absorption less than 0.08% and conforming to IS:15622, of approved brand & manufacturer, in all colours and shade, laid on 20 mm thick cement mortar 1:4 (1 cement: 4 coarse sand) jointing with grey cement slurry @3.3 kg/sqm including grouting the joints with white cement and matching pigments etc. The tiles must be cut with the zero chipping diamond cutter only . Laying of tiles will be done with the notch trowel, plier, wedge, clips of required thickness, leveling system and rubber mallet for placing the tiles gently and easily. Glazed vitrified floor tiles polished finish of size Size of Tile 600 x 600 mm	387.24	Sqm
34.	Providing and laying Vitrified tiles in floor in different sizes (thickness to be specified by the manufacturer) with water absorption less than 0.08% and conforming to IS:15622, of approved brand & manufacturer, in all colours and shade, laid on 20 mm thick cement mortar 1:4 (1 cement: 4 coarse sand) jointing with grey cement slurry @3.3 kg/sqm including grouting the joints with white cement and matching pigments etc. The tiles must be cut with the zero chipping diamond cutter only . Laying of tiles will be done with the notch trowel, plier, wedge, clips of required thickness, leveling system and rubber mallet for placing the tiles gently and easily. Glazed Vitrified tiles Matt/Antiskid finish of size Size of Tile 600 x 600 mm	174.11	Sqm
35.	Providing and laying Vitrified tiles in different sizes (thickness to be specified by manufacturer), with water absorption less than 0.08 % and conforming to I.S. 15622, of approved make, in all colours & shade, in skirting, riser of steps, over 12 mm thick bed of cement mortar 1:3 (1cement: 3 coarse sand), jointing with grey cement slurry @ 3.3 kg/sqm including grouting the joint with white cement & matching pigments etc. complete. Size of Tile 600x600 mm	31.38	Sqm
36.	Providing and fixing on wall face unplasticised Rigid PVC rain water pipes conforming to IS : 13592 Type A, including jointing with seal ring conforming to IS : 5382, leaving 10 mm gap for thermal expansion, (i) Single socketed pipes. 75 mm diameter	50.00	mtr
37.	Providing and fixing on wall face unplasticised Rigid PVC rain water pipes conforming to IS : 13592 Type A, including jointing with seal ring conforming to IS : 5382, leaving 10 mm gap for thermal expansion, (i) Single socketed pipes. 110 mm diameter	100.00	mtr
38.	Providing and fixing on wall face unplasticised - PVC moulded fittings/ accessories for unplasticised Rigid PVC rain water pipes conforming to IS : 13592 Type A, including jointing with seal ring conforming to IS : 5382, leaving 10 mm gap for thermal expansion. Single tee with door 75x75x75 mm	25.00	nos
39.	Providing and fixing on wall face unplasticised - PVC moulded fittings/ accessories for unplasticised Rigid PVC rain water pipes conforming to IS : 13592 Type A, including jointing with seal ring conforming to IS : 5382, leaving 10 mm gap for thermal expansion. Single tee with door 110x110x110 mm	60.00	nos
40.	Providing and fixing on wall face unplasticised - PVC moulded fittings/ accessories for unplasticised Rigid PVC rain water pipes conforming to IS : 13592 Type A, including jointing with seal ring conforming to IS : 5382, leaving 10 mm gap for thermal expansion. Bend 87.5° 75 mm bend	25.00	nos
41.	Providing and fixing on wall face unplasticised - PVC moulded fittings/ accessories for unplasticised Rigid PVC rain water pipes conforming to IS : 13592 Type A, including jointing with seal ring conforming to IS : 5382, leaving 10 mm gap for thermal expansion. Bend 87.5° 110 mm bend	60.00	nos

42.	Providing and fixing on wall face unplasticised - PVC moulded fittings/ accessories for unplasticised Rigid PVC rain water pipes conforming to IS : 13592 Type A, including jointing with seal ring conforming to IS : 5382, leaving 10 mm gap for thermal expansion. 75 mm "P" trap	60.00	nos
43.	Providing and fixing on wall face unplasticised - PVC moulded fittings/ accessories for unplasticised Rigid PVC rain water pipes conforming to IS : 13592 Type A, including jointing with seal ring conforming to IS : 5382, leaving 10 mm gap for thermal expansion. 110 mm "P" trap	60.00	nos
44.	Providing and fixing tiled false ceiling of specified materials of size 595x595 mm in true horizontal level, suspended on inter locking metal grid of hot dipped powder coated galvanized steel sections ( galvanized @ 120 grams/ sqm, both side inclusive) consisting of main "T" runner with suitably spaced joints to get required length and of size 24x38 mm made from 0.30 mm thick (minimum) sheet, spaced at 1200 mm center to center and cross "T" of size 24x25 mm made of 0.30 mm thick (minimum) sheet, 1200 mm long spaced between main "T" at 600 mm center to center to form a grid of 1200x600 mm and secondary cross "T" of length 600 mm and size 24x25 mm made of 0.30 mm thick (minimum) sheet to be interlocked at middle of the 1200x600 mm panel to form grids of 600x600 mm and wall angle of size 24x24x0.3 mm and laying false ceiling tiles of approved texture in the grid including, required cutting/making, opening for services like diffusers, grills, light fittings, fixtures, smoke detectors etc. Main "T" runners to be suspended from ceiling using GI slotted cleats of size 27 x 37 x 25 x1.6 mm fixed to ceiling with 12.5 mm dia and 50 mm long dash fasteners, 4 mm GI adjustable rods with galvanised butterfly level clips of size 85 x 30 x 0.8 mm spaced at 1200 mm center to center along main T, bottom exposed width of 24 mm of all T-sections shall be pre-painted with polyester paint, all complete for all heights as per specifications, drawings and as directed by Engineer-in-charge. 12.5 mm thick square edge <b>PVC Laminated Gypsum Tile of size 595x595 mm</b> , made of Gypsum plasterboard, manufactured from natural gypsum as per IS 2095 part I and laminated with white 0.16mm thick fire retardant PVC film on the face side and 12micron metalized polyester on the back side with all edges sealed with the face side PVC film which goes around and wraps the edges and is bonded to the edges and the back side metalized polyester film so as to make the tile a completely sealed unit.	434.93	Sqm
45.	12 mm cement plaster : 1:6 (1 cement : 6 coarse sand)	436.32	Sqm
46.	<b>18 mm cement plaster</b> in two coats under layer 12 mm thick cement plaster 1:5 (1 cement : 5 coarse sand) and a top layer 6 mm thick cement plaster 1:3 (1 cement : 3 coarse sand) finished rough with sponge.	426.04	Sqm
47.	<b>6 mm cement plaster</b> 1:3 (1 cement : 3 fine sand) finished with a floating coat of neat cement and thick coat of Lime wash on top of walls when dry for bearing of R.C.C. slabs and beams.	121.60	Sqm
48.	Finishing walls with 100% Premium acrylic emulsion paint having VOC less than 50 gm/litre and UV resistance as per IS 15489:2004, Alkali & fungal resistance, dirt resistance exterior paint of required shade (Company Depot Tinted) with silicon additives. New work (Two or more coats applied @ 1.43 litre/ 10 sqm. Over and including priming coat of exterior primer applied @ 0.90 litre/10 sqm.	2735.69	Sqm
49.	Providing and applying white <b>cement based putty</b> of average thickness 1 mm, of approved brand and manufacturer, over the plastered wall surface to prepare the surface even and smooth complete.	2486.47	Sqm
50.	Wall painting with premium acrylic emulsion paint of interior grade, having VOC (Volatile Organic Compound ) content less than 50 grams/ litre of approved brand and manufacture, including applying additional coats wherever required to achieve even shade and colour. Two coats	4972.95	Sqm
51.	Applying priming coats with primer of approved brand and manufacture, having low VOC (Volatile Organic Compound ) content With water thinnable cement primer on wall surface having VOC content less than 50 grams/litre	4972.95	Sqm
52.	<b>Removing</b> dry or oil bound distemper, water proofing cement paint and the like by scrapping, sand papering and preparing the surface smooth including necessary repairs to scratches etc. complete.	7708.63	Sqm
53.	Repairs to plaster of thickness 12 mm to 20 mm in patches of area 2.5 sq.meters and under, including cutting the patch in proper shape, raking out joints and preparing and plastering the surface of the walls complete, including disposal of rubbish to the dumping ground, all complete as per direction of Engineer-in-Charge. With cement mortar 1:4 (1cement: 4 coarse sand)	230.40	Sqm
54.	<b>Dismantling W.C. Pan</b> of all sizes including disposal of dismantled materials i/c malba all complete as per directions of Engineer-inCharge.	27.00	each
55.	Dismantling 15 to 40 mm dia G.I. pipe including stacking of dismantled pipes (within 50 metres lead) as per direction of Engineerin- Charge. Internal Work-Exposed on wall	162.00	mtr
56.	Providing and laying APP (Atactic Polypropylene Polymer) modified prefabricated five layer 3 mm thick water proofing membrane, black finished reinforced with non-woven polyester matt consisting of a coat of bitumen primer for bitumen membrane @ 0.40 litre/sqm by the same membrane manufacture of density at 25°C, 0.87-0.89 kg/ litre and viscosity 70-160 cps. Over the primer coat the layer of membrane shall be laid using	25.00	Sqm



	Butane Torch and sealing all joints etc, and preparing the surface complete. The vital physical and chemical parameters of the membrane shall be as under : Joint strength in longitudinal and transverse direction at 23°C as 650/ 450N/ 5cm. Tear strength in longitudinal and transverse direction as 300/ 250N. Softening point of membrane not less than 150°C. Cold flexibility shall be upto -2°C when tested in accordance with ASTM, D - 5147. The laying of membrane shall be got done through the authorised applicator of the manufacturer of membrane : 3 mm thick		
57.	<b>Demolishing R.C.C.</b> work manually/ by mechanical means including stacking of steel bars and disposal of unserviceable material within 50 metres lead as per direction of Engineer - in- charge.	5.48	Cum
58.	Demolishing brick work manually/ by mechanical means including stacking of serviceable material and disposal of unserviceable material within 50 metres lead as per direction of Engineer-in-charge. In cement mortar	23.32	Cum
59.	Taking out doors, windows and clerestory window shutters (steel or wood) including stacking within 50 metres lead : Of area 3 sq. metres and below	84.00	each
60.	Dismantling tile work in floors and roofs laid in cement mortar including stacking material within 50 metres lead. For thickness of tiles 10 mm to 25 mm	174.11	Sqm
61.	<b>Dismantling stone slab flooring</b> laid in cement mortar including stacking of serviceable material and disposal of unserviceable material within 50 metres lead.	178.07	Sqm
62.	Dismantling C.I. or asbestos rain water pipe with fittings and clamps including stacking the material within 50 metres lead : 150 mm dia pipe	120.00	mtr
63.	<b>Dismantling of flushing cistern</b> of all types (C.I./PVC/Vitrious China) including stacking of useful materials near the site and disposal of unserviceable materials within 50 metres lead.	27.00	each
64.	Providing and fixing mirror of superior glass (of approved quality) and of required shape and size with plastic moulded frame of approved make and shade with 6 mm thick hard board backing including 1.5" wooden outer frame bidding. Rectangular shape 453x357 mm	37.00	each
65.	Providing and fixing mirror of superior glass (of approved quality) and of required shape and size with plastic moulded frame of approved make and shade with 6 mm thick hard board backing including 1.5" wooden outer frame bidding. Rectangular shape 1500x450 mm	6.00	each
66.	Providing and fixing toilet paper holder : C.P. brass	27.00	each
67.	Providing and fixing M.S. holder-bat clamps of approved design to Sand Cast iron/cast iron (spun) pipe embedded in and including cement concrete blocks 10x10x10 cm of 1:2:4 mix (1 cement : 2 coarse sand : 4 graded stone aggregate 20 mm nominal size), including cost of cutting holes and making good the walls etc. : For 100 mm dia pipe	100.00	each
68.	Providing and fixing white vitreous china extended <b>wall mounting water closet</b> of size 780x370x690 mm of approved shape including providing & fixing white vitreous china cistern with dual flush fitting, of flushing capacity 3 litre/ 6 litre (adjustable to 4 litre/ 8 litres), including seat cover, and cistern fittings, nuts, bolts and gasket etc complete.	21.00	each
69.	Providing and fixing white vitreous china <b>battery based infrared sensor operated urinal</b> of approx. size 610 x 390 x 370 mm having pre & post flushing with water (250 ml & 500 ml consumption), having water inlet from back side, including fixing to wall with suitable brackets all as per manufacturers specification and direction of Engineer-in-charge.	18.00	each
70.	Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply, including all CPVC plain & brass threaded fittings, i/c fixing the pipe with clamps at 1.00 m spacing. This includes jointing of pipes & fittings with one step CPVC solvent cement and the cost of cutting chases and making good the same including testing of joints complete as per direction of Engineer in Charge. Concealed work, including cutting chases and making good the walls etc. Internal Work 20 mm nominal dia Pipes	243.00	mtr
71.	Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply including all CPVC plain & brass threaded fittings This includes jointing of pipes & fittings with one step CPVC solvent cement, trenching, refilling & testing of joints complete as per direction of Engineer in Charge. External work 40 mm nominal dia Pipes	243.00	mtr
72.	Providing and fixing uplasticised PVC connection pipe with brass unions 45 cm length 15 mm nominal bore	70.00	each
73.	Providing and placing on terrace (at all floor levels) polyethylene water storage tank, IS : 12701 marked, with cover and suitable locking arrangement and making necessary holes for inlet, outlet and overflow pipes but without fittings and the base support for tank.	4000.00	ltr
74.	Providing and fixing C.P. brass bib cock of approved quality conforming to IS:8931 : 15 mm nominal bore	27.00	each
75.	Providing and fixing C.P. brass stop cock (concealed) of standard design and of approved make conforming to IS:8931. 15 mm nominal bore	10.00	each
76.	Providing and fixing C.P. brass angle valve for basin mixer and geyser points of approved quality conforming to IS:8931 15mm nominal bore	90.00	each
77.	Providing and fixing PTMT grating of approved quality and colour. Circular type 100 mm nominal dia	27.00	each

78.	<p>Providing and fixing aluminium work for doors, windows, ventilators and partitions with extruded built up standard tubular sections/appropriate Z sections and other sections of approved make conforming to IS: 733 and IS: 1285, fixing with dash fasteners of required dia and size, including necessary filling up the gaps at junctions, i.e. at top, bottom and sides with required EPDM rubber/neoprene gasket etc. Aluminium sections shall be smooth, rust free, straight, mitred and jointed mechanically wherever required including cleat angle, Aluminium snap beading for glazing / paneling, C.P. brass / stainless steel screws, all complete as per architectural drawings and the directions of Engineer-in-charge. (Glazing, paneling and dash fasteners to be paid for separately) :  <b>For fixed portion Powder coated aluminium</b> (minimum thickness of powder coating 50 micron)</p>	535.71	kg
79.	<p>For shutters of doors, windows &amp; ventilators including providing and fixing hinges/ pivots and making provision for fixing of fittings wherever required including the cost of EPDM rubber / neoprene gasket required (Fittings shall be paid for separately)  <b>Powder coated aluminium</b> (minimum thickness of powder coating 50 micron)</p>	228.04	kg
80.	<p>Providing and fixing 12 mm thick prelaminated particle board flat pressed three layer or graded wood particle board conforming to IS: 12823 Grade I Type II, in panelling fixed in aluminum doors, windows shutters and partition frames with C.P. brass / stainless steel screws etc. complete as per architectural drawings and directions of engineer-in-charge. Pre-laminated particle board with decorative lamination on both sides</p>	21.66	Sqm
81.	<p>Providing and fixing glazing in aluminium door, window, ventilator shutters and partitions etc. with EPDM rubber / neoprene gasket etc. complete as per the architectural drawings and the directions of engineer-in-charge . (Cost of aluminium snap beading shall be paid in basic item):  <b>With float glass panes</b> of 4.0 mm thickness (weight not less than 10kg/sqm)</p>	86.52	Sqm
82.	<p>Providing and laying <b>water proofing treatment in sunken</b> portion of WCs, bathroom etc., by applying cement slurry mixed with water proofing cement compound consisting of applying : (a) First layer of slurry of cement @ 0.488 kg/sqm mixed with water proofing cement compound @ 0.253 kg/ sqm. This layer will be allowed to air cure for 4 hours. (b) Second layer of slurry of cement @ 0.242 kg/sqm mixed with water proofing cement compound @ 0.126 kg/sqm. This layer will be allowed to air cure for 4 hours followed with water curing for 48 hours. The rate includes preparation of surface, treatment and sealing of all joints, corners, junctions of pipes and masonry with polymer mixed slurry.</p>	243.41	Sqm
83.	<p>Providing and fixing <b>double scaffolding system</b> (cup lock type) on the exterior side of building/structure, upto 25 metre height, above ground level, including additional rows of scaffolding in stepped manner as per requirement of site, made with 40mm dia M.S. tube, placed 1.5 metre centre to centre, horizontal &amp; vertical tubes joint with cup &amp; lock system with M.S. Tubes, M.S. tube challis, M.S. clamps and staircase system in the scaffolding for working platform etc. and maintaining it in a serviceable condition for execution of work of cleaning and/ or pointing and/ or applying chemical and removing it thereafter. The scaffolding system shall be stiffened with bracings, runners, connecting with the building etc, wherever required, if feasible, for inspection of work at required locations with essential safety features for the workmen etc., complete as per directions and approval of Engineer-in-charge. Note:- (1) The elevational area of the scaffolding shall be measured for payment purpose. (2) The payment will be made once only for execution of all items for such works.</p>	138.07	Sqm
84.	<p>Chipping of unsound/weak concrete material from slabs, beams, columns etc. with manual Chisel and/ or by standard power driven percussion type or of approved make including tapering of all edges, making square shoulders of cavities including cleaning the exposed concrete surface and reinforcement with wire brushes etc. and disposal of debris for all lead and lifts all complete as per direction of Engineer-In-Charge  <b>75mm average thickness</b></p>	169.29	Sqm
85.	<p>Chipping of unsound/weak concrete material from slabs, beams, columns etc. with manual Chisel and/ or by standard power driven percussion type or of approved make including tapering of all edges, making square shoulders of cavities including cleaning the exposed concrete surface and reinforcement with wire brushes etc. and disposal of debris for all lead and lifts all complete as per direction of Engineer-In-Charge  <b>50mm average thickness</b></p>	190.00	Sqm
86.	<p>Cleaning of reinforcement from rust from the reinforcing bars to give it a total rust free steel surface by using alkaline chemical rust remover of approved make with paint brush and removing loose particles after 24 hours of its application with wire brush and thoroughly washing with water and allowing it to dry, all complete as per direction of Engineer-In-Charge.  <b>Bars upto 12 mm diameter</b></p>	1820.00	mtr
87.	<p>Drilling suitable holes in reinforced or plain cement concrete with power driven drill machine to a minimum depth of 100mm upto 200mm in RCC beams, lintels, columns and slabs to introduce steel bars for sunshades/balconies including fixing the steel bars in position using epoxy resin anchor grout of approved make but excluding the cost of reinforcement, all complete as per direction of Engineer-In-Charge.  <b>Upto and including 12mm dia.</b></p>	320.00	each
88.	<p>Providing, mixing and applying bonding coat of approved adhesive on chipped portion of RCC as per specifications and direction of Engineer-In-charge complete in all respect. <b>SBR Polymer (@10% of cement weight) modified cementitious bond coat @ 2.2 kg cement per sqm of surface area mixed with specified proportion of approved polymer</b></p>	359.29	Sqm
89.	<p>Shotcreting R.C.C. columns, beams and slabs etc. in layers with approved design mix</p>	190.00	Sqm

	concrete having the specified minimum characteristic compressive strength [with ordinary portland cement, coarse sand and graded stone aggregate of 10 mm maximum size in proportion as per design criteria] including the cost of centering and shuttering at edges and corners etc. as directed by Engineer- in-Charge Note: Rates shall include the providing necessary ground wires etc. The levelling gauges, if used, shall be paid for separately. Payment under this item shall be made only after proper wet curing has been done and surface has been satisfactorily evaluated by sounding/tapping with a blunt metal instrument. 50mm thick in Grade M 25 with cement content not less than 330 kg per cum		
90.	Shotcreting R.C.C. columns, beams and slabs etc. in layers with approved design mix concrete having the specified minimum characteristic compressive strength [with ordinary portland cement, coarse sand and graded stone aggregate of 10 mm maximum size in proportion as per design criteria] including the cost of centering and shuttering at edges and corners etc. as directed by Engineer- in-Charge Note: Rates shall include the providing necessary ground wires etc. The levelling gauges, if used, shall be paid for separately. Payment under this item shall be made only after proper wet curing has been done and surface has been satisfactorily evaluated by sounding/tapping with a blunt metal instrument. 75mm thick in Grade M 25 with cement content not less than 330 kg per cum	169.29	Sqm
91.	Providing corrugated G.S sheet roofing including vertical / curved surface fixed with polymer coated J or L hooks, bolts and nuts 8 mm diameter with bitumen and G.I. limpet washers or with G.I. limpet washers filled with white lead, including a coat of approved steel primer and two coats of approved paint on overlapping of sheets complete (up to any pitch in horizontal/vertical or curved surfaces), excluding the cost of purlins, rafters and trusses and including cutting to size and shape wherever required. , 0.63mm thick with zinc coating of less than 275 gm/sqm.	30.00	Sqm
92.	Steel work in built up tubular (round, square or rectangular hollow tubes etc.) trusses etc., including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer, including welding and bolted with special shaped washers etc. complete.	264.88	Kg
93.	Providing Fixing ,Installation ,Testing, Commissioning of white <b>plastic hand dryer</b> ( mm) with Wall fittings, High quality power with all accessories including connections etc. as required(size 240x230x240 mm)	27.00	nos
94.	Providing and fixing <b>12 mm thick frameless toughened glass railing for stair case</b> including 40mm dia baluster and 50 mm dia hand rail of SS 304 grade with required all assesaries, all complete as per direction of engineer incharge.	87.60	mtr
95.	Providing & fixing <b>work station desk for single user</b> with 19mm solid ply ISI marked, all front sides pasting with sunmica-DECORATIVE LAMINATION SHEET , 1 no. drawer, along with lock & key with brass handle, 1 no. table cabinet , all edges point area covered by wooden molding bit, 1 no. key board channel type tray, 1no. CPU tray, painting all inside areas with synthetic enamel, including all complete. Make: Greenply/Centuryply	335.20	Sqm
96.	Providing & fixing <b>wall mounting file cabinet</b> - 19mm commercial waterproof ply ISI marked along with decorative laminated sheets(1mm thickness) of all sides and back side covered by 12mm thickness ply with all necessary fittings fixtures-auto hinges, fevicol, tower bolt, lock and others), painting all inside of cabinets with synthetic enamel, including all complete. Make: Greenply/Centuryply	457.90	Sqm
97.	Providing Fixing ,Installation and Testing of <b>CP Brass (Chrome Finish) Health Faucet set</b> with all fittings, High quality with all accessories including connections etc. as required.	27.00	each
98.	Providing and fixing <b>12 mm thick frameless toughened glass door shutter</b> of approved brand and manufacture, including providing and fixing top & bottom pivot & double acting hydraulic floor spring type fixing arrangement and making necessary holes etc. for fixing required door fittings including CRPF sand blast logo specification/size all complete as per direction of Engineer-in-charge (Door handle, lock and stopper etc.to be paid separately).	46.43	Sqm
99.	Providing and fixing <b>Brass 100mm mortice latch and lock with 6 levers without pair of handles</b> (best make of approved quality) for <b>glass doors</b> including necessary cutting and making good etc. complete.	12.00	each
100.	Providing and applying of <b>powder coating paint for aluminum windows</b> including disassemble of windows and assemble after complete of powder coating with EPDM rubber and wool pile replaced where required.	2520.00	kg
101.	Providing and fixing <b>toughen glass</b> with table rubbed, edges rounded and polished, of size 75x50 cm deep and 1.8 cm thick, fixed in <b>urinal partitions</b> by cutting a chase of appropriate width with chase cutter and embedding the glass in the chase with epoxy grout or with cement concrete 1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate 6 mm nominal size) as per direction of Engineer-in-charge and finished smooth.	12.60	Sqm
102.	Providing and fixing factory made <b>WPC door frame (100x62mm) including 30 mm thick door shutter</b> made of WPC extruded sections having an overall dimension as below (tolerance ±1mm), with wall thickness 2.0 mm (± 0.2 mm), corners of the door frame to be Jointed with galvanized brackets and stainless steel screws, joints mitred and Plastic welded. The hinge side vertical of the frames reinforced by galvanized M.S. tube	34.40	Sqm

	of size 19 X 19 mm and 1mm ( $\pm 0.1$ mm) wall thickness and 3 nos. stainless steel hinges fixed to the frame complete as per manufacturer's specification and direction of Engineer-in-charge		
103.	Providing and fixing wash basin with C.I. brackets of approved quality and make, including painting of fittings and brackets, cutting and making good the walls wherever required white Vitreous China Surgeon/Counter top type wash basin of size 660x460 mm with 15 mm C.P. brass <b>swan neck pillar taps</b> with elbow including operated levers	24.00	each
104.	Providing and fixing <b>SS foldable towel rack</b> complete with brackets fixed to wooden cleats with CP brass screws with concealed fittings arrangement of approved quality and colour size 600Lx600Wx300H mm long folding towel rack for multi functional use.	36.00	each
105.	Providing and fixing <b>PVC roller</b> for replacement of existing aluminum sliding window with necessary screws etc. complete.	1600.00	each
106.	Providing and fixing automatic Sensor sliding Glass door machine including necessary cutting and making good etc. complete. (Excluding toughen glass cost)	2.00	each
107.	<b>II. Special repair / replacement of old existing wiring and necessary electrical fitting of Adm Building</b>		
108.	Wiring for light / fan / cabin fan /exhaust fan / call bell point with 1.0 sq mm FRLS PVC insulated copper single core cable in surface / recessed medum class PVC conduit, with modular switch, modular plate, suitable GI box and earthing the point with 1.0 sqmm FRLS PVC insulatad copper conductor single core cable etc. Wall including fixing of ISI marked ceiling rose / Batten holder and mending good damages to original finish ( wire brand Finolex/ Rajnigandha/Mescab).& modular type switch (Havells /Philips /Anchor ) Group (A) Light /Fan/Cabin fan /call bell/exhaust fan wiring ( Average 4 mtr)	145	Point
109.	Wiring for light / fan / cabin fan /exhaust fan / call bell point with 1.0 sq mm FRLS PVC insulated copper single core cable in surface / recessed medum class PVC conduit, with modular switch, modular plate, suitable GI box and earthing the point with 1.0 sqmm FRLS PVC insulatad copper conductor single core cable etc. Wall including fixing of ISI marked ceiling rose / Batten holder and mending good damages to original finish ( wire brand Finolex/ Rajnigandha/Mescab).& modular type switch (Havells /Philips /Anchor ) Group (B) Light /Fan/Cabin fan /call bell/exhaust fan wiring ( Average 7 mtr)	80	Point
110.	Wiring for light / fan / cabin fan /exhaust fan / call bell point with 1.0 sq mm FRLS PVC insulated copper single core cable in surface / recessed medum class PVC conduit, with modular switch, modular plate, suitable GI box and earthing the point with 1.0 sqmm FRLS PVC insulatad copper conductor single core cable etc. Wall including fixing of ISI marked ceiling rose / Batten holder and mending good damages to original finish ( wire brand Finolex/ Rajnigandha/Mescab).& modular type switch (Havells /Philips /Anchor ) Group © Light /Fan/Cabin fan /call bell/exhaust fan wiring ( Average 10 mtr)	59	Point
111.	Wiring for light / fan / cabin fan /exhaust fan / call bell point with 1.0 sq mm FRLS PVC insulated copper single core cable in surface / recessed medum class PVC conduit, with modular switch, modular plate, suitable GI box and earthing the point with 1.0 sqmm FRLS PVC insulatad copper conductor single core cable etc. Wall including fixing of ISI marked ceiling rose / Batten holder and mending good damages to original finish ( wire brand Finolex/ Rajnigandha/Mescab).& modular type switch (Havells /Philips /Anchor )	6	Point
112.	Wiring for A/C / power plag with 2x4 sq mm FRLS PVC insulated copper conductor single core cable in surface / recessed medum class PVC conduit alongwith 1 no 4 sq mm FRLS PVC insulated copper conductor single core cable for loop earthing as requird.	200	Metre
113.	Wiring for circuit / sub-main wiring alongwith earth wire with the following sizes of FRLS PVC insulated copper conductor single core cable in surface / recessed medium class PVC conduit as required. 2 x 1.5 sq mm + 1 x 1.0 sq mm earth wire	1500	Metre
114.	Wiring for circuit / sub-main wiring alongwith earth wire with the following sizes of FRLS PVC insulated copper conductor single core cable in surface / recessed medium class PVC conduit as required. 2 x 2.5 sq mm + 1 x 1.5 sq mm earth wire	1000	Metre
115.	Wiring for circuit / sub-main wiring alongwith earth wire with the following sizes of FRLS PVC insulated copper conductor single core cable in surface / recessed medium class PVC conduit as required. 2 x 4 sq mm + 1 x 2.5 sq mm earth wire	200	Metre
116.	Wiring for circuit / sub-main wiring alongwith earth wire with the following sizes of FRLS PVC insulated copper conductor single core cable in surface / recessed medium class PVC conduit as required. 2 x 6 sq mm + 1 x 4 sq mm earth wire	100	Metre
117.	Wiring for circuit / sub-main wiring alongwith earth wire with the following sizes of FRLS PVC insulated copper conductor single core cable in surface / recessed medium class PVC conduit as required. 2 x 10 sq mm + 1 x 6 sq mm earth wire	100	Metre
118.	Wiring for circuit / sub-main wiring alongwith earth wire with the following sizes of FRLS PVC insulated copper conductor single core cable in surface / recessed medium class PVC conduit as required. 4 x 6 sq mm + 2 x 4 sq mm earth wire	60	Metre
119.	Wiring for circuit / sub-main wiring alongwith earth wire with the following sizes of FRLS PVC insulated copper conductor single core cable in surface / recessed medium class PVC conduit as required. 4 x 10 sq mm + 2 x 6 sq mm earth wire	60	Metre
120.	Rewiring for light / fan / cabin fan /exhaust fan / call bell point with 1.0 sq mm FRLS PVC insulated copper single core cable and surface / recessed medum class PVC conduit and earthing the point with 1.0 sqmm FRLS PVC insulatad copper conductor incuding dimantling as required. Group (A) Light /Fan/Cabin fan /call bell/exhaust fan wiring ( Average 4 mtr)	70	Point



121.	Rewiring for light / fan / cabin fan /exhaust fan / call bell point with 1.0 sq mm FRLS PVC insulated copper single core cable and surface / recessed medum class PVC conduit and earthing the point with 1.0 sqmm FRLS PVC insulatad copper conductor incuding dimantling as required. Group (B) Light /Fan/Cabin fan /call bell/exhaust fan wiring ( Average 7 mtr)	50	Point
122.	Rewiring for light / fan / cabin fan /exhaust fan / call bell point with 1.0 sq mm FRLS PVC insulated copper single core cable and surface / recessed medum class PVC conduit and earthing the point with 1.0 sqmm FRLS PVC insulatad copper conductor incuding dimantling as required. Group © Light /Fan/Cabin fan /call bell/exhaust fan wiring ( Average 10 mtr)	31	Point
123.	Supplying and drawing following pair 0.5 mm dia FRLS PVC insulated annealed copper conductor, unarmored telephone cable in the existing surface / recessed PVC Conduit as required. 1 Pair	50	Metre
124.	Supplying and drawing following pair 0.5 mm dia FRLS PVC insulated annealed copper conductor, unarmored telephone cable in the existing surface / recessed PVC Conduit as required. 2 Pair	30	Metre
125.	Supplying and drawing following pair 0.5 mm dia FRLS PVC insulated annealed copper conductor, unarmored telephone cable in the existing surface / recessed PVC Conduit as required. 4 Pair	20	Metre
126.	Supplying and fixing of following sizes of medium class PVC conduit alongwith accessories in surface / recess inculding cutting the wall and making good the same in case of recessed conduit as required. 20 mm Medium class PVC conduit	500	Metre
127.	Supplying and fixing of following sizes of medium class PVC conduit alongwith accessories in surface / recess inculding cutting the wall and making good the same in case of recessed conduit as required. 25 mm Medium class PVC conduit	300	Metre
128.	Supplying and fixing of following sizes of medium class PVC conduit alongwith accessories in surface / recess inculding cutting the wall and making good the same in case of recessed conduit as required. 35 mm Medium class PVC conduit	100	Metre
129.	Supplying and fixing of following modular switch / socket on the existing modular plate & switch box including connections but excluding modular plate etc. as required. 6 Amp switch	50	Each
130.	Supplying and fixing of following modular switch / socket on the existing modular plate & switch box including connections but excluding modular plate etc. as required. 2 way 6 Amp switch	6	Each
131.	Supplying and fixing of following modular switch / socket on the existing modular plate & switch box including connections but excluding modular plate etc. as required. 15 Amp switch	10	Each
132.	Supplying and fixing of following modular switch / socket on the existing modular plate & switch box including connections but excluding modular plate etc. as required. 3 pin 6 Amp socket outlet	10	Each
133.	Supplying and fixing of following modular switch / socket on the existing modular plate & switch box including connections but excluding modular plate etc. as required. 6 pin 15/16 Amp socket outlet	10	Each
134.	Supplying and fixing of following modular switch / socket on the existing modular plate & switch box including connections but excluding modular plate etc. as required. Telephone socket outlet / Computer socket outlet	8	Each
135.	Supplying and fixing of following modular switch / socket on the existing modular plate & switch box including connections but excluding modular plate etc. as required. TV antenna socket outlet	8	Each
136.	Supplying and fixing of following modular switch / socket on the existing modular plate & switch box including connections but excluding modular plate etc. as required. Bell push	4	Each
137.	Supplying and fixing two module stepped type electronic fan regulator on the exiclding modular plate switch box incuding connections but excluding modular plate as required.	60	Each
138.	Supplying and fixing module blanking plate on the exiclding modular plate & switch box excluding modular plate as required.	10	Each
139.	Supplying and fixing following size / modules, G.I. box alongwith modular base & cover plate for modular switches inrecess etc. as required. 1 or 2 Module	10	Each
140.	Supplying and fixing following size / modules, G.I. box alongwith modular base & cover plate for modular switches inrecess etc. as required. 3 Module	20	Each
141.	Supplying and fixing following size / modules, G.I. box alongwith modular base & cover plate for modular switches inrecess etc. as required. 4 Module	10	Each
142.	Supplying and fixing following size / modules, G.I. box alongwith modular base & cover plate for modular switches inrecess etc. as required. 6 Module	10	Each
143.	Supplying and fixing following size / modules, G.I. box alongwith modular base & cover plate for modular switches inrecess etc. as required. 8 Module	20	Each
144.	Supplying and fixing following size / modules, G.I. box alongwith modular base & cover plate for modular switches inrecess etc. as required. 12 Module	10	Each
145.	Supplying and fixing suitable size GI box with modular plate and cover in front on surface or in recess, including providing and fixing 3 pin 5/6 Amp modular socket outlet and 5/6 Amp modular switch connections etc, as required.	20	Each
146.	Supplying and fixing suitable size GI box with modular plate and cover in front on surface	6	Each

	or in recess, including providing and fixing 3 pin 5/6 & 15/16 Amp modular socket outlet and 15/16 Amp modular switch connections etc, as required.		
147.	Installation of exhaust fan in the existing opening including making good the damage, connection, testing, commissioning etc. as required. Upto 450 mm sweep	6	Each
148.	Painting of ceiling fan in installed position with one or more coats of spray painting with synthetic enamel paint of approved brand.	22	Each
149.	Supplying and drawing of UTP 4pair CAT 6 LAN Cable in the existing surface / recessed PVC conduit as required.. 1 run of cable	30	Metre
150.	Supplying and drawing of UTP 4pair CAT 6 LAN Cable in the existing surface / recessed PVC conduit as required.. 2 run of cable	30	Metre
151.	Supplying and drawing of UTP 4pair CAT 6 LAN Cable in the existing surface / recessed PVC conduit as required.. 3 run of cable	30	Metre
152.	Supplying & fixing suitable size GI box with modular plate and cover in front on surface or in recess, including providing and fixing 2 nos 3 pin 6 Amp modular socket outlet and 2 nos 6 Amp modular switch connections etc. as required.	160	Each
153.	Supplying & fixing suitable size GI box with modular plate and cover in front on surface or in recess, including providing and fixing 25 Amp modular socket outlet and 25 Amp modular SP MCB "C" curve including connections etc. as required.	62	Each
154.	Supplying and fixing following way, single pole and neutral, sheet steel, MCB distribution board 240 V on surface / recess, complete with tinned copper bus bar neutral bus bar & earthing bar in recess etc. as required.( But without MCB/RCCB/Isolator ) 6 way Double door	6	Each
155.	Supplying and fixing following way, single pole and neutral, sheet steel, MCB distribution board 240 V on surface / recess, complete with tinned copper bus bar neutral bus bar & earthing bar in recess etc. as required.( But without MCB/RCCB/Isolator ) 8 way Double door	6	Each
156.	Supplying and fixing following way, single pole and neutral, sheet steel, MCB distribution board 240 V on surface / recess, complete with tinned copper bus bar neutral bus bar & earthing bar in recess etc. as required.( But without MCB/RCCB/Isolator ) 16 way Double door	3	Each
157.	Supplying and fixing following ways surface / recess mounting vertical type 415 V TPN MCB distribution board of sheet steel dust protected duly powered painted inclusive of 200A tinned copper bus bar common neutral link earth bar din bar for mounting MCBs complete with tinned copper bus bar neutral bus bar & earthing bar in recess etc. as required.( But without MCB/RCCB/Isolator ) 4 way ( 4+12) Double door	3	Each
158.	Supplying and fixing following ways surface / recess mounting vertical type 415 V TPN MCB distribution board of sheet steel dust protected duly powered painted inclusive of 200A tinned copper bus bar common neutral link earth bar din bar for mounting MCBs complete with tinned copper bus bar neutral bus bar & earthing bar in recess etc. as required.( But without MCB/RCCB/Isolator ) 8 way ( 4+24) Double door	3	Each
159.	Supplying and fixing 5 to 32 Amp rating 240/415v 10kA "C" curve miniature circuit breaker suitable for inductive load of following poles in the existing MCB DB complete with connections testing and commissioning etc. as required. Single Pole	150	Each
160.	Supplying and fixing 5 to 32 Amp rating 240/415v 10kA "C" curve miniature circuit breaker suitable for inductive load of following poles in the existing MCB DB complete with connections testing and commissioning etc. as required. Single Pole & neutral	12	Each
161.	Supplying and fixing 5 to 32 Amp rating 240/415v 10kA "C" curve miniature circuit breaker suitable for inductive load of following poles in the existing MCB DB complete with connections testing and commissioning etc. as required. Double pole	3	Each
162.	Supplying and fixing following rating four pole 415V residual current circuit breaker RCCB having a sensitivity current 30mA in the existing MCB DB complete with connections testing and commissioning etc. as required. 40 A	3	Each
163.	Supplying and fixing following rating four pole 415V residual current circuit breaker RCCB having a sensitivity current 30mA in the existing MCB DB complete with connections testing and commissioning etc. as required. 63 A	3	Each
164.	Supplying and installing following size of perforated Hot Dipped Galvanised Iron cable trays ( Galvanised thickness not than 50 microns ) with perforation not more than 17.5% in convenient section, joined with connectors, suspended from the ceiling with G.I. suspenders including G.I. bolt & nuts Painting suspenders etc as required. 100 mm width x 50 mm depth x 1.6 mm thickness	170	Metre
165.	Supplying and installing following size of perforated Hot Dipped Galvanised Iron cable trays ( Galvanised thickness not than 50 microns ) with perforation not more than 17.5% in convenient section, joined with connectors, suspended from the ceiling with G.I. suspenders including G.I. bolt & nuts Painting suspenders etc as required. 150 mm width x 50 mm depth x 1.6 mm thickness	80	Metre
166.	Supplying and installing following size of perforated Hot Dipped Galvanised Iron cable trays ( Galvanised thickness not than 50 microns ) with perforation not more than 17.5% in convenient section, joined with connectors, suspended from the ceiling with G.I.	50	Metre

	suspenders including G.I. bolt & nuts Painting suspenders etc as required. 225 mm width x 50 mm depth x 1.6 mm thickness		
167.	Supplying and installing following size of perforated Hot Dipped Galvanised Iron cable trays ( Galvanised thickness not than 50 microns ) with perforation not more than 17.5% in convenient section, joined with connectors, suspended from the ceiling with G.I. suspenders including G.I. bolt & nuts Painting suspenders etc as required. 300 mm width x 50 mm depth x 1.6 mm thickness	30	Metre
168.	Supply, Installation and connection of Busbar chamber with electrolytic copper busbar 800 amps of suitable size to match with the existing panel enclosed in a sheet steel synthetic stove enamelled painted enclosure along with 2 Nos. 320A, 4 Pole, 415 Volts 35 KA, MCCB (Micro processor based) with Sheet steel synthetic stove enamelled painted enclosure and the completet set to be installed on M.S. painted angle and grouted on floor.	1	Set
169.	Earthing with G.I. earth pipe 3.2 metre long 40 mm dia including accessories and providing masonry enclosure with cover plate having locking arrangement and watering pipe etc. ( but without charcoal / coke and salt) as required.	4	Set
170.	Supplying and laying 6 SWG G.I. wire at 0.30 metre below ground level for conductor eath electrode including connection termination with GI thimble etc. as required.	30	Metre
171.	Supply 1100 V grade XLPE/PVC insulated AL armoured cables as per IS:7098. of following size 2 core 25 sqmm cable	80	Metre
172.	Supply 1100 V grade XLPE/PVC insulated AL armoured cables as per IS:7098. of following size 2 core 35 sqmm cable	1	Metre
173.	Supply 1100 V grade XLPE/PVC insulated AL armoured cables as per IS:7098. of following size 4 core 25 sqmm cable	1	Metre
174.	Supply 1100 V grade XLPE/PVC insulated AL armoured cables as per IS:7098. of following size 3.5 core 25 sqmm cable	100	Metre
175.	Supply 1100 V grade XLPE/PVC insulated AL armoured cables as per IS:7098. of following size 3.5 core 35 sqmm cable	1	Metre
176.	Supply 1100 V grade XLPE/PVC insulated AL armoured cables as per IS:7098. of following size 3.5 core 50 sqmm cable	50	Metre
177.	Supply 1100 V grade XLPE/PVC insulated AL armoured cables as per IS:7098. of following size 3.5 core 70 sqmm cable	50	Metre
178.	Supply 1100 V grade XLPE/PVC insulated AL armoured cables as per IS:7098. of following size 3.5 core 95 sqmm cable	1	Metre
179.	Supply 1100 V grade XLPE/PVC insulated AL armoured cables as per IS:7098. of following size 3.5 core 120 sqmm cable	50	Metre
180.	Supply 1100 V grade XLPE/PVC insulated AL armoured cables as per IS:7098. of following size 3.5 core 150 sqmm cable	1	Metre
181.	Supply 1100 V grade XLPE/PVC insulated AL armoured cables as per IS:7098. of following size 3.5 core 185 sqmm cable	1	Metre
182.	Laying of one number PVC insulated and PVC sheathed / XLPE power cable of 1.1 KV grade of following size direct in ground including excavation sand cushloning protective covering and redilling the thench etc.as required. Upto 35 sq mm	70	Metre
183.	Laying of one number PVC insulated and PVC sheathed / XLPE power cable of 1.1 KV grade of following size direct in ground including excavation sand cushloning protective covering and redilling the thench etc.as required. Above 35 sq mm and upto 95 sq mm	1	Metre
184.	Laying of one number PVC insulated and PVC sheathed / XLPE power cable of 1.1 KV grade of following size direct in ground including excavation sand cushloning protective covering and redilling the thench etc.as required. 95 sq mm and upto 185 sq mm	1	Metre
185.	Laying of one number additional PVC insulated and PVC sheathed / XLPE power cable of 1.1 KV grade of following size direct in ground in the same trench in one tier horizontal formation including excavation sand cushloning protective covering and redilling the thench etc.as required. Upto 35 sq mm	110	Metre
186.	Laying of one number additional PVC insulated and PVC sheathed / XLPE power cable of 1.1 KV grade of following size direct in ground in the same trench in one tier horizontal formation including excavation sand cushloning protective covering and redilling the thench etc.as required. Above 35 sq mm and upto 95 sq mm	100	Metre
187.	Laying of one number additional PVC insulated and PVC sheathed / XLPE power cable of 1.1 KV grade of following size direct in ground in the same trench in one tier horizontal formation including excavation sand cushloning protective covering and redilling the thench etc.as required. Above 95 sq mm and upto 185 sq mm	50	Metre
188.	Laying of one number additional PVC insulated and PVC sheathed / XLPE power cable of 1.1 KV grade of following size direct in ground in the same trench in one tier horizontal formation including excavation sand cushloning protective covering and redilling the thench etc.as required. Above 185 sq mm and upto 400 sq mm	1	Metre
189.	Supplying and making end termination with brass compression gland and aluminlum lugs for following size of PVC insulated and PVC aheathed / XLPE aluminlum conductor cable of 1.1 KV grade as required. 2 x 25 sq mm ( 22 mm)	1	Each
190.	Supplying and making end termination with brass compression gland and aluminlum lugs for following size of PVC insulated and PVC aheathed / XLPE aluminlum conductor cable of 1.1 KV grade as required. 2 x 35 sq mm ( 25 mm )	1	Each
191.	Supplying and making end termination with brass compression gland and aluminlum lugs for following size of PVC insulated and PVC aheathed / XLPE aluminlum conductor cable of 1.1 KV grade as required. 3.5 / 4 x 25 sq mm (28 mm)	1	Each
192.	Supplying and making end termination with brass compression gland and aluminlum lugs	1	Each

	for following size of PVC insulated and PVC sheathed / XLPE aluminum conductor cable of 1.1 KV grade as required. 3.5 x 35 sq mm (32 mm)		
193.	Supplying and making end termination with brass compression gland and aluminum lugs for following size of PVC insulated and PVC sheathed / XLPE aluminum conductor cable of 1.1 KV grade as required. 3.5 x 50 sq mm (35 mm)	1	Each
194.	Supplying and making end termination with brass compression gland and aluminum lugs for following size of PVC insulated and PVC sheathed / XLPE aluminum conductor cable of 1.1 KV grade as required. 3.5 x 70 sq mm (38 mm)	1	Each
195.	Supplying and making end termination with brass compression gland and aluminum lugs for following size of PVC insulated and PVC sheathed / XLPE aluminum conductor cable of 1.1 KV grade as required. 3.5 x 95 sq mm (45 mm)	1	Each
196.	Supplying and making end termination with brass compression gland and aluminum lugs for following size of PVC insulated and PVC sheathed / XLPE aluminum conductor cable of 1.1 KV grade as required. 3.5 x 120 sq mm (47 mm)	1	Each
197.	Supplying and making end termination with brass compression gland and aluminum lugs for following size of PVC insulated and PVC sheathed / XLPE aluminum conductor cable of 1.1 KV grade as required. 3.5 x 150 sq mm (50 mm)	1	Each
198.	Supplying and making end termination with brass compression gland and aluminum lugs for following size of PVC insulated and PVC sheathed / XLPE aluminum conductor cable of 1.1 KV grade as required. 3.5 x 185 sq mm (57 mm)	1	Each
199.	Supplying and fixing of light, fan, Cabin fan & exhaust fan etc. of following the approved brand. fixture & fitting 2x9 W LED recessed mirror optic light fixture	1	Each
200.	Supplying and fixing of light, fan, Cabin fan & exhaust fan etc. of following the approved brand. fixture & fitting 1x11 W LED Decorative light fixture	1	Each
201.	Supplying and fixing of light, fan, Cabin fan & exhaust fan etc. of following the approved brand. fixture & fitting 1x20 W LED Tube Decorative light fixture	1	Each
202.	Supplying and fixing of light, fan, Cabin fan & exhaust fan etc. of following the approved brand. fixture & fitting 1x35 W LED Decorative light fixture IP-68	1	Each
203.	Supplying and fixing of light, fan, Cabin fan & exhaust fan etc. of following the approved brand. fixture & fitting 1x70 W LED Street light fixture with bracket	1	Each
204.	Supplying and fixing of light, fan, Cabin fan & exhaust fan etc. of following the approved brand. fixture & fitting 18" Cabin fan	1	Each
205.	Supplying and fixing of light, fan, Cabin fan & exhaust fan etc. of following the approved brand. fixture & fitting 48/56" Ceiling fan	1	Each
206.	Supplying and fixing of light, fan, Cabin fan & exhaust fan etc. of following the approved brand. fixture & fitting 250 mm exhaust fan	1	Each

**Note :-**

- i) The lowest bidder will be decided on overall rate of entire work instead of item (category) wise. Rates quoted by the bidder must be inclusive of applicable G.S.T (Goods and Services Tax) and all other charges if any but exclusive of EPF & ESI Contributions on the part of Employer as applicable with F.O.R (Site of work) at O/O The **DIG (Prov & Accts), WB Sector HQR, CRPF, H.C. Block, Sector-III, Salt Lake, Kolkata (W.B.) Pin-700106.**
- ii) The E.P.F & E.S.I contributions on the part of employer in respect of the contract shall be paid by the contractor to concerned department well in time. These contributions on the part of the employer paid by the contractor shall be reimbursable by this department on actual basis and on production of receipt of the concerned department.

Sd/-03/02/2025  
(Lt. Col. Anand Kumar)  
**Commandant (Engineer)**  
Contract Cell, CZ HQR

[For and on behalf of the President of India]

[\_\_\_\_\_] **Signature of Bidder**  
(with seal)



**Appendix-'A'****(I) BASIC INFORMATION ABOUT THE BIDDER/FIRM/CONTRACTOR**

S/N	Particulars	Specific answer/details by the Bidder/Contractor
1	Name of the Firm	M/S
2	Complete postal address of the firm with their registered office	Area/Village/Location Post P.S. Tehsil District State Pin Contact/Mobile No. E-Mail I.D. of firm
3	Type of the Firm (whether Sole Proprietorship / Partnership / Pvt. Ltd. / Ltd. or Cooperative Body etc).	
4	Name of Organization/ Firm of the Proprietor/ Partners/ Directors.	(a) (b) (c)
5	Full name & address of the person signing the bid documents ( <i>In block letters</i> )	
6	Deptt./Organization with which the firm is registered for the tendered work along with following details	i) Registration No. with date of issue :- ii) Registration issued by (Authority) :- iii) Registration valid up to (Date) :- iv) Registration Class :- v) Nature of works (Road/Building etc.)
7	Details of Permanent Account No. (PAN)	
8	Details of GST No.	
9	Banker's details of the firm	i) Bank Account No. :- ii) IFSC Code of the branch :- iii) Bank Name :- iv) Branch Name & Address of Bank :- v) Whether branch is NEFT/ RTGS enabled (Yes / No) :-
10	Whether the bidder/contractor having Past performance of last 07 (seven) Financial years/experience for similar works in Central Govt. or State PWD? If yes, Bidders should give their past performance in the specified format given in the Tender documents ( <b>Appendix-'D'</b> )	
11	Whether, Technical Personnel available in the organization (Details to be furnished in <b>Table-'d'</b> of <b>Appendix-'D'</b> of Tender Documents).	
12	Whether adequate and satisfactory evidence to indicate financial capacity of the Organization to undertake the said work is attached.	
13	Details of factory and its location, machinery, if any (Attach a separate sheet)	
14	Yearly Turnover of the company during last 3 years (Year-wise) – Attach balance sheet/P&L a/c statement and IT returns of the firm of last three years.	
15	Whether any Civil Suit/Litigation arisen in the contracts executed during the last 5 years/being executed. If yes, please furnish the name of the project, employer, nature of work, contract value, work order and date and brief details of litigation.	

**Note :-** Bidder may please note that if the answer so furnished are not clear and/or are evasive, the tender will liable to be ignored.

[ \_\_\_\_\_ ]  
**Signature of the Contractor**  
(with Official Seal)

## (II)

**Check list for tenderer****(Tenderers should check following requirements for compliance before submission for the tender documents)**

Sl. No.	Requirements to be checked by the tenderer before submission of the tender	Compliance (To be indicated With "YES" after Compliance of the requirements)
1.	Whether Tenderers has submitted required Earnest Money Deposit with their bid as specified? (As per schedule to tender failing which offers will be summarily rejected).	
2.	Whether rates have been quoted only as per price bid format / B.O.Q along with tender documents?	
3.	Whether rates have been quoted inclusive of all taxes including GST (ESI and EPF contributions of the part of employer in respect of this contract shall be paid by the contractor. The EPF & ESIC contributions of the part of the employer paid by the contractor shall be reimbursed by the department to the contractor on actual basis with site of work at <b>GC CRPF Bhopal (M.P)</b> , only on producing original receipt of EPF & ESIC paid by the contractor to Govt. organization.	
4.	Whether copy of GST & PAN Card submitted?	
5.	Whether copy of registration of the firm/contractor with CPWD, MES, BRO, NBCC & MP PWD submitted?	
6.	Whether copy of registration of certificate registration for EPFO and certificate of registration for ESIC submitted? (Declaration, if not applicable) (Failing to submit the certificates offers will be summarily rejected).	
7.	Work completion certificate as a prime contractor at least one similar work of 80% value or two works of at least 60% value or 3 works of at least 40% value in <b>CRPF/CPWD/MES/NBCC/BRO/ State PWD</b> only during the last <b>03 Financial Years</b> issued by not below the rank of Executive Engineer.	
8.	Tenderers should mention that Business dealing with their firms has not been banned by any Govt./Private agencies.	
9.	Tenderers should mention their address for communication with Telephone/Fax Number and E-mail Address.	
10.	Whether all the points under heading "Terms & Condition", "Additional Conditions" and instructions are fully abided by the contractor or not?	
11.	Whether all the requisite documents as asked in tender Schedule of inviting tender notice have been submitted by the tenderer?	
12.	Whether the firm has enclosed valid documents if the firm is a partnership proprietary in nature? (If no papers submitted with the bid it will be assumed that the firm is Single/Sole Proprietary)	
13.	Whether any other relevant documents which the firms wish to submit as a part of offer?	
14.	Tender acceptance letter (In firm's letter head)	
15.	Integrity pact (on firm's letter head)	
16.	Whether, firm has submitted any fake or misleading documents in last 3 Financial year and any incident raised in this regard?	

**Note :- Bidder may please note that if the answer so furnished are not clear and/or are evasive, the tender will liable to be ignored.**

[ \_\_\_\_\_ ]  
**Signature of the Contractor**  
(with Official Seal)



**Appendix-'B'**

**FORM OF BANK GUARANTEE FOR EARNEST MONEY DEPOSIT / PERFORMANCE GUARANTEE / SECURITY DEPOSIT**

**(Guarantee offered by Bank to CRPF in connection with the execution of contracts)  
ON NON-JUDICIAL STAMP PAPER OF MINIMUM RS. 100 DULY NOTARIZED!**

To

The President of India,  
\_\_\_\_\_  
\_\_\_\_\_

Whereas the **Commandant (Engineer), Central Zone CRPF** on behalf of the President of India (hereinafter called "The Government") has invited bids under **B.V(WB Sector HQr) Spl. Repair/2024-25-CZ-C/Cell(NIT-17) Dated 03/02/2025** for the work of ..... at ..... . The Government has further agreed to accept irrevocable Bank Guarantee for **Rs. ....** (Rupees ..... only) valid upto **..../.../20...\*** as **EARNEST MONEY DEPOSIT** from **M/S .....** (name and address of contractor) (hereinafter called "the contractor") for compliance of his obligations in accordance with the terms and conditions of the said NIT.

**OR\*\***

Whereas the **Commandant (Engineer), Central Zone CRPF** on behalf of the President of India (hereinafter called "The Government") has entered into an agreement bearing number ..... Date **..../..../20...** with **M/S.....** (name and address of the contractor) (hereinafter called "the Contractor") for execution of the work of ..... at ..... . The Government has further agreed to accept an irrevocable Bank Guarantee for **Rs. ....** (Rupees ..... only) valid **upto ..../..../20...\*** as **PERFORMANCE GUARANTEE / SECURITY DEPOSIT** from the said Contractor for compliance of his obligations in accordance with the terms and conditions of the agreement.

2. We, ..... (indicate the name of the bank) (herein after referred to as "the Bank"), hereby undertake to pay to the Government an amount not exceeding Rs. .... (Rupees..... only) on demand by the Government within 10 days of the demand.

3. We, ..... (indicate the name of the bank), do here by undertake to pay the amount due and payable under this guarantee without any demur, merely on a demand from the Government stating that the amount claimed is required to meet the recoveries due or likely to be due from the said Contractor. Any such demand made on the Bank shall be conclusive as regards the amount due and payable by the Bank under this Guarantee. However, our liability under this guarantee shall be restricted to an amount not exceeding Rs. .... (Rupees.....only).

4. We, ..... (indicate the name of the bank), further undertake to pay the Government any money so demanded notwithstanding any dispute or disputes raised by the contractor in any suit or proceeding pending On non-judicial stamp paper of minimum Rs. 100 before any Court or Tribunal, our liability under this Bank Guarantee being absolute and unequivocal. The payment so made by us under this Bank Guarantee shall be a valid discharge of our liability for payment there under and the Contractor shall have no claim against us for making such payment.

5. We, ..... (indicate the name of the bank), further agree that the Government shall have the fullest liberty without our consent and without affecting in any manner our obligation here under to vary any of the terms and conditions of the said agreement or to extend time of performance by the said Contractor from time to time or to postpone for any time or from time to time any of the powers exercisable by the Government against the said contractor and to forbear or enforce any of the terms and conditions relating to the said agreement and we shall not be relieved from our liability by reason of any such variation or extension being granted to the said Contractor or for any forbearance, act of omission on the part of the Government or any indulgence by the Government to the said Contractor or by any such matter or thing whatsoever which under the law relating to sureties would, but for this provision, have effect of so relieving us.

6. We, ..... (indicate the name of the bank), further agree that the Government at its option shall be entitled to enforce this Guarantee against the Bank as a principal debtor at the first instance without proceeding against the Contractor and notwithstanding any security or other guarantee the Government may have in relation to the Contractor's liabilities.

7. This guarantee will not be discharged due to the change in the constitution of the Bank or the Contractor.

8. We, ..... (indicate the name of the bank), undertake not to revoke this guarantee except with the consent of the Government in writing.

9. This Bank Guarantee shall be valid **up to .....** unless extended on demand by the Government. *"Notwithstanding anything mentioned above, our liability against this guarantee is restricted to Rs. .... (Rupees..... only) and unless a claim in writing is lodged with us within the date of expiry or extended date of expiry of this guarantee, all our liabilities under this guarantee shall stand discharged."*

Date ..../..../20....

**Witnesses**

1. **Signature**.....  
Name and address :-.....  
.....

2. **Signature** .....  
Name and address:-.....  
.....

Authorized Signatory :- .....  
Name :-.....  
Designation :-.....  
Staff code no. :-.....

**Bank seal**

\*Date to be worked out on the basis of validity period of 90 days where only financial bids are invited and 180 days for two/three bid system from the date of submission of tender.

\*\*In paragraph 1, strike out the portion not applicable. Bank Guarantee will be made either for earnest money or for performance guarantee/security deposit/mobilization advance/Refund of mile stone withheld amount, as the case may be.

**Appendix-'C'****TENDER ACCEPTANCE LETTER**  
(To be given on Company Letter Head)

Firm letter No. ....

Date :- \_\_\_/\_\_\_/20\_\_

To

Commandant (Engineer)  
Contract Cell, CZ HQr, CRPF,  
H.C. Block, Sector-III,  
Salt lake, Kolkata-106 (W.B.)

**Subject :- Acceptance of Terms & Conditions of Tender.****Tender Enquiry No :- B.V(WBS HQr)Spl.Repair/2024-25-CZ-C/Cell(NIT-17) Dated 03/02/2025**

Name of Tender / Work & location : - **“I. Special repair and renovation of Administrative Building office and II. Special repair / replacement of old existing wiring and necessary electrical fitting of Adm Building”** at **WB Sector HQr, CRPF, H.C. Block, Sector-III, Salt Lake, Kolkata (W.B.) Pin-700106.**

Dear Sir,

I/We have downloaded/obtained the tender document(s) for the above mentioned 'Tender/Work' from the web site(s) namely :- **E-Procurement web site <http://eprocure.gov.in/eprocure/app> (CPPP)** as per your advertisement, given in the above mentioned website(s).

2. I/We hereby certify that I / we have read the entire terms and conditions of the tender documents from Page No. 01 to \_\_\_ including all documents like, Important Instruction & Guidelines, General Condition of Contract, Special Condition of the Contract, Scope of Work/Schedule of Quantity, Annexure(s), Schedule(s) etc. which form part of the contract agreement and also taken into account the above while quoting the rates and I/we shall abide hereby by the terms/conditions/clauses contained therein.

3. The corrigendum(s) issued from time to time by your department/ organizations too have also been taken into consideration, while submitting this acceptance letter.

4. I/We hereby unconditionally accept all the tender conditions/above points without any reservation from our/my side in its totality/entirety.

5. In case any provisions of this tender are found violated , then your department/ organization shall without prejudice to any other right or remedy be at liberty to reject this tender/bid including the forfeiture of the full security deposit absolutely.

Yours Sincerely

Place :- \_\_\_\_\_

Date :- \_\_\_/\_\_\_/20\_\_

\_\_\_\_\_  
**Signature of the Contractor**  
(with Official Seal)



**Appendix-'D'****PAST PERFORMANCE/PREVIOUS EXPERIENCE****a) List of important works done in last 03 (three) years (as per the pre-qualification criteria mentioned in this tender)**

Sr. No.	Year	Contract No. & Date	Department/ Ministry/ PSU etc. where works has been executed including location of work	Name/ description of work	Value of the contract (in Rs.)	Date of start of work	Stipulated Date of completion as per contract	Actual Date of completion	Whether the work was left incomplete (reasons if any for delay in completion of work) or contract was terminated from either side (give full details)	Any other relevant information
1	2	3	4	5	6	7	8	9	10	11

**Note:- The supporting documents like experience certificate, completion certificate etc. shall be enclosed mandatorily.**

**b) List of Ongoing works on Hand.**

Sr. No.	Name of work	Location of work	Name of owner	Full address	Name & Mobile No. of the contact person from owner's side for whom work was executed	Value of the contract (in Rs.)	Date of start of work	Stipulated Date of completion as per contract	Actual Date of completion	Whether the work was left incomplete (reasons if any for delay in completion of work) or contract was terminated from either side (give full details)	Any other relevant information
1	2	3	4	5	6	7	8	9	10	11	12

**Note:- The supporting documents like "work orders" shall be enclosed mandatorily.**

**c) List of available Tools, Plants, available Machineries, Equipment etc.**

Sr. No.	Name of Tools / Plant / Machinery / Equipment and Accessories	Total No. of units / sqm.	No. of units/sqm. can be spared for the proposed work

**d) List of your Technical/Special Experience Personnel,**

Sr. No.	Name of personnel	D.O.B. (DD/MM/YYYY)	Education Qualifications	Technical Qualification	Work Experience	Nature of works handled	Any other information

**Note :- Please provide details about their technical qualifications and experience.**

[ \_\_\_\_\_ ]  
**Signature of the Contractor**  
(with official seal)



**Appendix-‘E’**

**DECLARATION BY THE CONTRACTOR**

**{AFFIDAVIT ON A NON JUDICIAL STAMP PAPER OF RS.100/-DULY NOTARIZED}**

I, \_\_\_\_\_ sole proprietor/partner/authorized signatory of M/S \_\_\_\_\_ sole proprietorship/partnership firm/public/private limited company, having its principal place of business/registered office at \_\_\_\_\_ (Full Address) do hereby solemnly affirm and declare as under :-

**That I am the sole proprietor of M/S \_\_\_\_\_**

**Or**

**That ours is partnership firm having partners as under (Full Name of partners) :-**

- (a) \_\_\_\_\_
- (b) \_\_\_\_\_
- (c) \_\_\_\_\_
- (d) \_\_\_\_\_

**Or**

**That ours is a private limited/public limited company incorporated in terms of the provisions of the Companies Act,1956/Companies Act,2013.**

**(Delete which is not applicable while typing affidavit)**

02. If **Proprietorship**, a **Registration Certificate** for the same/if **Partnership Firm**, a **Partnership Deed** is to be enclosed, if **Private Limited/Public Limited Company**, **Certificate of incorporation and Memorandum & Articles of association** to be submitted. All the partners/ directors should sign the affidavit or the person authorized by all the partners or one of the Directors duly authorized by Board Resolution in case of Company can sign with authority letter from all the partners/or Board Resolution in case of Company is to be enclosed.

03. That I hereby confirm and declare that my/our firm/company M/S \_\_\_\_\_ is not **blacklisted/delisted** or **debarred** or on **Holiday** list with any company of Private/Public Ltd. or Government Company/Government Departments from participating in the tender as on date.

04. I know that to swear a false affidavit is a crime under the law and with such knowledge only I have swear this Affidavit.

05. Our firm has not submitted any fake or misleading documents in this bid or any other bid in last 3 FY and no incident raised in this regard.

(\_\_\_\_\_) **(Signature of the Proprietor / Managing Partner/Director)**  
(with official seal)

**“Verified at ..... on.....that the contents of paras 1 to 4 of this affidavit are true and correct and no part of this is false and nothing material has been concealed or falsely stated therein.”**

DEPONENT – 1 .....

DEPONENT – 2 .....

(\_\_\_\_\_) **(Signature & Seal of Notary)**

**Appendix-'F'****INTEGRITY AGREEMENT**

This Integrity Agreement is made at.....on this.....day of...2024

BETWEEN

President of India represented through Comdt. Engr. Central Zone, Kolkata, (Name of Division) (Hereinafter referred as the (Address of Division)

“Principal/Owner”, which expression shall unless repugnant to the meaning or context thereof include its success or sand permitted assigns)

AND

(Name and Address of the Individual/ firm/ Company)

through.....(Hereinafter referred to as

the (Details of duly authorized signatory) “Bidder/Contractor” and which expression shall unless repugnant to the meaning or context hereof include its successors and permitted assigns)

Preamble

WHEREAS the Principal/Owner has floated the Tender (NIT No. .... (hereinafter referred to as “Tender/ Bid”) and intends to award, under laid down organizational procedure, contract for

(Name of work) **“I. Special repair and renovation of Administrative Building office and II. Special repair / replacement of old existing wiring and necessary electrical fitting of Adm Building”** at WB Sector HQr, CRPF, H.C. Block, Sector-III, Salt Lake, Kolkata (W.B.) Pin-700106.

Here in after referred to as the “Contract”.

AND WHEREAS the Principal/ Owner values full compliance with all relevant laws of the land, rules, regulations, economic use of resources and of fairness/ transparency in its relation with its Bidder(s) and Contractor(s).

AND WHEREAS to meet the purpose aforesaid both the parties have agreed to enter into this Integrity Agreement (hereinafter referred to as “Integrity Pact” or “Pact”), the terms and conditions of which shall also be read as integral part and parcel of the Tender/ Bid documents and Contract between the parties.

NOW, Therefore, in consideration of mutual covenants contained in this Pact, the parties here by agree as follows and this Pact witnesses as under:

Article 1: Commitment of the Principal/Owner

The Principal/Owner commits itself to take all measures necessary to Prevent corruption and to observe the following principles:

No employee of the Principal/Owner, personally or through any of his/ her family members, will in connection with the Tender, or the execution of the Contract, demand, take a promise for or accept, for self or third person, any material or immaterial benefit which the person is not legally entitled to.

The Principal/Owner will, during the Tender process, treat all Bidder(s) with equity and reason. The Principal/Owner will, in particular, before and during the Tender process, provide to all Bidder(s) the same information and will not provide to any Bidder(s) confidential/ additional information through which the Bidder(s) could obtain an advantage in relation to the Tender processor the Contract execution.

The Principal/Owner shall endeavour to exclude from the Tender process any person, whose conduct in the past has been of biased nature.

If the Principal/Owner obtains information on the conduct of any of its employees which is a criminal offence under the Indian Penal code (IPC)/ Prevention of Corruption Act,1988 (PC Act) or is in violation of the principles here in mentioned or if there be a substantive suspicion in this regard, the Principal/Owner will inform the Chief Vigilance Officer and in addition can also initiate disciplinary actions as per its internal laid down policies and procedures.

#### Article2: Commitment of the Bidder(s)/ Contractor(s)

It is required that each Bidder/ Contractor (including their respective officers, employees and agents) adhere to the high esthetical standards, and report to the Government/ Department all suspected acts of fraud or corruption or Coercion or Collusion of which it has knowledge or becomes aware, during the tendering process and throughout the negotiation or award of a contract.

The Bidder(s)/ Contractor(s) commit himself to take all measures necessary to prevent corruption. He commits himself to observe the following principles during his participation in the Tender process and during the Contract execution:

The Bidder(s)/ Contractor(s) will not, directly or through any other person or firm, offer, promise or give to any of the Principal/ Owner's employees involved in the Tender process or execution of the Contract or to any third person any material or other benefit which he/she is not legally entitled to, in order to obtain in exchange any advantage of any kind whatsoever during the Tender process or during the execution of the Contract.

The Bidder(s)/ Contractor(s) will not enter with other Bidder(s) into any undisclosed agreement or understanding, whether formal or informal. This applies in particular to prices, specifications, certifications, subsidiary contracts, submission or non- submission of bids or any other actions to restrict competitive or to cartelize in the bidding process. Competitiveness or to cartelize in the bidding process.

The Bidder(s)/ Contractor(s) will not commit any offence under the relevant IPC/PC Act. Further the Bidder(s)/ Contractor(s) will not use improperly, (for the purpose of competition or personal gain), or pass on to others, any information or documents provided by the Principal/ Owner as part of the business relationship, regarding plans, technical proposals and business details, including information contained or transmitted electronically.

The Bidder(s)/ Contractor(s) of foreign origin shall disclose the names and addresses of agents/ representatives in India, if any. Similarly, Bidder(s)/ Contractor(s) of Indian Nationality shall disclose names and addresses of foreign agents/ representatives, if any. Either the Indian agent on behalf of the foreign principal or the foreign principal directly could bid in a tender but not both. Further, in cases where an agent participates in a tender on behalf of one manufacturer, he shall not be allowed to quote on behalf of another manufacturer along with the first manufacturer in a subsequent/ parallel tender for the same item.

The Bidder(s)/ Contractor(s) will, when presenting his bid, disclose any and all payments he has made, is committed to or intends to make to agents, brokers or any other intermediaries in connection with the award of the Contract.

The Bidder(s)/ Contractor(s) will not instigate third persons to commit offences outlined above or be an accessory to such offences.

The Bidder(s)/ Contractor(s) will not, directly or through any other person or firm indulge in fraudulent practice means a wilful misrepresentation or omission of facts or submission of fake/ forged documents in order to induce public official to act in reliance thereof, with the purpose of obtaining unjust advantage by or causing damage to justified interest of others and/ or to influence the procurement process to the detriment of the Government interests.

The Bidder(s)/ Contractor(s) will not, directly or through any other person or firm use Coercive Practices (means the act of obtaining something, compelling an action or influencing a decision through intimidation, threat or the use of force directly or indirectly, where potential or actual injury may be fall upon a person, his/ her reputation or property to influence their participation in the tendering process).

#### Article 3: Consequences of Breach



Without prejudice to any rights that may be available to the Principal/ Owner under law or the Contractor its established policies and laid down procedures, the Principal/ Owner shall have the following rights in case of breach of this Integrity Pact by the Bidder(s)/ Contractor(s) and the Bidder/ Contractor accepts and undertakes to respect and uphold the Principal/ Owner's absolute right:

If the Bidder(s)/ Contractor(s), either before award or during execution of Contract has committed a transgression through a violation of Article 2 above or in any other form, such as to put his reliability or credibility in question, the Principal/ Owner after giving 14 day's notice to the contractor shall have powers to disqualify the Bidder(s)/ Contractor(s) from the Tender process or terminate/ determine the Contract, if already executed or exclude the Bidder/ Contractor from future contract award processes. The imposition and duration of the exclusion will be determined by the severity of transgression and determined by the Principal/ Owner. Such exclusion may be forever or for a limited period as decided by the Principal/Owner.

2. Forfeiture of EMD/ Performance Guarantee/ Security Deposit: If the Principal/ Owner has disqualified the Bidder(s) from the Tender process prior to the award of the Contractor terminated/ determined the Contractor has accrued the right to terminate/ determine the Contract according to Article 3(1), the Principal/ Owner apart from exercising any legal rights that may have accrued to the Principal / Owner, may in its considered opinion forfeit the entire amount of Earnest Money Deposit, Performance Guarantee and Security Deposit of the Bidder/ Contractor.

**Criminal Liability:** If the Principal/Owner obtains knowledge of conduct of a Bidder or Contractor, or of an employee or a representative or an associate of a Bidder or Contractor which constitutes corruption within the meaning of IPC Act, or if the Principal/Owner has substantive suspicion in this regard, the Principal/Owner will inform the same to law enforcing agencies for further investigation.

#### Article 4: Previous Transgression

The Bidder declares that no previous transgressions occurred in the last 5 years with any other Company in any country confirming to the anticorruption approach or with Central Government or State Government or any other Central/State Public Sector Enterprises in India that could justify his exclusion from the Tender process.

If the Bidder makes incorrect statement on this subject, he can be disqualified from the Tender process or action can be taken for banning of business dealings/ holiday listing of the Bidder/Contractor as deemed fit by the Principal/ Owner.

If the Bidder/Contractor can prove that he has resorted / recouped the damage caused by him and has installed a suitable corruption prevention system, the Principal/Owner may, at its own discretion, revoke the exclusion prematurely.

#### Article 5: Equal Treatment of all Bidders/Contractors/Subcontractors

The Bidder(s)/Contractor(s) undertake(s) to demand from all sub-contractors a commitment in conformity with this Integrity Pact. The Bidder/Contractor shall be responsible for any violation(s) of the principles laid down in this agreement/Pact by any of its Subcontractors/sub-vendors.

The Principal/Owner will enter into Pacts on identical terms as this one with all Bidders and Contractors.

The Principal/Owner will disqualify Bidders, who do not submit, the duly Signed Pact between the Principal/Owner and the bidder, along with the Tender or violate its provisions at any stage of the Tender process, from the Tender process.

#### Article 6-Duration of the Pact

This Pact begins when both the parties have legally signed it. It expires for the Contractor/Vendor 30 Days after the completion of work under the contract or till the continuation of defect liability period, whichever is more and for all other bidders, till the Contract has been awarded

If any claim is made/lodged during the time, the same shall be binding and continue to be valid despite the lapse of this Pacts as specified above, unless it is discharged/determined by the Competent Authority, CRPF.

#### Article 7-Other Provisions

This Pact is subject to Indian Law, place of performance and Jurisdiction is the Headquarters of the Division of the Principal/Owner, who has floated the Tender.



Changes and supplements need to be made in writing. Side agreements have not been made.

If the Contractor is a partnership or a consortium, this Pact must be signed by all the partners or by one or more partner holding power of attorney signed by all partners and consortium members. In case of a Company, the Pact must be signed by a representative duly authorized by board resolution.

Should one or several provisions of this Pact turnout to be in valid; the remainder of this Pact remains valid. In this case, the parties will strive to come to an agreement to their original intensions.

It is agreed term and condition that any dispute or difference arising between the parties with regard to the terms of this Integrity Agreement / Pact, any action taken by the Owner/Principal in accordance with this Integrity Agreement/ Pact or interpretation thereof shall not be subject to arbitration.

Article 8-LEGAL AND PRIOR RIGHTS

All rights and remedies of the parties hereto shall be in addition to all the other legal rights and remedies belonging to such parties under the Contract and/or law and the same shall be deemed to be cumulative and not alternative to such legal rights and remedies aforesaid. For the sake of brevity, both the Parties agree that this Integrity Pact will have precedence over the Tender/Contract documents with regard any of the provisions covered under this Integrity Pact.

IN WITNESS WHEREOF the parties have signed and executed this Integrity Pact at the place and date first above mentioned in the presence of following witnesses:

(For and on behalf of Principal/ Owner)

Place:  
Dated:

(For and on behalf of Bidder/ Contractor)

WITNESSES:

1.....  
(signature, name and address)

2.....  
(signature, name and address)