





P.O:KESHOGIRI, HYDERABAD, TELANGANA PIN-500005

Control Room +91 4024443324

Web.Site: www.crpf.nic.in/http://eprocure.gov.in/eprocure/app(cppp)

Tender Enquiry No. B.V-4/2024-25-SZ-Works (GC AVD) Major Work T/034 Dated, the 14/04/2025

NOTICE INVITING E-TENDER

The Commandant (Engineer), South Zone HQr, CRPF, Hyderabad (Telangana) for and on behalf of the President of India invites online tenders from Registered Contractors of 'CPWD /MES/NBCC/BRO/Other Central Govt. Departments/State PWD' or Equivalent applicable for the region' in appropriate class as per the amount of Tender under Two Bid system (Technical and Financial Bid) on the prescribed form as per the details given below:-

S1. No.	Name of Work	Place of Work	Amount of NIT		Date & Time of opening of tender
I	II	III	IV	V	VI
1	Repair and Maintenance of Mens club (SBI ATM and Multi-Function Hall) at Group Centre Avadi, Chennai-65.	GC, CRPF, AVADI, CHENNAI- 600065	Rs. 45,40,589/-	Rs. 90,900/- *(No exemption of EMD)	On 24-04-2025 at 11:30 Hrs.

Note:-

- (i) All relevant details are available on CRPF website https://crpf.gov.in/index-hi.htm
 as well as on E-Procurement web site https://eprocure.gov.in/eprocure/app
 (CPP Portal). The same may be downloaded by the bidders.
- (ii) Tenderers are requested to watch the CRPF/CPPP website regularly for any change in tender enquiry/technical specification/ terms & condition.
- (iii) Date & Time of availability of tender as per CPP Portal.

Yours Sincerely Sd/- 14/04/2025 (Lt. Col Vaibhav Srivastava)

Commandant (Engineer)

Contract Cell, SZ HQr [For and on behalf of the President of India]



GOVERNMENT OF INDIA, MINISTRY OF HOME AFFAIRS CENTRAL RESERVE POLICE FORCE O/O THE SPL. DIRECTOR GENERAL, SOUTH ZONE HQR



P.O:KESHOGIRI, HYDERABAD, TELANGANA PIN-500005

Control Room +91 4024443324

Web.Site :www.crpf.r	nic.in / httn: /	//eprocure.gov.in/e	enrocure/ann(cnnn)

•	*** CD: Site *** ** ** ** Color ** Tree *** ** Color ** C	эр(сррр)
Tender Enqu	niry No. B.V-4/2024-25-SZ-Works (GC AVD) Major Work T/034	Dated, the 14/04/2025
Subject: -	Invitation of e-Tender.	
Dear Sir,		
	On behalf of the President of India, I invite you to tender or enance of Mens club (SBI ATM and Multi-Functional, Chennai-65".	-
65 in accordattached here through e-Pro	If you are in a position to quote rate for Repair as (SBI ATM and Multi-Function Hall) at Group Cent cance with the requirements stated in the attached schedule to ewith should be fully filled in, signed and sealed by the respect occurement site https://eprocure.gov.in/eprocure/app failing when ored, and will not be considered.	re Avadi, Chennai- tender, all documents ive firm and submitted
3. This	s tender is not transferable.	

Thanking you.

Yours Sincerely Sd/- 14/04/2025 (Lt. Col Vaibhav Srivastava) Commandant (Engineer) Contract Cell, SZ HQr [For and on behalf of the President of India]

SCHEDULE OF TENDER

e-Tender Enquiry No.	B.V-4/2024-25-SZ-Works (GC AVD) Major Work T/034
Name of work	Repair and Maintenance of Mens club (SBI ATM and Multi-Function Hall) at Group Centre Avadi, Chennai-65.
Place of work	At GC, CRPF, Avadi, Chennai" Pin-600065.
Work schedule/Schedule of Quantity	Details as per Annexure-'I' of the Tender enquiry
Amount of NIT/Estimated Cost	Rs. 45,40,589/ - only
E.M.D. (In INR) @2% Fixed	Rs. 90,900/- only [Note: - EMD, in favor of DIGP, GC, CRPF, Avadi, Payable at- SBI, HVF, Avadi (Code No. 4675) and should be valid at least for 90 days from the date of opening of tender. If thereafter validity of the E.M.D. requires extension, the participated firm will be bound to extend the validity suitably. There is no exemption in EMD and it should be furnished by the bidder mandatorily. If the bidder fails to submit the EMD as specified then his tender will be liable to be rejected summarily]
Date & Time of Publishing of Tender	On 16-04-2025 at 09:00 Hrs .
Start date & time of submission online/ offline documents	W.E.F. 16-04-2025 at 10:00 Hrs. Onwards.
Last date & time of submission online/offline documents	Till 23-04-2025 at 10:00 Hrs
Date & time of opening of tender	On 24-04-2025 at 11:30 Hrs .
Validity of offer	The tender shall remain open for acceptance till 90 days from the date of opening of bid and the accepted rates shall remain valid during the period of execution including the extended period, if any.
Time allowed for completion of work	90 Days which will be reckoned from the date of issue of work Order or the date of handing over of the site, whichever is later.

- 02. Tenderers are advised to go through the **Earnest Money Deposit (EMD)** and **Two Bid system clause** of this Tender Enquiry before filling the tender. In case date of opening of tender happens to be a closed holiday, the tender will be opened on next working day at the stipulated time.
- 03. All relevant details, including specification, terms & condition etc are available on **E-Procurement web site** https://eprocure.gov.in/eprocure/app (CPPP). The same may be downloaded by the bidders. Details can also be seen at CRPF website http://crpf.nic.in/tender_notices.htm. For any changes in Tender Enquiry/specifications etc, tenders are requested to visit CRPF/CPPP web sites regularly.
- 04. Scan copy of all Tender documents duly sealed and signed by firm, Earnest Money have to be uploaded through online on or before the schedule date and time prescribed in tender enquiry. Only original copy of Earnest Money Deposit and Tender Acceptance Letter (Attached as per Appendix -'C') shall be submitted physically in the Tender Box at CONTRACT CELL, SOUTH ZONE HQR, CRPF, HYDERABAD (TELANGANA) PIN 500005 on or before fixed due date and time for opening of tender. In case the firm fails to submit the original copy of above documents on or before the due date and time for opening of tender quotation will be ignored.
- 05. The tenderer may survey the site and decide the quantum materials: It is important that each page of the tender acceptance letter which is written undertaking that all the terms and condition of the tender are understood and accepted should be signed and submitted online through e-procurement site https://eprocure.gov.in/eprocure/app.

Sd/- 14/04/2025
(Lt. Col. Vaibhav Srivastava)
Commandant (Engineer)
Contract Cell, SZ HQr
[For and on behalf of the President of India]



IMPORTANT INSTRUCTIONS AND GUIDELINES

- 1. The intending Bidders must read all the terms and condition carefully and submit their tender through online (e-procurement web site in CPP Portal) before due date & time if they consider themselves eligible and are in possession of all the required documents. Bidders are also advised to go through the Earnest Money, Payment terms and other clauses, terms and conditions of this tender enquiry carefully before participating in bidding process. The Bids (Technical Bids only) against tender enquiry will be opened on the given date & time in the CONTRACT CELL, SOUTH ZONE HQR, CRPF, HYDERABAD (TELANGANA) PIN 500005. However date of opening of financial bids will be intimated to the eligible Bidders only after technical bid evaluation.
- 2. Bidders are requested to submit their bid/tender documents online through e-procurement website in CPP Portal duly filled and completed in all respect as per norms. Only original copy of EMD & Tender Acceptance letter are required to be sent/submitted in a sealed envelope superscripted with full address of the firm, tender enquiry/notice number & date, name of work, date and time of opening etc physically dropping it in the Tender Box at CONTRACT CELL, SOUTH ZONE HQR, CRPF, HYDERABAD (TELANGANA) PIN 500005 so as to reach on or before the scheduled time and date as mentioned in the schedule to the tender enquiry. Department is not responsible for any delay. In case date of opening of tender happens to be a closed holiday, the tender will be opened on next working day at the stipulated time. Late/Delay/Non-submission of original documents manually in a sealed envelope to CONTRACT CELL, SOUTH ZONE HQR, CRPF, HYDERABAD (TELANGANA) PIN 500005 would result in rejection of bid during online bid opening.
- 3. All Tender documents attached with this invitation to tender including specifications are sacrosanct for considering any offer as complete offer. It is therefore important that **Tender Acceptance Letter** (As per **Appendix-'C'** of Tender Enquiry) which is a "**Written Undertaking**" that all the terms and conditions of the tender are understood and accepted, should be ink signed and submitted along with all documents as required with the bid.
- 4. **Name** and **status** of the person signing the tender documents should clearly be mentioned in the tender documents.
- 5. While opening the tenders, the technical bid will be opened first instance and evaluated by the competent committee or authority. If the firm fails to full fill at the conditions specified in the tender notice and fails to attach the documents as asked above, the tender will be rejected immediately, however the bidders can represent physically or through email in writing to the tendering authority, decision of Accepting Officer on representation will be final and binding. At the second stage, financial bids of technically qualified firms will be opened for further evaluation and ranking before awarding the contract. The contract will be awarded to overall **L-1 firm.**
- 6. Invitation for E- tender does not constitutes any guarantee for consideration validation of T' bid and subsequent opening of finance bid of any applicant/bidder, even of enlisted contractors of appropriate class, merely by virtue of enclosing DD. Accepting officer reserves the right to reject the T' bid and not open the finance bid of any applicant /bidder. T' bid validation shall be decided by the Accepting Officer based on interalia, capability of the firm as per criteria given in this NIT. The applicant/contractor/bidder will be informed regarding non-validation of his T' bid assigning reasons thereof through the "https://eprocure.gov.in/eprocure/app (CPPP)" website. The applicant/contractor if he so desires, may appeal to the Accepting Officer on email coengszhyd@crpf.gov.in before the schedule date of opening of finance bid. The decision of the next higher authority (NHEA) shall be final and binding. No applicant/ contractor shall be entitled for any compensation whatsoever for rejection of his bid
- 7. The works required shall be executed on credit basis and no interest will be payable on the delayed payment. The payment will be made direct to the Firm/ Contractor bank account through ECS on recoupment of bill. Payment in advance or immediately cannot be made. GST number of the firm should be clearly shown / quoted in the tender.
- 8. In tending, Bidder is eligible to submit the bid provided he has definite proof from the appropriate authority, which shall be to the satisfaction of the competent authority of having satisfactorily completed similar works/services of magnitude specified.
- 9. The contractor submitting the tenders against the subject tender enquiry are informed that all relevant details with reference to the tender enquiry stipulations are clearly responded to. In case any of the tender enquiry stipulation are not clearly stated to or replied to by any of the contractor, **no** repeat **no** clarifications will be sought from the concerned firm and its offer will be rejected out rightly.
- 10. The Contractor shall comply with the orders issued by the **Commandant (Engineer), South Zone HQr, CRPF at HYDERABAD (TELANGANA)** from time to time during the contractual period. If he fails to do so, his failure will be a breach of contract and the **Commandant (Engineer), South Zone, CRPF** in his discretion without prejudice to any other right or remedy available in law can cancel the contract. The contractor shall be liable for any pecuniary liability arising on account of any violation by him.
- 11. Agreement shall be drawn/work order will be issued to the successful Bidder. Bidders shall quote their rates as per terms and conditions which will form part of the agreement/contract.
- 12. The Accepting Officer reserves the right to accept a tender submitted by a Public Undertaking/Small & Medium Enterprises (SMEs), giving a price preference/purchase preference over other tender(s)/bids which may be lower, as are admissible under the Government Policy. No claim for any compensation or otherwise shall be admissible for such tenderer/bidder whose tender/bid is rejected.



- 13. Tenderers must be very careful to deliver & upload a bonafide tender, failing which the Accepting Officer may at his absolute discretion, reserve the right of forfeiting a portion of Earnest Money, Security Deposit or Security Bond amount (not exceeding amount of cost of tender) deposited by the tenderer. A bonafide tender must satisfy each & every conditions laid down in this office.
- 14. Accepting officer does not bind himself to accept the lowest or any tender/bid or to give any reason for not doing so.

15. EMPLOYER PROVIDENT FUND AND MISCELLANEOUS (EPF& MP) ACT 1952:-

- 15.1 In terms of GOI Ministry of labour & employment letter No S-35025/2/2014- SS II dated 15 Jul 2015, all the bidders participating in tendering for the work will ensure that they have "Provident Fund Code Number" for their construction workers and same has to be uploaded with Cover-I (Technical Bid) failing which their Technical bid shall be rejected and Financial bid shall not be opened. The Contractors shall also ensure that all agencies engaged should also have provident fund code.
- 15.2 All the workers deployed by the Contractors or sub contractors should be enrolled as members of provident fund and should be given the universal Account Number (UAN).
- 15.3 At the time of submitting the final bills of the works, the contractors have to give a certificate on his letter head that all workers employed directly or indirectly by him in the work are registered for EPF and the due contribution have been credited into their account.

16. GST ON WORKS CONTRACT

- 16.1 In terms of GOI Ministry of Finance, GST has been leviable on works contracts. The liability of GST rests with the contractor and accordingly rates quoted are deemed to be included this aspect. The contractors are advised to take this fact in mind while quoting tender. Nothing extra whatsoever on this account is admissible.
- 16.2 The rate quoted by contractor shall also includes all taxes/duties i.e. trade tax on works Contracts, GST, custom duty, octroi duty & any other taxes/duties as applicable. This is an express condition of this contract no claim of the contractor shall be entertained by CRPF on this account.
- 16.3 It is mandatory for the contractors to upload their GST registration number alongwith the 'T' bid. This will be the one of the criteria for qualifying in 'T' bid. The contractors who do not upload GST registration number, shall be disqualified in 'T' bid evaluation and his finance bid shall not be opened.
- 17. The rates quoted by the Contractor should be **inclusive** of all taxes.
- 18. Intending bidders shall inspect and examine the site and its surrounding and satisfy themselves before submitting their bids as to the nature of the ground and sub soil (so far as is practicable), the form and nature of the site, the means of access to the site, the accommodation they may require and in general shall themselves obtain all necessary information as to risks, contingencies and other circumstances which may influence or affect their bid. A bidder shall be deemed to have full knowledge of the site whether he inspects it or not and no extra charges consequent on any misunderstanding or otherwise specifically provided for in the contract documents. Submission of a bid by a bidder implies that he has read this notice with terms & conditions mentioned there in, all other contract documents and has made himself aware of the scope and specifications of the work to be done and of conditions and rates at which stores, tools and plant etc. will be issued to him by the government and location conditions and other factors having a bearing on the execution of the work.
- 19. The bid for the work shall remain open for acceptance for a period of **90 days** from the date of opening of the bid and rate of accepted bid shall remain valid during the proposed contractual period including extension period if any. If any bidder withdraws his bid before the said period or issue of letter of acceptance whichever is earlier or makes any notifications in the terms and conditions of the bid which are not acceptable to the department, then the government shall, without prejudice to any other right or remedy, is at liberty to forfeit the said earnest money (bid security) as aforesaid. Further the bidder shall not be allowed to participate in the re-bidding process of the work.
- 20. The officer inviting bid or his duly authorized assistant will open bid in the presence of intending contractors who may be present at the time of opening and will enter the amounts of the several bids in a comparative statement in a suitable form, in the event of a bid being accepted, a receipt for the earnest money forwarded therewith shall there upon be given to the contractor who shall thereupon for the purpose of identification sign copies of the specification and other documents. In the event of a bid being rejected, the earnest money forwarded which such unaccepted bid shall thereupon be returned to the contractors remitting the same, without any interest.
- 21. If there is any clarification, this may be obtained through the site, or during the pre-bid meeting, if any. Bidder should take into account the **corrigendum** published from time to time before submitting the online bids.
- 22. The officer inviting bids shall have the right of rejecting all or any of the bids and will not be bound to accept the lowest or any other bid.

- 23. All bids in which any of the prescribed conditions are not fulfilled or any condition including that of conditional rebate is put forth by the bidder shall be summarily rejected.
- 24. The competent authority on behalf of President of India reserves to himself the right or accepting the whole or any part of the bid and the bidder shall be bound to perform/provide the same at the rate quoted by him/accepted by the department.
- 25. Canvassing whether by bidders directly or indirectly in connection with bids is strictly prohibited and the bids submitted by the contractors who resort to canvassing will be liable to rejection.
- 26. All the Standard Conditions of the Contract shall be binding on the parties as per Indian Contract Act and prevailing Rules. The Contractor shall comply with all the applicable Acts, Rules, Regulations and Law (s) for entering into Contract and the User/CLIENT will not in any way be liable or responsible for any default / irregularities / penalties on the Contractor's part.
- 27. The Contractor or his authorized representative should visit the site as per requirement and meet Estate officer with prior appointment for any clarifications and to receive instructions, etc. at the site.
- 28. The contractor shall promptly and timely obtain all such consents, permissions, approvals, licenses etc., as may be necessary or required, in accordance with this Tender. The Contractor should obtain approvals, if any, necessary for the work from the Statutory Bodies on behalf of the USER/CLIENT. The Contractor shall assist the User/CLIENT fully in respect of any liaison with the Municipal or any other Authority for necessary approval / permission with regard to the maintenance works. The fees and other statutory charges, if any, will be reimbursed to the Contractor based on the original receipts produced to the User/CLIENT.
- 29. The Competent Authority has the right to accept or reject/cancel/scrap the tender as whole or part of it and no claims what so ever will be entertained on this account. The competent authority has also reserves the right to increase/decrease/alter the place of work/ quantity of work etc. and no claims what so ever will also be entertained.
- 30. If the Bidder want to mention any specific condition, it should be mentioned on the covering/forwarding letter in firm's letter head only which will be placed on the first page of the bid. Such condition mentioned in any other document shall not be given any consideration.

Sd/- 14/04/2025
(Lt. Col. Vaibhav Srivastava)

Commandant (Engineer)

Contract Cell, SZ HQr
[For and on behalf of the President of India]

Signature of Bidder (with seal)



GENERAL CONDITIONS OF THE CONTRACT

		GENERAL CONDITIONS OF THE CONTRACT
1	Terms of price	1.1 Price should be quoted only as per price bid format/B.O.Q provided along with tender documents at e-procurement site http://eprocure.gov.in/eprocure/app. The
	_	price bid in B.O.Q format/template should not be modified/replaced by the bidder and the same should be uploaded after filling the relevant columns, else the bidder is liable to be
		rejected for the tender. Bidders are allowed to enter the bidder name and values only. No
		price bid is required to be submitted with offline bid documents under technical bid. 1.2 The lowest bidder will be decided on overall rate of entire work. Rates quoted by
		the bidder must be inclusive of all applicable taxes and other charges.
		1.3 The E.P.F & E.S.I contributions on the part of employer in respect of the contract shall
		be paid by the contractor to concerned department well in time. These contributions on the
		part of the employer, paid by the contractor, shall be reimbursed by this department on actual basis only on production of receipt of the concerned department, at the time of claim
		of bill. It is required to produce documentary evidences to the concerned authority, violation
		of which even can end with termination of contract.
2	Payment terms	2.1 Works/Services category wise as per schedule to tender are to be provided as RA/Final Bill produced by the contractor and verified by competent authority of the department will
	terms	be provided on <u>credit basis</u> and E.C.S payment will only be made through PAO/RPAO for further drawl action after satisfactorily completion of work as per specification, on
		production of bill in triplicate, bank mandate form, cancelled cheque. No interest will be
		payable on delayed payment, if any.
		2.2 Income Tax, GST-TDS, Labor Cess, Water Charges and other taxes as applicable will be deducted from the bill of contractor by CRPF/PAO/RPAO as per norms.
		2.3 While making payment TDS under section 194 (C) of I/Tax Rule 1961 and CGST &
		SGST Act'2017 if any applicable will be deducted from the bill amount before release of payment.
		2.4 No payment will be made for the contract till producing registration and payment
		for labours in EPFO & ESIC.
		Payment cannot be made in advance or immediately. 2.6 Any discrepancy in settlement of bills may be brought to the notice of User/CLIENT
		within a period of one month after the settlement of the Bills. User/CLIENT will not
		entertain any claim regarding any dispute in settlement of the bills after stipulated time.
		2.7 RA Bill – Contractor is free to claim RA Bill as pert for the work executed. However, the
3	Tender fees	frequency of RA Bill will not be less than 15 days. 3.1 Rs. 00.00 (Nil)
4	Earnest	4.1 All the contractors are required to deposit Earnest Money/Bid Security Deposit
	Money	(E.M.D.) as specified in invitation/schedule to tender along with their bid if applicable
	Deposit	failing which their offers will be summarily rejected.
		4.2 The E.M.D. shall be deposited by the bidders to be dropped physically in Tender Box at CONTRACT CELL, SOUTH ZONE HQR, CRPF, HYDERABAD (TELANGANA) PIN - 500005
		through any of the following alternative forms: a) Crossed bank draft/banker cheque drawn in favour of the "THE DIGP, GC,
		CRPF, Avadi. [Payable At- SBI, HVF, Avadi. (Code No. 4675)]. Personal Cheque will not be entertained and will result in rejection of bid.
		b) Fixed deposit receipt drawn in favour of "THE DIGP, GC, CRPF, Avadi"
		[Payable At- SBI, HVF, Avadi. (Code No. 4675)].
		c) An irrecoverable bank guarantee of any nationalized/ scheduled bank or reputed commercial bank in the attached format as Appendix- 'B' .
		4.3 The E.M.D. money shall remain valid for a period of 90 days from the date of tender
		opening and be deposited to the department. If the validity of the tender is extended, the
		validity of the BG/or any other alternate documents submitted in lieu of E.M.D. will also be
		suitably extended by the Bidder, failing which their tender after the expiry of the aforesaid period shall not be considered by the purchaser.
		4.4 No interest shall be payable on the earnest money deposited by the Bidder.
		4.5 The E.M.D. is liable to be forfeited if the Bidder withdraws or amends/impairs or derogates from the tender in any respect within the period of validity of his tender.
		4.6 The E.M.D. of the successful Bidder shall be returned after depositing of Performance Guarantee (P.G.).
		4.7 If the successful Bidder fails to furnish the Performance Guarantee (P.G.) as required in the contract within the stipulated period, the E.M.D. shall be treated as Performance Guarantee (P.G.) for all practical purposes. AND THE DALANCE AMOUNT SHALL DE
		Guarantee (P.G.) for all practical purposes AND THE BALANCE AMOUNT SHALL BE DEDUCTED FROM THE RA'S/FB.
		4.8 E.M.D. of all the unsuccessful bidders will be returned as early as possible after the

expiry of bid's validity, but not later than 30 days after placement of contract. Bidders are



advised to send a pre receipt challan along with their bids so that refund of earnest money can be done in time.

4.9 Any tender, where the Bidder is required to deposit **E.M.D.** in terms of conditions mentioned in preceding paras, not accompanied with **E.M.D.** in any one of the approved forms acceptable to the competent authority, shall be summarily rejected. (As per GOI O/O AS & DC, MSME vide OM F.NO. 21(8)/2011-MA dated 09/11/2016 and also by CPWD vide OM NO. DG/MAN/Misc./12 dated 25/07/2017, there is No exemption of EMD for work contracts).

Performance Guaranty

- 5.1 The successful contractor shall have to deposit a **Performance Guarantee (P.G.)** equivalent to **5% (Five Percentage)** of the contract value of the work within **07 (Seven)** days from the date of commencement of contract or issue work order whichever is earlier for due performance, failure on the part of the firm to deposit the Performance Guarantee within stipulated time empowers the competent authority to cancel the contract.
- 5.2 The Performance Guarantee submitted by the contractor will remain valid at least for **12 months beyond the date of completion** of all contractual obligations of the contractor including warranty obligations.
- 5.3 The Performance Guarantee shall be deposited to *The* **DIGP, GC, CRPF, Avadi** in any of the following alternative forms:-
 - a) Any Government securities drawn in favour of "THE DIGP, GC, CRPF, Avadi"
 [Payable At- SBI, HVF, Avadi. (Code No. 4675].
 - b) Fixed deposit receipt drawn in favour of "THE DIGP, GC, CRPF, Avadi" [Payable At- SBI, HVF, Avadi. (Code No. 4675].
 - c) An irrecoverable bank guarantee of any nationalized/ scheduled bank or reputed commercial bank in the attached format as at **Appendix-'B'**
- 5.4 In case the contractor fails to deposit the Performance Guarantee within the stipulated period including extended period if any, the Earnest Money Deposited (E.M.D.) by the contractor along with his bid shall be forfeited automatically without any notice to the contractor. The earnest money deposited along with bid shall be returned after receiving the aforesaid performance guarantee.
- 5.5 If the contractor fails to provide required services as per schedule from the contract commencement date and places requests for extension of time, he shall submit an undertaking on Non judicial stamp paper of Rs. 10/- only duly attested by the Notary Public stating that the Performance Guarantee has already been extended for sixty days beyond the guarantee/warranty period of the contract.
- 5.6 In case a Fixed Deposit Receipt (F.D.R.) of any Bank is furnished by the contractor to the Government as part of the performance guarantee and the Bank is unable to make payment against the said fixed deposit receipt, the loss caused thereby shall fall on the contractor and the contractor shall forthwith on demand furnish additional security to the Government to make good the deficit
- 5.7 The Performance Guarantee shall be withheld or forfeited in full or part in case the work order is not executed/complied satisfactorily within the stipulated period or requisite standard within the guarantee period is not undertaken to the best satisfaction of the user/department.
- 5.8 Performance Guarantee will be returned to the bidder only after end of defect liability period, by applying for it to the estate officer who will check for any outstanding Govt dues or contractual liabilities, if non then the same will be returned to the contractor.

6. Recovery of Security Deposit/ Retention Money

- 6.1 The person/persons whose tender(s) may be accepted (hereinafter called the contractor), shall permit Government at the time of making any payment to him for work done under the contract to deduct a sum at the rate of **2.5%** of the gross amount of each running bill (periodic/interim payment) and final bill till the sum deducted will amount to **2.5%** of the tendered value of the work as **Security Deposit/Retention Money** in addition to Performance Security. The earnest money will be returned to the contractor during settlement of final bill.
- 6.2 Such deductions will be made and held by Government by way of Security Deposit unless he/they has/have deposited the amount of Security at the rate mentioned above in cash or in the form of Government Securities or fixed deposit receipts.
- 6.3 In case a fixed deposit receipt of any Bank is furnished by the contractor to the Government as part of the security deposit and the Bank is unable to make payment against the said fixed deposit receipt, the loss caused thereby shall fall on the contractor and the contractor shall forthwith on demand furnish additional security to the Government to make good the deficit.
- 6.4 All compensations or the other sums of money payable by the contractor under the terms of this contract may be deducted from, or paid by the sale of a sufficient part of his security deposit or from the interest arising there from, or from any sums which may be due to or may become due to the contractor by Government on any account whatsoever and in the event of his Security Deposit being reduced by reason of any such deductions or sale as aforesaid, the contractor shall within 10 days make good in cash or fixed deposit receipt tendered by the State Bank of India or by Scheduled Banks or Government Securities (if deposited for more than 12 months) endorsed in favour of the Estate Officer at concerned location, any sum or sums which may have been deducted from, or raised by sale of his security deposit or any part thereof.

7. System of bidding

7.1 All bidders are required to submit their offer in two bid system i.e. **Technical Bid** and **Financial Bid** separately.



- 7.2 In Technical Bid, the bid documents as per below mentioned details are required to be submitted only on CPPP in http://eprocure.gov.in/eprocure/app. Certain documents which are also mentioned below are required to be submitted in **original manually** and to be dropped in **Tender Box** at **CONTRACT CELL, SOUTH ZONE HQR, CRPF, HYDERABAD** (TELANGANA) PIN 500005 in a sealed envelope physically.
- 7.3 The composite bid i.e. rate indicating in the Technical Bid "OPENLY" shall be ignored and bid will be **rejected** summarily.
- 7.4 <u>Price should be quoted only as per Price Bid (Financial Bid) format/**B.O.Q.** provided along with tender documents at e-procurement site http://eprocure.gov.in/eprocure/app. No price bid is required to be submitted with offline bid documents under technical bid.</u>

Method of submission of bid.

First Cover (Technical bid) :-

- 8.1 The submission of technical bid will be entertained only online in e-procurement website. The Tender Enquiries duly filled in all aspects and having completed all applicable formalities along with **scanned copies** of required documents as per below mentioned details may be submitted online through CPP Portal as well as original as required and mentioned below be sent in sealed envelope duly superscripted with tender enquiry number, **Name of Work** and **date of opening** by physically in the **Tender Box at CONTRACT CELL, SOUTH ZONE HQR, CRPF, HYDERABAD (TELANGANA) PIN 500005** so as to reach on or before the scheduled time and date as mentioned in the schedule to the tender enquiry. **Department is not responsible for any delay**.
- 8.2 Details of documents required to be furnished/submitted by all the bidders in technical bid for participating in the bidding process are as under:-
- (a) Eligibility Criteria: Documents (Legible scanned copy, duly signed) required to be submitted online in CPPP under Technical Bid:
- 1. All pages of the tender documents duly completed & signed in all respect by the authorized signatory of the firm/contractor under the **seal**.
- 2. Scanned Copy of **EMD**.

3. Enlisted/Registered Contractors :

- a. Copy of valid registration letter of the firm as a registered "Contractor" with 'CPWD/MES/NBCC/BRO/Other Central Govt. Departments/ State PWD or Equivalent of applicable for the region where the work is to be executed in respective categories of Building nature of work and class as per the tender amount. [Note: The enlistment of the contractors should be valid on the last date of submission of tenders. In case only the last date of opening of tender is extended, the enlistment of contractor should be valid on the original date of opening of tenders. A copy of Registration Certificate as a "Contractor" issued by competent authority of 'CPWD/MES/NBCC/BRO/ Other Central Govt. Departments/ State PWD or Equivalent is mandatory to be uploaded with the tender documents by the Bidder (s). In case validity of enlistment/registration/trade license expired and the concerned firm has applied for renewal to the concerned department or ministry, the relevant documents of such renewal application along with undertaking of the firm should be essentially submitted with their bid.]
- Basic information of the bidder/firm/contractor (As per Appendix 'F' of the Tender documents.)
- c. Copy of valid PAN card.
- d. Copy of Registration certificate of **GST**.
- e. Bank Remittance Particulars (viz copy of Bank Passbook/ Cancelled Cheque etc.).
- f. Copy of registration certificate of EPF and ESIC.
- g. Complete Postal address of contractor/Firm along with copy of valid I/Card viz Voter I/D Card, Aadhar Card etc.

4. Un-Enlisted/Un-Registered Contractors:

- a. Basic information of the bidder/firm/contractor (As per Appendix 'F' of the Tender documents.)
- b. Copy of valid PAN card.
- c. Copy of Registration certificate of $\boldsymbol{\mathsf{GST}}.$
- d. Bank Remittance Particulars (viz copy of Bank Passbook/ Cancelled Cheque etc.).
- e. Copy of registration certificate of EPF and ESIC.
- f. Complete Postal address of contractor/Firm along with copy of valid I/Card viz Voter I/D Card, Aadhar Card etc
- g. Audited balance sheets/ P&L account and Income Tax return Certificate for the last 3 financial years duly certified by the CA (i.e F/Y 2021-22, 2022-23, 2023-24).
- h. **Charted Accountant certified Annual Turnovers** for the Financial Year of **2021-22**, **2022-23**, **2023-24**. [Bidder should have annual average turnover during the last three years, ending 31st March of the previous financial year, should be at least 30% of the estimated cost). [Note: Any false and/or inadequate information may result in rejection of the tender]
- i. Banker's Certificate/ Solvency certificate from the authorized bank in India (The contractor must have a solvency at least 25% of Estimated Cost put to tender (ECT) duly certified by the Banker. Please note that the solvency certificate should not be more than 06 months old prior to the date of submission of tender or should have validity as on last date of submission of tender. [Note: Format of solvency certificate is given in

Annexure-II for the purpose of guidance]

- j. Past Performance/Experience for similar nature of works in Central / State Govt during the last 07 Financial Years (Copies of Completion Certificates mentioning amount and date of Completion of Work) in the following order:-
 - ${f One}$ similar completed work each costing not less than the amount equal to ${f 80\%}$ of the estimated cost put to tender.

Ω۳

Two similar completed works each costing not less than the amount equal to **60**% of the estimated cost put to tender.

Or

Three similar completed works each costing not less than the amount equal to **40%** of the estimated cost put to tender.

- 5. Information regarding any litigation or arbitration resulting from contracts executed by the bidder in the last five years or currently under execution as provided.
 Bidder has to submit on-line scanned copy of an information regarding litigation, arbitration, black listing, debarring etc. This document must be up loaded on line duly
- **6.** Any other relevant documents which the firms wish to submit as a part of offer.
- b) Documents required to be submitted original manually (Offline) in Sealed Envelope superscripted with Tender ID, name of work etc physically to be dropped in Tender Box at CONTRACT CELL, SOUTH ZONE HQR, CRPF, HYDERABAD (TELANGANA) PIN 500005 duly sealed under Technical Bid:-
- 1. Original Earnest Money Deposit (As per schedule to Tender).
- 2. Tender Acceptance Letter: The firm should mandatorily submit the Tender Acceptance Letter (As per Appendix-'C') on Firm/Contractor letter head duly ink signed which should be clearly readable. The contractor may also upload a copy if he wishes so.

Note: - No other documents other than original EMD and original Tender Acceptance Letter needs to be submitted offline. (If the bidder fails to submit the original EMD as well as Tender Acceptance Letter in offline as specified then his tender will be liable to be rejected summarily).

- 8.3 On due date & time, the Technical Bid will be opened and evaluated by the appropriate committee. Bids which will be accepted in technical bid evaluation stage will be considered for opening of Financial Bid. No financial bid will be opened in respect of bids which are technically disqualified.
- 8.4 Failure on uploading/ furnishing the requisite documents under Technical bid will lead rejection of their technical bids in straight away. The rejected bidder in Technical Bid can represent to the tendering authority i.e. Accepting Officer within 72 hours after Technical Evaluation is published on CPPP in writing physically or through email. The decision on the same by accepting officer will be final and binding. The bidder shall have no right of remedy hereafter.

Second Cover (Financial/Price Bid) :-

signed by the bidder.

- 8.5 Details of documents required to be furnished/submitted by all the bidders in **Financial Bid** for participating in the bidding process are as under:
 - i. Details of rates, taxes, duties and discounts, if any, be quoted by the bidder in the **BOQ** which is an MS Excel Sheet and should be downloaded from the e-procurement site http://eprocure.gov.in/eprocure/app.
 - ii. Rates must be clearly written in ${\bf figures}$ as well as in ${\bf words}.$
 - iii. Name of bidder must be written in the appropriate filed of BOQ by each bidder.
 - iv. The Financial Bid will only be accepted through online in BOQ format and offline price bid will not be accepted.
- 8.6 Prices should be quoted for each work as per enclosed **BOQ** format provided along with the tender document at e-Procurement site https://eprocure.gov.in/eprocure/app.
- 8.7 Quoted rates should be workable, reasonable and should include incidental and all overheads and profits. The Tenderer will furnish Rate Analysis for scrutiny of the rates by User/CLIENT.

Labour Laws to be complied by the Contractor

- 9.1 The contractor shall comply with the provisions of the Contract Labour (Regulation and Abolition) Act, 1970, and the Contract Labour (Regulation and Abolition) Central Rules, 1971.
 9.2 The contractor shall also obtain a valid license under the said Act before the commencement
- of the work, and continue to have a valid license until its completion.

 9.3 The contractor shall also comply with provisions of the Inter-State Migrant Workmen
- (Regulation of Employment and Conditions of Service) Act, 1979.

 9.4 The contractor shall also abide by the provisions of the Child Labour and Adolescent Labour (Prohibition and Regulation) Act, 1986.
- 9.5 The contractor shall also comply with the provisions of the building and other Construction Workers (Regulation of Employment & Conditions of Service) Act, 1996 and the building and other Construction Workers Welfare Cess Act, 1996.
- Any failure to fulfill these requirements shall attract the penal provisions of this contract arising out of the resultant non-execution of the work.
- 9.6 No Running Account Bill shall be paid for the work till the applicable labour licenses, registration with EPFO, ESIC and BOCW Welfare Board, whatever applicable are submitted by the contractor to the Engineer-in-Charge.



ecified in the NIT or the extended time in
e of the Contract. The execution of the ck Order or the date of handing over of chever is later. If the Contractor commits foresaid and such default continues even to the Engineer in charge, the performance and shall be absolutely at the disposal of or remedy available in law. The contract he forfeiture of the performance guarantee of the parties: The parties: The execution of the Contractor commits for each of the performance and shall be absolutely at the disposal of or remedy available in law. The contract he forfeiture of the performance guarantee of the parties: The parties: The execution of the Engineer-in-Charge in tract, or assoned opinion of the Engineer-in-Charge is
lay, the Contractor shall immediately give authorities, on receipt of such notice, and reasonable 'justified extension of time' gainst the delays listed in this sub clause
Minimum Wages Act, 1948 and Contract in time to time and rule framed there under by be brought into force time to time. The burs against the contract as per existing including revision which takes place during vages during contractual period should be to the time of claim of bill it is required to femployees to the concerned authority.
d ESIC. The E.P.F & E.S.I contributions on by the contractor to concerned department employer, paid by the contractor shall be ducing receipt of the concerned department
e satisfactory, the contractor will be given is work. If the contractor fails to improve all have the discretion to terminate the expiry of the said notice period. Also the
conditions of this agreement and/or promise is entered by him with his creditors ad upon or receiver is appointed for any part processed disentitled in law to perform his
hip or management of the contractor or his he User/CLIENT to such variation. ractor, the client holds the right to the PG/EMD.
any reason whatsoever, the contractor/or entitled for any sum or sums whatsoever es or otherwise.
der this contract, if the contractor dies, the competent authority, shall have the option of tractor. If the contractor is an individual or
or if the contractor is a partnership concern to (Engineer) SZ with the recommendation of tative of the individual for the proprietary rrying out and completing contract, the competent authority, is entitled to cancel the valiable for any compensation payment to the softhe contractor's firm on account of the to (Engineer) SZ with the recommendation of the binding on the parties. In the event of such commendation of competent authority, shall riving partners of the contractor's firm liable
& labour in any circumstance will not ipating in the Tender must ensure the
shall break, deface, injure or destroy any uilding, road, road kerb, fence, enclosure,
or wires, trees, grass or grassland, or



defect liability Period

if any damage shall happen to the work while in progress, from any cause whatever or if any defect, shrinkage or other faults appear in the work within Liability Period i.e. 12 Months (other than road work, water proofing treatment and Anti Termite Treatment work, Performa attached as "Appendix E") after a certificate final or otherwise of its completion shall have been given by the Engineer-in-Charge as aforesaid arising out of defect or improper materials or workmanship the contractor shall upon receipt of a notice in writing on that behalf make the same good at his own expense or in default the Engineer-in-Charge cause the same to be made good by other workmen and deduct the expense from any sums that may be due or at any time thereafter may become due to the contractor, or from his security deposit or the proceeds of sale thereof or of a sufficient portion thereof.

15.2) The security deposit of the contractor shall not be refunded before the expiry of Defect Liability Period i.e. 12 Months (other than road work, water proofing treatment and Anti Termite Treatment work, Performa attached as "Appendix E") after the issue of the certificate final or otherwise, of completion of work, or till the final bill has been prepared and passed whichever is later.

15.3) Provided that in the case of road work, if in the opinion of the Engineer-in-Charge, half of the security deposit is sufficient, to meet all liabilities of the contractor under this contract, half of the security deposit will be refundable after six months and the remaining half after twelve months of the issue of the said certificate of completion or till the final bill has been prepared and passed whichever is later.

15.4) In case of Maintenance and Operation works of E&M services, the security deposit deducted from contractors shall be refunded within one month from the date of final payment or within one month from the date of completion of the maintenance contract whichever is earlier.

15.5) **GUARANTEE FOR WATER PROOFING TREATMENT**: Five years guarantee in prescribed proforma attached must be given by the contractor for the water proofing treatment. In addition 10% (ten percent) of the cost of these items would be retained as guarantee to watch the performance of the work executed. However, half of this amount (withheld) would be released after two monsoon season after the completion of the work if the performance of the water proofing work done is satisfactory. If any defect is noticed during the guarantee period it should be rectified by the contractor within seven days and, if not attended to, the same shall be got done by other agency at the risk and cost of the contractor. In any case the guaranteeing firms during the guarantee period should inspect and examine the treatment once in every year and make good any defect observed. However, the security deposit can be released in full, if a call receipt of a Bank Guarantee from scheduled Bank/Fixed Deposit receipt of Scheduled Bank/Demand Draft of scheduled Bank issued / drawn in favor of "THE DIGP, GC, CRPF, Avadi" [Payable At- SBI, HVF, Avadi. (Code No. 4675)]. for 5 (Five) year is produced and deposited with the department.

for Delay

16 Compensation 16.1 If the firm fails to complete the work within prescribed completion period the User/Client may recover from the Contractor liquidated damages including administrative expenses etc. A sum equivalent to 2% of the price of work which contractor fails to execute within prescribed completion period fixed for each month or part of month. Delay so claimed shall not exceed 10% of the total contract.

17 Other terms & condition

17.1 The contractor/firm shall employ the required workmen [Skilled/Un-Skilled] as per terms and conditions of the tender enquiry. Immediately after award of contract, the contractor/firm should intimate name of workmen to whom the firm has employed for the tendered work along with complete details in firm's letter head and supporting papers of technical capabilities of the workmen where ever applicable against the contract. The workmen so engaged against the contract should maintain discipline inside of the campus.

17.2 All works, complaints / instructions given by the respective authorities covered under the Annual Maintenance Contract are to be attended on the same day. In case of delay in attending the work in time, User/CLIENT will be at liberty to get the work done through any other agency and the cost therefore shall be recovered from the Contractor at the discretion of User/CLIENT.

17.3. Personnel employed for operation of STP/Water treatment plant/ESS should have experience of Operation, maintenance & services of respective services and equipment and all personal records should be maintained by the contractor.

17.4 The workmen engaged by the contractor/agency shall be at their own risk and in case of any untoward, incident, mishap the contractor/agency will be liable for such risks and the department will not be held responsible in any way for such mishap and untoward incidents.

17.5 Technical manpower should be provided by successful bidder to execute the specialized work.

17.6 User/CLIENT shall not be responsible for the release of benefits, such as salary, leave, Provident Fund, ESI, Pensioner benefits or allowances to the staff employed by the contractor. User/Client will not be held responsible for any Accident/injury / carrying out default work and any statutory levied by the govt./ state government. etc. Excess payment due to any changes in the Minimum Wages Act or in any other labour legislation/provisions or other statutory obligations during the validity period of the contract shall be the responsibility of the contractor.

17.7 The contractor will be responsible and ensure timely payment to its personnel deployed in the premises and compliance of all statutory provisions relating to minimum wages, Provident Fund and Employees State Insurance, etc. in respect of the persons deployed by them in User/CLIENT and under intimation/in the presence of User/CLIENT officer. The Contractor shall be responsible to fulfill all the obligations in connection with the workers employed by it for the purpose of the Contract and all the Statutory and other liabilities if any including minimum wages of Central/ State Govt. (whichever is higher shall be applicable), leave, salary, uniform, identity cards, ex-gratia, ESI, Provident Fund, Workman Compensation, if any, etc. (as applicable) in connection therewith shall be on the Contractor account and payable by the concerned Contractor. The contractor shall liaise with Labor Deptt. of State Govt. / Central Govt. and comply with all necessary regulations/instructions in this regard.

17.8 The Contractor shall be fully responsible and shall indemnify User/CLIENT with suitable Insurance cover in the event of any damage to men or material, injury / damage or death as the case may be, caused directly or indirectly due to the negligence of the Contractor or his agents and / or his employees or workmen. The decision of User/CLIENT in this regard shall be final and binding.

17.9 The contractor's personnel shall not claim any benefit/ compensation /absorption /regularization of services under the provision of the Industrial Disputes Act, 1947 or Contract Labour (Regulation &



Abolition) Act, 1970.

17.10 In case of any default or failure on Contractor's part to comply with all / any one of the Terms / Conditions, User/CLIENT reserves the right to take necessary steps to remedy the situation including, inter-alia, the deduction of appropriate amount/s from dues otherwise payable to Contractor and/or by taking recourse to appropriate recovery proceedings. The contractor shall keep User/CLIENT indemnified against all claims whatsoever in respect of the manpower deployed by it in User/CLIENT. In case any employee of the contractor so deployed enters in dispute of any nature whatsoever, it will be the primary responsibility of the contractor to contest the same. In case User/CLIENT or its employee is made party and is supposed to contest the case, User/CLIENT will be reimbursed for the actual expenses incurred towards Counsel Fee and other expenses which shall be paid in advance by the contractor to User/CLIENT or any person authorized by User/CLIENT, on demand. Further, the contractor will ensure that no financial or any other liability comes to User/CLIENT or its employee in this respect of any nature whatsoever and shall keep User/CLIENT or any employee of User/CLIENT indemnified in this respect.

17.11 For any dispute, the decision of User/CLIENT shall be final and binding upon the contractor. However, any dispute or difference whatsoever arising on any matter concerning this contract between the parties out of or relating to the services, meaning, scope, operation or effect of this contract or the validity or the breach thereof shall be settled through court of law.

17.12 On site storage space will be provided to the Contractor subject to availability. However, the Contractor may erect temporary sheds for storage purposes at his cost with the permission of the User/CLIENT. User/CLIENT will not be responsible for Contractor's materials. The Contractor may be required to vacate the storage space and sheds as per exigency without any extra cost to User/CLIENT. If any statutory charges are required to be paid for erection of sheds, the same should be borne by the Contractor.

17.13 The Contractor shall provide all necessary Tools & Plants materials or any other equipment, materials, labour, etc. and no payment in this regard will be made by User/CLIENT. The Contractor shall supply, fix and maintain all the scaffoldings, jhulla, safety belt, extra labour to hold ladders/jhoolas, T&P, etc., at his cost during the execution of any work and remove them as soon as the work is completed, without causing any damage to User/CLIENT's property.

17.14 The Contractor shall not directly or indirectly transfer, assign or sublet the Contract or any part of it, without written permission of User/CLIENT. But he can engage various licensed agencies/agencies for carrying out different works.

17.15 It is the contractor's responsibility to coordinate with other service providers No other charges for such works shall be payable.

[.....]
Signature of Bidder
(with seal)

Sd/- 14/04/2025 (Lt. Col. Vaibhav Srivastava) **Commandant (Engineer)** Contract Cell, SZ HQr [For and on behalf of the President of India]



SPECIAL TERMS & CONDITIONS OF THE CONTRACT

- 1. If a bidder / tenderer quotes NIL charges / consideration, the bid shall be treated as unresponsive and will not be considered.
- 2. Temporary I-card may be issued by the Estate Officer to skilled labour /operators/ Supervisor. So that frequent movement can be done for the sake of speedy resolution of complaints. However labour camp will not be permitted in the CRPF premises CRPF is not responsible for any type of arrangement of labour camp. Contractor is solely responsible for the accommodation & timely wages to their staff.
- 3. User/CLIENT does not bind itself to accept abnormally low bids. The rates quoted by the tenderer/bidder should be able to demonstrate the capability of the tenderer/bidder to deliver the contract at the offered price. Abnormally low bids/rates will be subject to analysis by User/CLIENT. If required, User/CLIENT may call written clarification from bidder, including detailed price analysis of the bid price in relation to scope, schedule, allocation of risks and responsibilities and any other requirements of the bid document and tenderer/bidder shall have to furnish Rate Analysis for the scrutiny of rates by User/CLIENT within stipulated time. User/CLIENT reserves the right to reject the bid if bid is found to be abnormally low to deliver/perform the contract.
- 4. The manpower deployed by the contractor should be polite, cordial, positive, efficient and their personal records should be maintained by the contractor while handling the assigned work so that their actions promote goodwill and enhance the image of User/CLIENT. Necessary grooming should be done by the contractor before posting the staff at site. He shall also comply with the provisions of all labour legislations. Receipt of any complaint in this regard shall be viewed seriously.
- 5. The Contractor should not employ any person who is prohibited by Law from being employed for fulfilling obligations under this Contract. Any indecent behaviour / suspicious activities of the staff employed shall be viewed seriously and a suitable penalty shall be imposed on contractor. The contractor is also required to submit the list of workers with photo ID, educational qualification, address proof, etc. before deputing the workers. An attendance register shall be maintained at site indicating number of persons deployed for the inspection by User/CLIENT officials/representative.
- 6. Any act of indiscipline / misconduct / theft / pilferage on the part of any employee engaged by the Contractor resulting in any loss to User/CLIENT in kind or cash will be viewed seriously and User/CLIENT will have the right to take legal action along with levy damages or fine and / or even terminate the Contract forthwith, if necessary.
- 7. The appointed contractor is required to generate End of the Day (EoD) reports on status of works, labour deployed, etc. to the concerned officer of the Client.
- 8. Contractor shall follow the prescribed formats/procedures for official documentation like registers, etc. as stipulated by User/CLIENT from time to time.
- 9. In case of emergency work, no extra payment for working in odd hour will be made.
- 10. The property will be handed over to the Contractor on 'as is where is' basis and the contractor shall ensure proper service to a reasonably satisfactory level.
- 11. User/CLIENT reserves to change scope of work during the contract period.
- 12. The successive bidders are responsible for replacing/repairing the stores while got defective during the warranty/guarantee/liability period.
- 13. The purchaser reserves the right to place order on the next higher successful firm if the firms quoting lower rates do not fulfil the requirements of Tender Enquiry due to their limited bank solvency/capacity.
- 14. Reject / Cancel / Scrap : The competent authority has got the right to accept or reject / cancel / scrap the tender as whole or part of it and no claims what so ever will be entertained on this account. The competent authority also reserves the right to increase / decrease / alter the scope of work / quantity of work etc and no claims what so ever will be entertained.
- 15. The contractor should possession of labour license under the contract labour (Regulation and abolition) act, 1970 & 1971 from regional labour commission (Central) of area concerned.
- 16. While the tenderer and the purchaser shall make every effort to resolve any issue amicably through direct informal negotiation, in the event of any disagreement or dispute arising between them under or in connection with the contract shall be settled under court of law within its jurisdiction at state under. The resultant contract will be interpreted as per the prevailing Indian laws and various directions of the Govt. of India. In case of dispute as to the mode of measurement not covered by the contract to be adopted for any item of work, mode of measurement as per latest India specification shall be followed.
- 17. The contractor shall not be permitted to tender for works in the CRPF in which his near relative of CRPF is involved. If so, he shall also intimate the names of persons who are working with him in any capacity or are subsequently employed by him and who are near relatives to any CRPF officer/personnel.
- 18. Department will not be responsible for any kind of incident involving the labour during or after the work. The contractor must ensure the workers against all contingencies and be responsible for their safety.
- 19. This Notice Inviting Tender and Integrity Agreement shall forma part of the contract document.
- 20. The L1 bidder will have to submit a copy of this Tender duly signed on each page along with other relevant documents if required during award of work.



- 21. FINAL INSPECTION: After completion of work as per specification the whole work will be subject to a final inspection to ensure that job has been completed as per requirement. If any defects noticed in the work are attributable to Contractor, these shall be attended by the contractor at his own cost, as and when they are brought to his notice by the DIGP, GC, CRPF, Avadi /Work committee/Officer Commanding of Building / Engineer in charge. The DIGP, GC, CRPF, Avadi and its representative shall have the right to have these defects rectified at the risk and cost of the contractor if he fails to attend to these defects immediately.
- 22. No part of the CONTRACT nor any share or interest therein shall in any manner or degree be transferred, assigned or sublet by the CONTRACTOR directly or indirectly to any person, firm or corporation whatsoever without the consent in writing of the Commandant(Engr.), SZ Zone, CRPF, Hyderabad, Telangana.
 - a). All materials required to be used on works shall be got approved from the **Estate Officer/ DIGP, GC, CRPF, Avadi / Officer Commanding of Building in advance**. In case of doubt on any material, **DIGP, GC, CRPF, Avadi** wears the right to get the material test from Govt. approved labs/NABL.
 - b). The quoted rate should be inclusive of all taxes, levies, works contract taxes, duties etc.
 - c). All items to be used in this work should be branded and ISI. In this case, **LIST OF APPROVED MAKES** as mentioned in NIT may be followed. The items who's makes are not available in list of makes then the same will be decided by accepting officer on giving choice by tenderer (Minimum three (03) makes (ISI mark Only). The decision of Accepting Officer will be final and binding.

23. Procurement of Items

- a. Tenderer before making any procurement he intends to incorporate in the work will get the makes approved in writing from Estate officer through Engineer-in-Charge. Estate officer may insist on submission of samples the tenderer intends to use in this particular CA. The cost of sample will be deemed to be included in the quoted price.
- b. Tenderer will not make any purchase without the prior approval of make, if done so the store/items are liable to be rejected and CRPF will not be liable for any loss incurred on such account.
- c. Estate officer or Engineer-in-Charge can reject a material/item/store which is of the correct make but of not of the correct specification as per relevant IS. Any loss on this account as well CRPF will not be liable.

24. CREDIT SCHEDULE:


- (a) The items and quantities given under the respective columns are provisional; however, the rates inserted for credit are assessed by department. For calculation of the Contract-Sum, the amount of the 'credit schedule' as indicated shall be considered.
- (b) The amount for the credit schedule shall be recovered for the actual quantities ordered and retrieved from the demolition/dismantling/taking down under respective items of Schedule of quantity(Annexure-I). The contractor shall be permitted to remove the materials indicated below in the credit schedule only after affecting the recovery for the same from the RA/Final Bill as applicable and after written permission is obtained by the contractor from the Engineer-in-Charge i.e. after signing of "Demolition Certificate" by the Estate officer.
- (c) It is clarified that the rate of credit/recovery rate per unit inserted by the CRPF is based on the items as existing on site and the same is only a rough indication. However, the tenderer (s) are advised to inspect the site/buildings/items in consultation with the Estate officer to ascertain the actual worth value and the condition of items etc. and no claim whatsoever shall be entertained at any stage whether the contractor(s) visit the site or not.
- (d) The old materials obtained will not be allowed to be re-used in the work unless it is specifically mentioned in the description of relevant items of Schedule of quantity (Annexure-I).

In case of the dispute related to the interpretation of the provisions with regard to the credit schedule, the decision of the Accepting Officer shall be final and binding.

Sd/- 14/04/2025
(Lt. Col Vaibhav Srivastava)

Commandant (Engineer)

Contract Cell, SZ HQr
[For and on behalf of the President of India]





	LIST OF APPROVED MAKES FOR CIVIL WORKS				
S/N	Item	Approved Make			
1	Ordinary Portland cement	ACC, Shree Cement, Ambuja, Birla (Vikram) Ultra-tech.			
2	Reinforcement Bars	Tata steel, SAIL, RINL, JSW.			
3	Synthetic Enamel Paints	Burger (Luxol gold), Asian (Apcolite), ICI Dulux (Gloss), Nerolac.			
4	Cement Paint, paint, distemper, primer	Berger paint ltd., Nerolac Paint, Asian Paint Ltd., Shalimar Paint Ltd.			
5	Admixture for concrete	Pidilite, FOSROC & Bostic			
6	Epoxy Paint	Nerolac ,Shalimar, Berger, Asian, Fosroc			
7	Terrazo tiles (precast)	NITCO, GEM, MODERN, HINDUSTAN, JONSON, ORIENT, KAJARIA.			
8	Chequred tiles	NITCO, GEM, MODERN, HINDUSTAN, JONSON, ORIENT, KAJARIA.			
9	Water proofing compound	FOSROC BY Fosroc Ltd., IMPERMO by Snocem India, Cheseal by Overseas water proofing compound, PIDILITE, Bostik			
10	Paving Tiles/Paver Block	Nitco Prefab, Ultra KK, TERRAFIRMA, UNISTONE.			
11	CC kerb stone	Nitco Prefab, K.K. Manhole, TERRAFIRMA, UNISTONE.			
12	White cement	Birla White, J.K. White, Ultra-tech			
13 14	Structural Steel Mild Steel Tubes	SAIL, TATA, RINL, JSW TATA, SAIL, ISCO, JSW			
15	Welding Electrodes	ESAB, Advani-orlikon, Weld Alloy			
16	RMC	RMC, ACC, BIRLA, L&T and other manufacturer of RMC subjected to approval of			
10	NWC	Engineer-in-Charge. The contractor shall submit the RMC plant list for approval. Contractor own plant of RMC with minimum capacity of 30 cum per hour.			
17	TMT Fe 415/500	TISCON, ISCON, RINL, SAIL, JSW			
18	Stainless Steel	Prism Engineers, JINDAL stainless steel, Tata, JSW steel.			
19	Glazed ceramic/Non-skid walls/floor tiles.	Johnson, Somany, Kajaria, Simpolo			
20	Vitrified tiles (Normal/double charge/Anti skid)	Johnson, Somany, Kajaria, Simpolo			
21	PVC/UPC door frames/window/door/ventilators and shutters	Supreme, Rajshri plastwood, H.R. Enterprises			
LIST	OF APPROVED MAKES FOR ALUMINIUM WO	RKS			
1	Aluminum	Indal / Hindalco / Jindal or equivalent.			
2	Masking Tapes	Suncontrol/ Wonder Polymer			
3	Stainless Steel Screws for fabrication and	Kundan/ Puja/ Atulor equivalent.			
	fixing of windows				
4	Proposed Treatment on MS Brackets	Galvanised brackets as per IS: 4759-1996, 610 gms/ sqm (Microns) 80-90			
5	Stainless Steel Bolts/ Washers and Nuts	Kundan/ Puja/ Atulor equivalent.			
6 7	Stainless Steel Pressure Plate Screws	Kundan/ Puja/ Atulor Earl Behari, Anandor			
8	Stainless Steel Friction Stay EPDM Gaskets	· · · · · · · · · · · · · · · · · · ·			
9	6mm thick clear Float Glass	Roop/ Anandor equivalent. Modi, St. Gobain, Gujrat Guardian Ltd, Float Glass of India.			
10	Weather silicon make and Grade	Dow Corning / Wacker / GE.			
11	PVC Continuous fillet for periphery packing	Roop/ Anand/ Forex Plastic.			
12	of Glazing / Curtain wall Powder coating material pure polyester	Berger/ Goolless Nerolac, Bostik, Shalimar, Asian, Fosroc			
13	Laminated reflective Glass	Glaverbek (Belgium) St. Gobain.			
		SANITARY INSTALLATION AND WATER SUPPLY, DRAINAGE			
1	Sanitary wares	Parryware, CERA, Jaquar, Hindware, Kohler			
	· ·				
2	Bevelled edge mirror with PVC	Atul, Modi Guard Saint Gobain.			
3	GI Pipes / M.S. Pipes	Tata, GST, Jindal, Prayag.			
4 5	Brass /CP Brass fittings Stainless Steel sink	Marc, Jaquar, Cera, Kohler, Dripless. Hindware, Nirali, Jindal steel sink, Cera, Kaff.			
6	Automatic Flushing Cistern	Parryware, CERA, Johnson CERA, jaquar, kohler, Hindware.			
7	Surgeon Mixers	Jaquar, kohler, Hindware, Cera			
8	GI Fittings	Tata, Jindal pipe Ltd (JPL), Unik, Zoloto.			
9	Plastic WC seat cover	Parryware, CERA, jaquar, Hindware			
10	Flush Valves	Jaquar, CERA, kohler, Hindware			
11	C.P. Accessories	Dripless, Parryware, CERA, jaquar, Kohler			
12	Gunmetal Valves (Fullway Check and Globe Valves)	Leader, Sant, Jaynam, Zoloto or equivalent.			
13	Stoneware pipes & Gully trap	Perfect, Burn, Parry or equivalent.			
14	C.I. Double flanged sluice valves	Kirloskar, IVC, Burn or equivalent.			
15	C.I. Doubled flanged non return valves	Kirloskaror equivalent.			
16	C.I. Manholes	B.C., R.I.F., NECO or equivalent.			
17	Ball Valves	Zoloto, IBP, ARCO or equivalent.			
18	Butterfly Valve	AUDCO or equivalent.			
19	Water Tank	Sintex, Polycon, Electroplast, Astral, Supreme only ISI Mark.			
20	Water pumps	Kirloskar, KSB, Harrison or equivalent.			
21	Float Volves	Prayag, Prima , Jainko			
22	RCC pipes Centrifugal cast iron pipes 150mm/ 100mm	IHP or equivalent NECO, RIF, HIF, HEPCO or equivalent.			
	dia and its accessories/ fittings				
		0 771 1 1 1 1 1 1 1 1 1 77 00			
24	Stainless Steel Wash-basin & WCs	Cera, Hindware, nirali, Jindal steel sink, Kaff			
24 25	Stainless Steel Wash-basin & WCs Atactic Polypropylene polymer (APP) Membrane Sheet	Cera, Hindware, nirali, Jindal steel sink, Kaff STP, FOSROC, Bostik, Pidilite.			

Note: If any other make is to be used, the same shall be got approved from the NIT approving Authority.

Sd/- 14/04/2025

Commandant (Engineer)-Contract Cell, SZ HQr



SCHEDULE OF QUANTITY

Annexure-I

Tend	Tender Enquiry No. :- B.V-4/2024-25-SZ-Works (GC AVD) Major Work/034					
	Location of Work: - GC, CRPF, Avadi, Chennai- 600065.					
Name of Work : Repair and Maintenance of Mens club (SBI ATM and Multi-						
Function Hall) at Group Centre Avadi, Chennai-65.						
S/N.	Item / Description	Qty.	Unit			
	Dismantling doors, windows and clerestory windows (steel or wood) shutter					
1.	including chowkhats, architrave, holdfasts etc. complete and stacking within 50	32.00	Each			
	metres lead : Of area 3 sq. metres and below					
2.	Dismantling tile work in floors and roofs laid in cement mortar including	166.32	SQM			
	stacking material within 50 metres lead. For thickness of tiles 10 mm to 25 mm		- (
	Dismantling G.I. pipes (Internal work) including excavation and refilling					
3.	trenches after taking out the pipes, manually/ by mechanical means including stacking of pipes within 50 metres lead as per direction of Engineer-in-charge:	130.00	Meter			
	15 mm to 40 mm nominal bore					
	Dismantling C.I. pipes including excavation and refilling trenches after taking					
	out the pipes, manually/ by mechanical means breaking lead caulked joints,					
4.	melting of lead and making into blocks including	70.00	Meter			
	stacking of pipes & lead at site within 50 metre lead as per direction of					
	Engineer-in-charge: Up to 150 mm diameter					
_	Dismantling aluminium/ Gypsum partitions, doors, windows, fixed glazing and	446.00	003.5			
5.	false ceiling including disposal of unserviceable material and stacking of	446.80	SQM			
	serviceable material with in 50 meters lead as directed by Engineer-in-charge. Dismantling C.I. or asbestos rain water pipe with fittings and clamps including					
6.	stacking the material within 50 metres lead: 100 mm dia pipe	84.00	Meter			
	Repairs to plaster of thickness 12 mm to 20 mm in patches of area 2.5 sq.meters					
	and under, including cutting the patch in proper shape, raking out joints and					
7.	preparing and plastering the surface of the walls complete, including disposal	145.62	SQM			
	of rubbish to the dumping ground, all complete as per direction of Engineer-in-					
	Charge. With cement mortar 1:4 (1cement: 4 Fine sand)					
	Providing & fixing White vitreous china water closet squatting pan (Indian					
	type) along with "S" or "P" trap including dismantling of old WC seat and "S"					
8.	or "P" trap at site complete with all operations including all necessary materials, labour and disposal of dismantled material i/c malba, all complete as	4.00	EACH			
	per the direction of Engineer-in charge Orissa pattern W.C Pan of size					
	580x440 mm					
	Providing and fixing brass curtain rods of wall thickness 1.25 mm with two					
9.	brass brackets fixed with brass screws and wooden plugs etc. wherever	18.40	Meter			
	necessary complete: 25 mm diameter.					
10	Removing dry or oil bound distemper, water proofing cement paint and the like	1700 74	MOD			
10.	by scrapping, sand papering and preparing the surface smooth including necessary repairs to scratches etc. complete.	1788.74	SQM			
	Providing and applying white cement based putty of average thickness 1 mm,					
11.	of approved brand and manufacturer, over the plastered wall surface to prepare	729.84	SQM			
	the surface even and smooth complete.	, = ,	~ 22			
	Wall painting with premium acrylic emulsion paint of interior grade, having					
12.	VOC (Volatile Organic Compound) content less than 50 grams/ litre of	1146.77	SQM			
14.	approved brand and manufacture, including applying	1170.77	БОМ			
	additional coats wherever required to achieve even shade and colour. Two coats					
10	Finishing walls with Acrylic Smooth exterior paint of required shade: Old	1000.00	COM			
13.	work (Two or more coat applied @ 1.67 ltr/ 10 sqm) on existing cement paint surface	1098.98	SQM			
	Polishing on wood work with ready made wax polish of approved brand and					
14.	manufacture: Old work	316.88	SQM			
	Providing and fixing Ist quality ceramic glazed wall tiles conforming to IS:					
	15622 (thickness to be specified by the manufacturer), of approved					
15.	make, in all colours, shades except burgundy, bottle green, black of any size as	126.00	SQM			
15.	approved by Engineer-in-Charge, in skirting, risers of steps and dados, over 12	120.00	~ ~111			
	mm thick bed of cement mortar 1:3 (1 cement : 3 coarse sand) and jointing with					
	grey cement slurry @ 3.3kg per sqm, including pointing in white cement mixed					

	with pigment of matching shade		
	complete.		
16.	Providing and laying vitrified floor tiles in different sizes (thickness to be specified by the manufacturer) with water absorption less than 0.08% and conforming to IS: 15622, of approved make, in all colours and shades, laid on 20mm thick cement mortar 1:4 (1 cement : 4 coarse sand), jointing with grey cement slurry @ 3.3 kg/ sqm including grouting the joints with white cement and matching pigments etc., complete. Size of Tile 600x600 mm	749.83	SQM
17.	Providing and laying Vitrified tiles in floor in different sizes (thickness to be specified by the manufacturer) with water bsorption less than 0.08% and conforming to IS:15622, of approved brand & manufacturer, in all colours and shade, laid on 20 mm thick ement mortar 1:4 (1 cement: 4 coarse sand) jointing with grey cement slurry @3.3 g/sqm including grouting the joints with white cement and matching pigments etc. The tiles must be cut with the zero hipping diamond cutter only . Laying of tiles will be done with the notch trowel, plier, wedge, clips of required thickness, leveling system and rubber mallet for placing the tiles gently and easily. Glazed Vitrified tiles Matt/Antiskid finish of size Size of Tile 600 x 600 mm	40.32	SQM
18.	Providing and fixing white vitreous china pedestal type water closet (European type W.C. pan) with seat and lid, 10 litre low level white P.V.C. flushing cistern, including flush pipe, with manually controlled device (handle ever), conforming to IS: 7231, with all fittings and fixtures complete, including cutting and making good the walls and floors wherever required: W.C. pan with ISI marked white solid plastic seat and lid	2.00	EACH
19.	Providing and fixing wash basin with C.I. brackets, 15 mm C.P. brass pillar taps, 32 mm C.P. brass waste of standard pattern, including painting of fittings and brackets, cutting and making good the walls wherever require: White Vitreous China Wash basin size 630x450 mm with a single 15 mm C.P. brass pillar tap	6.00	EACH
20.	Providing and fixing white vitreous china battery based infrared sensor operated urinal of approx. size 610 x 390 x 370 mm having pre & post flushing with water (250 ml & 500 ml consumption), having water inlet from back side, including fixing to wall with suitable brackets all as per manufacturers specification and direction of Engineer-in-charge.	3.00	EACH
21.	Providing and fixing 8 mm dia C.P. / S.S. Jet with flexible tube upto 1 metre long with S.S. triangular plate to Eureopean type W.C. of quality and make as approved by Engineer - in - charge.	2.00	EACH
22.	Providing and fixing controlled flush, low level cistern made of vitreous china with all fittings complete. 10 litre (full flush) capacity-white	4.00	EACH
23.	Providing and fixing P.V.C. waste pipe for sink or wash basin including P.V.C. waste fittings complete. Flexible pipe 40 mm dia	6.00	EACH
24.	Providing and fixing 600x450 mm beveled edge mirror of superior glass (of approved quality) complete with 6 mm thick hard board ground fixed to wooden cleats with C.P. brass screws and washers complete.	6.00	EACH
25.	Providing and fixing PTMT liquid soap container 109 mm wide, 125 mm high and 112 mm distance from wall of standard shape with bracket of the same materials with snap fittings of approved quality and colour, weighing not less than 105 gms.	6.00	EACH
26.	Providing and fixing PTMT towel rail complete with brackets fixed to wooden cleats with CP brass screws with concealed fittings arrangement of approved quality and colour. 600 mm long towel rail with total length of 645 mm, width 78 mm and effective height of 88 mm, weighing not less than 190 gms.	4.00	EACH
27.	Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply, including all CPVC plain & brass threaded fittings, i/c fixing the pipe with clamps at 1.00 m spacing. This includes jointing of pipes & fittings with one step CPVC solvent cement and the cost of cutting chases and making good the same including testing of joints complete as per direction of Engineer in Charge Concealed work, including cutting chases and making good the walls etc. 20 mm nominal dia Pipes	130.00	METE R
28.	Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply, including all CPVC plain & brass threaded fittings, i/c fixing the pipe with clamps at 1.00 m spacing. This	100.00	METE R

	includes jointing of pipes & fittings with one step CPVC solvent cement and		
	the cost of cutting chases and making good the same including testing of joints		
	complete as per direction of Engineer in Charge Concealed work, including		
20	cutting chases and making good the walls etc. 25 mm nominal dia Pipes	6.00	EACH
29.	Providing and fixing brass bib cock of approved quality: 15 mm nominal bore	6.00	EACH
30.	Providing and fixing gun metal gate valve with C.I. wheel of approved quality (screwed end): 25 mm nominal bore	5.00	EACH
31.	Providing and fixing uplasticised PVC connection pipe with brass unions: 45 cm length 15 mm nominal bore	12.00	EACH
32.	Providing and fixing C.P. brass angle valve for basin mixer and geyser points	12.00	EACH
	of approved quality conforming to IS:8931:15mm nominal bore	12.00	Erich
33.	Providing and fixing on wall face unplasticised Rigid PVC rain water pipes conforming to IS: 13592 Type A, including jointing with seal ring conforming to IS: 5382, leaving 10 mm gap for thermal expansion, (i) Single socketed pipes 110 mm diameter	200.00	METE R
	Providing and fixing on wall face unplasticised - PVC moulded fittings/ accessories for unplasticised Rigid PVC rain water pipes conforming		
34.	to IS: 13592 Type A, including jointing with seal ring conforming to IS: 5382, leaving 10 mm gap for thermal expansion. Coupler: 110 mm	10.00	EACH
	Providing and fixing on wall face unplasticised - PVC moulded fittings/		
35.	accessories for unplasticised Rigid PVC rain water pipes conforming to IS: 13592 Type A, including jointing with seal ring conforming to IS: 5382,	10.00	EACH
	leaving 10 mm gap for thermal expansion. Single pushfit Coupler: 110 mm Providing and fixing on wall face unplasticised - PVC moulded fittings/		
	accessories for unplasticised Rigid PVC rain water pipes conforming		
36.	to IS: 13592 Type A, including jointing with seal ring conforming to IS: 5382,	10.00	EACH
	leaving 10 mm gap for thermal expansion. Single tee with door: 110x110x110 mm		
	Providing and fixing on wall face unplasticised - PVC moulded fittings/		
	accessories for unplasticised Rigid PVC rain water pipes conformingto IS:		
37.	13592 Type A, including jointing with seal ring conforming to IS: 5382,	10.00	EACH
	leaving 10 mm gap for thermal expansion. Single tee without door: 110x110x110 mm		
	Providing and fixing on wall face unplasticised - PVC moulded fittings/		
38.	accessories for unplasticised Rigid PVC rain water pipes conforming	10.00	EACH
	to IS: 13592 Type A, including jointing with seal ring conforming to IS: 5382,	10.00	Ericii
	leaving 10 mm gap for thermal expansion. Bend 87.5°: 110 mm bend		
	Providing and fixing on wall face unplasticised - PVC moulded fittings/ accessories for unplasticised Rigid PVC rain water pipes conforming		
39.	to IS: 13592 Type A, including jointing with seal ring conforming to IS: 5382,	10.00	EACH
	leaving 10 mm gap for thermal expansion. Shoe (Plain): 110 mm Shoe		
	Providing and fixing factory made uPVC door frame made of uPVC extruded		
	sections having an overall dimension as below (tolerance ± 1 mm), with wall		
	thickness 2.0 mm (\pm 0.2 mm), corners of the door frame to be Jointed with		
40.	galvanized brackets and stainless steel screws, joints mitred and Plastic welded.	40.00	Meter
	The hinge side vertical of the frames reinforced by galvanized M.S. tube of size 19 X 19 mm and 1mm (\pm 0.1 mm) wall thickness and 3 nos. stainless steel		
	hinges fixed to the frame complete as per manufacturer's specification and		
	direction of Engineerin- charge Extruded section profile size 42x50 mm		
	Providing and fixing to existing door frames 30 mm thick Glass Fibre		
	Reinforced Plastic (FRP) panelled door shutter of required colour and approved		
	brand and manufacture, made with fire - retardant grade unsaturated polyester		~~
41.	resin, moulded to 3 mm thick FRP laminate for forming hollow rails and styles,	14.76	SQM
	with wooden frame and suitable blocks of seasoned wood inside at required places for fixing of fittings, cast monolithically with 5 mm thick FRP laminate		
	for panels conforming to IS: 14856, including fixing to frames		
	Providing and fixing factory made uPVC white colour fixed glazed		
	windows/ventilators comprising of uPVC multi-chambered frame and mullion		
42.	(where ever required) extruded profiles duly einforced with 1.60 ± 0.2 mm	16.97	SQM
	thick galvanized mild steel section made from roll forming process of required		
	length (shape & size according to uPVC profile), , uPVCextruded glazing beads		

	of appropriate dimension, EPDM gasket, G.Ifasteners 100 x 8 mm size for fixing frame to finished wall, plastic packers, plastic caps and necessary stainless steel screws etc. Profile of frame shall be mitred cut and fusion welded at all corners, mullion (if required) shall be also fusion welded including drilling of holes for fixinghardware's and drainage of water etc. After fixing frame the gap betweenframe and adjacent finished wall shall be filled with weather proof siliconsealant over backer rod of required size and of approved quality, all complete as per approved drawing & direction of Engineer-in-Charge.(Single / double glass panes and silicon sealant shall be paidseparately). Variation in profile dimension in higher side shall be accepted but no extra payment on this account shall be made. Fixed window / ventilator made of		
	(small series) frame 47 x 50 mm & mullion 47 x 68 mm both having wall thickness of 1.9 ± 0.2 mm and single glazing bead of appropriate dimension. (Area upto 0.75 sqm.)		
43.	Providing and fixing factory made uPVC white colour sliding glazed window upto 1.50 m in height dimension comprising of uPVC multi-chambered frame with in-built roller track and sash extruded profiles duly reinforced with 1.60 \pm 0.2 mm thick galvanized mild steel section made from roll forming process of required length (shape & size according to uPVC profile), appropriate dimension of uPVC extruded glazing beads and uPVC extruded interlocks, EPDM gasket, wool pile, zinc alloy (white powder coated) touch locks with hook, zinc alloy body with single nylon rollers (weight bearing capacity to be 40 kg), G.I fasteners 100 x 8 mm size for fixing frame to finished wall and necessary stainless steel screws etc. Profile of frame & sash shall be mitred cut and fusion welded at all corners, including drilling of holes for fixing hardware's and drainage of water etc. After fixing frame the gap between frame and adjacent finished wall shall be filled with weather proof silicon sealent over backer rod of required size and of approved quality, all complete as per approved drawing & direction of Engineer-in-Charge. (Single / double glass panes, wire mesh and silicon sealent shall be paid separately). Variation in profile dimension in higher side shall be accepted but no extra payment on this account shall be made. Two track two panels sliding window made of (big series) frame 67 x 50 mm & sash 46 x 62 mm both having wall thickness of 2.3 \pm 0.2 mm and single glazing bead / double glazing bead of appropriate dimension . (Area of window above 1.75 sqm upto 2.50 sqm).	10.35	SQM
44.	Providing and applying fibre reinforced elastomeric liquid water proofing membrane with resilient acrylic polymers having Sun Reflectivity Index (SRI) of 105 on top of concrete roof in three coats @10.76 litre/ 10 sqm. One coat of self-priming of elastomeric waterproofing liquid (dilution with water in the ratio of 3:1) and two coats of undiluted elastomeric waterproofing liquid (dry film thickness of complete application/system not less than 500 microns). The operation shall be carried out after scrapping and properly cleaning the surface to remove loose particles with wire brushes, complete in all respect as per the direction of Engineer-in-Charge.	1047.00	SQM
45.	Providing & fixing false ceiling at all heights with GRG (Glass Fibre Reinforced Gypsum) false ceiling tiles of Size 595x595 mm of approved texture, design and patterns having moisture content less than 2%, humidity resistance of 99%, NRC0.50 to 0.75 as per IS 8225:1987, Non combustible as per BS 476 (part 4)-1970 and light reflectance of 85% (minimum) to be laid in true horizontal level suspended on interlocking metal T-Grid of hot dipped galvanised iron section of 0.33mm thick (galvanized @ 120 grams per sqm including both sides) comprising of main-T runners of size 15x32 mm of length 3000 mm, cross - T of size 15x32 mm of length 1200 mm and secondary intermediate cross-T of size 15x32 mm of length 600mm to form grid module of size 600 x 600 mm, suspended from ceiling using galvanised mild steel items (galvanizing @ 80 grams per sqm) i.e. 50 mm long, 8 mm outer diameter M-6 dash fasteners, 6 mm dia fully threaded hanger rod upto 1000 mm length and L-shape level adjuster of size 85x25x2 mm. Galvanised iron perimeter wall angle of size 24x24x0.40 mm of length 3000 mm to be fixed on periphery wall / partition with the help of plastic rawl plugs at 450 mm center to center and 40 mm long dry wall wood screws. The work shall be carried out as per specifications, drawing and as per directions of the Engineer-in-Charge. With	411.10	SQM

EACH

20.00

	semi perforated 12 mm thick micro tegular edged GRG false ceiling tiles. With		
	semi perforated 12 mm thick micro tegular edged GRG false ceiling tiles.		
	Wiring for light point/ fan point/ exhaust fan point/ call bell point with 1.5		
	sq.mm FRLS PVC insulated copper conductor single core cable in surface /		
46.	recessed steel conduit, with modular switch, modular plate, suitable GI box and	120.00	POINT
	earthing the point with 1.5 sq.mm FRLS PVC insulated copper conductor		
	single core cable etc. as required. Group A		
	Wiring for twin control light point with 1.5 sq.mm FRLS PVC insulated copper		
47.	conductor single core cable in surface /recessed steel conduit, 2 way modular	20.00	POINT
47.	switch, modular plate, suitable GI box and earthing the point with 1.5 sq.mm.	20.00	FOINT
	FRLS PVC insulated copper conductor single core cable etc. as required.		
48.	Ceiling LED light 24x24 inch	10.00	EACH

Note:-

Led tube light 20 watt

- i) The lowest bidder will be decided on overall rate of entire work instead of item (category) wise. Rates quoted by the bidder must be inclusive of applicable G.S.T (Goods and Services Tax) and all other charges if any but exclusive of EPF & ESI Contributions on the part of Employer as applicable with F.O.R (Site of work) at O/O **The DIG GC CRPF Avadi**.
- ii) The E.P.F & E.S.I contributions on the part of employer in respect of the contract shall be paid by the contractor to concerned department well in time. These contributions on the part of the employer paid by the contractor shall reimbursable by this department on actual basis and on production of receipt of the concerned department.

Sd/- 14/04/2025 (Lt. Col Vaibhav Srivastava)

Commandant (Engineer)
Contract Cell, SZ HOr

[For and on behalf of the President of India]

Signature of Bidder (with seal)

Annexure-J



SCHEDULE OF CREDIT ITEMS

Tender Enquiry No. :- B.V-4/2024-25-SZ-Works (GC AVD) Major Work/034 Location of Work: - GC, CRPF, Avadi, Chennai- 600065. Name of Work: Repair and Maintenance of Mens club (SBI ATM and Multi-Function Hall) at Group Centre Avadi, Chennai-65.

S/N.	Item / Description	Qty.	Unit	RATE	AMOUNT
	Credit for taking away of dismantled materials such				
	as wooden frame of doors / window/ door shutter /				
	window shutter / G.I. Pipe etc as per direction of				
1	engineer in charge. Dismantled material shall be				
	property of contractor and nothing extra shall be paid				
	for dismantling except the items stipulated in this				
	schedule				
1.1	Wooden window/ventilator frame with shutter	24.00	Each	300.00	7200.00
1.2	PVC door	8.00	Each	450.00	3600.00
1.3	G.I. Pipe 20 mm dia (1.38 kg/m X 130 meter)	179.40	KG	20.00	3588.00
1.4	G.I. Pipe 25 mm dia (1.98 kg/m X 100 meter)	198.00	KG	20.00	3960.00
1.5	C.I. Pipe 75 mm dia (16 kg/m X 70 meter)	1120.00	KG	20.00	22400.00
1.6	C.I. Pipe 100 mm dia (19.82 kg/m X 84 Meter)	1664.88	KG	20.00	33297.60
1.7	European type WC with cistern	2.00	Each	100.00	200.00
1.8	S.S. Jet spray kit	2.00	Each	20.00	40.00
1.9	PTMT Towel rail	4.00	Each	20.00	80.00
1.10	Bib cock (400 gm/piece X 06 Nos.)	2.40	KG	20.00	48.00
1.11	Gun metal gate valve 25 mm (500 gm/piece X 05	2.50	KG	20.00	50.00
1.11	Nos.)	2.50			
1.12	15 mm angle valve (400 gm/piece X 12 Nos.)	4.80	KG	20.00	96.00
1.13	Pillar cock 15 mm (400 gm/piece X 06 Nos.)	2.40	KG	20.00	48.00
				Total	74,607.60

Notes:-

- The quantities inserted above column are provisional. 1.
- The material mentioned in credit schedule shall be measured net.
- Materials other than those listed in schedule of credit obtained from demolition/dismantling shall be the Government property and shall be deposited in CRPF Stores yard all as directed by Engineer-in-Charge.
- The contractor shall be responsible to remove both serviceable & unserviceable materials from the site and leave the site neat and tidy on or before the certified date of completion.
- The recovery on account of materials listed in schedule of credit shall be made immediately from payment due to contractor irrespective of the fact that these have been removed from site or not. However, materials listed in schedule of credit shall be removed from site only after written permission of Engineer-in-Charge and after recovery is affected from his payment.
- The contractor shall have no claim whatsoever on account of quality and quantity of retrieved materials becoming his property.
- Govt. does not guarantee the quality of retrieved materials. The contractor is advised to verify at the site, the quality of item for which credit is to be recovered from his payments. The contractor shall not have any claim whatsoever on this account.

Sd/- 14/04/2025 (Lt. Col Vaibhav Srivastava)

Commandant (Engineer)

Contract Cell, SZ HQr [For and on behalf of the President of India]

Signature of Bidder (with seal)



PARTICULAR SPECIFICATIONS

- SCOPE OF WORKS: All work for Repair and Maintenance of Mens club (SBI ATM and Multi-Function Hall) at Group Centre Avadi, Chennai-65 as mentioned in Annexure-I / BOQ and prescribed in particular specifications is included in the scope of this contract.
- 1.1 GENERAL
- 1.1.1 Work under this contract shall be carried out in accordance with Annexure-I /BOQ, Particular Specifications and general specifications and other provisions in CPWD Schedule of Rates (here-in-after called DSR CPWD), read in conjunction with each other.
- 1.1.2 Term "General Specifications" referred to herein after as well as referred to in CPWD GCC (General Conditions of Contracts) shall mean the specifications contained in the CPWD Schedules.
- 1.1.3 General rules, specifications special conditions and preambles in the CPWD Schedule shall be deemed to be applicable to the work under this contract, unless specifically stated otherwise in these documents in which case the provision in these documents shall take precedence over the aforesaid provisions in the CPWD Schedule.
- 1.1.4 Where specifications for any item of work are not given in CPWD Schedule or in these particular specifications, specifications as given in relevant Indian Standard or as per code of practice shall be followed.
- 1.1.5 The provisions stipulated here-in-after which are not relevant to the scope of work described in Annexure-I shall be deemed to be treated as 'Blank'.

1.2

1.2.1 SAMPLES OF MATERIALS

The contractor is advised to inspect samples of all the materials given herein-after which are displayed in the office of 2IC Engr/DC Engr/AC Engr, before submitting his tender. The contractor is deemed to have inspected samples and satisfied himself as to the nature and quality of materials which he is required to incorporate in the work, irrespective of the fact whether he inspects them or not. The materials to be incorporated in the work by the contractor shall conform to or shall be superior in quality to such of the samples, which shall comply in all respects with the specifications given here-in-after.

1.2.2 The contractor shall produce samples of all materials and shall obtain approval in writing from Estate Officer before he places bulk order for the materials for incorporation in the work. In respect of material for which samples are not kept or detailed specifications are not given here- in-after, the materials shall comply with latest relevant Indian Standard specifications whether listed in CPWD schedule or not. Materials having ISI mark shall be given preference over those not having ISI mark.

- 1.3 DISMANTLING AND DEMOLITION
- 1.3.1 Dismantling or demolition of any part of the structure shall be restricted to the minimum possible extent necessary for the work to be done. Any dismantling/demolition or taking down done in excess of the requirement either inadvertently or otherwise shall be made good by the contractor without any extra cost to the Govt. in approved construction practice so as to match with the adjoining structure.
- 1.4 MAKING GOOD
- 1.4.1 The contractor shall be allowed payment only for the works actually ordered. Any damage caused to existing works or those under execution under this contract shall be made good by the contractor at his own expense. Any work done in excess of the work ordered in writing shall not be paid for.
- 1.5 JOINTING WITH EXISTING WORK
- 1.5.1 Jointing of new works to the old existing works shall be done according to the best and approved engineering practice and payment of such works shall be deemed to be included in the item rate quoted by the contractor for the new works unless otherwise these are catered for separately in Annexure-I.
- 1.6 SHORING AND STRUTTING
- 1.6.1 It will be contractors own responsibility to provide shoring and strutting in accordance with CPWD Specification to prevent any sort of damages to any part of the structure or to the life during execution of works. Contractor shall be deemed to account for the above provision in his quoted rates and nothing extra shall be admissible on these accounts. In case of any damages or loss caused due to lack of above provisions/precautions or carelessness of his workman, the same shall be made good by the contractor at his own expense without any extra cost to the Govt.
- 2. CEMENT
 - The cement shall not be issued under Schedule 'B'. Contractor shall procure the same under his own arrangement for the entire completion of the work. The specifications and other provisions laid down in CPWD schedules and relevant IS codes will be aplicable abnd will be read in conjuction
- 2.1 (A) **TYPE OF CEMENT**: The Cement shall be Ordinary Portland Cement (OPC) grade 43 (IS8112-1989) or Ordinary Portland Cement (OPC) grade 53 (IS-12269-1987) or Portland Pozzolana Cement (PPC) (IS: 1489- 1991 Part-I). While using the PPC, following precautions/conditions shall be met with by the contractors at site:-
- (a) PPC shall meet the strength criteria as laid down in IS 8112-1989.
- (b) Both OPC & PPC shall not be permitted for use in the same building except for plaster and mortar. Also OPC of different grade shall not be permitted to be used in single independent element/member. The contractor shall submit following test certificate from the manufacturer of the cement for every batch of cement:-
- (i) The quality of fly ash is strictly as per IS 14989-2000 (Part I).
- (ii) Fly ash is inter-ground with clinker and not mixed with clinker.
- (iii) Dry fly ash is transported in closed containers and stored in silos. Only pneumatic pumping shall be used.
- (iv) The fly ash received from thermal power plant using high temperature combustion above 1000PP0PP C should be used.
- (v) The fly ash content in PPC shall be as per IS 1489-1999 (Part-I).(B) The contractor at the time of commencement of work shall intimate to in writing 2IC Engr/DC Engr/AC Engr regarding one type of cement, out of the types of cement mentioned in para 2.1(A) above, for incorporating in the work. Any change in use for type of cement thereafter shall only be allowed after the written approval of Estate Officer.
 - approval of Estate Officer.

 2. 2 **SOURCE OF PROCUREMENT**: Cement shall be procured by the contractor under his own arrangement and at his own cost directly from any of the main producers of cement mentioned in NIT. For repair works, maintenance works and other works, where entire requirement of cement is less than 1200 bags, cement may be procured by the contractor either directly from one of the manufacturers mentioned in the NIT or from the plasticize distributors/ dealers of the manufacturer's mentioned in NIT but

the contractor will have to submit test certificate of the batch issued by the main producers. The particulars of manufacturer of



cement along with the date of manufacture shall be submitted by the contractor separately for every consignment of cement procured. Each consignment of cement procured by the contractor shall be recorded in the measurement book as "Not to be abstracted" and shall be supported with authentic Documents e.g. original purchase vouchers highlighting the makes, test certificates, batch Nos., quantity etc. The documents in support of the purchase of cement shall be recorded and verified by GE and site staff

- 2.3 IDENTIFICATION: Marking of each cement bag shall be as per relevant IS code.
- 2.4 SCHEDULE OF SUPPLY:- Schedule of supply of cement shall be finalized by Contractor with the GE and shall be incorporated in CPM chart so that supply of cement is monitored in a way to avoid any delay in completion of the work. The complete requirement of cement will be worked out before making any RAR payment. Procurement of cement by the Contractor shall be completed sufficiently in advance of the date of completion. No extension of time will be considered for non-availability of cement. Every Cement godown shall be provided with two locks on each door. The key of one lock of each door shall remain with the Engineer-in-Charge or his representative and that of other lock with the Contractor or his plasticize agent at site of work so that cement is removed from the godown only according to the daily requirement with the knowledge of both the parties. Cement for purpose of accounting shall be on the basis of numbers of bags. Minor variations in cement not more than 2% by weight of cement in a bag will be permissible for purpose of accounting of cement bags. However cement shall be incorporated in the work on actual weight basis where specified without any additional cost.
- 2.5 TESTING OF CEMENT: The manufacturer will carry out the inspections and testing of cement in accordance with relevant BIS provisions. The contractor shall submit the manufacturer's test certificates in Original along with the test sheet giving the result of each physical test as applicable and the chemical composition of the cement or authenticated copy thereof, duly signed by the manufacturer with each consignment. However when the cement is from authorised dealers/distributers as per the provisions contained in clause 2.2 here-in-before, the contractor shall submit photocopy of manufacturer's test certificates duly certified by the authorized dealer/distributor through in lieu of original copy of the manufacturer's test certificates. The Engineer-in-charge shall record these details in the Cement Acceptance Register as given in NIT after due verification. The Estate Officer may also organize independent testing at random samples of every 250 MT of cement (If batch changes within 250 MT then testing of each batch has to be carried out) from the labs: TESTING OF MATERIALS as per IS: 3535-1986 (Method of Sampling Hydraulic Cement), IS: 4031 (Method of Physical test for Hydraulic Cement) and IS: 4032-1985 (Method of chemical analysis of hydraulic Cement). In case cement test result does not fall with-in the acceptable limits, respective consignment of cement shall be rejected and shall be removed by the contractor within 24 hours from the site. The cost of tests shall be borne by the contractor irrespective of status of the results and no claim shall be/to be entertained on this account and clause of GCC. Sample of cement from each consignment shall be collected by the Engineer-In-Charge and Estate Officer in accordance with IS: 3535-1986.
- 2.6 STORAGE OF CEMENT: The cement shall be stored over dry platform at least 20 cm high and in such a manner as to prevent deterioration due to moisture or intrusion of foreign matters. In case of store rooms, the stack should be at least 20 cm away from floors and walls. The stacking of cement shall not be more than 10 bags high. Inspection shall be carried out once a day by rep of Estate Officer associated with the work and rep of contractor. It shall be ensured that tested and untested Cement shall be segregated and stored separately with distinct identification. Not more than three months requirement shall be procured and held in stock toavoid its deterioration.
- 2.7 DOCUMENTATION: The Contractor shall submit original Vouchers and original manufacturer's test certificates from the manufacturer for the total quantity of Cement supplied under each consignment to be incorporated in the work. However when the cement is procured through authorize dealers/distributers as per the provisions contained in clause 2.2 here-in-before, the contractor shall be required to submit original purchase vouchers from the dealers alongwith photocopy of the purchase vouchers from the manufacturer's to the Estate Officer. All consignment received at the work site shall be inspected by the Estate Officer and documents verified before acceptance. The Original Vouchers and the Test Certificates shall be defaced by the Engineer-in-Charge and signed by the contractor showing CA No., Year and dated signature and kept on record in the office of Estate Officer duly authenticated and with cross- reference to the Control number recorded in the Cement acceptance register. The cement acceptance register will be signed by Insp/SI (Civil), Engineer-in-Charge, Estate Officer and the Contractor. The Accepting Officer may order a Board of officers for random check of cement and verification of connected documents. The entire quantity of all type of cement shall be suitably recorded in the measurement Book (Not to be abstracted) for record purposes before incorporation in the work and shall be signed by the Engineer-in-Charge and the Contractor.

2.8 RECORD OF CONSUMPTION OF CEMENT

2.8.1 For the purpose of keeping a record of cement used, the contractor shall maintain a properly bound register serially numbered (all pages initialed against the numbering by the Engineer-In-charge) in the form approved by the Engineer-In-Charge showing daily quantity used in the work and balance in hand at the end of each day. The register shall be maintained with daily entries duly authenticated by the contractor or his authorized representative and engineer-in- charge.

3. EXCAVATION AND EARTH WORK

- 3.1 EXCAVATION GENERAL
- 3.1.1 Excavation and earth work under this contract shall be as described in BOQ.
- 3.1.2 The measurement of excavation shall be as given in CPWD Schedules.
- 3.1.3 After execution of work and before handing over building/structure, the area around the building/structure to a width of 3 meter beyond the edges of plinth protection, ramps, steps, saucer drains etc. shall be dressed without extra cost to department. Spoil obtained from dressing shall be removed outside MD land, to a place notified for dumping debris by the local administration.
- 3.1.4 Boulder and stone if obtained from excavation for the entire work shall be sorted out and neatly stacked as directed by Engineer-in-Charge without any extra cost to the Govt. These boulders and stones shall be the property of contractor and recovery for the same shall be made from the contractor's payment @ Rs. 550.00 per cubic metre. Further the boulders/stones so obtained after breaking of same to the required sizes may be used by the contractors for the works provided the same meets the contract specifications and approved by the Estate Officer. The un-used boulders, stones shall be removed by the contractor outside MOD land. Cost of all the above provisions shall be deemed to be included in contractor's quoted rates & no claims whatsoever shall be entertained on this account.
 - 3.2 FILLING IN TRENCHES, PLINTH AND UNDER FLOOR ETC. AND REMOVAL OF SPOIL & SURPLUS EARTH



- 3.2.1 Filling excavated earth in foundation trenches, in plinth and under floors shall be carried out as per CPWD Manual. Earth obtained from excavation and not approved for filling or surplus to the requirement shall be removed to a distance as specified in Clause 3.1 here in before, spread and leveled.
- 3.2.3 All filling will be spread in layers not exceeding 25 cm thick. Each layer will be watered and well rammed. Thickness of filling shown on drawing is after consolidation.
- 3.3 HARD CORE: Unless otherwise specified elsewhere or shown on drawings, hard core shall be of stones/boulders(broken to gauge) not exceeding 63 mm. Hard core shall be deposited, spread and leveled in layer not exceeding 15mm thick and watered, well rammed to a true surface and compacted. The consolidation thickness of the hard core specified or as indicated in the drawings, is the thickness after consolidation and where not specifically mentioned or shown in the drawings, it shall be considered 150mm consolidated thickness.
- CEMENT CONCRETE
- 4.1 MATERIALS
- 4.1.1 CEMENT: Refer Particular Specifications clause 2 and other sub clauses here-in-above.
- 4.1.2 Coarse and fine aggregate for cement concrete (PCC & RCC): Refer CPWD manuals.
- 4.1.2.1 Coarse aggregate for lime concrete shall be broken bricks as per Paras 4.5, 4.5.1, 4.5.2 of CPWD Schedules. The fine aggregate shall be natural sand as for cement concrete.
- 4.1.2.2 Grading of coarse aggregate (Broken/crushed stone) unless otherwise specified shall be as follows: -
 - (i) For all reinforced/plain cement concrete of thickness up to 25mm or under: 12.5mm graded
 - (ii) For all reinforced cement concrete work over 25 mm thick: 20 mm graded
 - (iii) For plain cement concrete over 25 mm and under 75 mm thick.: 20 mm graded
 - (iv) -do- but 75 mm thick & over: 40 mm graded 4.1.2.3 Grading of broken brick aggregate for lime concrete shall be as per CPWD Schedules.
 - 4.1.2.4 Grading of fine aggregate (sand) shall be as per CPWD Schedules for grading Zone-III. Coarse aggregate up to 20 mm shall be machine-crushed stone and aggregate of size 40 mm and above shall be manually broken or machine crushed at the option of contractor. Fine aggregate (sand) shall be obtained from natural source.

5. STEEL, IRON & ALUMINIUM WORK

- 5.1 Entire steel required for use in the work shall be arranged by the contractor and shall comply with the requirements of following specifications (Test certificate shall be produced as 'specified' in succeeding Paras):
 - (i) Structural Steel: Standard quality Fe 410-W (Gde E-250) quality A / quality B conforming to IS:2062-2006 (However for pricing of deviations, rates given in SSR for Fe-410-W (Gde E-250) quality A shall be followed)
 - (ii) MS round Bars for reinforcement: IS:432 (Part-I) & (Part-2) (1982) Grade-I for bars
 - (iii) Hold Fasts, grills, guard bars, : Fe-290 (Gde E- 165) Steel conforming to IS: 2062-2006) fencing posts, railing, gates etc. unless otherwise specified or shown on the drawings.
 which do not constitute structural members
 - i. Reinforcement high strength

deformed bars of size 8 mm & above.: TMT bars Fe-500/550 D Conforming to IS:1786:2000

ii. Galvanised Steel Sheets : Conforming to IS:277-2003(vi) Fabric reinforcement : Conforming to IS: 1566-1982.

- 5.2 GALVANISED STEEL WIRE: Galvanised steel wire for mattress shall be as specified in CPWD Schedules.
- 5.3 FABRIC REINFORCEMENT: Hard drawn steel wire fabric for reinforcement shall Conform to IS: 1566-1982. Wire fabric for general use such as fencing, window grills etc. shall conform to IS: 4948 all as per CPWD Schedules. The weight of expanded metal shall be 4-kg/square metre
 - 5.4 PROCUREMENT, TESTING, DOCUMENTATION, STORAGE & SUPPLY ETC. STEEL AND IRON WORK
- 5.4.1 GENERAL
- 5.4.1.1 Steel shall not be issued under Schedule 'B'. Contractor shall purchase the same from any of sources mentioned here in after for entire completion of work.
- 5.4.1.2 Reinforcement steel shall be high strength deformed steel bars produced by Thermo Mechanical Treatment Process (TMT steel bars of grade Fe-500/550 D) meeting all other requirements of IS:1786.-2006.
- 5.4.1.3 The ordinary quality or standard quality of steel shall be used at places as defined in Para
- 5.4.1 As per CPWD Specification unless otherwise shown on the drawings.

5.4.2 PROCUREMENT

- 5.4.2.1 Structural steel section shall be procured from main producer/primary producer as mentioned in NIT. In case of non availability with main producer/primary producers, the structural steel can be procured from approved secondary producers with a reduction of 5% (five percent) of the accepted rate of structural steel. In case of desired section of structural steel is not rolled/manufactured by main/primary producers, there shall be no price adjustment in use of structural steel procured from approved secondary producers.
- 5.4.2.2 The structural steel shall be purchased by the contractor from the storage depot of the main producers/primary producers/ secondary producers as per provisions contained herein before and not from their authorized agents/dealers.
- 5.4.2.3 Steel sections for railings, gates, fencing, guard bars, grills, steel chowkhats and holdfasts etc. which do not constitute structural members can be procured from main producers/secondary producers/BIS marked manufacturers or their authorized dealers without any price adjustment.
- 5.4.2.4 TMT steel bars manufactured by SAIL/RINL/TISCO/other primary producers as mentioned in NIT shall be procured directly from the manufacturer for the works.
- 5.4.2.5 GALVANISED IRON SHEETS & FABRIC REINFORCEMENT FOR

- CONCRETE: These shall be procured directly from main producers/BIS marked manufacturers without any price adjustment.
- 5.4.2.6 Galvanized sheets & fabric reinforcement for concrete can be procured from authorized dealers of main producers in case the total requirement of steel is less than 5 tonne.
- 5.4.2.7 All finished steel shall be well and clearly rolled to the dimensions, sections, and weight specified. The finished material shall be reasonably free from cracks, surface flaws, laminations rough, jagged and imperfect edges and other harmful defects and shall be finished in a workman like manner.
- 5.4.2.8 Tolerance in size and weight of reinforcement bars shall not be more than specified in clauses CPWD Schedules.
- 5.4.3 TESTING OF MATERIALS
- 5.4.3.1 The contractor shall submit the manufacturers test certificate in original along with the test sheet giving the result of each mechanical test as applicable and the chemical composition of the steel or authenticated copy there of duly signed by the manufacturer with each consignment. The Engineer-in-Charge shall record these details in the Steel Acceptance Register, as given in NIT after due verification. The Estate Officer may also organize)

independent testing of random samples of steel drawn from each and every lot.

Signature of Bidder

(with seal)

Sd/- 14/04/2025

(Lt. Col. Vaibhav Srivastava)

Commandant (Engineer)

Contract Cell, SZ HQr [For and on behalf of the President of India]



Appendix-'A'

INTEGRITY PACT

To,

Sub:

Commandant (Engineer) Contract Cell, SZ HQr, CRPF, Hyderabad (Telangana), Pin no- 500005.

Submission of Tender for the work of

Dear Sir,	
I/We acknowledge that CRPF is committed to follow the principles thereof as enumerated in the Integrity Agreement enclosed with t	he

tender/bid document.

I/We agree that the Notice Inviting Tender (NIT) is an invitation to offer made on the condition that I/We will sign the enclosed integrity Agreement, which is an integral part of tender documents, failing which I/We will stand disqualified from the tendering process. I/We acknowledge that THE MAKING OF THE BID SHALL BE REGARDED AS AN UNCONDITIONAL AND ABSOLUTE ACCEPTANCE of this condition of the NIT.

I/We confirm acceptance and compliance with the Integrity Agreement in letter and spirit and further agree that execution of the said Integrity Agreement shall be separate and distinct from the main contract, which will come into existence when tender/bid is finally accepted by CRPF. I/We acknowledge and accept the duration of the Integrity Agreement, which shall be in the line with Article 1 of the enclosed Integrity Agreement.

I/We acknowledge that in the event of my/our failure to sign and accept the Integrity Agreement, while submitting the tender/bid, CRPF shall have unqualified, absolute and unfettered right to disqualify the tenderer/bidder and reject the tender/bid is accordance with terms and conditions of the tender/bid.

Yours faithfully

(Duly authorized signatory of the Bidder)



To be signed by the bidder and same signatory competent / authorized to sign the relevant contract on behalf of CRPF. INTEGRITY AGREEMENT

This Integrity Agreement is made at...... on this day of 2025

BETWEEN

President of India represented through Comdt. Engr. SZ Zone, Hyderabad, (Name of Division) (Hereinafter referred as the (Address of Division)

"Principal/Owner", which expression shall unless repugnant to the meaning or context thereof include its success or sand permitted assigns)

AND

Preamble

Whereas the Principal/Owner has floated the Tender (NIT No (here in after referred to as "Tender/ Bid") and intends to award, under laid down organizational procedure, contract for **Repair and Maintenance of Mens club (SBI ATM and Multi-Function Hall) at Group Centre Avadi, Chennai-65.** Here in after referred to as the "Contract".

ANDWHEREAS the Principal/ Owner values full compliance with all relevant laws of the land, rules, regulations, economic use of resources and of fairness/ transparency in its relation with its Bidder(s) and Contractor(s).

ANDWHEREAS to meet the purpose aforesaid both the parties have agreed to enter into this Integrity Agreement (hereinafter referred to as "Integrity Pact" or "Pact"), the terms and conditions of which shall also be read as integral part and parcel of the Tender/ Bid documents and Contract between the parties.

NOW, therefore, in consideration of mutual covenants contained in this Pact, the parties here by agree as follows and this Pact witnesses as under:

Article1: Commitment of the Principal/Owner

The Principal/Owner commits itself to take all measures necessary to prevent corruption and to observe the following principles:

No employee of the Principal/Owner, personally or through any of his/ her family members, will in connection with the Tender or the execution of the Contract, demand, take a promise for or accept, for self or third person, any material or immaterial benefit which the person is not legally entitled to.

The Principal/Owner will, during the Tender process, treat all Bidder(s) with equity and reason. The Principal/Owner will, in particular, before and during the Tender process, provide to all Bidder(s) the same information and will not provide to any Bidder(s) confidential/additional information through which the Bidder(s) could obtain an advantage in relation to the Tender processor the Contract execution.

The Principal/Owner shall endeavour to exclude from the Tender process any person, whose conduct in the past has been of biased nature.

If the Principal/Owner obtains information on the conduct of any of its employees which is a criminal offence under the Indian Penal code (IPC)/ Prevention of Corruption Act,1988 (PC Act) or is in violation of the principles here in mentioned or if there be a substantive suspicion in this regard, the Principal/Owner will inform the Chief Vigilance Officer and in addition can also initiate disciplinary actions as per its internal laid down policies and procedures.

Article2: Commitment of the Bidder(s)/ Contractor(s)

It is required that each Bidder/ Contractor (including their respective officers, employees and agents) adhere to the high esthetical standards, and report to the Government/ Department all suspected acts of fraud or corruption or Coercion or Collusion of which it has knowledge or becomes aware, during the tendering process and throughout the negotiation or award of a contract.

The Bidder(s)/ Contractor(s) commit himself to take all measures necessary to prevent corruption. He commits himself to observe the following principles during his participation in the Tender process and during the Contract execution:

The Bidder(s)/ Contractor(s) will not, directly or through any other person or firm, offer, promise or give to any of the Principal/ Owner's employees involved in the Tender process or execution of the Contract or to any third person any material or other benefit which he/she is not legally entitled to, in order to obtain in exchange any advantage of any kind whatsoever during the Tender process or during the execution of the Contract.

The Bidder(s)/ Contractor(s) will not enter with other Bidder(s) into any undisclosed agreement or understanding, whether formal or informal. This applies in particular to prices, specifications, certifications, subsidiary contracts, submission or non- submission of bids or any other actions to restrict competitive or to cartelize in the bidding process. Competitiveness or to cartelize in the bidding process.

The Bidder(s)/ Contractor(s) will not commit any offence under the relevant IPC/PC Act. Further the Bidder(s)/ Contract(s) will not use improperly, (for the purpose of competition or personal gain), or pass on to others, any information or documents provided by the



Principal/ Owner as part of the business relationship, regarding plans, technical proposals and business details, including information contained or transmitted electronically.

The Bidder(s)/ Contractor(s) of foreign origin shall disclose the names and addresses of agents/ representatives in India, if any. Similarly, Bidder(s)/ Contractor(s) of Indian Nationality shall disclose names and addresses of foreign agents/ representatives, if any. Either the Indian agent on behalf of the foreign principal or the foreign principal directly could bid in a tender but not both. Further, in cases where an agent participates in a tender on behalf of one manufacturer, he shall not be allowed to quote on behalf of another manufacturer along with the first manufacturer in a subsequent/ parallel tender for the same item.

The Bidder(s)/ Contractor(s) will, when presenting his bid, disclose any and all payments he has made, is committed to or intends to make to agents, brokers or any other intermediaries in connection with the award of the Contract.

The Bidder(s)/ Contractor(s) will not instigate third persons to commit offences outlined above or be an accessory to such offences.

The Bidder(s)/ Contractor(s) will not, directly or through any other person or firm indulge in fraudulent practice means a willful misrepresentation or omission of facts or submission of fake/ forged documents in order to induce public official to act in reliance thereof, with the purpose of obtaining unjust advantage by or causing damage to justified interest of others and/ or to influence the procurement process to the detriment of the Government interests.

The Bidder(s)/ Contractor(s) will not, directly or through any other person or firm use Coercive Practices (means the act of obtaining something, compelling an action or influencing a decision through intimidation, threat or the use of force directly or indirectly, where potential or actual injury may be fall upon a person his/ her reputation or property to influence their participation in the tendering process).

Article 3: Consequences of Breach

Without prejudice to any rights that may be available to the Principal/ Owner under law or the Contractor its established policies and laid down procedures, the Principal/ Owner shall have the following rights in case of breach of this Integrity Pact by the Bidder(s)/ Contractor(s) and the Bidder/ Contractor accepts and undertakes to respect and uphold the Principal/ Owner's absolute right:

If the Bidder(s)/ Contractor(s), either before award or during execution of Contract has committed a transgression through a violation of Article 2 above or in any other form, such as to put his reliability or credibility in question, the Principal/ Owner after giving14 days' notice to the contractor shall have powers to disqualify the Bidder(s)/ Contractor(s) from the Tender process or terminate/ determine the Contract, if already executed or exclude the Bidder/ Contractor from future contract award processes. The imposition and duration of the exclusion will be determined by the severity of transgression and determined by the Principal/ Owner. Such exclusion may be forever or for a limited period as decided by the Principal/Owner.

2. Forfeiture of EMD/ Performance Guarantee/ Security Deposit: If the Principal/ Owner has disqualified the Bidder(s) from the Tender process prior to the award of the Contractor terminated/ determined the Contractor has accrued the right to terminate/ determine the Contract according to Article3(1), the Principal/ Owner apart from exercising any legal rights that may have accrued to the Principal/ Owner, may in its considered opinion forfeit the entire amount of Earnest Money Deposit, Performance Guarantee and Security Deposit of the Bidder/ Contractor.

Criminal Liability: If the Principal/Owner obtains knowledge of conduct of a Bidder or Contractor, or of an employee or a representative or an associate of a Bidder or Contractor which constitutes corruption within the meaning of IPC Act, or if the Principal/Owner has substantive suspicion in this regard, the Principal/Owner will inform the same to law enforcing agencies for further investigation.

Article 4: Previous Transgression

The Bidder declares that no previous transgressions occurred in the last 5 years with any other Company in any country confirming to the anticorruption approach or with Central Government or State Government or any other Central/State Public Sector Enterprises in India that could justify his exclusion from the Tender process.

If the Bidder makes incorrect statement on this subject, he can be disqualified from the Tender process or action can be taken for banning of business dealings/ holiday listing of the Bidder/Contractor as deemed fit by the Principal/ Owner.

If the Bidder/Contractor can prove that he has resorted / recouped the damage caused by him and has installed a suitable corruption prevention system, the Principal/Owner may, at its own discretion, revoke the exclusion prematurely.

Article 5: Equal Treatment of all Bidders/Contractors/Subcontractors

The Bidder(s)/Contractor(s) undertake(s) to demand from all sub-contractors a commitment in conformity with this Integrity Pact. The Bidder/Contractor shall be responsible for any violation(s) of the principles laid down in this agreement/Pact by any of its Subcontractors/sub-vendors.

The Principal/Owner will enter into Pacts on identical terms as this one with all Bidders and Contractors.

The Principal/Owner will disqualify Bidders, who do not submit, the duly Signed Pact between the Principal/Owner and the bidder, along with the Tender or violate its provisions at any stage of the Tender process, from the Tender process.

Article 6-Duration of the Pact

This Pact begins when both the parties have legally signed it. It expires for the Contractor/Vendor 30 Days after the completion of work under the contract or till the continuation of defect liability period, whichever is more and for all other bidders, till the Contract has been awarded

If any claim is made/lodged during the time, the same shall be binding and continue to be valid despite the lapse of this Pacts as specified above, unless it is discharged/determined by the Competent Authority, CRPF.



Article 7-Other Provisions

This Pact is subject to Indian Law, place of performance and Jurisdiction is the Headquarters of the Division of the Principal/Owner, who has floated the Tender.

Changes and supplements need to be made in writing. Side agreements have not been made.

If the Contractor is a partnership or a consortium, this Pact must be signed by all the partners or by one or more partner holding power of attorney signed by all partners and consortium members. In case of a Company, the Pact must be signed by a representative duly authorized by board resolution.

Should one or several provisions of this Pact turnout to be in valid; the remainder of this Pact remains valid. In this case, the parties will strive to come to an agreement to their original intensions.

It is agreed term and condition that any dispute or difference arising between the parties with regard to the terms of this Integrity Agreement / Pact, any action taken by the Owner/Principal in accordance with this Integrity Agreement/ Pact or interpretation thereof shall not be subject to arbitration.

Article 8-LEGAL AND PRIOR RIGHTS

All rights and remedies of the parties hereto shall be in addition to all the other legal rights and remedies belonging to such parties under the Contract and/or law and the same shall be deemed to be cumulative and not alternative to such legal rights and remedies aforesaid. For the sake of brevity, both the Parties agree that this Integrity Pact will have precedence over the Tender/Contract documents with regard any of the provisions covered under this Integrity Pact.

IN WITNESS WHEREOF the parties have signed and executed this Integrity Pact at the place and date first above mentioned in the presence of following witnesses:

(For and	on behalf of Principal/ Owner)
Place:	(For and on behalf of Bidder/ Contractor)
Dated:	
WITNES	SES:
1	(signature, name and address
2	
(signatu	re, name and address)



То

Appendix-'B'

FORM OF BANK GUARANTEE FOR EARNEST MONEY DEPOSIT / PERFORMANCE **GUARANTEE / SECURITY DEPOSIT**

(Guarantee offered by Bank to CRPF in connection with the execution of contracts) **(ON NON-JUDICIAL STAMP PAPER OF MINIMUM RS. 100 DULY NOTARIZED)**

	The Presi	dent o	f India,												
Governn	nent") h	nas	invited	bids	under		Enqui	iry	no	(dated	202	5 for	einafter called " the work agreed to acc	of
irrevoca EARNES	ble Bank ST MONE	Guara Y D E	ntee for POSIT	Rs. from		(1	Rupees ligation					only) (name a	valid up nd add	oto//20 ³ ress of contrac	* as
M/S Contrac	nent") has tor")	s ent	ered in exec	to an	agreement of	bearing the	g num wor	ber (k	(name an of	d addre	ss of the	contrac	Date tor) (her	einafter called "/20 veinafter called	with "the at
Rs		 ECUR	(Rupees I TY DE							only) v	alid upt	o/	/20* a	Bank Guarantee as PERFORMAI with the terms	NCE
3. due and required as regar restricte 4. Government of the regard absolute there ur 5. fullest lift said agree the power said agree for any for matter of 6. option sethe Conformatter of 7. 8. except w 9. "Notwith (Rupees expiry of the conformatter of the Conformatt	underta We, I payable used to meet the distriction of the arm of the a	moneyudicial quivocane Con- ut our o exterable by we show a cut soeve antered the Guarante cut our antered the Guarante cut our our outsoeve antered the Guarante cut our our outsoeve antered the Guarante cut our outsoeve antered the Guarante cut outsoeve outsoe	to proveries of due and due and due and stamp al. The proveries of the Govall not be formall not	antee lue or lue	without any without any without any tikely to be dable by the Rs	Government of the control of the con	mment y) on de (in merely the said moder th (Rup (Rup (Rup (Indicate manner ontractor y reason ment or eties woo (in me Bank uarante hange ir (in	an mand dicate on a d Correlation a d Correlation a d Correlation and a dicate the rour r from r and a dicate the case a the a the dicate a case the a the dicate a d	a amound by the Ge the name demand in the tractor. A court or Tox Guarant ender a grand of the following such parts of the following such parts of the following such valued of the following such values and unless extend this guarant with the following such values and unless extended the following such values and	ant n fovernmente of the rom the carry such Howeve mame of the strained for instance shall ayment. The banks here united or enforce of the debtor are the may on of the first of the strained	ot except within bank), do Governme, demand or, our liable be a valid be a va	the Government of the Governme	Rs. of the de undertak g that the the Bank der this	te to pay the amore amount claimed shall be conclus guarantee shallonly). Hertake to pay a suit or proceed in the conclusion of the conclusion of the conclusion of the said Contracter cactor or by any set of the said Contracter actor	ounted is sived in the control of th
	.//20														
Witnes	ses														
Name a	ature and address	3 :							Authorize Name Designat Staff code	ion	: :				
_	ature and address												Bank	seal	

^{*}Date to be worked out on the basis of validity period of 90 days where only financial bids are invited and 180 days for two/three bid system from

the date of submission of tender.

**In paragraph 1, strike out the portion not applicable. Bank Guarantee will be made either for earnest money or for performance guarantee/security deposit/mobilization advance/Refund of mile stone withheld amount, as the case may be.



Appendix-'C'

TENDER ACCEPTANCE LETTER (To be given on Company Letter Head)

Date :/20
ender.
t(s) for the above mentioned 'Tender/Work' from 'eprocure.gov.in/eprocure/app (CPPP) as per
terms and conditions of the tender documents ant Instruction & Guidelines, General Condition /Schedule of Quantity, Annexure(s), Schedule(s in into account the above while quoting the rates contained therein.
department/ organizations too have also been ter.
onditions/above points without any reservation
ted , then your department/ organization shal reject this tender/bid including the forfeiture o
Yours Sincerely Signature of the Contractor (with Official Seal)



Appendix-'D'

DECLARATION BY THE CONTRACTOR

{AFFIDAVIT ON A NON JUDICIAL STAMP PAPER OF RS.100/-DULY NOTARIZED}

M/S	Ι,			sole	sole proprietor/partner/authorized signatory of proprietorship/partnership firm/public/private limited
company	, having	its	principal	place	of business/registered office (Full Address) do hereby solemnly affirm and declare
at as under	:-				(run Address) do hereby soleminy amirin and deciare
	That I am the sol	e proprietor of M	I/S		
				Or	
	That ours is partr	ership firm hav	ing partners as unde	r (Full Name	e of partners) :-
	(a)				
	(b)				
	(c)				
	(d)				
	(-)			Or	
	That avec is a m	wirroto limitod/s	ublic limited comp		orated in terms of the provisions of the Companies
	5/Companies Act,		оприс пшите сощр	any incorp	oraced in terms of the provisions of the Companies
		(Del	ete which is not appl	icable while	typing affidavit)
Private I All the pa	Limited/Public Lir artners/ directors of Resolution in case	nited Company, should sign the a	Certificate of incorpo ffidavit or the person	oration and authorized l	Memorandum & Articles of association to be enclosed, if Memorandum & Articles of association to be submitted. by all the partners or one of the Directors duly authorized ll the partners/or Board Resolution in case of Company is
blacklist		barred or on Ho	liday list with any co		M/S is not Private/Public Ltd. or Government Company/Government
04.	I know that to swe	ar a false affidavi	t is a crime under the	law and with	n such knowledge only I have swear this Affidavit.
			2)	(Signature of	f the Proprietor / Managing Partner/Director) (with official seal)
					that the contents of paras 1 to 4 of this aterial has been concealed or falsely stated therein."
DEPONE	NT – 1				
DEPONE	NT – 2				
(_)			
(Signatu	re & Seal of Notar	y)			



Appendix-'E'

GUARANTEE TO BE EXECUTED BY CONTRACTORS FOR REMOVAL OF DEFECTS AFTER COMPLETION IN RESPECT OF WATER PROOFING WORKS AND ATT

The Agreement made this
WHEREAS this agreement is supplementary to a contract (hereinafter called the Contract) dated and made between the GUARANTOR of the one part and the Government of the other part, whereby the Contractor, inter alia, undertook to render the buildings and structures in the said contract recited completely water and leak-proof.
AND WHEREAS GUARANTOR agreed to give a guarantee to the effect that the said structures will remain water and leak-proof for five years from the date of giving of water proofing treatment.
NOW THE GUARANTOR hereby guarantees that water proofing treatment given by him will render the structures completely leak-proof and the minimum life of such water proofing treatment shall be five years to be reckoned from the date after the maintenance period prescribed in the contract.
Provided that the guarantor will not be responsible for leakage caused by earthquake or structural defects or misuse of roof or alteration and for such purpose:
(a) Misuse of roof shall mean any operation which will damage proofing treatment, like chopping of firewood and things of the same nature which might cause damage to the roof;
(b) Alteration shall mean construction of an additional storey or a part of the roof or construction adjoining to existing roof whereby proofing treatment is removed in parts;
(c) The decision of the Engineer-in-Charge with regard to cause of leakage shall be final.
During this period of guarantee the guarantor shall make good all defects and in case of any defect being found, render the building water-proof to the satisfaction of the Engineer-in-Charge at his cost, and shall commence the work for such rectification within seven days from the date of issue of the notice from the Engineer-in-Charge calling upon him to rectify the defects, failing which the work shall be got done by the Department by some other contractor at the GUARANTOR'S cost and risk. The decision of the Engineer-in-Charge as to the cost, payable by the Guarantor shall be final and binding.
That if GUARANTOR fails to execute the water proofing or commits breach thereunder then the GUARANTOR will indemnify the Principal and his successors against all loss, damage, cost, expense or otherwise which may be incurred by him by reason of any default on the part of the GUARANTOR in performance and observance of this supplementary agreement. As to the amount of loss and/or damage and/or cost incurred by the Government the decision of the Engineer-in-Charge will be final and binding on the parties.
IN WITNESS WHEREOF these presents have been executed by the Obligor
Signed, sealed and delivered by OBLIGOR in the presence of—
1.
2.
Signed for and on behalf of THE PRESIDENT OF INDIA by in the presence of—
1.
2.



Appendix-'F'

BASIC INFORMATION ABOUT THE BIDDER/FIRM/CONTRACTOR

S/N	Pa	rticulars	Specific answer/details by the Bidder/Contractor
1	Name of the Firm		M/S
2	Complete postal address o	f Area/Village/Location	
	the firm with thei	1 000	
	registered office	P.S.	
		Tehsil	
		District	
		State	
		Pin	
		Contact/Mobile No.	
		E-Mail I.D. of firm	
3		ther Sole Proprietorship /	
		td. or Cooperative Body etc).	
4		Firm of the Proprietor/	(a)
	Partners/ Directors.		(b)
			(c)
5	Full name & address of th documents (<i>In block letter</i>		
	,	· ·	
6	tion with which	ation No. with date of issue :-	
	the firm is 111) Registr	ation issued by (Authority) :-	
	registered for iii) Regist	ration valid up to (Date) :-	
	the tendered iv) Regist	ration Class :-	
	work along with v) Nature	of works (Road/Building etc.)	
	following details		
	Details of Permanent Accou	nt No. (PAN)	
	Details of GST No.		
/		Account No. :-	
		Code of the branch :-	
		k Name :-	
	iv) Brai :-	nch Name & Address of Bank	
	v) Whe	ther branch is NEFT/	
	RTGS	•	
	enabled	(Yes / No) :-	
		itigation arisen in the contracts	
		rears/being executed. If yes, please	
	rurnish the name of the p	roject, employer, nature of work	*
	contract value, work order details of litigation.	and date and brief	
	uetans of infigation.		

Note :- <u>Bidder may please note that if the answer so furnished are not clear and/or are evasive, the tender will liable to be ignored.</u>

[Signature
of the Contractor(wit	h Official Seal)



Annexure-II

FORMAT OF SOLVENCY CERTIFICATE

Format 1

Reference No	Date
То	
(Name of Firm	
(Address)	
This is to state that to the best of our kn Ms./M/s	spectable and can be treated as summers. It ished without any risk and soever more particularly either
Place:	
Date:	Branch Manager (with bank seal)
OR Format 2	
Reference No	Date
To	
(Name of Firm (Address)	n)
This is to certify that as Shri/Smt./Ms, is solvent up to	Rs (Rupees lid for the period from without any guarantee or
Place:	Dromals Marsa
Date:	Branch Manager (with bank seal)

^{*}For the purpose of guidance.