

# GOVERNMENT OF INDIA, MINISTRY OF HOME AFFAIRS CENTRAL RESERVE POLICE FORCE O/O THE IGP, NS CRPF RK PURAM, NEW DELHI-110066 Control Room+- 011-20862601



Web.Site: <a href="http://eprocure.gov.in/eprocure/app(cppp">www.crpf.nic.in /http://eprocure.gov.in/eprocure/app(cppp)</a>)

Tender Enquiry No. M-V-1/2025-26-NS(PKE)-Rohini

Dated, the 12/12/2025

#### **E-TENDER NOTICE**

DIG(Adm), NS CRPF, R.K. Puram, New Delhi for and on behalf of the President of India invites online tenders under two bid system (Technical and Financial bid) from registered firms/contractors for the work of Providing & fixing of fire protection system in multi-purpose hall at CRPF Public School, Rohini, New Delhi

- 2. Bids will be accepted online at CRPF website (<a href="http://crpf.nic.in/tender-notice.htm">http://crpf.nic.in/tender-notice.htm</a>) and at e-Procurement website <a href="http://eprocure.gov.in/eprocure/app">http://eprocure.gov.in/eprocure/app</a> (CPPP).
- 3. All relevant details, including specification, terms & conditions etc are available on CRPF website (http://crpf.nic.in/tender-notice.htm) and at e-Procurement website http://eprocure.gov.in/eprocure/app (CPPP) and same may be downloaded by the bidders.
- 4. For any changes/amendment in Tender Enquiry/Specifications etc., tenderers are requested to visit the CRPF/CPPP web sites regularly.
- 5. Tender Amount : **Rs. 32,08,649/-**
- 6. The EMD is: Rs. 64,173/- in favour of DIG (ADM) NS HQ, CRPF, New Delhi payable at SBI R.K. Puram, New Delhi (Code No. 1076)
- 7. Date of availability of tender on CRPF website: as per CPP Portal.
- 8. In case of any problem please contact on telephone numbers 011-20862601

SD/-12/12/2025 DIG (Adm) NS CRPF, RK Puram, New Delhi [For and on behalf of the President of India]

Copy forwarded to the DIG (IT), Dte. General, CRPF, along with a soft copy of E-Tender Enquiry for publication of the TE on CRPF website. (Through Selo)

#### (A)SCHEDULE TO TENDER:

Schedule to Tender No.		:	M-V-1/2025	-26-NS(PKE)	-Rohini			
Last date and time of receipt of on-line & Manual documents of tender			:	As per C	PP Portal			
	Time and date of on-line opening e- tender			As per C	PP Portal			
Valid	dity of offer		:		The tender shall remain open for acceptance till 180 days from the date of opening of Tender.			
Sl. No.	Ref.No.	Name of work & Location		Earnest Money	Tender cost	Period of Completi on	Last date & time of Submission of tender	Time & date of opening of tender
01	M-V-1/2025-26 -NS (PKE)- Rohini	Providing & fixing of fire protection system in multipurpose hall at CRPF Public School, Rohing New Delhi	n i- at ic	Rs. 64,173/- in favour of DIG (ADM) NS HQ, CRPF, New Delhi payable at SBI R.K. Puram, New Delhi (Code No. 1076)	Rs. 32,08,649	Within 90 days from the date of award of contract	As per CPP Portal	As per CPP Portal

#### B. Terms and conditions are as under:

1.Terms of	1.1 Rates quoted by the Contractor should be in Indian Rupees both in figures as well as in
Price	words for complete units as per specifications any and every alteration in the rates should
	be signed in ink otherwise the offers will not be considered.
	1.2 Contractor should clearly indicate different taxes and duties, which they propose to charge
	as extra along with the present rates thereof. Offers with such stipulations like 'as
	applicable' will be treated as vague and are liable to be ignored.
2. Payment	<b>2.1</b> Works are required to be executed on <b>credit basis only</b> and payment will be made after
terms	drawl of amount from PAO/RPAO, CRPF
	2.2 Payment in advance or immediately on delivery of material cannot be considered and
	tender with such condition will be rejected.
	2.3 The Payment action will be processed on production of the following documents:-
	a) Bill in Triplicate.
	b) A Copy of award of work.

- c) A copy of Certificate issued by the DIG (ADM) NS HQ, CRPF, New Delhi /Work Committee of DIG (ADM) NS HQ, CRPF, New Delhi that contracted work for the period for which payment has been claimed, has carried out by the contractor satisfactory.
- 2.4 TDS, Labour Cess and other taxes will be deducted from the Bill of contractor by PAO/RPAO as per norms.
- 2.5 Tenderers are requested to check physically the location where the work **Providing &** fixing of fire protection system in multi-purpose hall at CRPF Public School, Rohini, New Delhi to be carried out and other technical details before submitting the tender. TEC detailed by the DIG (Adm) NS CRPF New Delhi, will check technical bid of only those firms, which qualify in technical bid.

### 3. Earnest Money

Deposit

- 3.1 All the contractors are required to deposit required earnest money 64,173/- only
- 3.2 The earnest money can be deposited through any of the following alternative forms:
- (a) A DD/FDR drawn in favour of DIG (ADM) NS HQ, CRPF, New Delhi payable at SBI R.K. Puram, New Delhi (Code No. 1076). Cash EMD will not be accepted.
- (b) An **irrevocable Bank Guarantee** of any nationalized, scheduled bank or reputed commercial bank in the attached format as at **Appendix-A**.
- 3.3 The earnest money shall remain valid and to be deposited with the purchaser for a **period of 90 days** from the date of tender opening. If the validity of the tender is extended, the validity of the Bank Guarantee/or any other alternate document submitted in lieu of earnest money will also be suitably extended by the tenderer, failing which their tender after the expiry of the aforesaid period shall not be considered by the purchaser.
- 3.4 **No interest** shall be payable on the earnest money deposited by the tenderer.
- 3.5 The earnest money deposited **is liable to be forfeited** if the tenderer withdrawn or amends impairs or derogates from the tender in any respect within the period of validity of his tender.
- 3.6 The earnest money of the successful tenderer shall be returned after the security deposit as required in terms of the contract is furnished by the tenderer.
- 3.7 If the successful tenderer fails to furnish the security deposit as required in the contract within the stipulated period, the earnest money shall be treated as performance security deposit for all practical purposes.
- 3.8. Earnest money deposits of all the unsuccessful tenderers will be returned as early as possible after the expiry of bid's validity, but not later than 30 days after placement of contract. Tenderers are advised to send a **pre receipt challan** along with their bids so that refund of earnest money can be made in time.
- 3.9. Any tender, where the tenderer is required to deposit earnest money in terms of conditions mentioned in preceding paras, not accompanied with earnest money in any one of the approved forms acceptable to the competent authority, shall be summarily rejected.

#### 4.Performan ce Security Deposit

4.1. The successful contractor shall have to deposit a Performance Security **equivalent to 5% of the contract value** of the work to be executed **within 07 days from the date of award of contract** for due performance. Failure on the part of the firm to Deposit the Performance Security Deposit within the stipulated time empowers the competent authority to cancel the contract.

- **4.2**. The Performance Security Deposit submitted by the contractor will remain valid at least for 180 days beyond the date of completion of work as well as all contractual obligations of the supplier including guarantee/warrantee obligations.
- **4.3.** The performance security deposit can be deposited in any of the following alternative forms:
- (a) A performance security deposit drawn in favour of DIG (ADM) NS HQ, CRPF, New Delhi payable at SBI R.K. Puram, New Delhi (Code No. 1076).
- (b) An **irrevocable Bank Guarantee** of any nationalized/Scheduled Bank or reputed commercial bank in **any other form prescribed.**
- **4.4.** If the contractor fails to start the work within the stipulated period and places and requests for extension of time, he shall submit an undertaking on Non Judicial stamp paper of Rs.10/duly attested by the Notary public stating that the performance security deposit has already been extended for sixty days beyond the guarantee/warrantee period.
- **4.5.** The Performance Security Deposit shall be withheld or forfeited in full or part in case the work order is not executed satisfactorily within the stipulated period or requisite standard within the guarantee period is not undertaken to the best satisfaction of the user.

# 5. Eligibility of Contractor

The Tenderer should be a Govt. registered like CPWD, MES, BRO, NBCC, State PWD, Any other PSU participating. (MSME registration certificate will not consider as firm registration certificate.)

- 1. The enlistment of the contractor should be valid on the last date of submission of Bids.
- 2. In case the last date of submission of Bid is extended, the enlistment of the contactor should be valid on the original date of submission of Bids.
- 3. Supply order as a experience certificate will not be considered, In case of execution of work/repair and renovation work.
- 4. Attested copy of registration in any Govt. deptt. as approved contractor (Registration details showing appropriate class and category).
- 5. A copy of Registration Certificate as a "Contractor" issued by competent authority of CPWD/MES/NBCC/BRO/Other Central Govt. Departments/ State PWO or Equivalent and experience of fire- fighting work in any central Govt./State Govt/PSU agency is mandatory to be uploaded with the tender documents by the Bidder (s). In case validity of enlistment/registration/trade license expired and the concerned firm has applied for renewal to the concerned department or ministry, the relevant documents of such renewal application along with undertaking of the firm should be essentially submitted with their bid.]
- 6. All Firms are required to submit Eligibility documents of executing similar works.
  - (i) Experience of having successfully completed works during the last 3 years ending previous day of last date of submission of tenders three similar completed works, each costing not less than the amount equal to 40% of estimated cost put to tender.

OR

Two similar completed works, each costing not less than the amount equal to 60% of the estimated cost put to tender.

OR

One similar completed work of aggregate cost not less than the amount equal to 80% of the estimated cost

#### 6. TWO BID SYSTEM :-

- 6.1. Since the work to be undertaken is of a complex and technical nature, bids are required to be submitted in two parts as under:-
- 6.2. Bids will be accepted only On-line at e-procurement web site <a href="http://eprocure.gov.in/eprocure/app">http://eprocure.gov.in/eprocure/app</a> (CPPP).

6.3 Technical bid :- Following documents and information to be fulfilled and submitted as part of technical bid:-

Original and offline to be dropped in the tender box in a sealed envelope:-

# Note:- Tenderers are requested to submit offline only required documents instead of complete tender enquiry to DIG (ADM) NS HQ, CRPF, New Delhi.

S.No.	Name of documents	Description of documents
01	Tender Acceptance Letter (To be given on Company Letter Head)	APPENDIX- E, duly signed by bidder.
02	EMD document to be deposited in original	To be submitted offline in original
		<u> </u>

6.4 Scanned copy of Documents to be submitted in tender web site http://eprocure.gov.in/eprocure/cppp:-

S. No.	Name of documents	Description of documents
1	Tender Notice	All pages of tender notice duly signed by authorized person and seal of the firm marked.
2	CPWD, MES, BRO, NBCC, PWO Reg Certificate (MSME registration certificate will not consider as firm registration certificate.)	The contractor has experience of fire- fighting work in any central Govt./State Govt/ PSU agency
3	PAN card details	
4	Scan copy of EMD	
5	Scan copy of Tender Acceptance Letter	
6	GSTIN/ Firm registration certificate	
7	Bank guarantee for furnishing performance security deposit	APPENDIX-A
8	Performance statement of last Five years with work completion certificate. (As per NIT Clause 5.5.1)	APPENDIX-B
9	List No. 01 (duly filled)	APPENDIX-C
10	Questionnaires/ Check list (Must be filled in all respect)	APPENDIX-D
11	Tender acceptance letter (duly filled)	APPENDIX-E
12	Index of Documents (Indicate page number of tender documents required).	APPENDIX-H
13	Integrity pact (duly filled)	APPENDIX-I
14	Last three year income tax return(2022-23, 2023-24,2024-25)	
15	EPF&ESI Registration certificate.	
16	Complete postal address of contractor/firm along with copy of valid I/Card/Voter I/D card Aadhar card etc	

17	Banker's Certificate/ Solvency	from the authorized
	certificate Solvency	bank in India (The
	Certificate	contract or must have a
		solvency at least 25% of
		Estimated Cost put to
		tender (ECT) duly
		certified by the Banker.
		Please note that the
		solvency certificate
		should not be more than
		06 months old prior to
		the date of submission
		of tender or should have
		validity as on last date
		of submission of tender.
		[Note:-Form at of solvency
		certificate is given in
		Annexure-II for the
		purpose of guidance]
18		
	arbitration resulting from contracts	
	executed by the bidder in the last five	
	years or currently under execution as	
	provided.	
	Bidder has to submit on-line scanned copy	
	of an information regarding litigation,	
	arbitration, black listing, debarring etc. This document must be up loaded on line	
	duly signed by the bidder.	
19		
	Vork completion certificate of similar nature of	work with performance statement submitte
	documents.	Work with performance succession succession
	Financial / price bid :- The composite bid	shall be quoted as per enclosed BOO for
	ided along with tender document at E –Procurem	
	The technical bids are to be opened at the first	
	ority. In the second stage, financial bids of only	•
open	ed for further evaluation and ranking before awa	rding the contract.
6.8:	The tender enquiries duly filled in all respects	s and having completed in all applicable
form	alities may be sent to DIG (ADM) NS HQ,	CRPF, New Delhi so as to reach on or
befor	re as per CPP Portal to the tender enquiry. De	epartment is not responsible for any postal
delay	as well as technical problem at portal/site.	

#### 7. WORK SPECIFICATION

The work shall be carried out according to C.P.W.D. Specifications 2019 Vol-I &II including up to date correction slip sand as per additional condition sand directions of Engineer-in-charge.

#### 8. SITE VISIT AND COLLECTING LOCAL INFORMATION

Before tendering, the tenderer is advised to visit the site, its surroundings to assess and satisfy themselves about the local conditions such as the working and other constraints at site, approach roads to the site, availability of water & power supply, application of taxes, duties and levies as applicable, accommodations they may require etc. & any other relevant information required by them to execute complete scope of work. The tenderer may obtain all necessary information as to risks, weather conditions, contingencies & other circumstances

(insurgencies etc.) which may influence or affect their tender prices. Tenderer shall be deemed to have considered site conditions whether he has inspected it or not and to have satisfied himself in all respect before quoting his rates and no claim or extra charges whatsoever in this regard shall be entertained / payable by the **DIG (ADM) NS HQ, CRPF, New Delhi** at alter date.

#### 9. VALIDITY OF TENDER

The bids for the work shall remain open for acceptance for a period of 180 days from the date of opening of technical bids in case. Further,

- (i) If any tenderer withdraws his tender or makes any modification in the terms & conditions of the tender which is not acceptable to the department within 7 days after last date of submission of bids, then the Government shall without prejudice to any other right or remedy, be at liberty to forfeit 50% of the earnest money absolutely irrespective of letter of acceptance for the work is issued or not.
- (ii) If any tenderer withdraws his tender or makes any modification in the terms &conditions of the tender which is not acceptable to the department after expiry of 7 days after last date of submission of bids, then the Government shall without prejudice to any other right or remedy, be at liberty to forfeit 100% of the earnest money absolutely irrespective of letter of acceptance for the work is issued or not.
- (iii) In case of for feature of earnest money as pre scribed in para (i) and(ii) above ,the bidders shall not be allowed to participate in there bidding process of the same work.

#### 10. REJECT/CANCEL/SCRAP

The Competent Authority has got the right to accept or reject/cancel/scrap the tender as whole or part of it and no claims what so ever will be entertained on this account. The competent authority also reserves the right to increase/decrease/alter the scope of work/quantity of work etc., and no claims what sever will been trained.

#### 11. Termination of agreement

- 11.1 If the services of the contractor are not found to be satisfactory, the contractor will be given a notice, with a **notice period of 6 days**, to improve his work. If the contractor fails to improve his work within the Notice period, User/Client shall have the discretion to terminate the contract either in part or in whole, on any day after the expiry of the said notice period. Also the contract may be terminated if:
  - a) the contractor commits a breach of any terms and conditions of this agreement and/or
  - b) the contractor is adjudged an insolvent or a compromise is entered by him with his creditors or if distress or execution or other process is levied upon or receiver is appointed for any part of the assets or property of contractor and/or
  - c) for any reason whatsoever, the contractor becomes disentitled in law to perform his obligations under this agreement and/or
  - d) There is any variation in the ownership/partnership or management of the contractor or his business without the prior approval in writing of the User/Client to such variation.
  - e) In case of fraud committed by the contractor, the client holds the rights to term in ate the contract and also forfeit the PG/EMD.
- 11.2 In the event of termination of this agreement for any reason whatsoever, the contractor/or persons employed by him or his agents shall not be entitled for any sum or sums whatsoever from the User/Client by way of compensation, damages or otherwise

7

#### 12. TERMINATION OF CONTRACT ON DEATH OF CONTRACTOR

Without prejudice to any of the right or remedies under this contract if the contractor dies, the DIG(Adm) NS CRPF Rk Puram New Delhi shall have the option of terminating the contract without compensation to the contractor. If the contractor is an individual or proprietary concern and individual or the proprietor dies or if the contractor is a partnership concern and one of the partner dies then unless, the AC (Engr.) NS HQr, New Delhi is satisfied that the legal representative of the individual for the proprietary concern or the surviving partners are capable of carrying out and completing contract, he DIG(Adm) NS CRPF Rk Puram New Delhi is entitled to cancel the contract for the uncompleted part without being in any way liable for any compensation payment to the estate of deceased contractor or to the surviving partners of the contractor's firm on account of the cancellation of contract. The decision of the DIG(Adm) NS CRPF Rk Puram New Delhi in such assessment shall be final and binding on the parties. In the event of such cancellation the DIG(Adm) NS CRPF Rk Puram New Delhi shall not hold the state of deceased contractor and/or the surviving partners of the contractor's firm liable for any damages for non-completion of contract.

**13. Escalation of Cost** Claims regarding escalation in cost of material & labour in any circumstance will not be entertained. The intending bidders before participating in the Tender must ensure the same.

#### 14. DIRECTION FOR WORKS

All works to be executed under the contract shall be executed under the direction and subject to approval in all respect of the **DIG** (**ADM**) **NS HQ**, **CRPF**, **New Delhi** /Work Committee/Officer commanding of Building /Engineer-in-Charge of **DIG** (**ADM**) **NS HQ**, **CRPF**, **New Delhi** who shall be entitled to direct at what point or points and in what manner works are to be commenced and executed.

#### 15. DEFECT LIABILITY PERIOD

- i) 12 Month from the date of Completion as certified by the DIG (ADM) NS HQ, CRPF, New Delhi /Officer commanding of Building Branch/Work Committee.
  - ii) The contractor shall stand guarantee for materials and workmanship. During the defect liability period, if any defect is observed due to workmanship or from any act or omission of the contractor, the contractor shall execute all such work of rectification and making good of defects, as maybe required of him by competent authority at his own cost and within the time stipulated by competent authority. If the contractor shall fail to do any such work as required by the competent authority, Security/Retention moneyshallbeliabletobeforfeitedandthecontractorshallmakehimliabletobeblacklisted.

#### 16. EXTENSION OF TIME -As per GCC Maintenance Manual Clause No.-5

#### 17. SECURITY DEPOSIT/ RETENTION MONEY

The security deposit @ 2.5% of the gross amount of the bill shall be deducted from final bill of the contractor. The contractor can also deposit the security deposit through **FDR** (**FDR** Should be valid for one year) @ 2.5% of the tendered amount in favour of **DIG** (**ADM**) **NS HQ**, **CRPF**, **New Delhi payable at SBI RK Puram New Delhi** before submitting the final bill for payment action. The security deposit or retention money shall be refunded to the contractor after **expiry of defects liability period** (referred to Clause **No.13**) or on payment of the amount of the final bill whichever is later. This is in addition to Performance Guarantee that the contractor is required to deposit.

- 17.1 Such deductions will be made and held by Government by way of Security Deposit unless he/they has/have deposited the amount of Security at the rate mentioned above in cash or in the form of Government Securities or fixed deposit receipts.
- 17.2 In case a fixed deposit receipt of any Bank is furnished by the contractor to the Government as part of the security deposit and the Bank is unable to make payment against the said fixed deposit receipt, the loss caused thereby shall fall on the contractor and the contractor shall forthwith on demand furnish additional security to the Government to make good the deficit.

- 17.3 All compensations or the other sums of money payable by the contractor under the terms of this contract may be deducted from, or paid by the sale of a sufficient part of his security deposit or from the interest arising there from, or from any sums which may be due to or may become due to the contractor by Government on any account whatsoever and in the event of his Security Deposit being reduced by reason of any such deductions or sale as aforesaid, the contractor shall within 10 days make good in cash or fixed deposit receipt tendered by the State Bank of India or by Scheduled Banks or Government Securities (if deposited for more than 12 months) endorsed in favour of the Estate Officer at concerned location, any sum or sums which may have been deducted from, or raised by sale of his security deposit or any part thereof.
- 18. Before starting the work the contractor shall chalk out a programme, in consultation with the DIG (ADM) NS HQ, CRPF, New Delhi or his authorized representative at least one week in advance. The contractor shall have to adhere to this programme failing which he shall be held responsible for any inconvenience caused to the occupants. In order to ensure that the work is carried out according to the program me drawn, the contractor shall ensure adequate supply of the material and employer required labour strength for execution of work. The contractor shall put his authorized representatives daily at the site of work /Enquiry Office for receiving instructions from DIG (ADM) NS HQ, CRPF, New Delhi and other inspecting officials from the department. His name and signature shall be attested by the contractor and kept on the record with the department.
- 19. Payment shall be made to contractor only after giving certificate about satisfactory completion of work. All measurement shall be recorded on standard measurement sheets which will be submitted to the DIG (ADM) NS HQ, CRPF, New Delhi for scrutiny and passing.
- **20. DIG** (**ADM**) **NS HQ**, **CRPF**, **New Delhi** /Works committee/Officer commanding of Building/Engineer-in-chargeshallscrutinizeandcheckthemeasurementrecordspractically/on ground based on the measurement sheet provided by contractor and final measurement sheet will be prepared by Engineer-in-charge of **DIG** (**ADM**) **NS HQ**, **CRPF**, **New Delhi** and forwarded to competent engineering authority for verification and vetting.
- While the tenderer and the purchaser shall make every effort to resolve any issue amicably through direct informal negotiation, in the event of any disagreement or dispute arising between the Tender or in connection with the contract shall be settled under court of law within its jurisdiction at state under. The resultant contract will be interpreted as per the prevailing Indian laws and various directions of the Govt. of India. Dispute in mode of measurement: In case of dispute as to the mode of measurement not covered by the contract to be adopted for any item of work, mode of measurements per latest Indian specification shall be followed.
- 22. Intending tenderer is eligible to submit the bid provided he has definite proof from the appropriate authority, which shall be to the satisfaction of the competent authority, of having satisfactorily completed similar works of magnitude specified.
- 23. The time allowed for carrying out the work will be within 90 days from the date of work order.
- **24.** The site for the work is available or the site for the work shall be made available in parts as specified above.
- 25. The contractor shall not be permitted to tender for works in the CRPF in which his near relative of CRPF is involved. If so, he shall also intimate the names of persons who are working with him in any capacity or are subsequently employed by him and who are near relatives to any CRPF

officer/personnel.

- 26. Department will not be responsible for any kind of incident involving the labour during or after the work. The contractor must insure the workers against all contingencies and be responsible for their safety.
- 26.1 The contractor/firm shall employ the required workmen [Skilled/Un-Skilled] as per terms and conditions of the tender enquiry. Immediately after award of contract, the contractor/firm should intimate name of workmen to whom the firm has employed for the tendered work along with complete details in firm's letter head and supporting papers of technical capabilities of the workmen where ever applicable against the contract. The workmen so engaged against the contract should maintain discipline inside of the campus.
- All works, complaints / instructions given by the respective authorities covered under the **Annual Maintenance Contract** are to be attended on the same day. In case of delay in attending the work in time, User/Client will be at liberty to get the work done through any other agency and the cost therefore shall be recovered from the Contractor at the discretion of User/Client.
- 26.3. Personnel employed for operation of STP/Water treatment plant/ESS should have experience of Operation, maintenance & services of respective services and equipment and all personal records should be maintained by the contractor.
- 26.4 The workmen engaged by the contractor/agency shall be at their own risk and in case of any untoward, incident, mishap the contractor/agency will be liable for such risks and the department will not be held responsible in any way for such mishap and untoward incidents.
- 26.5 Technical manpower should be provided by successful bidder to execute the specialized work.
- 26.6 User/Client shall not be responsible for the release of benefits, such as salary, leave, Provident Fund, ESI, Pensioner benefits or allowances to the staff employed by the contractor. User/Client will not be held responsible for any Accident/injury/carrying out default work and any statutory levied by the govt./ state government. etc. Excess payment due to any changes in the Minimum Wages Act or in any other labour legislation/provisions or other statutory obligations during the validity period of the contract shall be the responsibility of the contractor.
- 26.7 The contractor will be responsible and ensure timely payment to its personnel deployed in the premises and compliance of all statutory provisions relating to minimum wages, Provident Fund and Employees State Insurance, etc. in respect of the persons deployed by them in User/Client and under intimation/in the presence of User/Client officer. The Contractor shall be responsible to fulfill all the obligations in connection with the workers employed by it for the purpose of the Contract and all the Statutory and other liabilities if any including minimum wages of Central/ State Govt. (whichever is higher shall be applicable), leave, salary, uniform, identity cards, ex-gratia, ESI, Provident Fund, Workman Compensation, if any, etc. (as applicable) in connection therewith shall be on the Contractor account and payable by the concerned Contractor. The contractor shall liaise with Labor Deptt. of State Govt. / Central Govt. and comply with all necessary regulations/instructions in this regard.
- 26.8 The Contractor shall be fully responsible and shall indemnify User/Client with suitable Insurance cover in the event of any damage to men or material, injury / damage or death as the case may be, caused directly or indirectly due to the negligence of the Contractor or his agents and / or his employees or workmen. The decision of User/Client in this regard shall be final and binding.
- 26.9 The contractor's personnel shall not claim any benefit/ compensation /absorption /regularization of services under the provision of the Industrial Disputes Act, 1947 or Contract Labour (Regulation & Abolition) Act, 1970.
- 26.10 In case of any default or failure on Contractor's part to comply with all / any one of the Terms / Conditions, User/Client reserves the right to take necessary steps to remedy the situation including, inter-alia, the deduction of appropriate amount/s from dues otherwise payable to Contractor and/or by taking recourse to appropriate recovery proceedings. The contractor shall keep User/Client indemnified against all claims whatsoever in respect of the manpower deployed by it in User/Client. In case any employee of the contractor so deployed enters in dispute of any nature whatsoever, it will be the primary responsibility of the contractor to contest the same. In case User/Client or its employee is made party and is supposed to contest the case, User/Client will be reimbursed for the actual expenses incurred towards Counsel Fee and other expenses which shall be paid in advance by the contractor to User/Client or any person authorized by User/Client, on demand. Further, the contractor will ensure that no financial or any other liability comes to User/Client or its employee in this respect of any nature whatsoever and shall keep User/Client or any employee of User/Client indemnified in this respect.
- 26.11 For any dispute, the decision of User/Client shall be final and binding upon the contractor. However, any dispute or difference whatsoever arising on any matter concerning this contract between the parties out of or relating to the

services, meaning, scope, operation or effect of this contract or the validity or the breach thereof shall be settled through court of law.

26.12 On site storage space will be provided to the Contractor subject to availability. However, the Contractor may erect temporary sheds for storage purposes at his cost with the permission of the User/Client. User/Client will not be responsible for Contractor's materials. The Contractor may be required to vacate the storage space and sheds as per exigency without any extra cost to User/Client. If any statutory charges are required to be paid for erection of sheds, the same should be borne by the Contractor.

26.13 The Contractor shall provide all necessary Tools & Plants materials or any other equipment, materials, labour, etc. and no payment in this regard will be made by User/Client. The Contractor shall supply, fix and maintain all the scaffoldings, jhulla, safety belt, extra labour to hold ladders/jhoolas, T&P, etc., at his cost during the execution of any work and remove them as soon as the work is completed, without causing any damage to User/Client's property.

26.14 The Contractor shall not directly or indirectly transfer, assign or sublet the Contract or any part of it, without written permission of User/Client. But he can engage various licensed agencies/agencies for carrying out different works.

26.15 It is the contractor's responsibility to coordinate with other service providers No other charges for such works shall be payable.

- **Compensation for Delay** If the firm fails to complete the work within prescribed completion period the User/Client may recover from the Contractor liquidated damages including administrative expenses etc. A sum equivalent to 2% of the price of work which contractor fails to execute within prescribed completion period fixed for each month or part of month. Delay so claimed shall not exceed 10% of the total contract
- **28.** GST No. or/and Service Tax No. and Contractor's Regn. No. must be printed on the bill which is submitted for recoupment/payment action.
- 29. The tender for the works shall remain open for acceptance for a period of 180 Days from the date of opening of tenders. If any tenderer withdraws his tender before the said period or issue of letter of acceptance, whichever is earlier, or makes any modifications in the terms and conditions of the tender which are not acceptable to the department and then the Government shall, without prejudice to any other right or remedy, be at liberty to forfeit the earnest money as aforesaid. Further the tenderer shall not be allowed to participate in the retendering process of the work.
- 30. The contractor shall bear cost of Liquidated Damage for Delay in completion of work within the stipulated time @of2% of contracted value not exceeding the 10% of contracted value in whole.
- **31.** This Notice Inviting Tender shall form a part of the contract document.
- 32. Hard copies as submitted physically in the office of **DIG (ADM) NS HQ, CRPF, New Delhi** shall be only valid document for evaluation of technical specification. The **DIG (ADM) NS HQ, CRPF, New Delhi** has all rights to break contract at any time without assigning any reason.
- 33. The tenderer shall be responsible for arranging and maintaining at his own cost of all materials, tools &plants, water, electricity access, facilities for executing work and all other services required for executing the work.
- 34. The successful tenderer shall make his own arrangement for storage and watch and ward of material whether the same brought by him or supplied by the department. He shall remain responsible for watch and ward of installation and other fitting still the se are commissioned and handed over to the department.
- Successful tenderer should be in a position to produce, after opening of the price bids, the Original Certificates in support of the self-attested copies of relevant documents submitted along with tender document. Failure to produce the original certificates at this stage in support of the attested copies of firm registration /Electrical License/any other documents etc. submitted earlier would result in disqualification and forfeiture of EMD and also liable for debarring from participation in tender form **DIG (ADM) NS HQ, CRPF, New Delhi** tenders.
- **36. FINAL INSPECTION:** After completion of work as per specification the whole work will be

subject to a final inspection to ensure that job has been completed as per requirement. If any defects noticed in the work are attributable to Contractor, these shall be attended by the Contractor at his own cost, as and when they are brought to his notice by the **DIG (ADM) NS HQ, CRPF, New Delhi** /Work committee/officer Commanding of Building/Engineer incharge. The **DIG (ADM) NS HQ, CRPF, New Delhi and** its representative shall have the right to have the said effects rectified at the risk and cost of the contractor if he fails to attend to the sed effects immediately.

**MEASUREMENTS OF WORK DONE**:- Engineer-in-charge shall, except as otherwise provided, as certain and determine by measurement, the value in accordance with the contractor of work done.

All measurement of all items having financial value shall be entered in measurement book/level field booksothatacompleterecordisobtainedofallworksperformedunderthecontract.

All measurement and levels shall be taken jointly by the Insp/ SI/civil or his authorized representative and by the contractor or his authorized from time to time during the progress of work and such measurementshallbesignedanddatedbytheEngineer—in-

chargeandthecontractorortheirrepresentatives intoken of their acceptance. If the contractor objects to any of the measurement recorded, a note shall be made to that effect with reason and signed by both parties. If for any reason the contractor or his authorized representative is not available and the work of recording measurement is suspended by the Insp./SI/Civil or his representative, the Engineer-in-charge and the Department shall not claim from contractor for any loss or damages on his account. If the contractor or his authorized representative does not remain present at the time of such measurements after the contactor or his authorized representative has been given a notice in writing three (3) days in advance or fails to counter sign or to record objection within a weak from the date of the measurement, then such measurement recorded in his absence by the Engineer-in-charge or his representative shall be deemed to be accepted by the contractor.

It is also a term of this contract that recording of measurement of any items of work in the measurement book and /or its payment in the interim, on account of final bill shall not be considered as conclusive evidence as to the sufficiency of any work or material to which it relates nor shall relieve the contractor from liabilities from any over measurement or defects noticed till completion of the liability period.

- **38.** Works cope may be changed depending upon the priority of the work.
- 39. No part of the CONTRACT nor any share or interest therein shall in any manner or degree be transferred, assigned or subtlety the CONTRACTOR directly or indirectly o any person, firm or corporation whatsoever without the consent in writing of the **DIG (ADM) NS HQ, CRPF, New Delhi.**
- **40. WHEN CONTRACT CAN BE DETERMIND**: Subject to other provisions contained in this clause, the Engineer-in-Charge may, without prejudice to any other rights or remedy against the contractor in respect of any delay, not following safety norms inferior workmanship, any claims for damages and/or any other provisions of this contract or otherwise, and whether the date of completion has or has not elapsed, by notice in writing absolutely determine the contract in any of the following cases:
  - (i) If the contractor having been given by the Engineer-in-Charge a notice in writing to rectify, reconstruct or replace any defective work or that the work is being performed in an inefficient or otherwise improper or un-workman like manner shall omit to comply with the requirement of such notice for a period of seven days thereafter.
  - (ii) If the contractor has, without reasonable cause, suspended the progress of the work or has failed to proceed with the work with due diligence and continues to do so after a notice in writing of seven days from the Engineer-in-Charge.
  - (iii) If the contractor fails to complete the work or section of work with individual date of completion on or before the stipulated or justified extended date, on or before such date of completion; and the Engineer in Charge without any prejudice to any other right or remedy under any other provision in the contract has given further reasonable time in a notice given in writing in that behalf as either mutually agreed or in absence of such mutual agreement by his own assessment making such time essence of contract and in the opinion of Engineer-in-Charge the contractor will be unable to complete the same or does not complete the same within the period specified.
  - (iv) If the contractor persistently neglects to carry out his obligations under the contract and/ or

commits default in complying with any of the terms and conditions of the contract and does not remedy it or take effective steps to remedy it within 7 days after a notice in writing is given to him in that behalf bythe Engineer-in-Charge.

- (v) If the contractor shall offer or give or agree to give to any person in Government service or to any other person on his behalf any gift or consideration of any kind as an inducement or reward for doing or forbearing to do or for having done or forborne to do any act in relation to the obtaining or execution of thisor any other contract for Government.
- (vi) If the contractor shall enter into a contract with Government in connection with which commission has been paid or agreed to be paid by him or to his knowledge, unless the particulars of any such commission and the terms of payment thereof have been previously disclosed in writing to the Engineer-in-Charge.
- (vii) If the contractor had secured the contract with Government as a result of wrong tendering or other non-bonafide methods of competitive tendering or commits breach of Integrity Agreement.
- (viii) If the contractor being an individual, or if a firm, any partner thereof shall at any time be adjudged insolvent or have a receiving order or order for administration of his estate made against him or shall take any proceedings for liquidation or composition (other than a voluntary liquidation for the purpose of amalgamation or reconstruction) under any Insolvency Act for the time being in force or make any conveyance or assignment of his effects or composition or arrangement for the benefit of his creditors or purport so to do, or if any application be made under any Insolvency Act for the time being in force for the sequestration of his estate or if a trust deed be executed by him for benefit of his creditors.
- (ix) If the contractor being a company shall pass a resolution or the court shall make an order that the company shall be wound up or if a receiver or a manager on behalf of a creditor shall be appointed or if circumstances shall arise which entitle the court or the creditor to appoint a receiver or a manager or which entitle the court to make a winding up order.
- (i) If the contractor shall suffer an execution being levied on his goods and allow it to be continued for a period of 21 days.
- (ii) If the contractor assigns (excluding part(s) of work assigned to other agency(s) by the contractor as per terms of contract), transfers, sublets (engagement of labour on a piece-work basis or of labour with materials not to be incorporated in the work, shall not be deemed to be subletting) or otherwise parts with or attempts to assign, transfer, sublet or otherwise parts with the entire works or any portion thereof without the prior written approval of the Engineer -in-Charge. When the contractor has made himself liable for action under any of the cases aforesaid, the Engineer-in- Charge on behalf of the President of India shall have powers:
- (a) To determine the contract as aforesaid so far as performance of work by the Contractor is concerned (of which determination notice in writing to the contractor under the hand of the Engineer-in- Charge shall be conclusive evidence). Upon such determination, Security Deposit already recovered, Security Deposit, payable, Performance Guarantee under the contract shall be liable to be forfeited and shall be absolutely at the disposal of the Government
- (b) After giving notice to the contractor to measure up the work of the contractor and to take such whole, or the balance or part thereof, as shall be un-executed out of his hands and to give it to another contractor to complete the work. The contractor, whose contract is determined as above, shall not be allowed to participate in the tendering process for the balance work.

In the event of above courses being adopted by the Engineer-in-Charge, the

- shall have no claim to compensation for any loss sustained by him by reasons of his having purchased or procured any materials or entered into any engagements or made any advances on account or with a view to the execution of the work or the performance of the contract. And in case action is taken under any of the provision aforesaid, the contractor shall not be entitled to recover or be paid any sum for any work thereof or actually performed under this contract unless and until the Engineer-in-Charge has certified in writing the performance of such work and the value payable in respect thereof and he shall only be entitled to be paid the value so certified.
- **41.** The ESI and EPF contributions on the part of employer in respect of this contract shall be paid by the contractor. These contributions on the part of the employer paid by the contractor shall be reimbursed by the Engineer-in-charge to the contractor on actual basis. The verification of deployment of labour

will be done through biometric attendance system or any other suitable method by the Engineer in Charge. The applicable and eligible amount of EPF & ESI shall be reimbursed preferably within 7 days butnot later than 30 days of submission of documentary proof of payment provided same are in order.

**42.** If there is any clarification, this may be obtained through the site, or during the pre-bid meeting, if any. Bidder should take into account the **corrigendum** published from time to time before submitting the online bids.

#### 43. C.P.W.D. SAFETY CODE

- 1. Suitable scaffolds should be provided for workmen for all works that cannot safely be done from the ground, or from solid construction except such short period work as can be done safely from ladders. When a ladder is used, an extra mazdoor shall be engaged for holding the ladder and if the ladder is used for carrying materials as well suitable footholds and hand-hold shall be provided on the ladder and the ladder shall be given an inclination not steeper than ½ to 1(½ horizontal and 1 vertical.)
- 2. Scaffolding of staging more than 3.6 m (12ft.) above the ground or floor, swung or suspended from an overhead support or erected with stationary support shall have a guard rail properly attached or bolted, braced and otherwise secured at least 90 cm. (3ft.) high above the floor or platform of such scaffolding or staging and extending along the entire length of the outside and ends there of with only such opening as may be necessary for the delivery of materials. Such scaffolding or staging shall be so fastened as to prevent it from swaying from the building or structure.
- 3. Working platforms, gangways and stairways should be so constructed that they should not sag unduly or unequally, and if the height of the platform or the gangway or the stairway is more than 3.6 m (12ft.) above ground level or floor level, they should be closely boarded, should have adequate width and should be suitably fastened as described in (2) above.
- 4. Every opening in the floor of a building or in a working platform shall be provided with suitable means to prevent the fall of person or materials by providing suitable fencing or railing whose minimum height shall be 90 cm. (3ft.)
- 5. Safe means of access shall be provided to all working platforms and other working places. Every ladder shall be securely fixed. No portable single ladder shall be over 9m. (30ft.) in length while the width between side rails in rung ladder shall in no case be less than 29 cm. (11½") for ladder upto and including 3 m. (10 ft.) in length. For longer ladders, this width should be increased at least ¼" for each additional 30 cm. (1 foot) of length. Uniform step spacing of not more than 30 cm shall be kept. Adequate precautions shall be taken to prevent danger from electrical equipment. No materials on any of the sites or work shall be so stacked or placed as to cause danger or inconvenience to any person or the public. The contractor shall provide all necessary fencing and lights to protect the public from accident and shall be bound to bear the expenses of defence of every suit, action or other proceedings at law that may be brought by any person for injury sustained owing to neglect of the above precautions and to pay any damages and cost which may be awarded in any such suit; action or proceedings to any such person or which may, with the consent of the contractor, be paid to compensate any claim by any such person.
- 6. (a) Excavation and Trenching All trenches 1.2 m. (4ft.) or more in depth, shall at all times be supplied with at least one ladder for each 30 m. (100 ft.) in length or fraction thereof, Ladder shall extend from bottom of the trench to at least 90 cm. (3ft.) above the surface of the ground. The side of the trenches which are 1.5 m. (5ft.) or more in depth shall be stepped back to give suitable slope or securely held by timber bracing, so as to avoid the danger of sides collapsing. The excavated materials shall not be placed within 1.5 m. (5ft.) of the edges of the trench or half of the depth of the trench whichever is more. Cutting shall be done from top to bottom. Under no circumstances, undermining or undercutting shall be done.
- (b) Safety Measures for digging bore holes:-

- (i) If the bore well is successful, it should be safely capped to avoid caving and collapse of the bore well. The failed and the abandoned ones should be completely refilled to avoid caving and collapse;
- (ii) During drilling, Sign boards should be erected near the site with the address of the drilling contractor and the Engineer in-charge of the work;
- (iii) Suitable fencing should be erected around the well during the drilling and after the installation of the rig on the point of drilling, flags shall be put 50m all round the point of drilling to avoid entry of people;
- (iv) After drilling the bore well, a cement platform (0.50m x 0.50m x 1.20m) 0.60m above ground level and 0.60m below ground level should be constructed around the well casing;
- (v) After the completion of the bore well, the contractor should cap the bore well properly by welding steel Plate, cover the bore well with the drilled wet soil and fix thorny shrubs over the soil. This should be done even while repairing the pump;
- (vi) After the bore well is drilled the entire site should be brought to the ground level.
- 7. Demolition Before any demolition work is commenced and also during the progress of the work,
- (i) All roads and open areas adjacent to the work site shall either be closed or suitably protected.
- (ii) No electric cable or apparatus which is liable to be a source of danger or a cable or apparatus used by the operator shall remain electrically charged.
- (iii) All practical steps shall be taken to prevent danger to persons employed from risk of fire or explosion or flooding. No floor, roof or other part of the building shall be so overloaded with debris or materials as to render it unsafe.
- 8. All necessary personal safety equipment as considered adequate by the Engineer-in-Charge should be kept available for the use of the person employed on the site and maintained in a condition suitable for immediate use, and the contractor should take adequate steps to ensure proper use of equipment by those concerned:The following safety equipment shall invariably be provided.
- (i) Workers employed on mixing asphaltic materials, cement and lime mortars shall be provided with protective footwear and protective goggles.
- (ii) Those engaged in white washing and mixing or stacking of cement bags or any material which is injurious to the eyes, shall be provided with protective goggles.
- (ii) Those engaged in welding works shall be provided with welder's protective eye shields.
- (iv) Stone breaker shall be provided with protective goggles and protective clothing and seated at sufficiently safe intervals.
- (v) When workers are employed in sewers and manholes, which are in active use, the contractors shall ensure that the manhole covers are opened and ventilated at least for an hour before the workers are allowed to get into the manholes, and the manholes so opened shall be cordoned off with suitable railing and provided with warning signals or boards to prevent accident to the public. In addition, the contractor shall ensure that the following safety measure are adhered to:-
- (a) Entry for workers into the line shall not be allowed except under supervision of the JE or any other higher officer.

- (b) At least 5 to 6 manholes upstream and downstream should be kept open for at least 2 to 3 hours before any man is allowed to enter into the manhole for working inside.
- (c) Before entry, presence of Toxic gases should be tested by inserting wet lead acetate paper which Changes colour in the presence of such gases and gives indication of their presence.
- (d) Presence of Oxygen should be verified by lowering a detector lamp into the manhole. In case, no Oxygen is found inside the sewer line, workers should be sent only with Oxygen kit.
- (e) Safety belt with rope should be provided to the workers. While working inside the manholes, such rope should be handled by two men standing outside to enable him to be pulled out during emergency.
- (f) The area should be barricaded or cordoned of by suitable means to avoid mishaps of any kind. Proper warning signs should be displayed for the safety of the public whenever cleaning works are undertaken during night or day.
- (g) No smoking or open flames shall be allowed near the blocked manhole being cleaned.
- (h) The malba obtained on account of cleaning of blocked manholes and sewer lines should be immediately removed to avoid accidents on account of slippery nature of the malba.
- (i) Workers should not be allowed to work inside the manhole continuously. He should be given rest intermittently. The Engineer-in-Charge shall decide the time up to which a worker may be allowed to work continuously inside the manhole.
- (j) Gas masks with Oxygen Cylinder should be kept at site for use in emergency.
- (k) Air-blowers should be used for flow of fresh air through the manholes. Whenever called for, portable air blowers are recommended for ventilating the manholes. The Motors for these shall be vapour proof and of totally enclosed type. Non sparking gas engines also could be used but they should be placed at least 2 metres away from the opening and on the leeward side protected from wind so that they will not be a source of friction on any inflammable gas that might be present.
- (1) The workers engaged for cleaning the manholes/sewers should be properly trained before allowing to work in the manhole.
- (m) The workers shall be provided with Gumboots or non sparking shoes bump helmets and gloves non sparking tools safety lights and gas masks and portable air blowers (when necessary). They must be supplied with barrier cream for anointing the limbs before working inside the sewer lines.
- (n) Workmen descending a manhole shall try each ladder stop or rung carefully before putting his full weight on it to guard against insecure fastening due to corrosion of the rung fixed to manhole well.
- (o) If a man has received a physical injury, he should be brought out of the sewer immediately and adequate medical aid should be provided to him.
- (p) The extent to which these precautions are to be taken depend on individual situation but the decision of the Engineer-in-Charge regarding the steps to be taken in this regard in an individual case will be final.
- (vi) The Contractor shall not employ men and women below the age of 18 years on the work of painting with products containing lead in any form. Wherever men above the age of 18 are employed on the work of lead painting, the following precaution should be taken:-
- (a) No paint containing lead or lead products shall be used except in the form of paste or ready made paint.
- (b) Suitable face masks should be supplied for use by the workers when paint is applied in the form of spray or a surface having lead paint is dry rubbed and scrapped.
- (c) Overalls shall be supplied by the contractors to the workmen and adequate facilities shall be provided to enable the working painters to wash during and on the cessation of work.

- (vii) Workmen executing work on scaffolds or other structures above specified height shall be provided with full body harness and fall arresters.
- 9. An additional clause (viii)(i) of Central Public Works Department Safety Code (iv) the Contractor shall not employ women and men below the age of 18 on the work of painting with product containing lead in any form, wherever men above the age of 18 are employed on the work of lead painting, the following principles must be observed for such use:
- (i) White lead, sulphate of lead or product containing these pigment, shall not be used in painting operation except in the form of pastes or paint ready for use.
- (ii) Measures shall be taken, wherever required in order to prevent danger arising from the application of a paint in the form of spray.
- (iii) Measures shall be taken, wherever practicable, to prevent danger arising out of from dust caused by dry rubbing down and scraping.
- (iv) Adequate facilities shall be provided to enable working painters to wash during and on cessation of work.
- (v) Overall shall be worn by working painters during the whole of working period.
- (vi) Suitable arrangement shall be made to prevent clothing put off during working hours being spoiled13 by painting materials.
- (vii) Cases of lead poisoning and suspected lead poisoning shall be notified and shall be subsequently verified by medical man appointed by competent authority of C.P.W.D PWD(DA).
- (viii) C.P.W.D./PWD (DA) may require, when necessary medical examination of workers.
- (ix) Instructions with regard to special hygienic precautions to be taken in the painting trade shall be distributed to working painters.
- 10. When the work is done near any place where there is risk of drowning, all necessary equipment's should be

provided and kept ready for use and all necessary steps taken for prompt rescue of any person in danger and adequate provision, should be made for prompt first aid treatment of all injuries likely to be obtained during the course of the work.

- 11.Use of hoisting machines and tackle including their attachments, anchorage and supports shall conform to the following standards or conditions:-
- (i) (a) These shall be of good mechanical construction, sound materials and adequate strength and free from patent defects and shall be kept repaired and in good working order.
- (b) Every rope used in hoisting or lowering materials or as a means of suspension shall be of durable quality and adequate strength, and free from patent defects.
- (ii) Every crane driver or hoisting appliance operator, shall be properly qualified and no person under the age of 21 years should be in charge of any hoisting machine including any scaffolding winch or give signals to Operator.
- (iii) In case of every hoisting machine and of every chain ring hook, shackle swivel and pulley block used in hoisting or as means of suspension, the safe working load shall be ascertained by adequate means. Every hoisting machine and all gear referred to above shall be plainly marked with the safe working load. In case of a hoisting machine having a variable safe working load each safe working load and the condition under which it is applicable shall be clearly indicated. No part of any machine or any gear referred to above in this paragraph shall be loaded beyond the safe working load except for the purpose of testing.
- (iv) In case of departmental machines, the safe working load shall be notified by the Electrical Engineer-in-Charge. As regards contractor's machines the contractors shall notify the safe working load of the machine

to the Engineer-in-Charge whenever he brings any machinery to site of work and get it verified by the Electrical Engineer concerned.

- 12. Motors, gearing, transmission, electric wiring and other dangerous parts of hoisting appliances should be provided with efficient safeguards. Hoisting appliances should be provided with such means as will reduce to the minimum the risk of accidental descent of the load. Adequate precautions should be taken to reduce to the minimum the risk of any part of a suspended load becoming accidentally displaced. When workers are employed on electrical installations which are already energized, insulating mats, wearing apparel, such as gloves, sleeves and boots as may be necessary should be provided. The worker should not wear any rings, watches and carry keys or other materials which are good conductors of electricity.
- 13. All scaffolds, ladders and other safety devices mentioned or described herein shall be maintained in safe condition and no scaffold, ladder or equipment shall be altered or removed while it is in use. Adequate washing

facilities should be provided at or near places of work.

- 14. These safety provisions should be brought to the notice of all concerned by display on a notice board at a prominent place at work spot. The person responsible for compliance of the safety code shall be named therein by the contractor.
- 15. To ensure effective enforcement of the rules and regulations relating to safety precautions the arrangements

made by the contractor shall be open to inspection by the Labour Officer or Engineer-in-Charge of the department or their representatives.

16. Notwithstanding the above clauses from (1) to (15), there is nothing in these to exempt the contractor from the operations of any other Act or Rule in force in the Republic of India.

#### A. ADDITIONAL SPECIFICATIONS FOR CIVIL WORKS:

- 1. All materials required to be used on works shall be got approved from the **DIG** (**ADM**) **NS HQ**, **CRPF**, **New Delhi** /Officer Commanding of Building in advance. In case of doubt on any material, **DIG** (**ADM**) **NS HQ**, **CRPF**, **New Delhi**) wears the right to get the material test from Govt. approved labs/NABL
- 2. The quoted rate should be inclusive of all taxes, levies, works contract taxes, duties etc.
- 3. All items to be used in this work should be branded and ISI. In this case CPWD approved list of material for similar work may be followed.

Sd/-12.12.2025
DIG (Adm)
NS CRPF, RK Puram, New Delhi
[For and on behalf of the President of India]

#### Appendix 'A1'

#### PROFORMA OF BANK GUARANTEE FOR SUBMITTING EARNEST MONEY

(On banks letter head with adhesive stamp)

To,	
	G (ADM) HQ, CRPF, New Delhi
Dear	· Sir,
	In accordance with your invitation to Tender No
	(here in after called "The erer") With the following Directors on their Board of ctors/Partners of the firm.
1	<u>2</u> .
	4.
_	participate in the said tender enquiry for the supply/work of <b>Providing &amp; fixing of fire protection system in urpose hall at CRPF Public School, Rohini, New Delhi to you (here in after called "The purchaser").</b> Where
date of te hereby gu purchaser claimed b condition  1.  2.  3. If the tendor of the The extended to the tendor of	guarantee against Earnest Money for a sum of Rs
Date	Signature of authorized officer of the bank
Place	Printed Name.
	Designation
Name and	d address of the bank
Ban	ker's Common Seal

#### Appendix-A"

#### PROFORMA OF BANK GUARANTEE FOR FURNISHING PERFORMANCE SECURITY DEPOSIT

To
The President of India,
Whereas M/s (Name and address of the supplier) (hereinafter called "the supplier") has undertaken, in pursuance of contract
(Name and address of the supplier) (hereinafter called "the supplier") has undertaken, in pursuance of contract
nodated to supply/work of Providing & fixing of fire protection system in multi-
purpose hall at CRPF Public School, Rohini, New Delhi and whereas it has been stipulated by you in the said
contract that the supplier shall furnish you with a bank guarantee by a nationalized or scheduled commercial bank of good repute and record recognized by you for the sum specified therein as security for compliance with its obligations in accordance with the contract:
And whereas we have agreed to give the contractor such a bank guarantee:
Now therefore we hereby affirm that we are the guarantors and responsible to you, on behalf of the supplier/contractor, up to a total of
(amount of the guarantee in words and figures), and we undertake to pay you, upon your first written demand
declaring the supplier to be in default under the contract and without cavil or argument, any sum or sums within
the limits of (amount of guarantee) as aforesaid, without your needing to prove or to show grounds or reasons for
your demand or the sum specified therein.
We hereby waive the necessity of your demanding the said debt from the supplier before presenting us with the demand.
We further agree that no change or addition to or other modification of the terms of the contract to be performed there under or of any of the contract documents which may be made between you and the supplier/contractor shall in any way release us from any liability under this guarantee and we hereby waivenotice of any such change, addition or modification.
This guarantee shall be valid until the day of2025
(Sig. of the authorized officer of the Bank)
Name and designation of the officer
Name and address of the Bank
Banker's common seal

#### Appendix-B

#### PERFORMANCE STATEMENT

(Must be filled in all respect)

	DU DU IIIIU	a in an respect)		
	1	Name & Location of work		
	2	Cost of work		
	3	Name of Client		
	4	Full address of the firm		
	5	Contact No. of the cor	tact person of the Client for	
		whom works was executed		
	6	E-mail id of the contact per	rson (Mandatory)	
,	7	Completion period	Stipulated (Date of work	
			started)	
			Actual (Date of Completion	
			work)	
	8	Whether the work was le	ft incomplete (reason if any for	
		delay in completion of wo		
		terminated from either side	(give full details)	
	9	Any other relevant informa	ution	

#### Appendix-C

#### LIST NO-1

#### (Must be filled in all respect)

TENDERERS SHOULD FURNISH SPECIFIC ANSWERS TO ALL THE QUESTIONS GIVEN BELOW. TENDERERS MAY PLEASE NOTE THAT IF THE ANSWER SO FURNISHED ARE NOT CLEAR AND / OR ARE EVASIVE, THE TENDER WILL BE LIABLE TO BE IGNORED.

	1.	Tender No.					
	2.	Name and address of firm/contractor :					
	3.	What is your permanent Income Tax A/C NO.					
	4.	Status.					
		a) Indicate whether you are Govt. registered or not:					
b) (	GST No.	:					
	5.	Please indicate name & full address of your	banker in the following format -				
		a) Bank Name, Branch and Bank Acco	ount No. (Core bank account)				
b)	IFS	C Code :					
		c) Whether bank branch is NEFT/RTC	GS enables or not:				
	6.	State whether your firm with you have been banned by any Govt. /CPWD authority?					
	7.	Please confirm that you have read all the instructions carefully and have complied with accordingly.					
		Signature of Witness	Signature of Tenderer with seal				
		(Full Name and address of witness in Block letters)	(Full Name and address of the persons signing in Block letters)				
			Whether signing as Proprietor/Partner/Constituted Attorney/duly authorized by the Company				

#### Appendix-D

#### Ouestionnaire/Check List (must be filled in all respect)

01	Whether firm/Contractor is registered for the tendered work or not
02	Registration No. and Date
03	Registration issued by
04	Registration valid up to
05	Copy of Registration submitted or not
06	GST registration No
07	Whether Copy of GST registration certificate submitted or not with tender
08	PAN No.
09	Whether Copy of PAN No submitted or not with tender
10	Whether Copy of replacement Warranty period of new fittings enclosed or not
11	Whether EMD enclosed, if yes details of EMD
12	Whether offer is valid up to 180 days or otherwise.
13	Complete details of Banker with IFSC code, Account No. Name of Bank, Name of Branch, Bank Code, Swift code etc.
14	Whether past performance Performa submitted along with copies of award of contracts or not
15	Whether tender specification / work scope accepted by the firm/contractor or not
16	Whether all pages of tender has been signed by the authorized signatory or not and returned with offer ofnot.
17	Whether all the terms and condition of the Tender Enquiry including payment terms are acceptable ornot
18	Any other specific condition of the firm/contractor

Signature					
Name	of	the	firm/Contractor)		
with sea	al/st	amp			

#### TENDER ACCEPTANCE LETTER

Date:	(The bidder must submit on Company Letter Head.)
То,	
Sub: Acceptance of Terms	& Conditions of Tender.
Tender Reference No:	
Name of Tender / Work::-	
D (1)	
Dear Sir,	
1. I/ We have downloaded website(s) namely:	d / obtained the tender document(s) for the above mentioned 'Tender/Work' from the

as per your advertisement, given in the above mentioned website(s).

- 2. I / We hereby certify that I / we have read the entire terms and conditions of the tender documents from Page No. to \_\_\_\_\_(including all documents like annexure(s), schedule(s), etc.,), which form part of the contract agreement and I / we shall abide hereby by the terms / conditions / clauses contained therein.
- 3. The corrigendum(s) issued from time to time by your department/ organizations too have also been taken into consideration, while submitting this acceptance letter.
- 4. I / We hereby unconditionally accept the tender conditions of above mentioned tender document(s) / Corrigendum in its totality /entirety.
- 5. In case any provisions of this tender are found violated, then your department/ organization shall without prejudice to any other right or remedy be at liberty to reject this tender/bid including the forfeiture of the full said earnest money deposit absolutely.

Yours Faithfully,

#### **APPENDIX-G**

#### Form 68-A

Ten	r No.	
	ume and address of the Tenderer in addition Contractor's telegraphic Address at box No. if any should be quoted in all	
Cor	unication to this Office	
Геlephone	No.	
Fax No	From.	
Dea	ir,	
spec	nereby offer to supply the stores detailed in the schedule here to or such portion thereof as in the acceptance of tender at the price given in the said schedule and agree to hold this of I/we shall be bound by a communication of acceptance within the prescribed time.	-
con ann her	I/We have understood the instructions to Tenderers in the booklet DGS&D-229 and contract in the Form No-68 (Revised) including in the pamphlet entitling conditions of contract gots placed by the Central Purchases Organization of the Government of India read with the amenda therewith and have thoroughly examined the specification drawing and/or pattern quoted in the and am/are fully aware of the nature of the stores required and my/our offer is to supply stores stance with the requirements.	overning endments schedule
	Signature of the Tenderer w	ith seal
The	llowing pages have been added to and form part of this tender	
	Here paste coupon in case where coupons are supplied to contractors	
	Yours faithfully,	
	(Signature of the Tenderer with seal)	
	Address	
(Sig	ature of the Witness)	
Dated		

#### Appendix-"H"

#### **Index-(Must be filled in all respect.)**

Sl. No.	Requirement	(Firm Should correctly fill	
		following column.)	documents where related information is shown/available it can be verified
			columns should be highlighted
1	Whether Regd. with CPWD/PWD etc.		
	Validity of registration		
2	Bid Security declaration		
	Whether specification of work confirmed or not		
3	Terms of work start and finish (Our requirement is start within 07 Days and finished within 45 Days)		
4	Validity of offer (Our requirement is 180 days from the date of opening)		
5	Past performance (attached or not)		
6	Arbitration Clause (agreed or not)		
7	Warranty Clause (agreed or not)		
8	GSTIN NO. (attached or not)		
9	Liquidated damage clause (agreed or not)		
10	Partnership agreement (attached or not)		
11	Name & Add. Of Bankers.		
12	Whether business dealing banned or not		
13	Whether tender signed properly		
14	Pan Card Details		
15	GSTIN		

Signature of Tenderer
Date
Name of Tenderer.

#### **INTEGRITY PACT**

To


	DIG (ADM), NS HQ, CRPF, New Delhi
	Sub: Submission of Tender for the work of
	Dear Sir, I/We acknowledge that DEPARTMENT/CRPF is committed to follow the principles thereof as enumerated in the Integrity Agreement enclosed with the tender/bid document.
	I/We agree that the Notice Inviting Tender (NIT) is an invitation to offer made on the condition that I/We will sign the enclosed integrity Agreement, which is an integral part of tender documents, failing which I/We will stand disqualified from the tendering process. I/We acknowledge that THE MAKING OF THE BID SHALL BE REGARDED AS AN UNCONDITIONAL AND ABSOLUTE ACCEPTANCE of this condition of the NIT.
	I/We confirm acceptance and compliance with the Integrity Agreement in letter and spirit and further agree that execution of the said Integrity Agreement shall be separate and distinct from the main contract, which will come into existence when tender/bid is finally accepted by CRPF. I/We acknowledge and accept the duration of the Integrity Agreement, which shall be in the line with Article 1 of the enclosed Integrity Agreement.
	I/We acknowledge that in the event of my/our failure to sign and accept the Integrity Agreement, while submitting the tender/bid, CRPF shall have unqualified, absolute and unfettered right to disqualify the tenderer/bidder and reject the tender/bid is accordance with terms and conditions of the tender/ bid.
	Yours faithfully (Duly authorized signatory of the Bidder)
	To be signed by the bidder and same signatory competent / authorized to sign the relevant contract on behalf of CRPF
	INTEGRITY AGREEMENT
	This Integrity Agreement is made at on this day of
	BETWEEN DIG (ADM) NG MG (CDD) NG MG
ł	President of India represented through DIG (ADM) ,NS HQ, CRPF, New Delhi
	'Principal/Owner', which expression shall unless repugnant to the meaning or context here of include its successors and permitted assigns)
	AND

through	(Hereinafter referred
to as the	(Heremater Tereffed
(Details of duly authorized signatory)	
"Bidder/Contractor" and which expression shall unless repugnant to the successors and permitted assigns)	ne meaning or context hereof include its
Preamble WHEREAS the Principal / Owner has floated the Tender (NIT No) (herein to as "Tender/Bid") and intends to award, under laid down organizational	procedure, contract for
(Name of work) Here in after referred to as the "Contract".	
AND WHEREAS the Principal/Owner values full compliance with all regulations, economic use of resources and of fairness/transparency in Contractor(s).	
AND WHEREAS to meet the purpose aforesaid both the parties have Agreement (hereinafter referred to as "Integrity Pact" or "Pact"), the terms be read as integral part and parcel of the Tender/Bid documents and Contra	s and conditions of which shall also
NOW, THEREFORE, in consideration of mutual covenants contained in as follows and this Pact witnesses as under	n this Pact, the parties hereby agree
	Signature of Tenderer Date
DIG (ADM)	Name of Tenderer.
NS HQ, CRPF, New Delhi	



#### GOVERNMENT OF INDIA, MINISTRY OF HOME AFFAIRS CENTRAL RESERVE POLICE FORCE O/O THE IGP, NS CRPF

RK PURAM, NEW DELHI-110066





Web.Site: <a href="http://eprocure.gov.in/eprocure/app(cppp">www.crpf.nic.in/http://eprocure.gov.in/eprocure/app(cppp)</a>

#### **// SCHEDULE OF QUANTITY //**

Online tenders are invited from registered firms/contractors for work of Providing & fixing of fire protection system in multi-purpose hall at CRPF Public School, Rohini, New Delhi as per details given below:-

Sl. No	Item Description	Qty	Unit
1	Supplying, installation, testing and commissioning of electric driven terrace pump suitable for automatic operation and consisting of following, complete in all respects, as required:  10 HP-900 LPM with base frame & AVM pads	2	Job
2	Starter Panel for the above with Auto / Manual operation and to avoid simultaneous operation of the pumps.	1	No
3	Supply & Laying of 3 Core 10 Sq.mm Copper Armoured Cable with GI Wire including End Termination.	40	Mtr
4	Providing laying, testing & commissioning of 'C' class heavy duty MS Pipe conforming to IS 1239/3589 i/c fittings like elbows, tees, flanges, tapers, nuts bolts,gaskets etc. including welding, supports etc. of following sizes complete as required 100 mm	228	Mtr
5	Providing laying, testing & commissioning of 'C' class heavy duty MS Pipe conforming to IS 1239/3589 i/c fittings like elbows, tees, flanges, tapers, nuts bolts,gaskets etc. including welding, supports etc. of following sizes complete as required 80 mm	36	Mtr
6	Providing laying, testing & commissioning of 'C' class heavy duty MS Pipe conforming to IS 1239/3589 i/c fittings like elbows, tees, flanges, tapers, nuts bolts,gaskets etc. including welding, supports etc. of following sizes complete as required 50 mm	240	Mtr
7	Providing laying, testing & commissioning of 'C' class heavy duty MS Pipe conforming to IS 1239/3589 i/c fittings like elbows, tees, flanges, tapers, nuts bolts,gaskets etc. including welding, supports etc. of following sizes complete as required 40 mm	60	Mtr
8	Providing laying, testing & commissioning of 'C' class heavy duty MS Pipe conforming to IS 1239/3589 i/c fittings like elbows, tees, flanges, tapers, nuts bolts,gaskets etc. including welding, supports etc. of following sizes complete as required 25 mm	60	Mtr
9	Supplying and fixing single headed hydrant valve with instantaneous Stainless Steel coupling of 63 mm dia with cast iron wheel ISI marked conforming to IS 5290 (Type -A)	10	Nos

	with blank Gunmetal/Stainless Steel cap and chain as required		
10	Supplying, fixing, testing and commissioning of butterfly valve of PN 1.6 rating with bronze/gunmetal seat duly ISI marked complete with nuts, bolts, washers, gaskets conforming to IS 13095 of following sizes as required 100 mm dia	2	Nos
11	Supplying, fixing, testing and commissioning of butterfly valve of PN 1.6 rating with bronze/gunmetal seat duly ISI marked complete with nuts, bolts, washers, gaskets conforming to IS 13095 of following sizes as required 80 mm	10	Nos
12	Supplying, fixing, testing and commissioning of butterfly valve of PN 1.6 rating with bronze/gunmetal seat duly ISI marked complete with nuts, bolts, washers, gaskets conforming to IS 13095 of following sizes as required50 mm	2	Nos
13	Providing, installation, testing and commissioning of non-return valve of following sizes confirming to IS:5312 complete with rubber gasket, GI bolts, nuts, washers etc.as required 100mm dia	2	Nos
14	Supplying and fixing 63 mm dia, 15 m long RRL hose pipe with 63 mm dia Stainless Steel (Grade 304) male and female couplings dulybound with GI wire, rivets etc. conforming to IS 636 (type-A) as required:	10	Nos
15	Supplying and fixing first-aid Hose Reel with MS construction spray painted in post office red, conforming to IS 884 complete with the following as required. 30 meter length 20 mm nominal internal dia water hose thermoplastic (Textile reinforced) type -2 as per IS: 12585 and 20 mm ABS Shut off nozzle. Drum and brackets for fixing the equipmets on wall. Connections from riser with 25 mm dia stop gun metal valve & M.S. Pipe and socket.	6	Nos
16	Supplying & fixing 63 mm dia Stainless Steel Branch pipe with 20 mm nominal internal diameter size nozzle conforming to IS 903 suitable for instantaneous connection to interconnect hose pipe coupling as required	10	Nos
17	Supply & Fixing of Weather proof hose cabinets fabricated from 16 g M.S. Sheet with full glass door and locking arrangement. The cabinet shall be painted with one coat of primer and finished stove enamelled "Fire Red" (Approx 0.75m x 0.6 m x 0.3 m) Size.	10	Nos
18	Supplying and fixing of 2 way fire brigade connection of cast iron body with stainless steel male instantaneous inlet couplings complete with cap and chain as reqd. for suitable dia MS pipe connection conforming to IS 904 as required:	1	Nos
19	Supplying and fixing air vessel made of 250 mm dia, 8 mm thick MS sheet, 1200 mm in height with air release valve on top and flanged connection to riser, drain arrangement with 25 mm dia gun metal wheel valve with required accessories, pressure gauge and painting with synthetic enamel paint of approved shade as required.	1	Nos
20	Designing of Automatic Down comer fire fighting system as per site requirement /DFS rules, within the BOQ quantity and consultation with CRPF officials.	1	Job
21	Providing, fixing, testing & commissioning of 15mm dia quartzoid bulb type sprinklers of rating 68 degree centigrade with required accessories : Pendent Sprinkler	80	Nos
22	Providing, fixing, testing & commissioning of 15mm dia quartzoid bulb type sprinklers of rating 68 degree centigrade with required accessories : Horizontal side wall sprinkler	50	Nos
23	Providing & fixing of pressure switch with control valve in M.S. pipe line including connection etc. as required	2	Nos

24	Providing & fixing of pressure guage with control valve in M.S. pipe line etc. as required	3	Nos
25	Supplying, installation, testing & commissioning of sprinkler flexible pipe (UL Listed) of stainless steel complete with 15 NPT on reducer thread with maximum working pressure of 175 PSI test pressure of 875 PSI (Burst) with branch line (Inlet) 25mm NPT male thread to sprinkler head (Outlet) 15mm NPT female thread with reducer, nipple, 2 side brackets, center bracket, stockbar of following sizes complete as required.750 mm	10	Nos
26	Supplying, installation, testing & commissioning of sprinkler flexible pipe (UL Listed) of stainless steel complete with 15 NPT on reducer thread with maximum working pressure of 175 PSI test pressure of 875 PSI (Burst) with branch line (Inlet) 25mm NPT male thread to sprinkler head (Outlet) 15mm NPT female thread with reducer, nipple, 2 side brackets, center bracket, stockbar of following sizes complete as required. 1000mm	60	Nos
27	Supplying, installation, testing & commissioning of sprinkler flexible pipe (UL Listed) of stainless steel complete with 15 NPT on reducer thread with maximum working pressure of 175 PSI test pressure of 875 PSI (Burst) with branch line (Inlet) 25mm NPT male thread to sprinkler head (Outlet) 15mm NPT female thread with reducer, nipple, 2 side brackets, center bracket, stockbar of following sizes complete as required. 1500mm	20	Nos
28	Providing & fixing of pressure gauge with control valve in M.S. pipe line including connection etc. as required	3	Nos
29	Providing & fixing of ORIFICE PLATE	10	Nos
30	Providing & fixing of ROSETTE PLATE	80	Nos
31	Designing of Sprinkler fire fighting system as per site requirement / DFS rules, within the BOQ quantity and consultation with CRPF officials.	1	Job
32	Supplying, installation, testing & commissioning 4 Zone Convensional Fire Alarm panel, complete with visual indications for short circuit fault, open circuit fault, fire condition and all other standard facilities as per IS:2189 complete with all connections, interconnections, battery as required	1	Nos
33	Supplying, installation, testing & commissioning of smoke detector with builtin LED and mounting base complete with all connections etc. as required	30	Nos
34	Supplying, installation, testing & commissioning of manual call box of ABS type in surface/recess with stainless steel chain & hammer assembly complete with glass and push button etc. as required	7	Nos
35	Supplying, installation, testing & commissioning fire alarm sounder with facility to make announcement, mounted in A.B.S. box with hinged cover plate & suitable for operation with amplifier i/c line matching transformer etc. complete as required.	6	Nos
36	Supplying, installation, testing & commissioning of beam detector complete with emitter and receiver complete as required.	3	Nos
37	Supplying & laying of 2x1.5 sqmm fire alarm armoured cable	450	Mtr
38	Designing of Automatic fire alarm system as per site requirement / DFS rules, within the BOQ quantity and consultation with CRPF officials.	1	Job
39	Providing and fixing OF ISI marked (IS:15683) Portable fire Extinguisher, Carbon-dioxide type flat base including valve, discharge hose & complete in all respects including initial fill with C02 gas confirming to IS:307-1966. Capacity 4.5 Kg	10	Nos
40	Providing and fixing of ISI marked 4 kg ABC type Modular fire Extinguisher, complete in all respects	6	Nos

41	Providing heavy duty Mild Steel support to lay pipes above ground including supply & fabricating at site as per requirement	150	Kg
42	Running and testing the Automatic Down comer, Automatic fire alarm, Sprinkler & Extingusher upto the maximum permissable limit in the presence of CRPF officials and keep the system in AUTO mode by deputing required Manpower for a week	1	Job
43	Providing training to CRPF staff & School staff regarding Operation & Maintenance of Automatic Down comer, Automatic fire alarm, Sprinkler & Extingushers	1	Job
44	Maintenance of the Installed Automatic Down comer, Automatic fire alarm, Sprinkler & Extingusher for One year including weekly visit and submission of report	12	month
45	Providing and fixing CPVC Gate Valve: 25 mm size	2	No
46	Providing and fixing CPVC union socket 25 mm size	3	No
47	Providing and placing on terrace (at all floor levels) polyethylene water storage tank, IS: 12701 marked, with cover and suitable locking arrangement and making necessary holes for inlet, outlet and overflow pipes but without fittings and the base support for tank.	10000	ltrs
48	Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply including all CPVC plain & brass threaded fittings. This includes jointing of pipes & fittings with one step CPVC solvent cement, trenching, refilling & testing of joints complete as per direction of Engineer in Charge. External work 25 mm nominal dia Pipes	15.00	meter
49	Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply including all CPVC plain & brass threaded fittings. This includes jointing of pipes & fittings with one step CPVC solvent cement, trenching, refilling & testing of joints complete as per direction of Engineer in Charge. External work100 mm nominal dia Pipes	3.00	meter
50	Providing and fixing C.I. sluice valves (with cap) complete with bolts, nuts, rubber insertions etc. (the tail pieces if required will be paid separately):  100 mm diameter Class I	1	No
51	Brick work with common burnt clay F.P.S. (non modular) bricks of class designation 7.5 in superstructure above plinth level up to floor V level in all shapes and sizes in : Cement mortar 1:6 (1 cement : 6 coarse sand)	8.10	Cum
52	12 mm cement plaster of mix : 1:6 (1 cement: 6 fine sand) sqm 333.35	26.10	Sqm

53	Providing and fixing precoated galvanised iron profile sheets (size, shape and pitch of corrugation as approved by Engineer-in-Charge) of total coated thickness 0.50 mm (base metal of minimum 0.45 mm thickness with total coating thickness of 0.05mm) with zinc coating 120 grams per sgm as per IS: 277, in 240 mpa steel grade, 5-7 microns epoxy primer on both side of the sheet and polyester top coat 15-18 microns. Sheet should have protective guard film of 25 microns minimum to avoid scratches during ransportation and should be supplied in single length upto 12 metre or as desired by Engineer-in-charge. The sheet shall be fixed using self drilling /self tapping screws of size (5.5x 55 mm) with EPDM seal, complete upto any pitch in horizontal/ vertical or curved surfaces, excluding the cost of purlins, rafters and trusses and including cutting to size and shape wherever required.	6.00	Sqm
54	Structural steel work in single section, fixed with or without connecting plate, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer all complete.	123.50	kg

Sd/-12.12.2025 DIG(Adm) NS

#### Note:-

- i) The lowest bidder will be decided on overall rate of entire work instead of item (category) wise. Rates quoted by the bidder must be inclusive of applicable G.S.T (Goods and Services Tax) and all other charges if any but exclusive of EPF & ESI Contributions on the part of Employer as applicable with F.O.R (Site of work) at O/O DIG ADM NS HQ CRPF NEW DELHI.
- ii) The E.P.F & E.S.I contributions on the part of employer in respect of the contract shall be paid by the contractor to concerned department well in time. These contributions on the part of the employer paid by the contractor shall reimbursable by this department on actual basis and on production of receipt of the concerned department.

[	1
Signature of Bidder	
(with seal)	

#### **FORMAT OF SOLVENCYCERTIFICATE**

Date.....

#### Format1

Reference No.....

This is to state that to the best of our knowledge and information, Mr./Ms./M/sa customer of our Bank is respectable and can be treated as good upto a sum of Rs (Rupees in words). It Is clarified that this information is furnished without any risk and responsibilityonourpartinanyrespectwhatsoevermoreparticularlyeitherasguarantororotherwis e.Thiscertificateisissuedatthespecificrequestofthecustomer.
Place:
Date: Branch Manager  (with bank seal)
OR Format 2
Reference No
To
This is to certify that as per information available, Shri/Smt./Ms, is solventup to Rs(Rupees). This certificate is valid for the period fromtoThis certificate is is successful to the Bankoranyof its employees.
Rs(Rupees). This certificate is valid for the period from
Rs(Rupees). This certificate is valid for the period fromtoThis certificate is issued without any guarantee or responsibility on the part of the Bankorany of its employees.  Place:

<sup>\*</sup>For the purpose of guidance.

LIST OF APPROVED MAKES ACCEPTABLE MAKES OF MATERIALS/ ELECTRICAL ITEMS			
S.	Material	Approved make	
No.	FRLS PVC INSULATED FLEXIBLE COPPER	POLYCAB/ FINOLEX/ CCI/ RALLISON/ KEI/	
1	WIRES/ CABLE/ TELEPHONE WIRES	HAVELLS	
2	PVC INSULATED AND PVC SHEATHED/ XLPE COPPER/ ALUMINUM CONDUCTOR/ ARMORED/ UNARMORED CABLE	POLYCAB/ FINOLEX/ CCI/ RALLISON/ KEI/ HAVELLS	
3	MODULAR TYPE SWITCH, SOCKET, TV & TELEPHONE SOCKET OUTLETS, RJ-45, BELL PUSH, ELECTRONIC REGULATOR, GI BOX, MODULAR BASE, COVER PLATE AND OTHER ACCESSORIES ETC.	LEGRAND (ARTROR)/ SCHNEIDER ZENCLO/ ANCHOR AVE	
4	MCB'S/ DB'S	LEGRAND(DX3)/ L&T/ HAVELLS/ SIEMENS (BETAGARD)	
5	MCCB	LEGRAND/ SCHNEIDER/ SIEMENS/ L&T	
6	CAT-06 WIRES	LEGRAND/ AMP/ PANDUIT/ D-LINK	
7	LED LIGHTING FIXTURES	PHILIPS/ TRILUX/ LT/ WIPRO/ PANASONIC	
8	PASSIVE INFRARED (PIR) TECHNOLOGY BASED OCCUPANCY SENSOR	LEGRAND/ PHILIPS/ ABB/ SCHNEIDER/ LURTON	
9	STEEL CONDUIT/ PVC CONDUIT	AKG/ BEC/ NIC ISI MARKED	
10	DWC PIPE	REX/ DURALINE/ FINOLEX	
11	1400 MM SWEEP CEILING FAN	HAVELLS(VELOCITY)/ USHA ENERGIA ISI/ CROMPTON WWHE 1400 MM	
12	EXHAUST FAN	HAVELLS/ USHA/ CROMPTON OR EQUIVALENT	
13	INDUSTRIAL SOCKETS WITH MCB	LEGRAND/ SCHNEIDER/ SIEMENS	
14	SPLIT AC	HITACHI/ O-GENERAL/ MISTUBISHI/ DAKIN	
15	DECORATIVE POLESF	TWINKLE/ HAVELLS/ BAJAJ/ CROMPTON	
16	FIRE ALARM SYSTEM	NOTIFIER/ MORLEY/ BOSCH/ LIFE GUARD/ AGNI	
17	EXIT SIGNAGES	PROLITE/ GLOW SIGN/ SURAKSHA LIGHTING	
18	FIRE EXTINGUISHER	SAFEGUARD/ OMEX/ CEASEFIRE/ LIFE GUARD/ AGNI	
19	LT PANEL	NEPTUNE/ ASSOCIATED SWITCHGEAR AND POWER CONTROL/ ADVANCE POWER AND SWITCHGEAR/ TRICOLITE/ ADLEC/ MILESTONE/ CMKL	
20	RO PURIFIRE	KANT/ AQUAGUARD/ BLUSTER	
21	G.I PIPE	JINDAL/ TATA/ JINDAL-HISAR	
22	ANY OTHER ITEM NOT COVERED ABOVE	AS PER APPROVAL OF THE ENGINEER-IN- CHARGE	

(Signature of the Bidder, with Official Seal)

LIST OF APPROVED MAKES  ACCEPTABLE MAKES OF MATERIALS/ FIRE FIGHTING ITEMS			
S. No.	Material	Approved make	
1	MS PIPE	JINDAL/PRAKASH SURYA/TATA	
2	CABLE	POLYCAB/ HAVELLS	
3	FIRE FIGTING ACEESORIES	NEW AGE/DETECT FIRE/MINIMAX/ SAFEX/LIFE GUARD	
4	FIRE ALARAM	AGNI/ASES/RAVAL	
5	VALVE	ZOLOTA/SANT/CASTLE	

## <u>Instructions for Online Bid Submission Instructions to the Bidders to submit the bids online through the Central Public Procurement Portal for e Procurement at http://eprocure.gov.in/eprocure/app.</u>

- 1) Possession of valid Digital Signature Certificate (DSC) and enrollment/registration of the contractors/bidders on the e-procurement/e-tender portal is a prerequisite for e-tendering.
- 2) Bidder should do the enrollment in the e-Procurement site using the "Click here to Enroll" option available on the home page. Portal enrollment is generally free of charge. During enrollment/ registration, the bidders should provide the correct/true information including valid email\_id. All the correspondence shall be made directly with the contractors/bidders through email\_id provided.
- 3) Bidder need to login to the site through their user ID/ password chosen during enrollment/registration.
- 4) Then the Digital Signature Certificate (Class II or Class III Certificates with signing key usage) issued by SIFY/TCS/n-Code/e-Mudra or any Certifying Authority recognized by CCA India on e- Token/Smartcard, should be registered.
- 5) The DSC that is registered only should be used by the bidder and should ensure safety of the same.
- 6) Contractor/Bidder may go through the tenders published on the site and download the required tender documents/schedules for the tenders he/she is interested.
- 7) After downloading / getting the tender document/schedules, the Bidder should go through them carefully and then submit the documents as asked, otherwise bid will be rejected.
- 8) If there are any clarifications, this may be obtained online through the tender site, or through the contact details. Bidder should take into account the corrigendum published before submitting the bidsonline.
- 9) Bidder then logs in to the site through the secured log in by giving the user id/ password chosen during enrolment/registration and then by giving the password of the e-Token/Smartcard to access DSC.
- 10) Bidder selects the tender which he/she is interested in by using the search option & then moves it to the 'my tenders' folder.
- 11) From my tender folder, he selects the tender to view all the details indicated.

- 12) It is construed that the bidder has read all the terms and conditions before submitting their offer. Bidder should go through the tender schedules carefully and upload the documents as asked; otherwise, their bid will be rejected.
- 13) Bidder, in advance, should get ready the bid documents to be submitted as indicated in the tender document/schedule and generally, they can be in PDF/xls/rar/zip/dwf formats. If there is more than one document, they can be clubbed together and can be provided in the requested format. Each document to be uploaded through online for the tenders should be less than 2 MB. If any document is more than 2MB, it can be reduced through zip/rar and the same can be uploaded, if permitted. Bidders Bid documents may be scanned with 100 dpi with black and white option. However if the file size is less than 1 MB the transaction uploading time will be very fast.
- 14) If there are any clarifications, this may be obtained through the site, or during the pre-bid meeting if any. Bidder should take into account the corrigendum published from time to time before submitting the online bids.
- 15) The Bidders can update well in advance, the documents such as certificates, annual report details etc., under My Space option and these can be selected as per tender requirements and then send along with bid documents during bid submission. This will facilitate the bid submission process faster by reducing upload time of bids.
- 16) Bidder should submit the specified in the tender. The original should be posted/couriered/given in person to the Tender Inviting Authority, within the bid submission due date & time for the tender. Scanned copy of the instrument should be uploaded as part of the offer.
- 17) While submitting the bids online, the bidder reads the terms & conditions and accepts the same to proceed further to submit the bid packets.
- 18) The bidder has to select the payment option as offline to pay the Tender Fee/ EMD as applicable and enter details of the instruments.
- 19) The details of the DD/any other accepted instrument, physically sent, should tally with the details available in the scanned copy and the data entered during bid submission time. Otherwise submitted bid will not be acceptable.
- 20) The bidder has to digitally sign and upload the required bid documents one by one as indicated. Bidders to note that the very act of using DSC for downloading the bids and uploading their offers shall be deemed to be a confirmation that they have read all sections and pages of the bid document including General conditions of contract without any exception and have understood the entire document and are clear about the requirements of the tender requirements.
- 21) The bidder has to upload the relevant files required as indicated in the cover content. In case of any irrelevant files, the bid will be rejected.
- 22) If the price bid format is provided in a spread sheet file like BoQ\_xxxx.xls, the rates offered should be entered in the allotted space only and uploaded after filling the relevant columns. The Price Bid/BOQ template must not be modified/replaced by the bidder, else the bid submitted is liable to be rejected for this tender.
- 23) He bidders are requested to submit the bids through online e-tendering system to the Tender Inviting Authority(TIA) well before the bid submission end date & time (as per Server System Clock). The TIA will not be held responsible for any sort of delay or the difficulties faced during the submission of bids online by the bidders at the eleventh hour.

- 24) After the bid submission (ie after Clicking "Freeze Bid Submission" in the portal), the acknowledgement number, given by the system should be printed by the bidder and kept as a record of evidence for online submission of bid for the particular tender and will also act as an entry pass to participate in the bid opening date.
- 25) The time settings fixed in the server side & displayed at the top of the tender site, will be valid for all actions of requesting, bid submission, bid opening etc., in the e-tender system. The bidders should follow this time during bid submission.
- 26) All the data being entered by the bidders would be encrypted using PKI encryption techniques to ensure the secrecy of the data. The data entered will not viewable by unauthorized persons during bid submission & not be viewable by any one until the time of bid opening.
- 27) Any bid document that is uploaded to the server is subjected to symmetric encryption using a system generated symmetric key. Further this key is subjected to asymmetric encryption using buyers/bid

opener's public keys. Overall, the uploaded tender documents become readable only after the tender opening by the authorized bid openers.

- 28) The confidentiality of the bids is maintained since the secured Socket Layer 128 bit encryption technology is used. Data storage encryption of sensitive fields is done.
- 29) The bidder should logout of the tendering system using the normal logout option available at the top right hand corner and not by selecting the (X) exit option in the browser.
- 30) For any queries regarding e-tendering process, the bidders are requested to contact as provided in the tender document. Parallely for any further queries, the bidders are asked to contact over phone: 1800-3070-2232 or send a mail over to <a href="mailto:cppp-doe@nic.in">cppp-doe@nic.in</a>, <a href="mailto:cppp

Sd/-12.12.2025 DIG (Adm) NS CRPF, RK Puram, New Delhi [For and on behalf of the President of India]

Signature of the tenderer with seal