

INVITATION OF TENDER
Central Reserve Police Force
OFFICE OF THE COMMANDANT -109 BN
MONGSANGEL, (P.O) CANCHIPUR, DISTT. IMPHAL WEST, MANIPUR -795003
Tele: 0385-2455341/Mobile No. +91-9612598325

Memo No. E.VIII-1/2021-22-109-Q-(AR&MO)

Dated, the 4TH Jaunary' 2022

E – TENDER NOTICE

The Commandant 109 Bn, CRPF Mongsangei, Imphal West, (Manipur) Pin – 795003 for and on behalf of the President of India, invites sealed tenders **Two Bid Online Tenders** (Technical bid and Financial bid) on CPP portal from registered / approved and eligible / contractors for supply of the following works materials and execution of complete works for **Repairing / Maintenance and Painting of external wall of Mens club with unit Canteen & M.I. Room, Repair/ Maintenance & Painting of internal wall of ADM Block and Repair/ Maintenance & Painting of internal wall of SO's Mess at 109 Bn, CRPF Mongsangei, Imphal West, (Manipur) - 795003** mentioned in the schedule to this tender enquiry from reputed dealing in the trade as per details given below:-

2. Bid will be accepted only online at e-Procurement website www.crfp.nic.in and <http://eprocure.gov.in/eprocure/app> (CPPP).
3. All relevant details, including specification, terms & conditions etc are available on e-Procurement website <http://eprocure.gov.in/eprocure/app> (CPPP), and same may be downloaded by the bidders. Details can also be seen at CRPF website (<http://crfp.nic.in/tender-notice.htm>).
4. Before submission of e-tender, bidders are requested to get themselves registered with www.eprocure.gov.in website with class - II/III Digital Signature Certificate (DSC). Manual bids will not be accepted.
5. For any changes / amendment in Tender Enquiry / Specifications etc, tenderers are requested to visit the CRPF / CPPP web sites regularly.

SCHEDULE TO TENDER

Schedule to Tender No.	No. E.VIII-1/2021-22-109-Q-(AR&MO)
First date and time of receipt of online & Manual documents of tender	By 1600 hours on 27/01/2022
Time and date for online opening e-tender	By 1600 hours on 27/01/2022
Validity of offer	The tender shall remain open for acceptance till 120 days from the date of opening of tender.

Sl. No.	Ref. No.	Name of work & Location	Earnest money	Estimated cost	Period of completion	Last date & Time of submission of tender	Time & date of opening of tender
		Repairing / Maintenance and Painting of external wall of Mens club with unit Canteen & M.I. Room, Repair/ Maintenance & Painting of internal wall of ADM Block and Repair/ Maintenance & Painting of internal wall of SO's Mess at 109 Bn, CRPF Mongsangei, Imphal West, (Manipur) – 795003.	' Bid Security Declaration'	Rs. 11,09,309/-	40 days from the date of award of contract.	27/01/2022 At 1600 hrs	27/01/2022 At 1600 hrs

6. The tenderer may survey the site and decide the quantum of works : It is important that each page of the **tender acceptance letter which is a written undertaking that all the terms and condition of the tender are understood and accepted should be signed and submitted on line through e-procurement site <http://eprocure.gov.in/eprocure/app>.**

7. **The bids shall be submitted in two stages viz. (i) Technical Bid (ii) Financial Bid.**
- The enlistment of the contractors should be valid on the last date of evaluation of Technical Bid.
 - In case only the last date of evaluation of Technical Bid is extended, the enlistment of contractor should be valid on the original date of evaluation of Technical Bid.
 - In case both the last date of evaluation of Technical Bid and Price Bid are extended, the enlistment of contractor should be valid for original date of evaluation of Technical Bid.

8. TWO BID SYSTEM

(a) **FIRST (Technical Bid) should contain the following:**

- Bidders should submit 'Bid Security Declaration.
- Copy of registration in CPWD/MES/BRO/NBCC/State-PWD/Railway any other Govt. organization /PSU etc. related to the same nature of work of civil with appropriate class.
- Details of documents of regarding last 03 years ITR returns or Certificate & GST return of the firm.
- Previous performances / experience.**
 - Three similar completed works costing not less than the amount equal to 40% of the estimated cost. Or
 - Two similar completed works costing not less than the amount equal to 60% of the estimated cost. Or
 - One similar completed works costing not less than the amount equal to 80% of the estimated cost.
- Any other relevant documents which the firms wish to submit.
- The bidder/ tenderer will submit the signed copy (all page to be signed) of the Tender notice under his seal.
- Complete postal address of contractor / Firm along with copy of valid I/Card Aadhar Card and Bank particulars.
- Latest income tax return.
- Tender acceptance letter.

(b) **SECOND (FINANCIAL BID) should contain the following**

- Details of rates, taxes, duties and discounts if any be quoted by the bidder in the BOQ which is an MS Excel sheet and should be downloaded from the e-procurement site <http://eprocure.gov.in/eprocure/app>.
- Rates must be clearly written in figures as well as in words.
- Name of bidder must be written in the appropriate field of BOQ by each bidder.
- The financial bid will be accepted online in BOQ format. Offline price bid will not be accepted.

9. The composite bid i.e. rate indicated in the technical bid "OPENLY" shall be ignored. Price should be quoted as per price bid format along with tender documents at e-procurement site <http://eprocure.gov.in/eprocure/app>. The composite bid i.e. rates indicated in the technical Bid openly in tender is liable to be ignored.

10. The sealed envelope containing Bank instruments and Tender Acceptance Letter Appendixes and other required documents etc. should be super scribed with "**Repairing / Maintenance and Painting of external wall Mens club with unit Canteen & M.I. Room, Repair/ Maintenance & Painting of internal wall of ADM Block and Repair/ Maintenance & Painting of internal wall of SO's Mess at 109 Bn, CRPF Mongsangei, Imphal West, (Manipur) - 795003**", and should reach the following address:- **The Commandant 109 Bn, CRPF Mongsangei, Imphal West, (Manipur) - 795003.**

11. (i) Only the first cover shall be opened on the date of tender opening. Price bids of only those firms will be **considered for opening online** whose offer has passed in all tender condition and technical evaluation.
(ii) After opening of price bids, ranking statement will be prepared and the finalization of tender will be done on L- 1 (the least price) basis or recommendation of Tender Processing Committee.

12. The tenderer may survey the site and decide / change the quantum of work if required. However **name of work and as per schedule of quantity given in the tender document.**

13. Bidders should deposit their Bid Security Declaration along with their tender.

14. The tender document is consisting of specifications, schedule of quantities of various types of works to be executed and terms and conditions of this contract to be complied with and other necessary documents.

Sd-04/01/2022
(Bal Krishna Ram)
Commandant-109 Bn, CRPF
(On behalf of the President of India)

II. IMPORTANT INSTRUCTIONS AND GUIDELINES:-

1. Full name and status of the person signing the tender documents must be clearly mentioned. Intending tenderer is eligible to submit the tender provided he has definite proof from the appropriate authority which shall be to the satisfaction of the competent authority of having satisfactorily completed. License issued by State Government CPWD/ PWD/ NBCC/ NPCC/ MES or any Govt. department should be kept renewed as per periodicity laid down by the authority concerned and submit an attested copy of the same to **The Commandant 109 BN CRPF Mongsangei, Imphal West, Manipur-795003** after each renewal. The contractor / supplier should produce valid license with tender or provide affidavit with tender regarding obtaining License from concerned authority. The successful contractor/supplier/firm should deposit copy of license before execution of construction works. Certificate of Registration for GST and Service tax and acknowledgment up to date of filed return.
2. Works are required to be executed on credit basis only and payment will be made after completion of construction work and issuing of completion certificate as well as physical inspection by Line Committee and approval of competent authority of the department. Payment in advance or immediately during the work cannot be made.
3. Tender Enquiry and EMD should be in a sealed envelope duly superscripted with due mention of execution of construction works, Tender Enquiry No. and date & time of opening of Tender and accepted only online at e-procurement web site <http://eprocure.gov.in/> e-procure / app (CPPP). As mentioned in the schedule to the tender enquiry. Department is not responsible for any postal delay.
4. The contractor / firm whose tender is accepted will be required to furnish **PERFORMANCE SECURITY** for an amount of **equivalent to 3% of the estimated value within 07 days**. Performance Security may be furnished in the form of an CDR / BD / DD / Fixed Deposit Receipt / Bank Guarantee from Nationalized / Commercial bank in a acceptable form safeguarding. Performance Security should remain valid for a period of **120 Days** beyond the date of completion of all contractual obligation of the supplier including Warranty obligations. In case the contractor / supplier fails to deposit the performance security within the stipulated period including extended period if any, the Earnest Money deposited by the supplier shall be forfeited automatically without any notice to the contractor.
5. Intending Bidders are advised to inspect and examine the site and its surrounding and satisfy themselves before submitting their bids as to the form and nature of the site, the means of access to the site, in general shall themselves obtain all necessary information as to risks, contingencies and other circumstances which may influence or affect their bid. A bidder shall be deemed to have full knowledge of the site whether he inspects it or not and no extra charge consequent on any misunderstanding or otherwise specifically provided for in the contract documents. Submission of a bid by a bidder implies that he has read this notice terms & conditions mentioned there in, all other contract documents and has made himself aware of the scope and specifications of the work to be done and all conditions and other factors.
6. **The Commandant 109 BN CRPF Mongsangei, Imphal West, Manipur** on behalf of the President of India reserves to itself the authority to reject any or all the bids received without assigning any reasons. All bids in which any of the prescribed condition are not fulfilled or any condition including that of conditional rebate is put forth by the bidder shall be summarily rejected. All material used in the construction should be of approved quality (i.e. ISI marked). Any negligence / inferior in case of quality control during work will be treated as a punishable offence. The contractor will be responsible for any damage to the structure within the period of at least one year. If there will any damage to the structure within the warranty period, he will ensure the damage and rectify / repair the same on his own cost.
7. Canvassing whether by bidders directly or indirectly, in connection with bids is strictly prohibited and the bids submitted by the contractor supplier who resort to canvassing will be liable to rejection.
8. **The Commandant 109 BN CRPF Mongsangei, Imphal West, Manipur** on behalf of President of India reserves to himself the right of **accepting the whole or any part of the bid** and the bidder shall be bound to perform the same at the rate quoted.

9. The notice of inviting bid shall form a part of the execution of construction work along with all relevant documents. The successful Bidder / Contractor / Supplier shall, on acceptance of his bid by the accepting authority the work should start within **07 days** of issue of work order and complete the work within **40 days**.

10. Bids will be opened on prescribed time and date. In the event of a bid being rejected, the earnest money forwarded with such unaccepted bid shall there upon be returned to the contractor / suppliers in presence of suppliers who may be present at the time, without any interest.

11. GST or any other tax in respect of the work shall be payable by the contractor / supplier direct to the concerned Department.

12. The supplier submitting the tenders against the subject tender enquiry are informed that all relevant details with reference to the tender enquiry stipulations are clearly responded to. In case any of the tender enquiry stipulations are not clearly stated to or replied to by any of the contractor, no (repeat) no clarifications will be sought from the concerned contractor / supplier / firm and its offer will be rejected outrightly.

13. Construction work to be executed on credit basis. No advance payment will be released. Payment will be made on completion of construction work within stipulated time period.

14. In case of any dispute/doubt the decision of the **The Commandant 109 BN CRPF Mongsangei, Imphal West, Manipur** shall be final and binding on all parties/ tenderer. He also reserves the right to accept or reject any tender or all tenders without assigning any reasons.

15. Construction work will be regularly supervised by authorized representative / SI (Civil) of CRPF and if any discrepancy is found as per detail of works specified in **Appendix-“I”** of T/E same will be rectified by the concerned contractor on his own cost.

16. The labourers / workers engaged by the contractor / agency shall be at the risk of contractor and in case of any untoward incident, accident, the contractor / agency will be liable for such risks and the department will not be held responsible in any way for such mis-happening and untoward incident. It should be the duty of contractor to adhere to all security precautions as specified with industry by Govt.

Sd-04/01/2022

(Bal Krishna Ram)

Commandant-109 Bn, CRPF

(On behalf of the President of India)

III. Terms and Conditions of tender enquiry are as under:

1. Terms of Price	1.1 Rates quoted by the Contractor should be in Indian Rupees both in figures as well as in words for complete units as per specifications any and every alteration in the rates should be signed in ink otherwise the offers will not be considered.
	1.2 Contractor should clearly indicate different taxes and duties, which they propose to charge as extra along with the present rates thereof. Offers with such stipulations like ‘as applicable’ will be treated as vague and are liable to be ignored.
2. Payment terms	2.1 Works are required to be completed on CREDIT BASIS only and payment will be made after drawl of amount from concerned RPAO / PAO, CRPF.
	2.2 Payment in advance or immediately on delivery for material cannot be considered and tender with such condition will be rejected.
	2.3 Tenderers are requested to check physically the location where “ Repairing / Maintenance and Painting of external wall Mens club with unit Canteen & M.I. Room, Repair/ Maintenance & Painting of internal wall of ADM Block and Repair/ Maintenance & Painting of internal wall of SO’s Mess at 109 Bn, CRPF Mongsangei, Imphal West, (Manipur) - 795003 ” (BCS), is to be carried out and other technical details before submitting the tender. TEC detailed by the Commandant (Engr.) CRPF. NEZ, GTY, in which board members will check technical bid of the same above work and price bid will opened of only those firms which qualify in technical bid.
3. Earnest Money Deposit	3.1 All the contractors are required to deposit ‘ Bid Security Declaration ’ only along with the quotation, failing which their officers will be summarily rejected.
4. Performance security deposit	4.1 The successful contractor shall have to deposit a Performance Security equivalent to 3% of the estimated value of the work to be executed within 07 days from the date of award of contract for due performance. Failure on the part of the firm to Deposit the Performance Security Deposit within the stipulated time empowers the competent authority to cancel the contract.
	4.2 The Performance Security Deposit submitted by the contractor will remain valid at least for 120 days beyond the date of completion of work as well as all contractual obligations of the supplier including guarantee/warrantee obligations.
	4.3 The performance security deposit can be deposited in any of the following alternative forms: (a) A FDR/DD/..... drawn in favour of The Commandant 109 BN CRPF Mongsangei Imphal Payable at SBI, Imphal Branch, Thangal Bazar, Imphal, Manipur, Pin-795001, IFS Code – SBIN0000092. (b) An Irrevocable Bank Guarantee of any nationalized/scheduled Bank or reputed commercial bank in any other form prescribed.
	4.4 If the contractor fails to start the work of “ Repairing / Maintenance and Painting of external wall Mens club with unit Canteen & M.I. Room, Repair/ Maintenance & Painting of internal wall of ADM Block and Repair/ Maintenance & Painting of internal wall of SO’s Mess at 109 Bn, CRPF Mongsangei, Imphal West, (Manipur) - 795003 ” (BCS), within the stipulated period and place requests for extension of time, he will submit an undertaking on Non Judicial stamp paper of Rs. 10/-duly attested by the Notary Public stating that the Performance Security has already been extended for 120 days beyond the guarantee /warrantee period. (Cash security deposits will not be accepted.
	4.5 The Performance Security Deposit shall be withheld or forfeited in full or part in case the work order is not executed satisfactorily within the stipulated period or requisite standard of the work within the guarantee period is not undertaken to the best satisfaction of the user.

<p>5. Eligibility of Contractor</p>	<p>The Tenderer should be a Govt. registered like CPWD, MES, BRO, NBCC, State PWD participating.</p> <ol style="list-style-type: none"> 1. The enlistment of the contractor should be valid on the last date of submission of Bids. 2. In case the last date of submission of Bid is extended, the enlistment of the contractor should be valid on the original date of submission of Bids. 3. Supply order as a experience certificate will not be considered, in case of execution of work/repair and renovation work. 4. Attested copy of registration in any Govt. Deptt. as approved contractor (registration details showing appropriate class and category). 5. Enlisted CPWD contractors above Class I composite category are allowed to participate upto their tendering limits without submitting Eligibility documents. Firms and contractors, not registered with CPWD are required to submit Eligibility documents of executing similar works. 6. Experience of having successfully completed works during the last 5 years ending previous day of last date of submission of tenders.
<p>6. Two Bid System</p>	<p>6.1 The following documents are to be submitted with technical bid system :-</p> <p>(a) FIRST (Technical Bid) should contain the following:</p> <ol style="list-style-type: none"> i) Bidders should submit 'Bid Security Declaration. ii) Copy of registration in CPWD/MES/BRO/NBCC/State-PWD / Railway any other Govt. organization / PSU etc. related to the same nature of work of civil with appropriate class. iii) Details of documents of regarding last 03 years ITR returns or Certificate & GST return of the firm. iv) Previous performances / experience. <ol style="list-style-type: none"> a) Three similar completed works costing not less than the amount equal to 40% of the estimated cost. Or b) Two similar completed works costing not less than the amount equal to 60% of the estimated cost. Or c) One similar completed works costing not less than the amount equal to 80% of the estimated cost. v) Any other relevant documents which the firms wish to submit. vi) The bidder/ tenderer will submit the signed copy (all page to be signed) of the Tender notice under his seal. vii) Complete postal address of contractor / Firm along with copy of valid I/Card Aadhar Card and Bank particulars. viii) Latest income tax return. ix) Tender acceptance letter. <p>(b) SECOND (FINANCIAL BID) should contain the following</p> <ol style="list-style-type: none"> i) Details of rates, taxes, duties and discounts if any be quoted by the bidder in the BOQ which is an MS Excel sheet and should be downloaded from the e-procurement site http://eprocure.gov.in/eprocure/app. ii) Rates must be clearly written in figures as well as in words. iii) Name of bidder must be written in the appropriate field of BOQ by each bidder. iv) The financial bid will be accepted online in BOQ format. Offline price bid will not be accepted.
<p>7. Delivery Instruction</p>	<p>7.1 Standard / ISI Marked stores should be used for the work.</p>
<p>8. Delivery/work period instruction</p>	<p>8.1 The successive bidder should complete the work within 40 days on receipt of valid work/supply order.</p>
<p>9. Liquidation Damage Charge</p>	<p>9.1 If the firm fails to complete the work within 40 days the purchaser may recover from the contractor / firm liquidated damages including administrative expensed etc. A sum equivalent to 2% of the price of stores / work which the supplier has failed to done work within the period fixed for each month or part of a month. Delay so claimed shall not exceed 10% of the total contract price.</p>

10. Requirement of Tender Sample	10.1 Bidders are not required to submit the samples of goods. However, bidders are ensured to use the standard / ISI marked items only as above. 10.2 The bidders should indicate the details of Guarantee / Warranty period of the works, of which companies items will use for this work, any specified offers from the original manufactures etc. while submitting the tender and if the supply order is awarded necessary warranty / guarantee certificate should be issued while start the work. 10.3 The successive bidders are responsible for replacing/ repairing the stores while got defective during the warranty / guarantee period. 10.4 If the bidders are failed to supply the standard ISI Marked materials, competent authority has right to cancel / reject the goods at any stage without assigning any reason
11. Tender Cost	11.1 All tender document can be downloaded from CRPF website www.crfp.nic.in as well as e-procurement web site.

ADDITIONAL SPECIFICATIONS FOR CIVIL WORKS:

1. All materials required to be used on works shall be got approved from the Commandant cum-Estate Officer 109 Bn CRPF Mongsangei Imphal in advance. In case of doubt on any material, Commandant, 109 Bn CRPF Imphal bears the right to get the material test from Govt. approved labs/NABL.
2. The quoted rate should be inclusive of all taxes, levies, works contract taxes, duties etc.
3. All items to be used in this work should be branded and ISI. In this case CPWD approved list of material for similar work may be followed.

Sd-04/01/2022

(Bal Krishna Ram)

Commandant-109 Bn, CRPF

(On behalf of the President of India)

BID SECURITY DECLARATION FROM BIDDERS IN LIEU OF EMD
(On Bidders Letter head)

I/We.....
the authorized signatory of M/s.
.....
.....
Participating in the subject e-Tender Enquiry No.....
for the item / Job of
.....
..... do hereby declare :

- (i) That I/We have availed the benefit of waiver of EMD while submitting our offer against the subject Tender and no EMD being deposited for the said tender.

- (ii) That in the event we withdraw/modify our Bid during the period of validity, **OR**
I/We fail to execute formal contract agreement within the given timeline **OR**
I/We fail to submit a Performance Security within the given timeline, **OR**
I/We commit any breach of Tender Conditions / Contract which attracts penal action and
I/We will be suspended from being eligible for bidding/award of all future contract(s) of all
establishment of Central Reserve Police Force for a period of two years from the date of committing
such breach.

Signature and seal of Authorized signatory of bidder
Name of Authorized Signatory.....
Company Name.....

**PROFORMA OF BANK GUARANTEE FOR FURNISHING
PERFORMANCE SECURITY DEPOSIT**

To

The President of India,

WHEREAS M/S-----

(name and address of the supplier) (hereinafter called “the supplier”) has undertaken, in pursuance of contract no.....dated..... to supply the materials for **“Repairing / Maintenance and Painting of external wall of Mens club with unit Canteen & M.I. Room, Repair/ Maintenance & Painting of internal wall of ADM Block and Repair/ Maintenance & Painting of internal wall of SO’s Mess at 109 Bn, CRPF Mongsangei, Imphal West, (Manipur) - 795003”** (BCS),

AND WHEREAS it has been stipulated by you in the said contract that the supplier shall furnish you with a bank guarantee by a nationalized or scheduled commercial bank of good repute and record recognized by you for the sum specified therein as security for compliance with its obligations in accordance with the contract:

AND WHEREAS we have agreed to give the contractor such a bank guarantee:

NOW THEREFORE we hereby affirm that we are the guarantors and responsible to you, on behalf of the supplier/contractor, up to a total of

.....
(amount of the guarantee in words and figures), and we undertake to pay you, upon your first written demand declaring the supplier to be in default under the contract and without cavil or argument, any sum or sums within the limits of (amount of guarantee) as aforesaid, without your needing to prove or to show grounds or reasons for your demand or the sum specified therein.

We hereby waive the necessity of your demanding the said debt from the supplier before presenting us with the demand.

We further agree that no change or addition to or other modification of the terms of the contract to be performed there under or of any of the contract documents which may be made between you and the supplier/contractor shall in any way release us from any liability under this guarantee and we hereby waive notice of any such change, addition or modification.

This guarantee shall be valid until the..... day of2021.

(Sig. of the authorized officer of the Bank)

Name and designation of the officer

Name and address of the Bank

Banker’s common seal

PERFORMANCE STATEMENT

1.	Name & location of work		
2.	Cost of work		
3.	Name of Client		
4.	Full address of the firm		
5.	Contact no. of the contact person of the Client for whom works was executed		
6.	E-mail id of the contact person (Mandatory)		
7.	Completion period	Stipulated	
		Actual	
8.	Whether the work was left incomplete (reason if any for delay in completion of work) or contract was terminated from either side (give full details)		
9.	Any other relevant information		

LIST No. 1

TENDERERS SHOULD FURNISH SPECIFIC ANSWERS TO ALL THE QUESTIONS GIVEN BELOW. TENDERERS MAY PLEASE NOTE THAT IF THE ANSWER SO FURNISHED ARE NOT CLEAR AND / OR ARE EVASIVE, THE TENDER WILL BE LIABLE TO BE IGNORED.

1. Tender No. _____
2. Name and address of firm/contractor :
3. What is your permanent Income Tax A/C No. :
4. Status.
 - a) Indicate whether you are Govt. registered or not :
 - b) GST No. :
5. Please indicate name & full address of your banker in the following format -
 - a) Bank Name, Branch and Bank Account No. (Core bank account)
 - b) IFSC Code :
 - c) Whether bank branch is NEFT/RTGS enables or not :
6. State whether your firm with you have been banned by any Govt. /CPWD authority? :
7. Please confirm that you have read all the instructions carefully and have complied with accordingly. :

Signature of Witness _____
(Full Name and address of witness in Block letters)

Signature of Tenderer _____
(Full Name and address of the persons signing in Block letters)
Whether signing as
Proprietor/Partner/Constituted Attorney/duly authorized by the Company

Questionnaire/Check List (Please fill the answer correctly. Tenders leaving the column and Questionnaire un-answered shall be rejected)

01	Whether firm/Contractor is registered for the tendered work or not	
02	Registration No. and Date	
03	Registration issued by	
04	Registration valid upto	
05	Copy of Registration submitted or not	
06	GST registration No	
07	Whether Copy of GST registration certificate submitted or not with tender	
08	PAN No.	
09	Whether Copy of PAN No submitted or not with tender	
10	Whether Copy of replacement Warranty period of new fittings enclosed or not	
11	Whether Bid Security Declaration enclosed, if yes details of Bid Security Declaration.	
12	Whether offer is valid up to 120 days or otherwise.	
13	Complete details of Banker with IFSC code, Account No. Name of Bank, Name of Branch, Bank Code, Swift code etc.	
14	Whether past performance Performa submitted along with copies of award of contracts or not	
15	Whether tender specification / work scope accepted by the firm/contractor or not	
16	Whether all pages of tender has been signed by the authorized signatory or not and returned with offer of not.	
17	Whether all the terms and condition of the Tender Enquiry including payment terms are acceptable or not	
18	Any other specific condition of the firm/contractor	

Signature _____
(Name of the firm/Contractor)
With seal/stamp

TENDER ACCEPTANCE LETTER
(To be given on Company Letter Head)

Date:

To,

Sub: Acceptance of Terms & Conditions of Tender.

Tender Reference No: _____

Name of Tender / Work:-

Dear Sir,

1. I/ We have downloaded / obtained the tender document(s) for the above mentioned 'Tender/Work' from the web site(s) namely:

as per your advertisement, given in the above mentioned website(s).

2. I / We hereby certify that I / we have read the entire terms and conditions of the tender documents from Page No. _____ to _____ (including all documents like annexure(s), schedule(s), etc .), which form part of the contract agreement and I / we shall abide hereby by the terms / conditions / clauses contained therein.

3. The corrigendum(s) issued from time to time by your department/ organization too have also been taken into consideration, while submitting this acceptance letter.

4. I / We hereby unconditionally accept the tender conditions of above mentioned tender document(s) / corrigendum(s) in its totality / entirety.

5. In case any provisions of this tender are found violated , then your department/ organization shall without prejudice to any other right or remedy be at liberty to reject this tender/bid including the forfeiture of the full said earnest money deposit absolutely.

Yours Faithfully,

(Signature of the Bidder, with Official Seal)

Form 68-A

Tender No. _____

Full name and address of the Tenderer in addition Contractor's telegraphic Address

To post box No. if any should be quoted in all _____

Communication to this Office _____

Telephone No. _____

Fax No. _____ From. _____

DearS
ir,

1. I/We hereby offer to supply the stores detailed in the schedule here to or such portion there of as you may specify in the acceptance of tender at the price given in the said schedule and agree to hold this offer open till. I/we shall be bound by a communication of acceptance within the prescribed time.

2. I/We have understood the instructions to Tenderers in the booklet DGS&D-229 and conditions of contract in the Form No-68 (Revised) including in the pamphlet entitling conditions of contract governing contracts placed by the Central Purchases Organization of the Government of India read with the amendment annexed here with and have thoroughly examined the specification drawing and / or pattern quoted in the schedule here to and am / are fully aware of the nature of the stores required and my / our offer is to supply stores strictly in accordance with the requirements.

Signature of theTenderer

The following pages have been added to and form part of this tender _____

<p>Here paste coupon in case where coupons are supplied to contractors on payment</p>

Yours Faithfully

(Signature of theTenderer)

Appendix-“H”**Questionnaire / Check List (Must be filled in all respect)**

Sl No.	Requirement	(Firm should correctly fill following column.)	(Indicate page number of tender documents where related information is shown/available , s it can be verified columns should be highlighted)
1.	Whether Registered with CPWD/PWD		
	Validity of registration		
2.	Whether Bid Security Declaration enclosed or not.		
	Whether Specification of work Confirmed or not		
3.	Terms of Work Start and Finish (Our requirement is start within 07 days and finished within 90 days)		
4.	Validity of offer (Our requirement is 120 days from the date of opening)		
5.	Past performance (attached or not)		
6.	Arbitration Clause (agreed or not)		
7.	Warranty Clause (agreed or not)		
8.	GSTIN NO. (attached or not)		
9.	Liquidated damage clause (agreed or not)		
10.	Partnership agreement (attached or not)		
11.	Name & Add of Bankers.		
12.	Whether business dealing banned or not		
13.	Whether tender signed properly		
14.	Pan Card Details		
15.	Tin No.		

Signature of Tenderer

Date.....

Name of Tenderer.....

APPENDIX-'I'**FORMAT FOR PRICE BID**

S/No.	Details of work	A/U	Qty	Rate	Amount	Basics rates in figured to be entered by the bidder in Rs. P	Total amount without taxes/other charges in Rs. P	Total amount with taxes/other charges in Rs. P	Total amount in words

SIGNATURE OF TENDERER WITH DATE AND SEAL

B. Details of work: -

Name of work	“Repairing / Maintenance and Painting of external wall Mens club with unit Canteen & M.I. Room, Repair/ Maintenance & Painting of internal wall of ADM Block and Repair/ Maintenance & Painting of internal wall of SO’s Mess at 109 Bn, CRPF Mongsangei, Imphal West, (Manipur) - 795003” (BCS),
Scope of work	_____

S/No	Description of work/items	Qty	Unit
1	Schedule of work and calculation of quantity is enclosed as Appendix – J1		
1.1			
2			
2.1			

Note: - Lowest Contractor (L-1) will be decided on overall lowest rates basis

1. Repair/ Maintenance & Painting of internal wall of SO's Mess at 109 Bn HQr, CRPF Mongsangei, Imphal West, Manipur.

ABSTRACT OF COST – ORIGINAL ESTIMATE			
This page is not to be filled, item rate to be filled in BOQ Sheet. (Price Bid)			
Sl. No.	Description of Item	Qty.	Unit
1.	Distempering with 1st quality acrylic distemper (Ready mix) having VOC content less than 50 grams/ liter of approved brand and manufacture to give an even shade : 13.90.1 old work (one or more coats)	-	-
1.1	Old work (one or more coats)	2520.84	Sqm
2	Painting with synthetic enamel paint of approved brand and manufacture of required colour to give an even shade.	-	-
2.1	Two or more coats on new work over an under coat of suitable shade with ordinary paint of approved brand and manufacture.	107.16	Sqm
3.	Removing white or colour wash by scrapping and sand papering and preparing the surface smooth including necessary repairs to scratches etc. complete.	100.00	Sqm
4	Repairs to plaster of thickness 12 mm to 20 mm in patches of area 2.5 sq. meters and under, including cutting the patch in proper shape, raking out joints and preparing and plastering the surface of the walls complete, including disposal of rubbish to the dumping ground, all complete as per direction of Engineering-Charge.	-	-
4.1	With cement mortar 1:4 (1 cement : 4 fine sand)	15.00	Sqm
5	Providing and fixing 1st quality ceramic glazed wall tiles conforming to IS: 15622 (thickness to be specified by the manufacturer), of approved make, in all colours, shades except burgundy, bottle green, black of any size as approved by Engineering-Charge, in skirting, risers of steps and dados, over 12 mm thick bed of cement mortar 1:3 (1 cement : 3 coarse sand) and jointing with grey cement slurry @ 3.3kg per sqm, including pointing in white cement mixed with pigment of matching shade complete.	-	-
	For room 13 No. Bathroom floor	7.20	Sqm
6	Providing and laying rectified Glazed Ceramic floor tiles of size 300x300 mm or more (thickness to be specified by the manufacturer), of 1st quality conforming to IS : 15622, of approved make, in colours White, Ivory, Grey, Fume Red Brown, laid on 20 mm thick cement mortar 1:4 (1 Cement: 4 Coarse sand), jointing with grey cement slurry @ 3.3 kg/ sqm including grouting the joints with white cement and matching pigments etc., complete.	-	-
	For room 13 No. Bathroom floor	3.00	Sqm
7	Renewing glass panes, with putty and nails wherever necessary including racking out the old putty:	-	-
7.1	Float glass panes of nominal thickness 4 mm (weight not less than 10 kg / sqm)	20.00	Sqm
Sanitary Installations		-	-
8	Providing and fixing brass bib cock of approved quality	-	-
8.1	15mm nominal bore	20.00	Each
9	Providing and fixing wash basin with C.I. brackets, 15 mm C.P. brass pillar taps, 32 mm C.P. brass waste of standard pattern, including painting of fittings and brackets, cutting and making good the walls wherever require:	-	-
9.1	White Vitreous China Wash basin size 630x450 mm with a pair of 15 mm C.P. brass pillar taps.	5.00	Each
10	Providing and fixing P.V.C. waste pipe for sink or wash basin including P.V.C. waste fittings complete.	-	-
10.1	Semi rigid pipe	-	-
10.2	40 mm dia	20.00	Each

11	Providing and fixing 600 × 450 mm beveled edge mirror of superior glass (of approved quality) complete with 6 mm thick hard board ground fixed to wooden cleats with C.P brass screws and washers complete.	6.00	Each
12	Providing and fixing C.P. brass bib cock of approved quality conforming to IS standards and weighing not less than 690 gms	-	-
12.1	15 mm nominal bore	10.00	Each
13	Providing and fixing 8mm dia C.P. / S.S. Jet with flexible tube up to 1, meter long with S.S. triangular plate to European type W.C. of quality and make as approved by Engineer-in-charge.	15.00	Each
Electrical Items:-		-	-
20	1x28 watt T5 tube light	25.00	Each
21	1x11 watt CFL Mirror light	15.00	Each
22	2x28 watt .T-5 light	18.00	Each
23	1400 mm ceiling fan with regulator	15.00	Each
24	2x 11 watt mirror optic CFL light	20.00	Each
25	250 mm sweep Exhaust Fan	7.00	Each

2. Repair / Maintenance & painting of External wall Men's club with unit canteen & M.I. Room at 109 BN HQR, CRPF Mongsangei, Imphal West, Manipur.

ABSTRACT OF COST – ORIGINAL ESTIMATE			
This page is not to be filled, item rate to be filled in BOQ Sheet. (Price Bid)			
Sl.No.	Description of Item	Qty.	Unit
1	Finishing walls with Acrylic Smooth exterior paint of required shade :	-	-
1.1	Old work (Two or more coat applied @ 1.67 ltr/ 10 sqm) on existing cement paint surface	544.98	Sqm
2	Removing white or colour wash by scrapping and sand papering and preparing the surface smooth including necessary repairs to scratches etc. complete.	120.00	Sqm
3	Distempering with 1st quality acrylic distemper (Ready mix) having VOC content less than 50 grams/ liter of approved brand and manufacture to give an even shade :	-	-
3.1	Old work (one or more coats)	491.62	Sqm
4	Repairs to plaster of thickness 12 mm to 20 mm in patches of area 2.5 sq. meters and under, including cutting the patch in proper shape, raking out joints and preparing and plastering the surface of the walls complete, including disposal of rubbish to the dumping ground, all complete as per direction of Engineering-Charge.	-	-
4.1	With cement mortar 1:4 (1 cement : 4 fine sand)	30.00	Sqm
5	With water thinkable cement primer on wall surface having VOC content less than 50 grams/liter	60.00	Sqm
6	Providing and fixing Ist quality ceramic glazed wall tiles conforming to IS: 15622 (thickness to be specified by the manufacturer), of approved make, in all colours, shades except burgundy, bottle green, black of any size as approved by Engineering-Charge, in skirting, risers of steps and dados, over 12 mm thick bed of cement mortar 1:3 (1 cement : 3 coarse sand) and jointing with grey cement slurry @ 3.3kg per sqm, including pointing in white cement mixed with pigment of matching shade complete.	-	-
6.1	For toilet No. 02	12.96	Sqm
7	Providing and laying rectified Glazed Ceramic floor tiles of size 300x300 mm or more (thickness to be specified by the manufacturer), of 1st quality conforming to IS : 15622, of approved make, in colours White, Ivory, Grey, Fume Red Brown, laid on 20 mm thick cement mortar 1:4 (1 Cement: 4 Coarse sand), jointing with grey cement slurry @ 3.3 kg/ sqm including grouting the joints with white cement and matching pigments etc., complete.	-	-
7.1	For toilet No. 02	6.30	Sqm

8	Providing and fixing glazing in aluminum door, window, ventilator shutters and partitions etc. with EPDM rubber / neoprene gasket etc. complete as per the architectural drawings and the directions of engineer-in-charge. (Cost of aluminum snap beading shall be paid in basic item):	-	-
8.1	With float glass panes of 5 mm thickness (weight not less than 12.50 Kg/sqm)	7.20	Sqm
9	Providing and fixing pre-coated galvanized iron profile sheets (size, shape and pitch of corrugation as approved by Engineer-in-charge) 0.50 mm (+ 0.05 %) total coated thickness with zinc coating 120 grams per sqm as per IS: 277, in 240 mpa steel grade, 5-7 microns epoxy primer on both side of the sheet and polyester top coat 15-18 microns. Sheet should have protective guard film of 25 microns minimum to avoid scratches during transportation and should be supplied in single length up to 12 873SUB HEAD : 12- ROOFING meter or as desired by Engineer-in-charge. The sheet shall be fixed using self drilling /self tapping screws of size (5.5x 55 mm) with EPDM seal, complete up to any pitch in horizontal/ vertical or curved surfaces, excluding the cost of purlins, rafters and trusses and including cutting to size and shape wherever required.	-	-
9.1	M.I. Room L.S	30.00	Sqm
10	Providing and fixing 600x450 mm beveled edge mirror of superior glass (of approved quality) complete with 6 mm thick hard board ground fixed to wooden cleats with C.P. brass screws and washers complete	5.00	Each
11	Providing and fixing 600x120x5 mm glass shelf with edges round off, supported on anodized aluminum angle frame with C.P. brass brackets and guard rail complete fixed with 40 mm long screws, rawl plugs etc., complete.	5.00	Each
12	Providing & fixing false ceiling at all heights with GRG (Glass Fiber Reinforced Gypsum) false ceiling tiles of Size 595x595 mm of approved texture, design and patterns having moisture content less than 2%, humidity resistance of 99%, NRC0.50 to 0.75 as per IS 8225:1987, Noncombustible as per BS 476 (part 4)-1970 and light reflectance of 85% (minimum) to be laid in true horizontal level suspended on inter-locking metal T-Grid of hot dipped galvanized iron section of 0.33mm thick (galvanized @ 120 grams per sqm including both sides) comprising of main-T runners of size 15x32 mm of length 3000 mm, cross - T of size 15x32 mm of length 1200 mm and secondary intermediate cross-T of size 15x32 mm of length 600mm to form grid module of size 600 x 600 mm, suspended from ceiling using galvanized mild steel items (galvanizing @ 80 grams per sqm) i.e. 50 mm long, 8 mm outer diameter M-6 dash fasteners, 6 mm dia fully threaded hanger rod upto 1000 mm length and L-shape level adjuster of size 85x25x2 mm. Galvanized iron perimeter wall angle of size 24x24x0.40 mm of length 3000 mm to be fixed on periphery wall / partition with the help of plastic rawl plugs at 450 mm center to center and 40 mm long dry wall wood screws. The work shall be carried out as per specifications, drawing and as per directions of the Engineer-in-Charge.	-	-
12.1	With semi perforated 12 mm thick micro regular edged GRG false ceiling tiles	12.00	Sqm
13	Dismantling aluminum/ Gypsum partitions, doors, windows, fixed glazing and false ceiling including disposal of unserviceable material and stacking of serviceable material within 50 meters lead as directed by Engineer-in-charge.	12.00	Sqm
SANITARY INSTALLATIONS			
14	Providing and fixing C.P. brass bib cock of approved quality conforming to IS:8931:	-	-
14.1	15 mm nominal bore	6.00	Each
15	Providing and fixing C.P. brass stop cock (concealed) of standard design and of approved make conforming to IS: 8931.	-	-
15.1	15 mm nominal bore	8.00	Each
16	Providing and fixing wash basin with C.I. brackets, 15 mm C.P. brass pillar taps, 32 mm C.P. brass waste of standard pattern, including painting of fittings and brackets, cutting and making good the walls wherever require:	-	-
16.1	White Vitreous China Wash basin size 630x450 mm with a pair of 15 mm C.P. brass pillar taps	3.00	Each

17	Providing and fixing P.V.C. waste pipe for sink or wash basin including P.V.C. waste fittings complete.	-	-
17.1	Semi rigid pipe	-	-
17.2	40 mm dia	6.00	Each
18	Providing and fixing C.P. brass long body bib cock of approved quality conforming to IS standards and weighing not less than 690 gms.	-	-
18.1	15 mm nominal bore	5.00	Each
19	Providing and fixing 8 mm dia C.P. / S.S. Jet with flexible tube upto 1 metre long with S.S. triangular plate to European type W.C. of quality and make as approved by Engineer - in - charge.	3.00	Each
20	1x28 watt T5 tube light	25.00	Each
21	1x11 watt CFL Mirror light	22.00	Each
22	2x28 watt .T-5 light	25.00	Each
23	1400 mm ceiling fan with regulator	5.00	Each
24	2x 11 watt mirror optic CFL light	16.00	Each
25	250 mm sweep Exhaust Fan	3.00	Each

3. Repair/ Maintenance & Painting of internal wall of ADM Block at 109 Bn Hqr, CRPF Mongsangei, Imphal West, Manipur.

ABSTRACT OF COST – ORIGINAL ESTIMATE			
This page is not to be filled, item rate to be filled in BOQ Sheet. (Price Bid)			
Sl. No.	Description of Item	Qty.	Unit
1.	Distempering with 1st quality acrylic distemper (Ready mix) having VOC content less than 50 grams/ litre of approved brand and manufacture to give an even shade :		
1.1	Old work (one or more coats)	2464.22	Sqm
2.	Removing white or colour wash by scrapping and sand papering and preparing the surface smooth including necessary repairs to scratches etc. complete.	120.00	Sqm
3	Repairs to plaster of thickness 12 mm to 20 mm in patches of area 2.5 sq. meters and under, including cutting the patch in proper shape, raking out joints and preparing and plastering the surface of the walls complete, including disposal of rubbish to the dumping ground, all complete as per direction of Engineering-Charge.		
3.1	With cement mortar 1:4 (1 cement : 4 fine sand)	15.00	Sqm
4	With water thinnable cement primer on wall surface having VOC content less than 50 grams/liter	85.00	Sqm
5	Providing and fixing 1st quality ceramic glazed wall tiles conforming to IS: 15622 (thickness to be specified by the manufacturer), of approved make, in all colours, shades except burgundy, bottle green, black of any size as approved by Engineering-Charge, in skirting, risers of steps and dados, over 12 mm thick bed of cement mortar 1:3 (1 cement : 3 coarse sand) and jointing with grey cement slurry @ 3.3kg per sqm, including pointing in white cement mixed with pigment of matching shade complete.	-	-
5.1	Gents toilet & Ladies toilet Seepage etc.	2.88	Sqm
6	Providing and laying rectified Glazed Ceramic floor tiles of size 300x300 mm or more (thickness to be specified by the manufacturer), of 1st quality conforming to IS : 15622, of approved make, in colours White, Ivory, Grey, Fume Red Brown, laid on 20 mm thick cement mortar 1:4 (1 Cement: 4 Coarse sand), jointing with grey cement slurry @ 3.3 kg/ sqm including grouting the joints with white cement and matching pigments etc., complete.	-	-
6.1	Gents toilet & Ladies toilet Seepage etc.	2.40	Sqm
7	Providing and fixing glazing in aluminum door, window, ventilator shutters and partitions etc. with EPDM rubber / neoprene gasket etc. complete as per the architectural drawings and the directions of engineer-in-charge. (Cost of aluminum snap beading shall be paid in basic item):	-	-

7.1	With float glass panes of 5 mm thickness (weight not less than 12.50 Kg/sqm)	5.04	Sqm
SANITARY INSTALLATION			
8.	Dismantling of flushing cistern of all types (C.I./PVC/Vitreous China) including stacking of useful materials near the site and disposal if unserviceable materials within 50 meters lead.	2.00	Each
9.	Providing and fixing white vitreous china pedestal type water closet (European type W.C pan) with seat and lid, 10 litre low level white P.V.C flushing cistern, including flush pipe with manually controlled device (handle lever), conforming to IS:7231, with all fitting and fixtures complete, including cutting and making good the walls and floors whenever required:	-	-
9.1	W.C pan with ISI marked white solid plastic seat and lid.	2.00	Each
10	Providing and fixing brass bib cock of approved quality	-	-
10.1	15mm nominal bore	11.00	Each
11	Providing and fixing wash basin with C.I. brackets, 15 mm C.P. brass pillar taps, 32 mm C.P. brass waste of standard pattern, including painting of fittings and brackets, cutting and making good the walls wherever require:	-	-
11.1	White Vitreous China Wash basin size 630x450 mm with a pair of 15 mm C.P. brass pillar taps.	5.00	Each
12	Providing and fixing P.V.C. waste pipe for sink or wash basin including P.V.C. waste fittings complete.	-	-
12.1	Semi rigid pipe	-	-
12.2	40 mm dia	8.00	Each
13	Providing and fixing 600 × 450 mm beveled edge mirror of superior glass (of approved quality) complete with 6 mm thick hard board ground fixed to wooden cleats with C.P brass screws and washers complete.	5.00	Each
14	Providing and fixing C.P. brass bib cock of approved quality conforming to IS standards and weighing not less than 690 gms	-	-
14.1	15 mm nominal bore	6.00	Each
15	Providing and fixing 8mm dia C.P. / S.S. Jet with flexible tube up to 1, metre long with S.S. triangular plate to European type W.C. of quality and make as approved by Engineer-in-charge.	3.00	Each
Electrical Items:-		-	-
20	1x28 watt T5 tube light	22.00	Each
21	1x11 watt CFL Mirror light	20.00	Each
22	2x28 watt .T-5 light	22.00	Each
23	1400 mm ceiling fan with regulator	4.00	Each
24	2x 11 watt mirror optic CFL light	10.00	Each
25	250 mm sweep Exhaust Fan	2.00	Each

Sd-04/01/2022

(Bal Krishna Ram)

Commandant-109 Bn, CRPF

(On behalf of the President of India)