

OFFICE OF THE DY. INSPECTOR GENERAL OF POLICE कार्यालय पुलिस उप—महानिरीक्षक

GROUP CENTRE, C.R.P.F., PINJORE (HARYANA)-134104

समूह केन्द्र, केन्द्रीय रिजर्व पुलिस बल, पिंजीर (हरियाणा)-134104

GC PINJORE ALWAYS IN PURSUIT OF EXCELLENCE

1733-266251 (OFFICE),266257 (CONTROL ROOM & FAX)

No.L-VII-1/2020-21-GCP-Bldg

Dated the 20 October 2020

E-TENDER NOTICE

DIGP GC, CRPF PINJORE for and on behalf of the President of India invites online tenders under two bid system (Technical and Financial bid) from Govt (Centre/State) registered firms/contractors Re- boring tube well and laying 100 mm dia DI pipe line from firing range to UGT tank at GC,CRPF Pinjore District – Panchkula (Harvana) -134104.

- 1. Bids will be accepted online at e-Procurement website http://eprocure.gov.in/eprocure/app (CPPP) and CRPF website http://crpf.nic.in/tender-notice.htm.
- 2. All relevant details, including specification, terms & conditions etc are available on at e- Procurement website http://eprocure.gov.in/eprocure/app (CPPP) and CRPF website http://crpf.nic.in/tender-notice.htm and same may be downloaded by the bidders.
- 3. For any changes/amendment in Tender Enquiry/Specifications etc, Tenderers are requested to visit the CRPF /CPPP web sites regularly.
- 4 The EMD is : Rs. 39,500/-
- 5. Date of availability of tender on CRPF website: 1500 Hrs at 21/10/2020
- 6. In case of any problem please contact on telephone number 01733-266257 (Control Room).

Sd/- 20/10/2020 (Sunil Thorpe) DIGP, GC CRPF,PINJORE For and on behalf of the President of India

Copy forwarded to:-

- i) The DIG (IT), Dte. General, CRPF, alongwith a soft copy of E-Tender Enquiry for publication of the TE on CRPF website. (Through Selo)
- ii) The Executive Engineer (Civil/Elect), Road and Building Department,



OFFICE OF THE DY. INSPECTOR GENERAL OF POLICE

कार्यालय पुलिस उप-महानिरीक्षक

GROUP CENTRE, C.R.P.F., PINJORE (HARYANA)-134104

समूह केन्द्र, केन्द्रीय रिजर्व पुलिस बल, पिंजौर (हरियाणा)-134104

GC PINJORE ALWAYS IN PURSUIT OF EXCELLENCE

* 1733-266251 (OFFICE),266257 (CONTROL ROOM & FAX)

No.L-VII-1/2020-21-GCP-Bldg

Dated the 20 October 2020

//TENDER //

Online bid/e-tenders are invited from Govt (Centre/State) registered firms/contractors for contractors Re- boring tube well and laying 100 mm dia DI pipe line from firing range to UGT tank at GC,CRPF Pinjore District – Panchkula (Haryana) -134104 as per details given below.

A) SCHEDULE TO TENDER

| A) CONEDULE TO TENDER | | | |
|---|---|---|--|
| Schedule to Tender No. | : | L-VII-1/2020-21-GCP-BLDG | |
| Last date and time of receipt of on-line & Manual documents of tender | | 04/11/2020 at 1600 Hrs. | |
| Time and date of on-line opening e- tender | : | 05/11/2020 at 1600 Hrs | |
| Validity of offer | : | The tender shall remain open for acceptance till 180 days from the date of opening of Tender. | |

| SI No | | Name of work & Location | Earnest Money | Estimate d cost | Period of Completio n | Last date & time of Submissio n of tender | Time & date of opening of tender |
|----------|---|--|------------------|-----------------------|---|--|---|
| 01 | L-VII- 1/2010- 21-GCP- BLDG (AR&MO) | contractors Re- boring tube well and laying 100 mm dia DI pipe line from firing range to UGT tank at GC,CRPF Pinjore District – Panchkula (Haryana) - 134104 | Rs. 39,500/- | Rs. – 19,73,248/- | Within 90 days from the date of award of contract | 04/11/2020 at 1600 Hrs. | 05/11/2020 at 1600 Hrs. |

Tender will be accepted upto: 04/11/2020 at 1600 Hrs.

Tender will be Opened:- 05/11/2020 at 1600 Hrs.

Details of Work is placed at : Appendix-A

(A) Re- boring tube well and laying 100 mm dia DI pipe line from firing range to UGT tank at GC,CRPF Pinjore District – Panchkula (Haryana) -134104

| SL No. | Description of work | Qty | Unit |
|-----------|---|-----|---------|
| 1 | Providing and fixing C.I. sluice valves (with cap) complete with bolts, nuts, rubber insertions etc. (the tail pieces if required will be paid separately): | | |
| | 100 mm diameter | | |
| | Class II | 2 | each |
| 2 | Providing and laying D.I. specials of class K-12 suitable for push- on jointing as per IS: 9523: | | |
| | Up to 600 mm dia | 6 | quintal |
| 3 | Providing push-on-joints to Centrifugally (Spun) Cast Iron Pipes or Ductile Iron Pipes including testing of joints and the cost of rubber gasket | | |
| | 100 mm dia pipes | 200 | joint |
| 4 | Providing and laying S&S Centrifugally Cast (Spun) / Ductile Iron Pipes conforming to IS: 8329: | | |
| | 100 mm dia Ductile Iron Class K-9 pipes | 550 | meter |
| 5 | Boring/drilling bore well of required dia for casing/ strainer pipe, by suitable method prescribed in IS: 2800 (part I), including collecting samples from different strata, preparing and submitting strata chart/bore log, including hire & running charges of all equipments, tools, plants & machineries required for the job, all complete as per direction of Engineer-in-charge, upto 90 metre depth below ground level. | | |
| | Rocky strata including Boulders | | |
| | 300 mm dia | 250 | meter |
| 6 | Supplying, assembling, lowering and fixing in vertical position in bore well, unplasticized PVC medium well casing (CM) pipe of required dia, conforming to IS: 12818, including required hire and labour charges, fittings & accessories etc. all complete, for all depths, as per direction of Engineer -in-charge | | |
| | 200 mm nominal size dia | 140 | meter |
| 7 | Supplying, assembling, lowering and fixing in vertical position in bore well unplasticized PVC medium well screen (RMS) pipes with ribs, conforming to IS: 12818, including hire & labour charges, fittings & accessories etc. all complete, for all depths, as per direction of Engineer-in-charge. | | |
| _ | 200 mm nominal size dia | 110 | meter |
| 8 | Gravel packing in tube well construction in accordance with IS: 4097, including providing gravel fine/ medium/ coarse, in required grading & sizes as per actual requirement, all complete as per direction of Engineer-in-charge. | 20 | cum |
| 9 | Development of tube well in accordance with IS: 2800 (part I) and | 40 | hour |

| | IS: 11189, to establish maximum rate of usable water yield without sand content (beyond permissible limit), with required capacity air compressor, running the compressor for required time till well is fully developed, measuring yield of well by "V" notch method or any other approved method, measuring static level & draw down etc. by step draw down method, collecting water samples & getting tested in approved laboratory, i/c disinfection of tube well, all | | |
|----|--|-----|-------|
| | complete, including hire & labour charges of air compressor, tools & accessories etc., all as per requirement and direction of | | |
| 10 | Engineer-in-charge Providing and fixing suitable size threaded mild steel cap or spot welded plate to the top of bore well housing/ casing pipe, removable as per requirement, all complete for bore well of: | | |
| | 200 mm dia | 1 | each |
| 11 | Providing and fixing M.S. clamp of required dia to the top of casing/ housing pipe of tube well as per IS: 2800 (part I), including necessary bolts & nuts of required size complete. | | |
| | 200 mm dia | 1 | each |
| 12 | Providing and fixing Bail plug/ Bottom plug of required dia to the bottom of pipe assembly of tubewell as per IS:2800 (part I). | | |
| | 200 mm dia | 1 | each |
| 13 | Providing and fixing gun metal non-return valve of approved quality (screwed end): | | |
| | 100 mm dia nominal bore | | |
| | horizontal | 3 | each |
| 14 | Supplying of UG Cable 3.5X240 Sqm | 220 | meter |
| 15 | SITC of control panel for the submersible pump | 1 | each |
| 16 | Laying of DWC pipe | | |
| | 120 mm dia (OD-120 mm & ID-1.3 mm nominal) | 220 | meter |
| 17 | Laying of cable in pipe | | |
| | Above 185 sq. mm and up to 400 sq. mm | 220 | meter |
| 18 | Supplying and laying of submersible cable 3X16 sqm. | 200 | meter |
| 19 | Providing and installation of 100 mm dia GI "B" class delivery line in 3 Mtr. Both side flanged pieces | 27 | each |
| 20 | Providing and installation of submersible pump | 1 | each |
| 21 | Lowering of submersible pump with delivery line in 3Mtr long 100 mm dia GI pipe i/c assembling connection etc. | 1 | job |
| 22 | Earthing with 405 Mtrs long 40 mm dia GI earth pipe | 2 | set |
| 23 | P/F 25 mmX 5 MM GI strip in 40 mm dia GI pipe | 6 | meter |

B. <u>Terms and conditions are as under:</u>

1. Eligibility of Contractor/ Firm

- 1. The Tenderer should be a Govt. Approved registered Central/State contractor for the subject work. The enlistment of the contractors should be valid on the last date of submission of tenders. In case only the last date of opening of tender is extended, the enlistment of contractor should be valid on the original date of opening of tenders. A copy of Registration Certificate/License issued by State/Central Govt and its related required document for the above work is mandatory to submit with the tender documents by the tenderer (s).
- 2. Non-CPWD or Non-MES registered contractors shall have to fulfill the criteria of satisfactory execution of works as given below:-

(i) Three similar works, each of value not less than 40% of the estimated cost put to tender. or (ii) Two similar works, each of value not less than 60% of the estimated cost, or (iii) One similar work of value not less than 80% of the estimated cost, all amounts rounded off to a convenient full figure, in the last 7 years ending on the last day of the month previous to the one in which the tenders are invited. CPWD and MES registered contractors shall be enlisted in the particular category/ class as per the financial (estimated) cost of the work. Lower category/class contractors of CPWD and MES shall have to fulfill the condition as given in above serial No.2 (a) Rates quoted by the Contractor should be in Indian Rupees both in 2. Terms of Price figures as well as in words for complete units as per specifications any and every alteration in the rates should be signed in ink otherwise the offers will not be considered. (b) Contractor should clearly indicate different taxes and duties, which they propose to charge as extra along with the present rates thereof. Offers with such stipulations like as applicable" will be treated as vague and are liable to be ignored. 3. Payment (a) Works are required to be executed on **credit basis only** and payment will be made after drawl of amount from RPO, CRPF, Jammu. terms (b) Payment in advance or immediately cannot be made. (c) The Payment action will be processed on production of the following documents: a) Bill in Triplicate. b) A Copy of award of work. (c) TDS, Labour Cess and other taxes will be deducted from the Bill of contractor by PAO as per norms. 4. Earnest All the contractors are required to deposit required Earnest money Off 1. Money line Deposit The earnest money can be deposited through any of the following alternative forms: (a) A TDR/ FDR drawn in favour of THE DIGP, GROUP CENTRE, CRPF, PINJORE (HARYANA). [Bankers: SBI, Pinjore, (Code No.10471). (b) An irrevocable Bank Guarantee of any nationalized, scheduled bank or reputed commercial bank in the attached format as at Appendix-B. (c) The earnest money shall remain valid and to be deposited with the purchaser for a period of 180 days from the date of tender opening. If the validity of the tender is extended, the validity of the Bank Guarantee/or any other alternate document submitted in lieu of earnest money will also be suitably extended by the tenderer, failing which their tender after the expiry of the aforesaid period shall not be considered by the purchaser. No interest shall be payable on the earnest money deposited by the (d) tenderer. The earnest money deposited is liable to be forfeited if the tenderer withdrawn or Amends impairs or derogates from the tender in any respect within the period of validity of his tender. (f) The earnest money of the successful tenderer shall be returned after the

security deposit as required in terms of the contract is furnished by the

If the successful tenderer fails to furnish the security deposit it as required in the contract within the stipulated period, the earnest money shall be treated as

performance security deposit for all practical purposes.

(g) Earnest money deposits of all the unsuccessful tenderers will be returned as early as possible after the expiry of bid's validity, but not later than 30 days after placement of contract. Tenderers are advised to send a pre receipt challan along with their bids so that refund of earnest money can be made in time. (h) Any tender, where the tenderer is required to deposit earnest money in terms of Conditions mentioned in preceding paras, not accompanied with earnest money in anyone of the approved forms acceptable to the competent authority, shall be summarily rejected. 5. The successful contractor shall have to deposit a Performance guarantee equivalent to 5% of the tendered value of the work to be Performanc executed within 07 days from the date of award of contract for due е Guarantee performance. Failure on the part of the firm to Deposit the Performance guarantee within the stipulated time empowers the competent authority to cancel the contract. 2. The Performance quarantee submitted by the supplier will remain valid at least for 120 days beyond the date of completion of work as well as all contractual obligations of the supplier including guarantee/ warrantee obligations. 3. The performance quarantee can be deposited in any of the following alternative forms: (a) A FDR/ TDR drawn in favour of THE DIGP, GROUP CENTRE, CRPF, PINJORE (HARYANA). [Bankers: SBI, Pinjore, (Code No.10471). (b) An irrevocable Bank Guarantee of any nationalized/Scheduled Bank or reputed commercial bank in any other form prescribed. 4. If the contractor fails to start the work within the stipulated period and places and requests for extension of time, he shall submit an undertaking on Non-Judicial stamp paper of Rs.10/- duly attested by the Notary public stating that the performance guarantee has already been extended for sixty days beyond the guarantee/warrantee period. 5. The Performance guarantee shall be withheld or forfeited in full or part in case the work order is not executed satisfactorily within the stipulated period or requisite standard within the guarantee period is not undertaken to the best satisfaction of the user. 6. Security The security deposit @ 2.5% of the gross amount of the bill shall be deposit deposit through FDR in favour of THE DIGP, GROUP CENTRE, CRPF, PINJORE (HARYANA). [Bankers: SBI, Pinjore, (Code No.10471). The security deposit shall be refunded to the contractor after expiry of defects liability period. 7. Two Bid 1. Technical Bid: Scanned copy of Documents (technical bid) submitted Online System and hard copy duly attested to be dropped manually in the Office of The DIGP GC CRPF Pinjore, with in time frame so as to reach on or before / /2020 at **1800 hrs** . Department is not responsible for any postal delay as well as technical problem at portal/site. Following documents must be attached:i) The bidder/ tenderer will submit the tender documents completed and signed (all pages to be signed) with seal. ii) Attested photo Copies of the following documents: PAN, GST registration, Last 3 year's tax returns, service registration and DD/P.O. /FDR/ TDR towards EMD. iii) Tender acceptance letter. iv) Complete postal address of contractor/ firm along with copy of valid I/ Card/Voter I/D card etc v) Form 68(A) (As per Appendix-H)

vi) Last 02 Years Performance/Experience certificate of similar works.

Financial Bid: Indicating item/schedule wise price quoted for the work (with rates, GST, duties, if any) must be clearly mentioned in figures as well as in words and in INR as per schedule of quantity—Attachment-(1) mentioned in the technical bid.

- 3. The technical bids are to be opened at the first instance and evaluated by the competent authority. In the second stage, financial bids of only the technically acceptable offers will be opened for further evaluation and ranking before awarding the contract.
- 4. Online financial bid shall be opened only of those bidders who on the basis of eligibility/ technical documents uploaded by them within the period of bid submission, qualify in accordance with the provision of eligibility.

7. WORK SPECIFICATION

The work shall be carried out according to C.P.W.D. Specifications 2018 Vol-I & II including up to date correction s lips and as per additional conditions.

8. SITE VISIT AND COLLECTING LOCAL INFORMATION

Before tendering, the tenderer is advised to visit the site, its surroundings to asses s and satisfy themselves about the local conditions such as the working and other constraints at site, approach roads to the site, availability of water & power supply, application of taxes, duties and levies as applicable, accommodations they may require etc & any other relevant information required by them to execute complete scope of work. The tenderer may obtain all necessary information as to risks, weather conditions, contingencies & other circumstances (insurgencies etc.) which may influence or affect their tender prices. Tenderer shall be deemed to have considered site conditions whether he has inspected it or not and to have satisfied himself in all respect before quoting his rates and no claim or extra charges whatsoever in this regard shall be entertained / payable by THE DIGP, GROUP CENTRE, CRPF, PINJORE (HARYANA) at a later date.

9. **VALIDITY OF TENDER**

The tender for the works shall remain open for acceptance for a period **180** days from the date of opening of Price Bid of tenders. The earnest money will be forfeited without any prejudice to any right or remedy, in case the contractor withdraws his tender during the validity period or in case he change s his offer to his benefits which are not acceptable to **THE DIGP**, **GROUP CENTRE**, **CRPF**, **PINJORE** (HARYANA). The validity period may be extended on mutual consent.

10. REJ ECT/ CANCEL/SCRAP

The Competent Authority has got the right to accept or reject/cancel/scrap the tender as whole or part of it and no claims what so ever will be entertained on this account. The competent authority also reserves the right to increase/decrease/alter the scope of work/ quantity of work etc. and no claims what so ever will be entertained.

11. TERMINATION OF CONTRACT ON DEATH OF CONTRACTOR

Without prejudice to any of the right or remedies under this contract if the contractor dies, THE DIGP, GROUP CENTRE, CRPF, PINJORE (HARYANA) shall have the option of terminating the contract without compensation to the contractor. If the contractor is an individual or proprietary concern and individual or the proprietor dies or if the contractor is a partnership concern and one of the partner dies then unless, THE DIGP, GROUP CENTRE, CRPF, PINJORE (HARYANA) is satisfied that the legal representative of the individual for the proprietary concern or the surviving partners are capable of carrying out and completing contract, he THE

DIGP, GROUP CENTRE, CRPF, PINJORE (HARYANA) is entitled to cancel the contract for the uncompleted part without being in any way liable for any compensation payment to the estate of deceased contractor or to the surviving partners of the contractor's firm on account of the cancellation of contract. The decision of THE DIGP, GROUP CENTRE, CRPF, PINJORE (HARYANA) in such assessment shall be final and binding on the parties. In the event of such cancellation THE DIGP, GROUP CENTRE, CRPF, PINJORE (HARYANA) shall not hold the state of deceased contractor and/or the surviving partners of the contractor's firm liable for any damages for non-completion of contract.

12. **DIRECTION FOR WORKS**

All works to be executed under the contract shall be executed Under the direction and subject to approval in all respect of THE DIGP, GROUP CENTRE, CRPF, PINJORE (HARYANA) /Work Committee / Officer commanding of Building / Engineer-in-Charge of THE DIGP, GROUP CENTRE, CRPF, PINJORE (HARYANA) who shall be entitled to direct at what point or points and in what manner works are to be commenced and executed.

13. <u>DEFECT LIABILITY PERIOD</u>

- 12 Months from the date of Completion as certified by THE DIGP, GROUP CENTRE, CRPF, PINJORE (HARYANA) /Officer commanding of Building Branch / Work Committee.
- During the defect liability period, if any defect is observed due to workmanship or from any act or omission of the contractor, the contractor shall execute all such work of rectification and making good of defects, as may be required of him by competent authority at his own cost and within the time stipulated by competent authority. If the contractor shall fail to do any such work as required by the competent authority, Security/ Retention money shall be liable to be forfeited and the contractor shall make him-self liable to be blacklisted.
- 14. Before starting the work the contractor shall chalk out a program, in consultation with THE DIGP, GROUP CENTRE, CRPF, PINJORE (HARYANA) or his authorized representative at least one week in advance. The contractor shall have to adhere to this programme failing which he shall be held responsible for any inconvenience caused to the occupants. In order to ensure that the work is carried out according to the programme drawn, the contractor shall ensure adequate supply of the material and employ required labour strength for execution of work. The contractor shall put his authorized representatives daily at the site of work / Enquiry Office for receiving instructions from THE DIGP, GROUP CENTRE, CRPF, PINJORE (HARYANA) and other inspecting officials from the department. His name and signature shall be attested by the contractor and kept on the record with the department.
- 15. Payment shall be made to contractor only after giving certificate about satisfactory completion of work. All measurement shall be recorded on standard measurement sheets which will be submitted to THE DIGP, GROUP CENTRE, CRPF, PINJORE (HARYANA) for scrutiny and passing.
- 16. THE DIGP, GROUP CENTRE, CRPF, PINJORE (HARYANA) /Works committee/Officer commanding of Building/ Engineer in-charge shall scrutinize and check the measurement records practically/on ground based on the measurement sheet provided by contractor and final measurement sheet will be prepared by Engineer-in-charge of this office.

- 17. Dispute in mode of measurement: In case of dispute as to the mode of measurement not covered by the contract to be adopted for any item of work, mode of measurement as per latest Indian specification shall be followed.
- 18. Intending tenderer is eligible to submit the bid provided he has definite proof from the appropriate authority, which shall be to the satisfaction of the competent authority, of having satisfactorily completed similar works of magnitude specified.

19. The time allowed for carrying out the work will be within 90 days from the date of work order.

- 20. The site for the work is available or the site for the work shall be made available in parts as specified above.
- 21. The contractor shall not be permitted to tender for works in the CRPF in which his near relative of CRPF is involved. If so, he shall also intimate the names of persons who are working with him in any capacity or are subsequently employed by him and who are near relatives to any CRPF officer/personnel.
- 22. Department will not be responsible for any kind of incident involving the labour during or after the work. The contractor must insure the workers against all contingencies and be responsible for their safety.
- 23. GST No. or/ and Service Tax No. and Contractor's Registration No. must be printed on the bill which is submitted for recoupment/ payment action.
- The tender for the works shall remain open for acceptance for a period of 180 Days from the date of opening of tenders. If any tenderer withdraws his tender before the said period or issue of letter of acceptance, whichever is earlier, or makes any modifications in the terms and conditions of the tender which are not acceptable to the department, then THE DIGP, GROUP CENTRE, CRPF, PINJORE (HARYANA) shall, without prejudice to any other right or remedy, be at liberty to forfeit the earnest money as aforesaid. Further the tenderer shall not be allowed to participate in the retendering process of the work.
- 25. The contractor shall bear cost of Liquidated Damage for Delay in completion of work within the stipulated time @ of 2% per month of contracted value not exceeding the 10% of contracted value in whole.
- 26. This Notice Inviting Tender shall form a part of the contract document.
- 27. Hard copies as submitted physically in the office of THE DIGP, GROUP CENTRE, CRPF, PINJORE (HARYANA-134104), shall be only valid document for evaluation of technical specification. THE DIGP, GROUP CENTRE, CRPF, PINJORE (HARYANA), New Delhi has all rights to break contract at any time without assigning any reason.
- 28. The Tenderer are requested to return a copy of this Tender duly signed on each page along with other relevant documents as required with the tender for evaluation purpose. If tenderer fails to return a copy of this Tender duly signed, his offer will not be considered and it will be rejected.
- 29. The tenderer shall be responsible for arranging and maintaining at his-

own cost all materials, tools & plants, water, electricity access, facilities for executing work and all other services required for executing the work.

30. The successful tenderer shall make his-own arrangement for storage and watch and ward of material whether the same brought by him or supplied by the department. He shall remain responsible for watch and ward of installation and other fittings till these are commissioned and handed over to the department.

Successful tenderer should be in a position to produce, after opening of the price bids, the Original Certificates in support of the self attested copies of relevant documents submitted along with tender document. Failure to produce the original certificates at this stage in support of the attested copies of firm registration / Electrical License/any other documents etc. submitted earlier would result in disqualification and forfeiture of EMD and also liable for debarring from participation in the office of THE DIGP, GROUP CENTRE, CRPF, PINJORE (HARYANA). [Bankers: SBI, Pinjore, (Code No.10471) tenders.

- 31. FINAL INSPECTION: After completion of work as per specification the whole work will be subject to a final inspection to ensure that job has been completed as per requirement. If any defects noticed in the work are attributable to Contractor, these shall be attended by the Contractor at his own cost, as and when they are brought to his notice by THE DIGP, GROUP CENTRE, CRPF, PINJORE (HARYANA) /Work committee/officer Commanding of Building/ Engineer in charge THE DIGP, GROUP CENTRE, CRPF, PINJORE (HARYANA), New Delhi and its representative shall have the right to have these defects rectified at the risk and cost of the contractor if he fails to attend to these defects immediately.
- 32. Work scope may be changed depending upon the priority of the work.
- 33. No part of the CONTRACT nor any share or interest therein shall in any manner or degree be transferred, assigned or sublet by the CONTRACTOR directly or indirectly to any person, firm or corporation whatsoever without the consent in writing of THE DIGP, GROUP CENTRE, CRPF, PINJORE (HARYANA) All materials required to be used on works shall be got approved from THE DIGP, GROUP CENTRE, CRPF, PINJORE (HARYANA) / Officer Commanding of Building in advance. In case of doubt on any material, THE DIGP, GROUP CENTRE, CRPF, PINJORE (HARYANA) wears the right to get the material test from Govt. approved labs/NABL
- 34. The quoted rate should be inclusive of all taxes, levies, works contract taxes, duties etc.
- 35. All items to be used in this work should be branded and ISI. In this case CPWD approved list of material for similar work may be followed.
- 36. In any case of dispute GCC maintenance work 2019 given at **cpwd.gov.in** will be adhered to.

Sd/- 20/10/2020 (Sunil Thorpe) THE DIGP PINJORE (HARYANA) For and on behalf of the president of India

A) Re- boring tube well and laying 100 mm dia DI pipe line from firing range to UGT tank at GC,CRPF Pinjore District – Panchkula (Haryana) -134104

| 2 Providing and laying D.I. specials of class K-12 suitable for push-on jointing as per IS: 9523: Up to 600 mm dia 3 Providing push-on-joints to Centrifugally (Spun) Cast Iron Pipes or Ductile Iron Pipes including testing of joints and the cost of rubber gasket 100 mm dia pipes 4 Providing and laying S&S Centrifugally Cast (Spun) / Ductile Iron Pipes conforming to IS: 8329: 100 mm dia Ductile Iron Class K-9 pipes 5 Boring/drilling bore well of required dia for casing/ strainer pipe, by suitable method prescribed in IS: 2800 (part I), including collecting samples from different strata, preparing and submitting strata chart/bore log, including hire & running charges of all equipments, tools, plants & machineries required for the job, all complete as per direction of Engineer-in-charge, upto 90 metre depth below ground level. Rocky strata including Boulders 300 mm dia 25 Supplying, assembling, lowering and fixing in vertical position in bore well, unplasticized PVC medium well casing (CM) pipe of required dia, conforming to IS: 12818, including required hire and | | each quinta |
|--|-----|----------------|
| paid separately): 100 mm diameter Class II 2 Providing and laying D.I. specials of class K-12 suitable for push-on jointing as per IS: 9523: Up to 600 mm dia 3 Providing push-on-joints to Centrifugally (Spun) Cast Iron Pipes or Ductile Iron Pipes including testing of joints and the cost of rubber gasket 100 mm dia pipes 4 Providing and laying S&S Centrifugally Cast (Spun) / Ductile Iron Pipes conforming to IS: 8329: 100 mm dia Ductile Iron Class K-9 pipes 5 Boring/drilling bore well of required dia for casing/ strainer pipe, by suitable method prescribed in IS: 2800 (part I), including collecting samples from different strata, preparing and submitting strata chart/bore log, including hire & running charges of all equipments, tools, plants & machineries required for the job, all complete as per direction of Engineer-in-charge, upto 90 metre depth below ground level. Rocky strata including Boulders 300 mm dia 25 Supplying, assembling, lowering and fixing in vertical position in bore well, unplasticized PVC medium well casing (CM) pipe of required dia, conforming to IS: 12818, including required hire and | 6 (| quinta I |
| 100 mm diameter Class II 2 Providing and laying D.I. specials of class K-12 suitable for push-on jointing as per IS: 9523: Up to 600 mm dia 3 Providing push-on-joints to Centrifugally (Spun) Cast Iron Pipes or Ductile Iron Pipes including testing of joints and the cost of rubber gasket 100 mm dia pipes 4 Providing and laying S&S Centrifugally Cast (Spun) / Ductile Iron Pipes conforming to IS: 8329: 100 mm dia Ductile Iron Class K-9 pipes 5 Boring/drilling bore well of required dia for casing/ strainer pipe, by suitable method prescribed in IS: 2800 (part I), including collecting samples from different strata, preparing and submitting strata chart/bore log, including hire & running charges of all equipments, tools, plants & machineries required for the job, all complete as per direction of Engineer-in-charge, upto 90 metre depth below ground level. Rocky strata including Boulders 300 mm dia 25 Supplying, assembling, lowering and fixing in vertical position in bore well, unplasticized PVC medium well casing (CM) pipe of required dia, conforming to IS: 12818, including required hire and | 6 (| quinta I |
| Class II 2 Providing and laying D.I. specials of class K-12 suitable for push-on jointing as per IS: 9523: Up to 600 mm dia 3 Providing push-on-joints to Centrifugally (Spun) Cast Iron Pipes or Ductile Iron Pipes including testing of joints and the cost of rubber gasket 100 mm dia pipes 4 Providing and laying S&S Centrifugally Cast (Spun) / Ductile Iron Pipes conforming to IS: 8329: 100 mm dia Ductile Iron Class K-9 pipes 5 Boring/drilling bore well of required dia for casing/ strainer pipe, by suitable method prescribed in IS: 2800 (part I), including collecting samples from different strata, preparing and submitting strata chart/bore log, including hire & running charges of all equipments, tools, plants & machineries required for the job, all complete as per direction of Engineer-in-charge, upto 90 metre depth below ground level. Rocky strata including Boulders 300 mm dia 25 Supplying, assembling, lowering and fixing in vertical position in bore well, unplasticized PVC medium well casing (CM) pipe of required dia, conforming to IS: 12818, including required hire and | 6 (| quinta I |
| 2 Providing and laying D.I. specials of class K-12 suitable for push-on jointing as per IS: 9523: Up to 600 mm dia 3 Providing push-on-joints to Centrifugally (Spun) Cast Iron Pipes or Ductile Iron Pipes including testing of joints and the cost of rubber gasket 100 mm dia pipes 4 Providing and laying S&S Centrifugally Cast (Spun) / Ductile Iron Pipes conforming to IS: 8329: 100 mm dia Ductile Iron Class K-9 pipes 5 Boring/drilling bore well of required dia for casing/ strainer pipe, by suitable method prescribed in IS: 2800 (part I), including collecting samples from different strata, preparing and submitting strata chart/bore log, including hire & running charges of all equipments, tools, plants & machineries required for the job, all complete as per direction of Engineer-in-charge, upto 90 metre depth below ground level. Rocky strata including Boulders 300 mm dia 25 6 Supplying, assembling, lowering and fixing in vertical position in bore well, unplasticized PVC medium well casing (CM) pipe of required dia, conforming to IS: 12818, including required hire and | 6 (| quinta I |
| jointing as per IS: 9523: Up to 600 mm dia Providing push-on-joints to Centrifugally (Spun) Cast Iron Pipes or Ductile Iron Pipes including testing of joints and the cost of rubber gasket 100 mm dia pipes Providing and laying S&S Centrifugally Cast (Spun) / Ductile Iron Pipes conforming to IS: 8329: 100 mm dia Ductile Iron Class K-9 pipes Boring/drilling bore well of required dia for casing/ strainer pipe, by suitable method prescribed in IS: 2800 (part I), including collecting samples from different strata, preparing and submitting strata chart/bore log, including hire & running charges of all equipments, tools, plants & machineries required for the job, all complete as per direction of Engineer-in-charge, upto 90 metre depth below ground level. Rocky strata including Boulders 300 mm dia Supplying, assembling, lowering and fixing in vertical position in bore well, unplasticized PVC medium well casing (CM) pipe of required dia, conforming to IS: 12818, including required hire and | | · I |
| Providing push-on-joints to Centrifugally (Spun) Cast Iron Pipes or Ductile Iron Pipes including testing of joints and the cost of rubber gasket 100 mm dia pipes Providing and laying S&S Centrifugally Cast (Spun) / Ductile Iron Pipes conforming to IS: 8329: 100 mm dia Ductile Iron Class K-9 pipes Boring/drilling bore well of required dia for casing/ strainer pipe, by suitable method prescribed in IS: 2800 (part I), including collecting samples from different strata, preparing and submitting strata chart/bore log, including hire & running charges of all equipments, tools, plants & machineries required for the job, all complete as per direction of Engineer-in-charge, upto 90 metre depth below ground level. Rocky strata including Boulders 300 mm dia Supplying, assembling, lowering and fixing in vertical position in bore well, unplasticized PVC medium well casing (CM) pipe of required dia, conforming to IS: 12818, including required hire and | | · I |
| Ductile Iron Pipes including testing of joints and the cost of rubber gasket 100 mm dia pipes 20 4 Providing and laying S&S Centrifugally Cast (Spun) / Ductile Iron Pipes conforming to IS: 8329: 100 mm dia Ductile Iron Class K-9 pipes 55 Boring/drilling bore well of required dia for casing/ strainer pipe, by suitable method prescribed in IS: 2800 (part I), including collecting samples from different strata, preparing and submitting strata chart/bore log, including hire & running charges of all equipments, tools, plants & machineries required for the job, all complete as per direction of Engineer-in-charge, upto 90 metre depth below ground level. Rocky strata including Boulders 300 mm dia 25 6 Supplying, assembling, lowering and fixing in vertical position in bore well, unplasticized PVC medium well casing (CM) pipe of required dia, conforming to IS: 12818, including required hire and | 200 | ioint |
| gasket 100 mm dia pipes 20 4 Providing and laying S&S Centrifugally Cast (Spun) / Ductile Iron Pipes conforming to IS: 8329: 100 mm dia Ductile Iron Class K-9 pipes Boring/drilling bore well of required dia for casing/ strainer pipe, by suitable method prescribed in IS: 2800 (part I), including collecting samples from different strata, preparing and submitting strata chart/bore log, including hire & running charges of all equipments, tools, plants & machineries required for the job, all complete as per direction of Engineer-in-charge, upto 90 metre depth below ground level. Rocky strata including Boulders 300 mm dia 25 6 Supplying, assembling, lowering and fixing in vertical position in bore well, unplasticized PVC medium well casing (CM) pipe of required dia, conforming to IS: 12818, including required hire and | 200 | ioint |
| Providing and laying S&S Centrifugally Cast (Spun) / Ductile Iron Pipes conforming to IS: 8329: 100 mm dia Ductile Iron Class K-9 pipes Boring/drilling bore well of required dia for casing/ strainer pipe, by suitable method prescribed in IS: 2800 (part I), including collecting samples from different strata, preparing and submitting strata chart/bore log, including hire & running charges of all equipments, tools, plants & machineries required for the job, all complete as per direction of Engineer-in-charge, upto 90 metre depth below ground level. Rocky strata including Boulders 300 mm dia 25 Supplying, assembling, lowering and fixing in vertical position in bore well, unplasticized PVC medium well casing (CM) pipe of required dia, conforming to IS: 12818, including required hire and | 200 | ioint |
| Pipes conforming to IS: 8329: 100 mm dia Ductile Iron Class K-9 pipes Boring/drilling bore well of required dia for casing/ strainer pipe, by suitable method prescribed in IS: 2800 (part I), including collecting samples from different strata, preparing and submitting strata chart/bore log, including hire & running charges of all equipments, tools, plants & machineries required for the job, all complete as per direction of Engineer-in-charge, upto 90 metre depth below ground level. Rocky strata including Boulders 300 mm dia 25 6 Supplying, assembling, lowering and fixing in vertical position in bore well, unplasticized PVC medium well casing (CM) pipe of required dia, conforming to IS: 12818, including required hire and | | joint |
| Boring/drilling bore well of required dia for casing/ strainer pipe, by suitable method prescribed in IS: 2800 (part I), including collecting samples from different strata, preparing and submitting strata chart/bore log, including hire & running charges of all equipments, tools, plants & machineries required for the job, all complete as per direction of Engineer-in-charge, upto 90 metre depth below ground level. Rocky strata including Boulders 300 mm dia 25 6 Supplying, assembling, lowering and fixing in vertical position in bore well, unplasticized PVC medium well casing (CM) pipe of required dia, conforming to IS: 12818, including required hire and | | |
| suitable method prescribed in IS: 2800 (part I), including collecting samples from different strata, preparing and submitting strata chart/bore log, including hire & running charges of all equipments, tools, plants & machineries required for the job, all complete as per direction of Engineer-in-charge, upto 90 metre depth below ground level. Rocky strata including Boulders 300 mm dia 25 Supplying, assembling, lowering and fixing in vertical position in bore well, unplasticized PVC medium well casing (CM) pipe of required dia, conforming to IS: 12818, including required hire and | 550 | meter |
| chart/bore log, including hire & running charges of all equipments, tools, plants & machineries required for the job, all complete as per direction of Engineer-in-charge, upto 90 metre depth below ground level. Rocky strata including Boulders 300 mm dia 25 6 Supplying, assembling, lowering and fixing in vertical position in bore well, unplasticized PVC medium well casing (CM) pipe of required dia, conforming to IS: 12818, including required hire and | | |
| tools, plants & machineries required for the job, all complete as per direction of Engineer-in-charge, upto 90 metre depth below ground level. Rocky strata including Boulders 300 mm dia Supplying, assembling, lowering and fixing in vertical position in bore well, unplasticized PVC medium well casing (CM) pipe of required dia, conforming to IS: 12818, including required hire and | | |
| direction of Engineer-in-charge, upto 90 metre depth below ground level. Rocky strata including Boulders 300 mm dia 25 6 Supplying, assembling, lowering and fixing in vertical position in bore well, unplasticized PVC medium well casing (CM) pipe of required dia, conforming to IS: 12818, including required hire and | | |
| level. Rocky strata including Boulders 300 mm dia 5 Supplying, assembling, lowering and fixing in vertical position in bore well, unplasticized PVC medium well casing (CM) pipe of required dia, conforming to IS: 12818, including required hire and | | |
| 300 mm dia 25 6 Supplying, assembling, lowering and fixing in vertical position in bore well, unplasticized PVC medium well casing (CM) pipe of required dia, conforming to IS: 12818, including required hire and | | |
| 6 Supplying, assembling, lowering and fixing in vertical position in bore well, unplasticized PVC medium well casing (CM) pipe of required dia, conforming to IS: 12818, including required hire and | | |
| bore well, unplasticized PVC medium well casing (CM) pipe of required dia, conforming to IS: 12818, including required hire and | 250 | meter |
| labour charges, fittings & accessories etc. all complete, for all depths, as per direction of Engineer -in-charge | | |
| 200 mm nominal size dia | 140 | meter |
| Supplying, assembling, lowering and fixing in vertical position in bore well unplasticized PVC medium well screen (RMS) pipes with ribs, conforming to IS: 12818, including hire & labour charges, fittings & accessories etc. all complete, for all depths, as per direction of Engineer-in-charge. | | |
| 200 mm nominal size dia | | meter |

| 8 | Gravel packing in tube well construction in accordance with IS: | 20 | cum |
|----|--|----------|-------|
| | 4097, including providing gravel fine/ medium/ coarse, in required | | |
| | grading & sizes as per actual requirement, all complete as per | | |
| | direction of Engineer-in-charge. | | |
| 9 | Development of tube well in accordance with IS: 2800 (part I) and | 40 | hour |
| | IS: 11189, to establish maximum rate of usable water yield without | | |
| | sand content (beyond permissible limit), with required capacity air | | |
| | compressor, running the compressor for required time till well is | | |
| | fully developed, measuring yield of well by "V" notch method or any | | |
| | other approved method, measuring static level & draw down etc. by | | |
| | step draw down method, collecting water samples & getting tested | | |
| | in approved laboratory, i/c disinfection of tube well, all complete, | | |
| | including hire & labour charges of air compressor, tools & accessories etc., all as per requirement and direction of Engineer- | | |
| | in-charge | | |
| 10 | Providing and fixing suitable size threaded mild steel cap or spot | | |
| 10 | welded plate to the top of bore well housing/ casing pipe, | | |
| | removable as per requirement, all complete for bore well of: | | |
| | 200 mm dia | 1 | each |
| 11 | Providing and fixing M.S. clamp of required dia to the top of casing/ | <u>-</u> | |
| | housing pipe of tube well as per IS: 2800 (part I), including | | |
| | necessary bolts & nuts of required size complete. | | |
| | 200 mm dia | 1 | each |
| 12 | Providing and fixing Bail plug/ Bottom plug of required dia to the | | |
| | bottom of pipe assembly of tubewell as per IS:2800 (part I). | | |
| | 200 mm dia | 1 | each |
| 13 | Providing and fixing gun metal non-return valve of approved quality | | |
| | (screwed end): | | |
| | 100 mm dia nominal bore | | |
| | horizontal | 3 | each |
| 14 | Supplying of UG Cable 3.5X240 Sqm | 220 | meter |
| 15 | SITC of control panel for the submersible pump | 1 | each |
| 16 | Laying of DWC pipe | | |
| | 120 mm dia (OD-120 mm & ID-1.3 mm nominal) | 220 | meter |
| 17 | Laying of cable in pipe | | |
| | Above 185 sq. mm and up to 400 sq. mm | 220 | meter |
| 18 | Supplying and laying of submersible cable 3X16 sqm. | 200 | meter |
| 19 | Providing and installation of 100 mm dia GI "B" class delivery line | 27 | each |
| | in 3 Mtr. Both side flanged pieces | | |
| 20 | Providing and installation of submersible pump | 1 | each |
| 21 | Lowering of submersible pump with delivery line in 3Mtr long 100 | 1 | job |
| | mm dia GI pipe i/c assembling connection etc. | | |
| 22 | Earthing with 405 Mtrs long 40 mm dia GI earth pipe | 2 | set |
| 23 | P/F 25 mmX 5 MM GI strip in 40 mm dia GI pipe | 6 | meter |

PROFORMA OF BANK GUARANTEE FOR SUBMITTING EARNEST MONEY

(On banks letter head with adhesive stamp)

То

The THE DIGP, GROUP CENTRE, CRPF, PINJORE (HARYANA)-134104

| Dear Sir, |
|--|
| In accordance with your invitation to Tender No M/s(Here in after called "The tenderer") with the following Directors on their Board of Directors/Partners of the firm. 1 |
| 34 |
| required to be submitted by "the tenderer" as a precondition for the participation, this bank hereby guarantees and undertakes to pay the purchaser upto the above amount upon receipt of its first written demand, without the purchaser/contractor having to substantiate its demand, provided that in its demand the purchaser/contractor will note that the amount claimed by it is due to it owing to the occurrence of any one of the three conditions mentioned below, specifying the occurred condition or conditions during the |
| above said period of 180 days without any reservation and recourse. If the tenderer withdraws or amends, impairs or derogates from the tender in any respect within the period of its validity. If the tenderer after submitting his tender, modifies the rates or any of the terms and conditions thereof, except with the previous written consent of the purchaser. If the tenderer having been notified of the acceptance of this tender by the |
| purchaser during the period its validity and (a) If the tenderer fails to furnish the performance security for the due performance of the contract. (b) If the tenderer fails or refuses to accept and or execute the contract as provided in |
| the general conditions of the contract. The guarantee shall be irrevocable and shall remain valid up to 180 days from the date of opening of tender. If further extension to this guarantee is required, the same shall be extended to such period on receiving instructions from the tenderer on whose behalf this guarantee is issued and any demand in respect thereof should reach the Bank not later than the above date. |
| Date: Signature of authorized officer of the bank Place: Designation |

Name and address of the bank -----

PERFORMA OF BANK GUARANTEE FOR FURNISHING PERFORMANCE SECURITY DEPOSIT

| То |
|--|
| The President of India, |
| WHEREAS |
| M/S |
| (Name and address of the supplier) (Hereinafter called "the supplier") has undertaken, in pursuance of contract nodated to Re- boring tube well and laying 100 mm dia DI pipe line from firing range to UGT tank at GC,CRPF Pinjore District – Panchkula (Haryana) -134104 (Description of works and services) (Hereinafter called "the contract") |
| Whereas, it has been stipulated by you in the said contract that the supplier shall furnish you with a bank guarantee by a nationalized or scheduled commercial bank of good repute and record recognized by you for the sum specified therein as security for compliance with its ob ligations in accordance with the contract: |
| And whereas we have agreed to give the contractor such a bank guarantee: |
| Now, Therefore we hereby affirm that we are the guarantors and responsible to you, on behalf of the supplier/contractor, up to a total of |
| (amount of the guarantee in words and figures), and we undertake to pay you, upon your first written demand declaring the supplier to be in default under the contract and without cavil or argument, any sum or sums within the limits of (amount of guarantee) as aforesaid, without your needing to prove or to show grounds or reasons for your demand or the sum specified therein. |
| We hereby waive the necessity of your demanding the said debt from the supplier before presenting us with the demand. |
| We further agree that no change or addition to or other modification of the terms of the contract to be performed there under or of any of the contract documents which may be made between you and the supplier/contractor shall in any way release us from any liability under this guarantee and we hereby waive notice of any such change, addition or modification. |
| This guarantee shall be valid until theday of 2020. |
| (Sig. of the authorized officer of the Bank) |
| Name and designation of the officer |
| Name and address of the Bank |
| Banker's common seal |

PERFORMANCE STATEMENT

| Name of Firm: | |
|--|-----------|
| M/S | |
| 1.Contract Nos.: | |
| 2. Description of Works: | |
| 3. Quantity on order : | |
| 4. Value: | |
| 5. Original Date of completion of work : | |
| 6. Work done within the stipulated time limit | : |
| 7. Extension of period for completion of work | : |
| 8. Reason for delay in completion of work: | |
| 9. LD charges so paid for delay in completion work : any) | of (If |

LIST NO-1

TENDERERS SHOULD FURNISH SPECIFIC ANSWERS TO ALL THE QUESTIONS GIVEN BELOW. TENDERERS MAY PLEASE NOTE THAT IF THE ANSWER SO FURNISHED ARE NOT CLEAR AND / OR ARE EVASIVE, THE TENDER WILL BE LIABLE TO BE IGNORED.

| 1. | i ena | er No | | | |
|----|---------------|--|---|--|--|
| 2. | Nam | e and address of firm/contrac | tor : | | |
| 3. | What | t is your permanent Income Tax | A/C No. : | | |
| 4. | Status. | | | | |
| | a) Ind | licate whether you are Govt. re | egistered or not : | | |
| | b)TI | N No. | : | | |
| 5. | Pleas | se indicate name & full addres | s of your banker in the following format | | |
| | a) | Bank Name, Branch and Ba | nk Account No. (Core bank account) | | |
| | b) | IFSC Code | : | | |
| | c) | Whether bank branch is NEF | T/RTGS enables or not : | | |
| 6. | | State whether your firm with banned by any Govt. /CPWI | | | |
| 7. | | se confirm that you have readlied with accordingly. | d all the instructions carefully and have | | |
| | Signa | ture of Witness | Signature of Tenderer | | |
| | ` | Name and address of ss in Block letters) | (Full Name and address of the persons signing in Block letters) | | |
| | | | Whether signing as Proprietor/Partner/Constituted Attorney/duly authorized by the Company | | |

Questionnaire/Check List (must be filled in all respect)

| 01 | Whather firm/Centractor is registered for the |
|----|---|
| 01 | Whether firm/Contractor is registered for the tendered work or not |
| 02 | Registration No. and Date |
| 03 | Registration issued by |
| 04 | Registration valid upto |
| 05 | Copy of Registration submitted or not |
| 06 | GST registration No |
| 07 | Whether Copy of GST registration certificate submitted or not with tender |
| 08 | PAN No. |
| 09 | Whether Copy of PAN No submitted or not with tender |
| 10 | Whether Copy of replacement Warranty period of new fittings enclosed or not |
| 11 | Whether EMD enclosed, if yes details of EMD |
| 12 | Whether offer is valid upto 180 days or otherwise. |
| 13 | Complete details of Banker with IFSC code, Account No. Name of Bank, Name of Branch, Bank Code, Swift code etc. |
| 14 | Whether past performance Performa submitted alongwith copies of award of contracts or not |
| 15 | Whether tender specification / work scope accepted by the firm/contractor or not |
| 16 | Whether all pages of tender has been signed by the authorized signatory or not and returned with offer of not. |
| 17 | Whether all the terms and condition of the Tender Enquiry including payment terms are acceptable or not |
| 18 | Any other specific condition of the firm/contractor |

| Signature | | |
|-----------|---------|------|
| (Name | of | the |
| firm/Cont | ractor) | with |
| seal/stam | 'n | |

TENDER ACCEPTANCE LETTER

| Date: To, |
|---|
| Sub: Acceptance of Terms & Conditions of Tender. |
| Tender Reference No: |
| Name of Tender / Work:- |
| |
| Dear Sir, |
| 1. I/ We have downloaded / obtained the tender document(s) for the above mentioned Tender/Work from the web site(s) namely: |
| |
| as per your advertisement, given in the above mentioned website(s). |
| 2. I / We hereby certify that I / we have read the entire terms and conditions of the tender documents from Page Noto(including all documents like annexure(s), schedule(s), etc.,), which form part of the contract agreement and I / we shall abide hereby by the terms / conditions / clauses contained therein. |
| |

- 3. The corrigendum(s) issued from time to time by your department/ organization too has also been taken into consideration, while submitting this acceptance letter.
- 4. I / We hereby unconditionally accept the tender conditions of above mentioned tender document(s) / corrigendum(s) in its totality / entirety.
- 5. In case any provisions of this tender are found violated, then your department/ organization shall without prejudice to any other right or remedy be at liberty to reject this tender/bid including the forfeiture of the full said earnest money deposit absolutely.

Yours Faithfully,

| Form 68-A | |
|--|--|
| Tender No | |
| Full name and address of the Tendere | r in addition Contractor's telegraphic Address |
| To post box No. if any should be quoted | lin all |
| Communication to this Office | |
| Т | elephone No |
| From | ax No |
| | |
| Dear Sir, | |
| thereof as you may specify in the accept and agree to hold this offer open till_within the prescribed time. 2. I/We have understood the instance conditions of contract in the Form No-6 contract governing contracts placed by of India read with the amendments specification drawing and/or pattern quantum part of the prescribed time. | stores detailed in the schedule here to or such portion of the said schedule of tender at the price given in the said schedule law and schedul |
| | Signature of the Tendere |
| The following pages have been added | to and form part of this tender |
| Here paste coupon in case where coupons are supplied to contractors | |
| Address | Yours faithfully, (Signature of the Tenderer |
| (Signature of the Witness) Address Dated | - |

Instructions for Online Bid Submission

Instructions to the Bidders to submit the bids online through the Central Public

Procurement Portal for e Procurement at http://eprocure.gov.in/eprocure/app

- 1) Possession of valid Digital Signature Certificate (DSC) and enrollment/registration of the contractors/bidders on the e-procurement/e-tender portal is a prerequisite for e-tendering.
- 2) Bidder should do the enrollment in the e-Procurement site using the "Click here to Enroll" option available on the home page. Portal enrollment is generally free of charge. During enrollment/ registration, the bidders should provide the correct/true information including valid email id. All the correspondence shall be made directly with the contractors/bidders through email id provided.
- 3) Bidder need to login to the site through their user ID/ password chosen during enrollment/registration.
- 4) Then the Digital Signature Certificate (Class II or Class III Certificates with signing key usage) issued by SIFY/TCS/n-Code/e-Mudra or any Certifying Authority recognized by CCA India on e-Token/Smartcard, should be registered.
- 5) The DSC that is registered only should be used by the bidder and should ensure safety of the same.
- 6) Contractor/Bidder may go through the tenders published on the site and download the required tender documents/schedules for the tenders he/she is interested.
- 7) After downloading / getting the tender document/schedules, the Bidder should go through them carefully and then submit the documents as asked, otherwise bid will be rejected.
- 8) If there are any clarifications, this may be obtained online through the tender site, or through the contact details. Bidder should take into account the corrigendum published before submitting the bids online.
- 9) Bidder then logs in to the site through the secured log in by giving the user id/ password chosen during enrolment/registration and then by giving the password of the e-Token/Smart-Card to access DSC.
- Bidder selects the tender which he/she is interested in by using the search option & then moves it to the "my tenders" folder.
- 11) From my tender folder, he selects the tender to view all the details indicated.
- 12) It is construed that the bidder has read all the terms and conditions before submitting their offer. Bidder should go through the tender schedules carefully and upload the documents as asked; otherwise, their bid will be rejected.
- Bidder, in advance, should get ready the bid documents to be submitted as indicated in the tender document/schedule and generally, they can be in PDF/xls/rar/zip/dwf formats. If there is more than one document, they can be clubbed together and can be provided in the requested format. Each document to be uploaded through online for the tenders should be less than 2 MB. If any document is more than 2MB, it can be reduced through zip/rar and the same can be uploaded, if permitted. Bidders Bid documents may be scanned with 100 dpi with black and white option. However if the file size is less than 1 MB the transaction uploading time will be very fast.
- 14) If there are any clarifications, this may be obtained through the site, or during the pre-bid meeting if any. Bidder should take into account the corrigendum published from time to time before submitting the online bids.
- 15) The Bidders can update well in advance, the documents such as certificates, annual report details etc., under My Space option and these can be selected as per tender requirements and then send along with bid documents during bid submission. This will facilitate the bid submission process faster by reducing upload time of bids.
- 16) Bidder should submit the Tender Fee/ EMD as specified in the tender. The original should be posted/couriered/given in person to the Tender Inviting Authority, within the bid submission due date

& time for the tender. Scanned copy of the instrument should be uploaded as part of the offer.

- 17) While submitting the bids online, the bidder reads the terms & conditions and accepts the same to proceed further to submit the bid packets.
- 18) The bidder has to select the payment option as offline to pay the Tender Fee/ EMD as applicable and enter details of the instruments.
- 19) The details of the DD/any other accepted instrument, physically sent, should tally with the details available in the scanned copy and the data entered during bid submission time. Otherwise submitted bid will not be acceptable.
- 20) The bidder has to digitally sign and upload the required bid documents one by one as indicated. Bidders to note that the very act of using DSC for downloading the bids and uploading their offers shall be deemed to be a confirmation that they have read all sections and pages of the bid document including General conditions of contract without any exception and have understood the entire document and are clear about the requirements of the tender requirements.
- 21) The bidder has to upload the relevant files required as indicated in the cover content. In case of any irrelevant files, the bid will be rejected.
- If the price bid format is provided in a spread sheet file like BoQ_xxxx.xls, the rates offered should be entered in the allotted space only and uploaded after filling the relevant columns. The Price Bid/BOQ template must not be modified/ replaced by the bidder; else the bid submitted is liable to be rejected for this tender.
- The bidders are requested to submit the bids through online e-tendering system to the Tender Inviting Authority (TIA) well before the bid submission end date & time (as per Server System Clock). The TIA will not be held responsible for any sort of delay or the difficulties faced during the submission of bids online by the bidders at the eleventh hour.
- 24) After the bid submission (i.e. after Clicking "Freeze Bid Submission" in the portal), the acknowledgement number, given by the system should be printed by the bidder and kept as a record of evidence for online submission of bid for the particular tender and will also act as an entry pass to participate in the bid opening date.
- 25) The time settings fixed in the server side & displayed at the top of the tender site, will be valid for all actions of requesting, bid submission, bid opening etc., in the e-tender system. The bidders should follow this time during bid submission.
- All the data being entered by the bidders would be encrypted using PKI encryption techniques to ensure the secrecy of the data. The data entered will not viewable by unauthorized persons during bid submission & not be viewable by any one until the time of bid opening.
- Any bid document that is uploaded to the server is subjected to symmetric encryption using a system generated symmetric key. Further this key is subjected to asymmetric encryption using buyers/bid openers public keys. Overall, the uploaded tender documents become readable only after the tender opening by the authorized bid openers.
- The confidentiality of the bids is maintained since the secured Socket Layer 128 bit encryption technology is used. Data storage encryption of sensitive fields is done.
- 29) The bidder should logout of the tendering system using the normal logout option available at the top right hand corner and not by selecting the (X) exit option in the browser.
- For any queries regarding e-tendering process, the bidders are requested to contact as provided in the tender document. Parallels for any further queries, the bidders are asked to contact over the **Email**: diggcpjr@crpf.gov.in Ph.No.1733-266251(Office), 1733-266257(Control Room), Web site. www.crpf.gov.in